

TECHNICAL EDUCATION AND SKILLS DEVELOPMENT AUTHORITY (TESDA)

# BID DOCUMENTS

Procurement of Starter Toolkits for the Special Training for Employment Program (STEP) for FY 2016 - Phase II

2016-08

pto 1

## TABLE OF CONTENTS

SECTION I. INVITATION TO BID	2
SECTION II. INSTRUCTIONS TO BIDDERS	
SECTION III. BID DATA SHEET	31
SECTION IV. GENERAL CONDITIONS OF CONTRACT	35
SECTION V. SPECIAL CONDITIONS OF CONTRACT	51
SECTION VI. SCHEDULE OF REQUIREMENTS	58
SECTION VII. TECHNICAL SPECIFICATIONS	61
SECTION VIII. BIDDING FORMS	62

Port

## Section I. Invitation to Bid

2

at pour



#### TECHNICAL EDUCATION AND SKILLS DEVELOPMENT AUTHORITY

ISO 9001: 2008 CERTIFIED



Tatak ng Integridad, Serbisyong Dekalidad, Kaagapay sa Pag-unlad

#### INVITATION TO BID

The **Technical Education and Skills Development Authority (TESDA)**, through the General Appropriations Act for CY 2016, intends to apply the sum of One Hundred Twenty Seven Million Six Hundred Fifty Eight Thousand Seventy Pesos and Eight Hundred Fifty Eight Centavos Only (Php127,658,070.858) being the Approved Budget for the Contract (ABC), to payment for the procurement of starter toolkits for the Special Training for Employment Program (STEP) for FY 2016 – Phase II. Bids received in excess of the ABC shall be automatically rejected at the bid opening.

TESDA now invites suppliers to apply for eligibility and to bid for the Procurement of Starter Toolkits for the Special Training for Employment Program (STEP) for FY 2016 - Phase II.

Bidders must have completed at least one (1) contract that is similar to the contract to be bid within five (5) year period from the date of the bid opening and whose value must be at least fifty percent (50%) of the ABC. The description of an eligible bidder is contained in the Bidding Documents, particularly in Section II of the Instructions to Bidders.


Bidding will be conducted through public bidding using a non-discretionary "pass/fail" criterion as prescribed by the Revised Implementing Rules and Regulations (RIRR) of Republic Act No. 9184, otherwise known as the Government Procurement Reform Act.

The bidding shall be done by lot. Each qualification shall consist of one (1) lot. There are fifty-one (51) qualifications totalling to fifty-one (51) lots. Only bids for all the items for each lot/qualification shall be accepted by the Procuring Entity. Bidders may bid for multiple lots/qualifications where they think they are capable of supplying.

A complete set of Bidding Documents may be purchased by interested Bidders beginning on 10 May 2016 from the address written below and upon payment of a non-refundable fee relative to the cost of the Bidding Documents which shall be based on the following standard rates:

Approved Budget for the Contract	Maximum Cost of Bidding Documents (in Philippine Peso)
500,000 and below	500.00
More than 500,000 up to 1 Million	1,000.00
More than 1 Million up to 5 Million	5,000.00
More than 5 Million up to 10 Million	10,000.00
More than 10 Million up to 50 Million	25,000.00

Page | 1



Approved Budget for the Contract	Maximum Cost of Bidding Documents (in Philippine Peso)
More than 50 Million up to 500 Million	50,000.00
More than 500 Million	75,000.00

The amount of the Bidding Documents shall depend on the ABC of the lot/s that will be participated in by the prospective Bidder. At any rate, the standard rates as provided by the Government Procurement Policy Board (GPPB) shall apply.

TESDA will hold a Pre-Bid Conference on **19 May 2016, 2:00 p.m.** at the CSA Conference Room, 2<sup>nd</sup> Floor, TESDA Administration Building, Taguig City, which shall be open to all interested parties who have purchased the Bidding Documents.

Bids must be submitted to the BAC Secretariat, CSA Conference Room, 2<sup>nd</sup> Floor, TESDA Administration Building, Taguig City, on or before **03 June 2016 at 2:00 p.m.** All bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in Clause 18 of Instructions to Bidders.

Bid opening shall be held on **03 June 2016 at 2:15 p.m.** at the CSA Conference Room, 2<sup>nd</sup> Floor, TESDA Administration Building, Taguig City where the bids will be opened in the presence of the Bidders' representatives. Late bids shall not be accepted.

All particulars relative to the Eligibility Statement and Screening, Bid Security, Performance Security, Pre-Bid Conference, Evaluation of Bids, Post-Qualification and Award of Contract shall be governed by the pertinent provisions of Republic Act No. 9184 and its Revised Implementing Rules and Regulations.

TESDA reserves the right to accept or reject any bid, to annul the bidding process, and to reject all bids at any time prior to award of contract, without thereby incurring any liability to the affected bidder or bidders.

TESDA assumes no responsibility whatsoever to compensate or indemnify bidders for any expenses incurred in the preparation of their bids.

For further information, please refer to:

BAC Secretariat 3rd Floor, Procurement Division TESDA Administration Building South Luzon Expressway, Taguig City Telefax: (02) 893-8296

(Sgd.) RD FRANCISCO B. JUCAR, JR. BAC Chairpelson

## Section II. Instructions to Bidders

## TABLE OF CONTENTS

Α.	GEN	ERAL	د
	1.	Scope of Bid	5
	2.	Source of Funds	5
	3.	Corrupt, Fraudulent, Collusive, and Coercive Practices	5
	4.	Conflict of Interest	6
	5.	Eligible Bidders	8
	6.	Bidder's Responsibilities	9
	7.	Origin of Goods	10
	8.	Subcontracts	11
B.	Con	TENTS OF BIDDING DOCUMENTS	11
	9.	Pre-Bid Conference	11
	10.	Clarification and Amendment of Bidding Documents	12
C.	PRE	PARATION OF BIDS	
	11.	Language of Bid	12
	12.	Documents Comprising the Bid: Eligibility and Technical Components	12
	13.	Documents Comprising the Bid: Financial Component	
	14.	Alternative Bids	
	15.	Bid Prices	15
	16.	Bid Currencies	17
	17.	Bid Validity	17
	18.	Bid Security	17
	19.	Format and Signing of Bids	20
	20.	Sealing and Marking of Bids	20
D.	SUB	MISSION AND OPENING OF BIDS	21
	21.	Deadline for Submission of Bids	21
	22.	Late Bids	21
	23.	Modification and Withdrawal of Bids	21
	24.	Opening and Preliminary Examination of Bids	22
E.		ALUATION AND COMPARISON OF BIDS	
	25.		

	26.	Clarification of Bids	23
	27.	Domestic Preference	23
	28.	Detailed Evaluation and Comparison of Bids	24
	29.	Post-Qualification	25
	30.	Reservation Clause	26
F.	Awa	ARD OF CONTRACT	27
	31.	Contract Award	27
	32.	Signing of the Contract	28
	33.	Performance Security	29
	34.	Notice to Proceed	29

A.

#### A. General

#### 1. Scope of Bid

- 1.1. The procuring entity named in the <u>BDS</u> (hereinafter referred to as the "Procuring Entity") wishes to receive bids for supply and delivery of the goods as described in Section VII. Technical Specifications (hereinafter referred to as the "Goods").
- 1.2. The name, identification, and number of lots specific to this bidding are provided in the <u>BDS</u>. The contracting strategy and basis of evaluation of lots is described in ITB Clause 28.

#### 2. Source of Funds

The Procuring Entity has a budget or has applied for or received funds from the Funding Source named in the <u>BDS</u>, and in the amount indicated in the <u>BDS</u>. It intends to apply part of the funds received for the Project, as defined in the <u>BDS</u>, to cover eligible payments under the contract.

#### 3. Corrupt, Fraudulent, Collusive, and Coercive Practices

- 3.1. Unless otherwise specified in the <u>BDS</u>, the Procuring Entity as well as the bidders and suppliers shall observe the highest standard of ethics during the procurement and execution of the contract. In pursuance of this policy, the Procuring Entity:
  - (a) defines, for purposes of this provision, the terms set forth below as follows:
    - (i) "corrupt practice" means behavior on the part of officials in the public or private sectors by which they improperly and unlawfully enrich themselves, others, or induce others to do so, by misusing the position in which they are placed, and includes the offering, giving, receiving, or soliciting of anything of value to influence the action of any such official in the procurement process or in contract execution; entering, on behalf of the government, into any contract or transaction manifestly and grossly disadvantageous to the same, whether or not the public officer profited or will profit thereby, and similar acts as provided in RA 3019.
    - (ii) "fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Procuring Entity, and includes collusive practices among Bidders (prior to or after bid submission) designed to establish bid prices at artificial, noncompetitive levels and to deprive the Procuring Entity of the benefits of free and open competition.

1 guned

- (iii) "collusive practices" means a scheme or arrangement between two or more Bidders, with or without the knowledge of the Procuring Entity, designed to establish bid prices at artificial, non-competitive levels.
- (iv) "coercive practices" means harming or threatening to harm, directly or indirectly, persons, or their property to influence their participation in a procurement process, or affect the execution of a contract;
- (v) "obstructive practice" is
  - deliberately destroying, falsifying, altering (aa) concealing of evidence material to an administrative proceedings or investigation or making false statements to investigators in order to materially impede an administrative proceedings or investigation of the Procuring Entity or any foreign government/foreign or international financing institution into allegations of a corrupt, fraudulent, coercive or collusive practice; and/or threatening, harassing or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the administrative proceedings or investigation or from pursuing such proceedings or investigation; or
  - (bb) acts intended to materially impede the exercise of the inspection and audit rights of the Procuring Entity or any foreign government/foreign or international financing institution herein.
- (b) will reject a proposal for award if it determines that the Bidder recommended for award has engaged in any of the practices mentioned in this Clause for purposes of competing for the contract.
- 3.2. Further, the Procuring Entity will seek to impose the maximum civil, administrative, and/or criminal penalties available under applicable laws on individuals and organizations deemed to be involved in any of the practices mentioned in ITB Clause 3.1(a).
- 3.3. Furthermore, the Funding Source and the Procuring Entity reserve the right to inspect and audit records and accounts of a bidder or supplier in the bidding for and performance of a contract themselves or through independent auditors as reflected in the GCC Clause 3.

#### 4. Conflict of Interest

4.1. All Bidders found to have conflicting interests shall be disqualified to participate in the procurement at hand, without prejudice to the imposition of appropriate administrative, civil, and criminal sanctions. A Bidder may be considered to have conflicting interests with another Bidder in any of the

7 June 2

events described in paragraphs (a) through (c) below and a general conflict of interest in any of the circumstances set out in paragraphs (d) through (f) below:

- (a) A Bidder has controlling shareholders in common with another Bidder;
- (b) A Bidder receives or has received any direct or indirect subsidy from any other Bidder;
- (c) A Bidder has the same legal representative as that of another Bidder for purposes of this bid;
- (d) A Bidder has a relationship, directly or through third parties, that puts them in a position to have access to information about or influence on the bid of another Bidder or influence the decisions of the Procuring Entity regarding this bidding process. This will include a firm or an organization who lends, or temporarily seconds, its personnel to firms or organizations which are engaged in consulting services for the preparation related to procurement for or implementation of the project if the personnel would be involved in any capacity on the same project;
- (e) A Bidder submits more than one bid in this bidding process. However, this does not limit the participation of subcontractors in more than one bid; or
- (f) A Bidder who participated as a consultant in the preparation of the design or technical specifications of the Goods and related services that are the subject of the bid.
- 4.2. In accordance with Section 47 of the IRR of RA 9184, all Bidding Documents shall be accompanied by a sworn affidavit of the Bidder that it is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), members of the Technical Working Group (TWG), members of the BAC Secretariat, the head of the Project Management Office (PMO) or the end-user unit, and the project consultants, by consanguinity or affinity up to the third civil degree. On the part of the Bidder, this Clause shall apply to the following persons:
  - (a) If the Bidder is an individual or a sole proprietorship, to the Bidder himself;
  - (b) If the Bidder is a partnership, to all its officers and members;
  - (c) If the Bidder is a corporation, to all its officers, directors, and controlling stockholders; and
  - (d) If the Bidder is a joint venture (JV), the provisions of items (a), (b), or (c) of this Clause shall correspondingly apply to each of the members of the said JV, as may be appropriate.

Relationship of the nature described above or failure to comply with this Clause will result in the automatic disqualification of a Bidder.

7 ast

#### 5. Eligible Bidders

- 5.1. Unless otherwise provided in the **BDS**, the following persons shall be eligible to participate in this bidding:
  - (a) Duly licensed Filipino citizens/sole proprietorships;
  - (b) Partnerships duly organized under the laws of the Philippines and of which at least sixty percent (60%) of the interest belongs to citizens of the Philippines;
  - (c) Corporations duly organized under the laws of the Philippines, and of which at least sixty percent (60%) of the outstanding capital stock belongs to citizens of the Philippines;
  - (d) Cooperatives duly organized under the laws of the Philippines, and of which at least sixty percent (60%) of the interest belongs to citizens of the Philippines; and
  - (e) Unless otherwise provided in the <u>BDS</u>, persons/entities forming themselves into a JV, *i.e.*, a group of two (2) or more persons/entities that intend to be jointly and severally responsible or liable for a particular contract: Provided, however, that Filipino ownership or interest of the joint venture concerned shall be at least sixty percent (60%).
- 5.2. Foreign bidders may be eligible to participate when any of the following circumstances exist, as specified in the **BDS**:
  - (a) When a Treaty or International or Executive Agreement as provided in Section 4 of the RA 9184 and its IRR allow foreign bidders to participate;
  - (b) Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
  - (c) When the Goods sought to be procured are not available from local suppliers; or
  - (d) When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Government corporate entities may be eligible to participate only if they can establish that they (a) are legally and financially autonomous, (b) operate under commercial law, and (c) are not dependent agencies of the GOP or the Procuring Entity.
- 5.4. Unless otherwise provided in the <u>BDS</u>, the Bidder must have completed at least one contract similar to the Project the value of which, adjusted to current



prices using the National Statistics Office consumer price index, must be at least equivalent to a percentage of the ABC stated in the BDS.

For this purpose, contracts similar to the Project shall be those described in the **BDS**, and completed within the relevant period stated in the Invitation to Bid and **ITB** Clause 12.1(a)(iii).

5.5. The Bidder must submit a computation of its Net Financial Contracting Capacity (NFCC), which must be at least equal to the ABC to be bid, calculated as follows:

NFCC = [(Current assets minus current liabilities) (K)] minus the value of all outstanding or uncompleted portions of the projects under ongoing contracts, including awarded contracts yet to be started coinciding with the contract for this Project.

#### Where:

K = 10 for a contract duration of one year or less, 15 for a contract duration of more than one year up to two years, and 20 for a contract duration of more than two years.

The values of the bidder's current assets and current liabilities shall be based on the data submitted to the BIR, through its Electronic Filing and Payment System (EFPS).

#### 6. Bidder's Responsibilities

- 6.1. The Bidder or its duly authorized representative shall submit a sworn statement in the form prescribed in Section VIII. Bidding Forms as required in ITB Clause 12.1(b)(iii).
- 6.2. The Bidder is responsible for the following:
  - (a) Having taken steps to carefully examine all of the Bidding Documents;
  - (b) Having acknowledged all conditions, local or otherwise, affecting the implementation of the contract;
  - (c) Having made an estimate of the facilities available and needed for the contract to be bid, if any;
  - (d) Having complied with its responsibility to inquire or secure Supplemental/Bid Bulletin(s) as provided under ITB Clause 10.3.
  - (e) Ensuring that it is not "blacklisted" or barred from bidding by the GOP or any of its agencies, offices, corporations, or LGUs, including foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the GPPB;

7 port sty

- (f) Ensuring that each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- (g) Authorizing the Head of the Procuring Entity or its duly authorized representative/s to verify all the documents submitted;
- (h) Ensuring that the signatory is the duly authorized representative of the Bidder, and granted full power and authority to do, execute and perform any and all acts necessary and/or to represent the Bidder in the bidding, with the duly notarized Secretary's Certificate attesting to such fact, if the Bidder is a corporation, partnership, cooperative, or joint venture;
- (i) Complying with the disclosure provision under Section 47 of RA 9184 in relation to other provisions of RA 3019; and
- (j) Complying with existing labor laws and standards, in the case of procurement of services.

Failure to observe any of the above responsibilities shall be at the risk of the Bidder concerned.

- 6.3. The Bidder is expected to examine all instructions, forms, terms, and specifications in the Bidding Documents.
- 6.4. It shall be the sole responsibility of the Bidder to determine and to satisfy itself by such means as it considers necessary or desirable as to all matters pertaining to the contract to be bid, including: (a) the location and the nature of this Project; (b) climatic conditions; (c) transportation facilities; and (d) other factors that may affect the cost, duration, and execution or implementation of this Project.
- 6.5. The Procuring Entity shall not assume any responsibility regarding erroneous interpretations or conclusions by the prospective or eligible bidder out of the data furnished by the procuring entity.
- 6.6. The Bidder shall bear all costs associated with the preparation and submission of his bid, and the Procuring Entity will in no case be responsible or liable for those costs, regardless of the conduct or outcome of the bidding process.
- 6.7. Before submitting their bids, the Bidder is deemed to have become familiar with all existing laws, decrees, ordinances, acts and regulations of the Philippines which may affect this Project in any way.
- 6.8. The Bidder should note that the Procuring Entity will accept bids only from those that have paid the nonrefundable fee for the Bidding Documents at the office indicated in the Invitation to Bid.

#### 7. Origin of Goods

7 park Oly

Unless otherwise indicated in the <u>BDS</u>, there is no restriction on the origin of goods other than those prohibited by a decision of the United Nations Security Council taken under Chapter VII of the Charter of the United Nations, subject to **ITB** Clause 27.1.

#### 8. Subcontracts

- 8.1. Unless otherwise specified in the <u>BDS</u>, the Bidder may subcontract portions of the Goods to an extent as may be approved by the Procuring Entity and stated in the <u>BDS</u>. However, subcontracting of any portion shall not relieve the Bidder from any liability or obligation that may arise from the contract for this Project.
- 8.2. Subcontractors must comply with the eligibility criteria and the documentary requirements specified in the <u>BDS</u>. In the event that any subcontractor is found by the Procuring Entity to be ineligible, the subcontracting of such portion of the Goods shall be disallowed.
- 8.3. The Bidder may identify the subcontractor to whom a portion of the Goods will be subcontracted at any stage of the bidding process or during contract implementation. If the Bidder opts to disclose the name of the subcontractor during bid submission, the Bidder shall include the required documents as part of the technical component of its bid.

#### **B.** Contents of Bidding Documents

#### 9. Pre-Bid Conference

- 9.1. (a) If so specified in the <u>BDS</u>, a pre-bid conference shall be held at the venue and on the date indicated therein, to clarify and address the Bidders' questions on the technical and financial components of this Project.
  - (b) The pre-bid conference shall be held at least twelve (12) calendar days before the deadline for the submission and receipt of bids. If the Procuring Entity determines that, by reason of the method, nature, or complexity of the contract to be bid, or when international participation will be more advantageous to the GOP, a longer period for the preparation of bids is necessary, the pre-bid conference shall be held at least thirty (30) calendar days before the deadline for the submission and receipt of bids, as specified in the BDS.
- 9.2. Bidders are encouraged to attend the pre-bid conference to ensure that they fully understand the Procuring Entity's requirements. Non-attendance of the Bidder will in no way prejudice its bid; however, the Bidder is expected to know the changes and/or amendments to the Bidding Documents discussed during the pre-bid conference.
- 9.3. Any statement made at the pre-bid conference shall not modify the terms of the Bidding Documents unless such statement is specifically identified in writing as an amendment thereto and issued as a Supplemental/Bid Bulletin.



#### 10. Clarification and Amendment of Bidding Documents

- 10.1. Bidders who have purchased the Bidding Documents may request for clarification on any part of the Bidding Documents for an interpretation. Such request must be in writing and submitted to the Procuring Entity at the address indicated in the <u>BDS</u> at least ten (10) calendar days before the deadline set for the submission and receipt of bids.
- 10.2. Supplemental/Bid Bulletins may be issued upon the Procuring Entity's initiative for purposes of clarifying or modifying any provision of the Bidding Documents not later than seven (7) calendar days before the deadline for the submission and receipt of bids. Any modification to the Bidding Documents shall be identified as an amendment.
- 10.3. Any Supplemental/Bid Bulletin issued by the BAC shall also be posted on the Philippine Government Electronic Procurement System (PhilGEPS) and the website of the Procuring Entity concerned, if available. It shall be the responsibility of all Bidders who secure the Bidding Documents to inquire and secure Supplemental/Bid Bulletins that may be issued by the BAC. However, Bidders who have submitted bids before the issuance of the Supplemental/Bid Bulletin must be informed and allowed to modify or withdraw their bids in accordance with ITB Clause 23.

#### C. Preparation of Bids

#### 11. Language of Bid

The Bid, as well as all correspondence and documents relating to the bid exchanged by the Consultant and the Procuring Entity, shall be written in English. If the eligibility requirements or statements, the bids, and all other documents submitted to the BAC are in foreign language other than English, it must be accompanied by a translation of the documents in English. The documents shall be translated by the relevant foreign government agency, the foreign government agency authorized to translate documents, or a registered translator in the foreign bidder's country; and shall be authenticated by the appropriate Philippine foreign service establishment/post or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. The English translation shall govern, for purposes of interpretation of the bid.

## 12. Documents Comprising the Bid: Eligibility and Technical Components

- 12.1. Unless otherwise indicated in the <u>BDS</u>, the first envelope shall contain the following eligibility and technical documents:
  - (a) Eligibility Documents -

Class "A" Documents:



- (i) Registration certificate from the Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives, or any proof of such registration as stated in the BDS;
- (ii) Mayor's permit issued by the city or municipality where the principal place of business of the prospective bidder is located;
- (iii) Statement of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; and

Statement identifying the bidder's single largest completed contract similar to the contract to be bid, except under conditions provided for in Sec. 23.5.1.3 of the IRR, within the relevant period as provided in the <u>BDS</u>.

The statement shall include, for each contract, the following:

- (iii.1) name of the contract;
- (iii.2) date of the contract;
- (iii.3) kinds of Goods;
- (iii.4) amount of contract and value of outstanding contracts;
- (iii.5) date of delivery; and
- (iii.6) end user's acceptance or official receipt(s) issued for the contract, if completed.
- (iv) Audited financial statements, stamped "received" by the Bureau of Internal Revenue (BIR) or its duly accredited and authorized institutions, for the preceding calendar year, which should not be earlier than two (2) years from bid submission;
- (v) NFCC computation in accordance with ITB Clause 5.5; and
- (vi) Tax clearance per Executive Order 398, Series of 2005, as finally reviewed and approved by the BIR.

#### Class "B" Document:

(vii) If applicable, the JVA in case the joint venture is already in existence, or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.



#### (b) Technical Documents –

- (i) Bid security in accordance with ITB Clause 18. If the Procuring Entity requires the bidders to submit the bid security in the form of:
  - (i.1) a bank draft/guarantee or an irrevocable letter of credit issued by a foreign bank, it shall be accompanied by a confirmation from a Universal or Commercial Bank; or
  - (i.2) a surety bond, it shall be accompanied by a certification by the Insurance Commission that the surety or insurance company is authorized to issue such instruments;
- (ii) Conformity with technical specifications, as enumerated and specified in Sections VI and VII of the Bidding Documents;
   and
- (iii) Sworn statement in accordance with Section 25.2(a)(iv) of the IRR of RA 9184 and using the form prescribed in Section VIII. Bidding Forms.

#### 13. Documents Comprising the Bid: Financial Component

- 13.1. Unless otherwise stated in the <u>BDS</u>, the financial component of the bid shall contain the following:
  - (a) Financial Bid Form, which includes bid prices and the bill of quantities and the applicable Price Schedules, in accordance with ITB Clauses 15.1 and 15.4;
  - (b) If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification from the DTI, SEC, or CDA issued in accordance with ITB Clause 27, unless otherwise provided in the BDS; and
  - (c) Any other document related to the financial component of the bid as stated in the **BDS**.
- 13.2. (a) Unless otherwise stated in the <u>BDS</u>, all bids that exceed the ABC shall not be accepted.
  - (b) Unless otherwise indicated in the <u>BDS</u>, for foreign-funded procurement, a ceiling may be applied to bid prices provided the following conditions are met:
    - (i) Bidding Documents are obtainable free of charge on a freely accessible website. If payment of Bidding Documents is required by the procuring entity, payment could be made upon the submission of bids.



- (ii) The procuring entity has procedures in place to ensure that the ABC is based on recent estimates made by the responsible unit of the procuring entity and that the estimates reflect the quality, supervision and risk and inflationary factors, as well as prevailing market prices, associated with the types of works or goods to be procured.
- (iii) The procuring entity has trained cost estimators on estimating prices and analyzing bid variances.
- (iv) The procuring entity has established a system to monitor and report bid prices relative to ABC and engineer's/procuring entity's estimate.
- (v) The procuring entity has established a system to monitor and report bid prices relative to ABC and procuring entity's estimate. The procuring entity has established a monitoring and evaluation system for contract implementation to provide a feedback on actual total costs of goods and works.

#### 14. Alternative Bids

Alternative Bids shall be rejected. For this purpose, alternative bid is an offer made by a Bidder in addition or as a substitute to its original bid which may be included as part of its original bid or submitted separately therewith for purposes of bidding. A bid with options is considered an alternative bid regardless of whether said bid proposal is contained in a single envelope or submitted in two (2) or more separate bid envelopes.

#### 15. Bid Prices

- 15.1. The Bidder shall complete the appropriate Price Schedules included herein, stating the unit prices, total price per item, the total amount and the expected countries of origin of the Goods to be supplied under this Project.
- 15.2. The Bidder shall fill in rates and prices for all items of the Goods described in the Bill of Quantities. Bids not addressing or providing all of the required items in the Bidding Documents including, where applicable, Bill of Quantities, shall be considered non-responsive and, thus, automatically disqualified. In this regard, where a required item is provided, but no price is indicated, the same shall be considered as non-responsive, but specifying a "0" (zero) for the said item would mean that it is being offered for free to the Government.
- 15.3. The terms Ex Works (EXW), Cost, Insurance and Freight (CIF), Cost and Insurance Paid to (CIP), Delivered Duty Paid (DDP), and other trade terms used to describe the obligations of the parties, shall be governed by the rules prescribed in the current edition of the International Commercial Terms (INCOTERMS) published by the International Chamber of Commerce, Paris.
- 15.4. Prices indicated on the Price Schedule shall be entered separately in the following manner:



- (a) For Goods offered from within the Procuring Entity's country:
  - (i) The price of the Goods quoted EXW (ex works, ex factory, ex warehouse, ex showroom, or off-the-shelf, as applicable), including all customs duties and sales and other taxes already paid or payable:
    - (i.1) on the components and raw material used in the manufacture or assembly of Goods quoted ex works or ex factory; or
    - (i.2) on the previously imported Goods of foreign origin quoted ex warehouse, ex showroom, or off-the-shelf and any Procuring Entity country sales and other taxes which will be payable on the Goods if the contract is awarded.
  - (ii) The price for inland transportation, insurance, and other local costs incidental to delivery of the Goods to their final destination.
  - (iii) The price of other (incidental) services, if any, listed in the BDS.
- (b) For Goods offered from abroad:
  - (i) Unless otherwise stated in the <u>BDS</u>, the price of the Goods shall be quoted DDP with the place of destination in the Philippines as specified in the <u>BDS</u>. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
  - (ii) The price of other (incidental) services, if any, listed in the BDS.
- 15.5. Prices quoted by the Bidder shall be fixed during the Bidder's performance of the contract and not subject to variation or price escalation on any account. A bid submitted with an adjustable price quotation shall be treated as non-responsive and shall be rejected, pursuant to ITB Clause 24.

All bid prices shall be considered as fixed prices, and therefore not subject to price escalation during contract implementation, except under extraordinary circumstances. Extraordinary circumstances refer to events that may be determined by the National Economic and Development Authority in accordance with the Civil Code of the Philippines, and upon the recommendation of the Procuring Entity. Nevertheless, in cases where the cost of the awarded contract is affected by any applicable new laws, ordinances, regulations, or other acts of the GOP, promulgated after the date of bid opening, a contract price adjustment shall be made or appropriate relief shall be applied on a no loss-no gain basis.

#### 16. Bid Currencies.

- 16.1. Prices shall be quoted in the following currencies:
  - (a) For Goods that the Bidder will supply from within the Philippines, the prices shall be quoted in Philippine Pesos.
  - (b) For Goods that the Bidder will supply from outside the Philippines, the prices may be quoted in the currency(ies) stated in the <u>BDS</u>. However, for purposes of bid evaluation, bids denominated in foreign currencies shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 16.2. If so allowed in accordance with ITB Clause 16.1, the Procuring Entity for purposes of bid evaluation and comparing the bid prices will convert the amounts in various currencies in which the bid price is expressed to Philippine Pesos at the foregoing exchange rates.
- 16.3. Unless otherwise specified in the BDS, payment of the contract price shall be made in Philippine Pesos.

#### 17. Bid Validity

- 17.1. Bids shall remain valid for the period specified in the <u>BDS</u> which shall not exceed one hundred twenty (120) calendar days from the date of the opening of bids.
- 17.2. In exceptional circumstances, prior to the expiration of the Bid validity period, the Procuring Entity may request Bidders to extend the period of validity of their bids. The request and the responses shall be made in writing. The bid security described in ITB Clause 18 should also be extended corresponding to the extension of the bid validity period at the least. A Bidder may refuse the request without forfeiting its bid security, but his bid shall no longer be considered for further evaluation and award. A Bidder granting the request shall not be required or permitted to modify its bid.

#### 18. Bid Security

18.1. The bid security in the amount stated in the <u>BDS</u> shall be equal to the percentage of the ABC in accordance with the following schedule:

Form of Bid Security	Amount of Bid Security (Equal to Percentage of the ABC)
(a) Cash or cashier's/manager's check issued by a Universal or Commercial Bank.	Two percent (2%)



(b) Bank draft/guarantee or	
irrevocable letter of credit issued	
by a Universal or Commercial	
Bank: Provided, however, that it	
shall be confirmed or	
authenticated by a Universal or	
Commercial Bank, if issued by a	
foreign bank.	
(c) Surety bond callable upon	
demand issued by a surety or	
insurance company duly certified	Five percent (5%)
by the Insurance Commission as	
authorized to issue such security.	
(d) Any combination of the items (a)	Proportionate to share of form with
. to (c) above.	respect to total amount of security
(e) Bid Securing Declaration	No percentage required.

For biddings conducted by LGUs, the procuring entity may also require bidders to submit bid securities in the form of cashier's/manager's check, bank draft/guarantee, or irrevocable letter of credit from other banks certified by the BSP as authorized to issue such financial statement.

The Bid Securing Declaration mentioned above is an undertaking which states, among others, that the bidder shall enter into contract with the procuring entity and furnish the performance security required under ITB Clause 33.2, from receipt of the Notice of Award, and committing to pay the corresponding fine, and be suspended for a period of time from being qualified to participate in any government procurement activity in the event it violates any of the conditions stated therein as provided in the guidelines issued by the GPPB.

- 18.2. The bid security should be valid for the period specified in the <u>BDS</u>. Any bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.
- 18.3. No bid securities shall be returned to bidders after the opening of bids and before contract signing, except to those that failed or declared as post-disqualified, upon submission of a written waiver of their right to file a motion for reconsideration and/or protest. Without prejudice on its forfeiture, bid securities shall be returned only after the bidder with the Lowest Calculated and Responsive Bid has signed the contract and furnished the performance security, but in no case later than the expiration of the bid security validity period indicated in ITB Clause 18.2.
- 18.4. Upon signing and execution of the contract pursuant to ITB Clause 32, and the posting of the performance security pursuant to ITB Clause 33, the successful Bidder's bid security will be discharged, but in no case later than the bid security validity period as indicated in the ITB Clause 18.2.
- 18.5. The bid security may be forfeited:

#### (a) if a Bidder:

- (i) withdraws its bid during the period of bid validity specified in ITB Clause 17;
- (ii) does not accept the correction of errors pursuant to ITB Clause 28.3(b);
- (iii) fails to submit the requirements within the prescribed period or a finding against their veracity as stated in ITB Clause 29.2;
- (iv) submission of eligibility requirements containing false information or falsified documents:
- submission of bids that contain false information or falsified documents, or the concealment of such information in the bids in order to influence the outcome of eligibility screening or any other stage of the public bidding;
- (vi) allowing the use of one's name, or using the name of another for purposes of public bidding;
- (vii) withdrawal of a bid, or refusal to accept an award, or enter into contract with the Government without justifiable cause, after the Bidder had been adjudged as having submitted the Lowest Calculated and Responsive Bid;
- (viii) refusal or failure to post the required performance security within the prescribed time;
- (ix) refusal to clarify or validate in writing its bid during postqualification within a period of seven (7) calendar days from receipt of the request for clarification;
- (x) any documented attempt by a bidder to unduly influence the outcome of the bidding in his favor;
- (xi) failure of the potential joint venture partners to enter into the joint venture after the bid is declared successful; or
- (xii) all other acts that tend to defeat the purpose of the competitive bidding, such as habitually withdrawing from bidding, submitting late Bids or patently insufficient bid, for at least three (3) times within a year, except for valid reasons.

#### (b) if the successful Bidder:

- (i) fails to sign the contract in accordance with ITB Clause 32; or
- (ii) fails to furnish performance security in accordance with ITB Clause 33.

#### 19. Format and Signing of Bids

- 19.1. Bidders shall submit their bids through their duly authorized representative using the appropriate forms provided in Section VIII. Bidding Forms on or before the deadline specified in the ITB Clauses 21 in two (2) separate sealed bid envelopes, and which shall be submitted simultaneously. The first shall contain the technical component of the bid, including the eligibility requirements under ITB Clause 12.1, and the second shall contain the financial component of the bid.
- 19.2. Forms as mentioned in ITB Clause 19.1 must be completed without any alterations to their format, and no substitute form shall be accepted. All blank spaces shall be filled in with the information requested.
- 19.3. The Bidder shall prepare and submit an original of the first and second envelopes as described in ITB Clauses 12 and 13. In the event of any discrepancy between the original and the copies, the original shall prevail.
- 19.4. The bid, except for unamended printed literature, shall be signed, and each and every page thereof shall be initialed, by the duly authorized representative/s of the Bidder.
- 19.5. Any interlineations, erasures, or overwriting shall be valid only if they are signed or initialed by the duly authorized representative/s of the Bidder.

#### 20. Sealing and Marking of Bids

- 20.1. Bidders shall enclose their original eligibility and technical documents described in ITB Clause 12 in one sealed envelope marked "ORIGINAL TECHNICAL COMPONENT", and the original of their financial component in another sealed envelope marked "ORIGINAL FINANCIAL COMPONENT", sealing them all in an outer envelope marked "ORIGINAL BID".
- 20.2. Each copy of the first and second envelopes shall be similarly sealed duly marking the inner envelopes as "COPY NO. \_\_\_ TECHNICAL COMPONENT" and "COPY NO. \_\_\_ FINANCIAL COMPONENT" and the outer envelope as "COPY NO. \_\_\_", respectively. These envelopes containing the original and the copies shall then be enclosed in one single envelope.
- 20.3. The original and the number of copies of the Bid as indicated in the <u>BDS</u> shall be typed or written in indelible ink and shall be signed by the bidder or its duly authorized representative/s.

#### 20.4. All envelopes shall:

- (a) contain the name of the contract to be bid in capital letters;
- (b) bear the name and address of the Bidder in capital letters;

ah

- (c) be addressed to the Procuring Entity's BAC in accordance with ITB Clause 1.1;
- (d) bear the specific identification of this bidding process indicated in the ITB Clause 1.2; and
- (e) bear a warning "DO NOT OPEN BEFORE..." the date and time for the opening of bids, in accordance with ITB Clause 21.
- 20.5. If bids are not sealed and marked as required, the Procuring Entity will assume no responsibility for the misplacement or premature opening of the bid.

#### D. Submission and Opening of Bids

#### 21. Deadline for Submission of Bids

Bids must be received by the Procuring Entity's BAC at the address and on or before the date and time indicated in the <u>BDS</u>.

#### 22. Late Bids

Any bid submitted after the deadline for submission and receipt of bids prescribed by the Procuring Entity, pursuant to ITB Clause 21, shall be declared "Late" and shall not be accepted by the Procuring Entity.

#### 23. Modification and Withdrawal of Bids

- 23.1. The Bidder may modify its bid after it has been submitted; provided that the modification is received by the Procuring Entity prior to the deadline prescribed for submission and receipt of bids. The Bidder shall not be allowed to retrieve its original bid, but shall be allowed to submit another bid equally sealed, properly identified, linked to its original bid marked as "TECHNICAL MODIFICATION" or "FINANCIAL MODIFICATION" and stamped "received" by the BAC. Bid modifications received after the applicable deadline shall not be considered and shall be returned to the Bidder unopened.
- 23.2. A Bidder may, through a Letter of Withdrawal, withdraw its bid after it has been submitted, for valid and justifiable reason; provided that the Letter of Withdrawal is received by the Procuring Entity prior to the deadline prescribed for submission and receipt of bids.
- 23.3. Bids requested to be withdrawn in accordance with ITB Clause 23.1 shall be returned unopened to the Bidders. A Bidder may also express its intention not to participate in the bidding through a letter which should reach and be stamped by the BAC before the deadline for submission and receipt of bids. A Bidder that withdraws its bid shall not be permitted to submit another bid, directly or indirectly, for the same contract.
- 23.4. No bid may be modified after the deadline for submission of bids. No bid may be withdrawn in the interval between the deadline for submission of bids and the expiration of the period of bid validity specified by the Bidder on the

garak California Financial Bid Form. Withdrawal of a bid during this interval shall result in the forfeiture of the Bidder's bid security, pursuant to ITB Clause 18.5, and the imposition of administrative, civil and criminal sanctions as prescribed by RA 9184 and its IRR.

#### 24. Opening and Preliminary Examination of Bids

- 24.1. The BAC shall open the first bid envelopes of Bidders in public as specified in the <u>BDS</u> to determine each Bidder's compliance with the documents prescribed in ITB Clause 12. For this purpose, the BAC shall check the submitted documents of each bidder against a checklist of required documents to ascertain if they are all present, using a non-discretionary "pass/fail" criterion. If a bidder submits the required document, it shall be rated "passed" for that particular requirement. In this regard, bids that fail to include any requirement or are incomplete or patently insufficient shall be considered as "failed". Otherwise, the BAC shall rate the said first bid envelope as "passed".
- 24.2. Unless otherwise specified in the BDS, immediately after determining compliance with the requirements in the first envelope, the BAC shall forthwith open the second bid envelope of each remaining eligible bidder whose first bid envelope was rated "passed". The second envelope of each complying bidder shall be opened within the same day. In case one or more of the requirements in the second envelope of a particular bid is missing, incomplete or patently insufficient, and/or if the submitted total bid price exceeds the ABC unless otherwise provided in ITB Clause 13.2, the BAC shall rate the bid concerned as "failed". Only bids that are determined to contain all the bid requirements for both components shall be rated "passed" and shall immediately be considered for evaluation and comparison.
- 24.3. Letters of withdrawal shall be read out and recorded during bid opening, and the envelope containing the corresponding withdrawn bid shall be returned to the Bidder unopened. If the withdrawing Bidder's representative is in attendance, the original bid and all copies thereof shall be returned to the representative during the bid opening. If the representative is not in attendance, the bid shall be returned unopened by registered mail. The Bidder may withdraw its bid prior to the deadline for the submission and receipt of bids, provided that the corresponding Letter of Withdrawal contains a valid authorization requesting for such withdrawal, subject to appropriate administrative sanctions.
- 24.4. If a Bidder has previously secured a certification from the Procuring Entity to the effect that it has previously submitted the above-enumerated Class "A" Documents, the said certification may be submitted in lieu of the requirements enumerated in ITB Clause 12.1(a), items (i) to (v).
- 24.5. In the case of an eligible foreign Bidder as described in ITB Clause 5, the Class "A" Documents described in ITB Clause 12.1(a) may be substituted with the appropriate equivalent documents, if any, issued by the country of the foreign Bidder concerned.



- 24.6. Each partner of a joint venture agreement shall likewise submit the requirements in ITB Clauses 12.1(a)(i) and 12.1(a)(ii). Submission of documents required under ITB Clauses 12.1(a)(iii) to 12.1(a)(v) by any of the joint venture partners constitutes compliance.
- 24.7. The Procuring Entity shall prepare the minutes of the proceedings of the bid opening that shall include, as a minimum: (a) names of Bidders, their bid price, bid security, findings of preliminary examination; and (b) attendance sheet. The BAC members shall sign the abstract of bids as read.

#### E. Evaluation and Comparison of Bids

#### 25. Process to be Confidential

- 25.1. Members of the BAC, including its staff and personnel, as well as its Secretariat and TWG, are prohibited from making or accepting any kind of communication with any bidder regarding the evaluation of their bids until the issuance of the Notice of Award, unless otherwise allowed in the case of ITB Clause 26.
- 25.2. Any effort by a bidder to influence the Procuring Entity in the Procuring Entity's decision in respect of bid evaluation, bid comparison or contract award will result in the rejection of the Bidder's bid.

#### 26. Clarification of Bids

To assist in the evaluation, comparison, and post-qualification of the bids, the Procuring Entity may ask in writing any Bidder for a clarification of its bid. All responses to requests for clarification shall be in writing. Any clarification submitted by a Bidder in respect to its bid and that is not in response to a request by the Procuring Entity shall not be considered.

#### 27. Domestic Preference

- 27.1. Unless otherwise stated in the <u>BDS</u>, the Procuring Entity will grant a margin of preference for the purpose of comparison of bids in accordance with the following:
  - (a) The preference shall be applied when (i) the lowest Foreign Bid is lower than the lowest bid offered by a Domestic Bidder, or (ii) the lowest bid offered by a non-Philippine national is lower than the lowest bid offered by a Domestic Entity.
  - (b) For evaluation purposes, the lowest Foreign Bid or the bid offered by a non-Philippine national shall be increased by fifteen percent (15%).
  - (c) In the event that (i) the lowest bid offered by a Domestic Entity does not exceed the lowest Foreign Bid as increased, or (ii) the lowest bid offered by a non-Philippine national as increased, then the Procuring Entity shall award the contract to the Domestic Bidder/Entity at the

guard

- amount of the lowest Foreign Bid or the bid offered by a non-Philippine national, as the case may be.
- (d) If the Domestic Entity/Bidder refuses to accept the award of contract at the amount of the Foreign Bid or bid offered by a non-Philippine national within two (2) calendar days from receipt of written advice from the BAC, the Procuring Entity shall award to the bidder offering the Foreign Bid or the non-Philippine national, as the case may be, subject to post-qualification and submission of all the documentary requirements under these Bidding Documents.
- 27.2. A Bidder may be granted preference as a Domestic Entity subject to the certification from the DTI (in case of sole proprietorships), SEC (in case of partnerships and corporations), or CDA (in case of cooperatives) that the (a) sole proprietor is a citizen of the Philippines or the partnership, corporation, cooperative, or association is duly organized under the laws of the Philippines with at least seventy five percent (75%) of its interest or outstanding capital stock belonging to citizens of the Philippines, (b) habitually established in business and habitually engaged in the manufacture or sale of the merchandise covered by his bid, and (c) the business has been in existence for at least five (5) consecutive years prior to the advertisement and/or posting of the Invitation to Bid for this Project.
- 27.3. A Bidder may be granted preference as a Domestic Bidder subject to the certification from the DTI that the Bidder is offering unmanufactured articles, materials or supplies of the growth or production of the Philippines, or manufactured articles, materials, or supplies manufactured or to be manufactured in the Philippines substantially from articles, materials, or supplies of the growth, production, or manufacture, as the case may be, of the Philippines.

#### 28. Detailed Evaluation and Comparison of Bids

- 28.1. The Procuring Entity will undertake the detailed evaluation and comparison of bids which have passed the opening and preliminary examination of bids, pursuant to ITB Clause 24, in order to determine the Lowest Calculated Bid.
- 28.2. The Lowest Calculated Bid shall be determined in two steps:
  - (a) The detailed evaluation of the financial component of the bids, to establish the correct calculated prices of the bids; and
  - (b) The ranking of the total bid prices as so calculated from the lowest to the highest. The bid with the lowest price shall be identified as the Lowest Calculated Bid.
- 28.3. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all bids rated "passed," using non-discretionary pass/fail criteria. Unless otherwise specified in the <u>BDS</u>, the BAC shall consider the following in the evaluation of bids:

good al

- (a) Completeness of the bid. Unless the ITB specifically allows partial bids, bids not addressing or providing all of the required items in the Schedule of Requirements including, where applicable, bill of quantities, shall be considered non-responsive and, thus, automatically disqualified. In this regard, where a required item is provided, but no price is indicated, the same shall be considered as non-responsive, but specifying a "0" (zero) for the said item would mean that it is being offered for free to the Procuring Entity; and
- (b) Arithmetical corrections. Consider computational errors and omissions to enable proper comparison of all eligible bids. It may also consider bid modifications, if allowed in the **BDS**. Any adjustment shall be calculated in monetary terms to determine the calculated prices.
- 28.4. Based on the detailed evaluation of bids, those that comply with the above-mentioned requirements shall be ranked in the ascending order of their total calculated bid prices, as evaluated and corrected for computational errors, discounts and other modifications, to identify the Lowest Calculated Bid. Total calculated bid prices, as evaluated and corrected for computational errors, discounts and other modifications, which exceed the ABC shall not be considered, unless otherwise indicated in the BDS.
- 28.5. The Procuring Entity's evaluation of bids shall only be based on the bid price quoted in the Financial Bid Form.
- 28.6. Bids shall be evaluated on an equal footing to ensure fair competition. For this purpose, all bidders shall be required to include in their bids the cost of all taxes, such as, but not limited to, value added tax (VAT), income tax, local taxes, and other fiscal levies and duties which shall be itemized in the bid form and reflected in the detailed estimates. Such bids, including said taxes, shall be the basis for bid evaluation and comparison.

#### 29. Post-Qualification

- 29.1. The Procuring Entity shall determine to its satisfaction whether the Bidder that is evaluated as having submitted the Lowest Calculated Bid (LCB) complies with and is responsive to all the requirements and conditions specified in ITB Clauses 5, 12, and 13.
- 29.2. Within a non-extendible period of three (3) calendar days from receipt by the bidder of the notice from the BAC that it submitted the LCB, the Bidder shall submit the following documentary requirements:
  - (a) Latest income and business tax returns in the form specified in the <u>BDS</u>;
  - (b) Certificate of PhilGEPS Registration or PhilGEPS Registration Number if the procuring entity is a Philippine foreign office or post, provided that participating bidders should register with the PhilGEPS prior to bid opening; and

Japan OK (c) Other appropriate licenses and permits required by law and stated in the <u>BDS</u>.

Failure of the Bidder declared as Lowest Calculated Bid to duly submit the requirements under this Clause or a finding against the veracity of such shall be ground for forfeiture of the bid security and disqualification of the Bidder for award.

- 29.3. The determination shall be based upon an examination of the documentary evidence of the Bidder's qualifications submitted pursuant to ITB Clauses 12 and 13, as well as other information as the Procuring Entity deems necessary and appropriate, using a non-discretionary "pass/fail" criterion.
- 29.4. If the BAC determines that the Bidder with the Lowest Calculated Bid passes all the criteria for post-qualification, it shall declare the said bid as the Lowest Calculated Responsive Bid, and recommend to the Head of the Procuring Entity the award of contract to the said Bidder at its submitted price or its calculated bid price, whichever is lower.
- 29.5. A negative determination shall result in rejection of the Bidder's Bid, in which event the Procuring Entity shall proceed to the next Lowest Calculated Bid to make a similar determination of that Bidder's capabilities to perform satisfactorily. If the second Bidder, however, fails the post qualification, the procedure for post qualification shall be repeated for the Bidder with the next Lowest Calculated Bid, and so on until the Lowest Calculated Responsive Bid is determined for contract award.
- 29.6. Within a period not exceeding seven (7) calendar days from the date of receipt of the recommendation of the BAC, the Head of the Procuring Entity shall approve or disapprove the said recommendation. In the case of GOCCs and GFIs, the period provided herein shall be fifteen (15) calendar days.

#### 30. Reservation Clause

- 30.1. Notwithstanding the eligibility or post-qualification of a Bidder, the Procuring Entity concerned reserves the right to review its qualifications at any stage of the procurement process if it has reasonable grounds to believe that a misrepresentation has been made by the said Bidder, or that there has been a change in the Bidder's capability to undertake the project from the time it submitted its eligibility requirements. Should such review uncover any misrepresentation made in the eligibility and bidding requirements, statements or documents, or any changes in the situation of the Bidder which will affect its capability to undertake the project so that it fails the preset eligibility or bid evaluation criteria, the Procuring Entity shall consider the said Bidder as ineligible and shall disqualify it from submitting a bid or from obtaining an award or contract.
- 30.2. Based on the following grounds, the Procuring Entity reserves the right to reject any and all bids, declare a failure of bidding at any time prior to the contract award, or not to award the contract, without thereby incurring any

liability, and make no assurance that a contract shall be entered into as a result of the bidding:

- (a) If there is *prima facie* evidence of collusion between appropriate public officers or employees of the Procuring Entity, or between the BAC and any of the Bidders, or if the collusion is between or among the bidders themselves, or between a Bidder and a third party, including any act which restricts, suppresses or nullifies or tends to restrict, suppress or nullify competition;
- (b) If the Procuring Entity's BAC is found to have failed in following the prescribed bidding procedures; or
- (c) For any justifiable and reasonable ground where the award of the contract will not redound to the benefit of the GOP as follows:
  - (i) If the physical and economic conditions have significantly changed so as to render the project no longer economically, financially or technically feasible as determined by the head of the procuring entity;
  - (ii) If the project is no longer necessary as determined by the head of the procuring entity; and
  - (iii) If the source of funds for the project has been withheld or reduced through no fault of the Procuring Entity.
- 30.3. In addition, the Procuring Entity may likewise declare a failure of bidding when:
  - (a) No bids are received;
  - (b) All prospective Bidders are declared ineligible;
  - (c) All bids fail to comply with all the bid requirements or fail postqualification; or
  - (d) The Bidder with the Lowest Calculated Responsive Bid (LCRB) refuses, without justifiable cause to accept the award of contract, and no award is made.

#### F. Award of Contract

#### 31. Contract Award

- 31.1. Subject to ITB Clause 29, the Procuring Entity shall award the contract to the Bidder whose bid has been determined to be the LCRB.
- 31.2. Prior to the expiration of the period of bid validity, the Procuring Entity shall notify the successful Bidder in writing that its bid has been accepted, through a Notice of Award received personally or sent by registered mail or

7 grad

- electronically, receipt of which must be confirmed in writing within two (2) days by the Bidder with the LCRB and submitted personally or sent by registered mail or electronically to the Procuring Entity.
- 31.3. Notwithstanding the issuance of the Notice of Award, award of contract shall be subject to the following conditions:
  - (a) Submission of the valid JVA, if applicable, within ten (10) calendar days from receipt by the Bidder of the notice from the BAC that the Bidder has the LCRB;
  - (b) Posting of the performance security in accordance with ITB Clause 33;
  - (c) Signing of the contract as provided in ITB Clause 32; and
  - (d) Approval by higher authority, if required.
- 31.4. At the time of contract award, the Procuring Entity shall not increase or decrease the quantity of goods originally specified in Section VI. Schedule of Requirements.

#### 32. Signing of the Contract

- 32.1. At the same time as the Procuring Entity notifies the successful Bidder that its bid has been accepted, the Procuring Entity shall send the Contract Form to the Bidder, which contract has been provided in the Bidding Documents, incorporating therein all agreements between the parties.
- 32.2. Within ten (10) calendar days from receipt of the Notice of Award, the successful Bidder shall post the required performance security and sign and date the contract and return it to the Procuring Entity.
- 32.3. The Procuring Entity shall enter into contract with the successful Bidder within the same ten (10) calendar day period provided that all the documentary requirements are complied with.
- 32.4. The following documents shall form part of the contract:
  - (a) Contract Agreement;
  - (b) Bidding Documents;
  - (c) Winning bidder's bid, including the Technical and Financial Proposals, and all other documents/statements submitted;
  - (d) Performance Security;
  - (e) Credit line in accordance with ITB Clause 5.5, if applicable;
  - (f) Notice of Award of Contract; and

900

(g) Other contract documents that may be required by existing laws and/or specified in the <u>BDS</u>.

#### 33. Performance Security

- 33.1. To guarantee the faithful performance by the winning Bidder of its obligations under the contract, it shall post a performance security within a maximum period of ten (10) calendar days from the receipt of the Notice of Award from the Procuring Entity and in no case later than the signing of the contract.
- 33.2. The procuring entity shall prescribe at least two (2) acceptable forms of performance security taken from two (2) categories below that bidders may opt to use, denominated in Philippine Pesos and posted in favor of the Procuring Entity in an amount equal to the percentage of the total contract price in accordance with the following schedule:

Form of Performance Security	Amount of Performance Security (Equal to Percentage of the Total Contract Price)
(a) Cash or cashier's/manager's check issued by a Universal or Commercial Bank.	
(b) Bank draft/guarantee or irrevocable letter of credit issued by a Universal or Commercial Bank: Provided, however, that it shall be confirmed or authenticated by a Universal or Commercial Bank, if issued by a foreign bank.	Five percent (5%)
(c) Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security; and/or	Thirty percent (30%)
(d) Any combination of the foregoing.	Proportionate to share of form with respect to total amount of security

33.3. Failure of the successful Bidder to comply with the above-mentioned requirement shall constitute sufficient ground for the annulment of the award and forfeiture of the bid security, in which event the Procuring Entity shall initiate and complete the post qualification of the second Lowest Calculated Bid. The procedure shall be repeated until the LCRB is identified and selected for contract award. However if no Bidder passed post-qualification, the BAC shall declare the bidding a failure and conduct a re-bidding with readvertisement.

#### 34. Notice to Proceed

- 34.1. Within three (3) calendar days from the date of approval of the contract by the appropriate government approving authority, the Procuring Entity shall issue its Notice to Proceed to the Bidder.
- 34.2. The contract effectivity date shall be provided in the Notice to Proceed by the Procuring Entity, which date shall not be later than seven (7) calendar days from the issuance of the Notice to Proceed.

#### 35. Protest Mechanism

Decision of the procuring entity at any stage of the procurement process may be questioned in accordance with Section 55 of the revised Implementing Rules and Regulations of Republic Act 9184.

## Section III. Bid Data Sheet

## **Bid Data Sheet**

ITB Clause	
1.1	The Procuring Entity is Technical Education and Skills Development Authority (TESDA).
2	The Funding Source is the Government of the Philippines (GOP) through General Appropriations Act for FY 2016 in the amount of One Hundred Twenty Seven Million Six Hundred Fifty Eight Thousand Seventy Pesos and Eight Hundred Fifty Eight Centavos Only (Php127,658,070.858).  The name of the Project is Procurement of Starter Toolkits for the Special Training for Employment Program (STEP) for FY 2016 - Phase II
3.1	No further instructions.
5.1	<ol> <li>Additional Eligibility of the Bidders:         <ol> <li>The Bidder must have been in the business for at least five (5) years from the date of opening of bids;</li> <li>If the bidder had a contract with TESDA, prior the bid opening for this project, said bidder must have satisfactorily performed its obligations without any adverse findings issued by competent authorities relative to the quality and cost of the goods supplied and delivered including period of delivery.</li> <li>Pursuant to Section 23.5.1.3 of the Revised implementing Rules and Regulations of Republic Act No. 9184, otherwise known as the Government Procurement Reform Act, which prescribes that the procuring entity may clarify in the Bidding Documents the definition or description of what it considers to be a similar project, a contract is similar to the contract to be bid if it involves goods of the same nature and complexity as those which are the subject of the public bidding concerned. In the case of this procurement, the goods subject of this public bidding pertain to training tools and equipment relevant to the provision of technical education and skills development which will be used as starter tool kits of the target beneficiaries (trainees) per identified qualification under STEP. As such, the goods covered under the completed single contract of the bidder which must be equivalent to at least fifty percent (50%) of the ABC must have the same major categories of goods subject of this public bidding</li> </ol> </li> </ol>

	for the said contract to qualify as a contract similar to the contract to be bid.  4. The bidder must submit its clearances from the National Labor Relations Commission (NLRC), Department of Labor and Employment (DOLE), Pag-ibig Fund, Social Security System (SSS) and Philippine Health Insurance Corporation (PhilHealth) during the bid opening as part of the eligibility requirements. Said clearances must be issued within three (3) months from the date of the bid opening.
5.2	None of the circumstances mentioned in the ITB Clause exists in this Project. Foreign bidders, subject to ITB Clause 5.2(b), may participate in this Project.
5.4	The Bidder must have completed, within the period specified in the Invitation to Bid and ITB Clause 12.1(a)(iii), a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
7	No further instructions.
8.1	Subcontracting is not allowed
8.2	Not applicable.
9.1	The Procuring Entity will hold a pre-bid conference for this Project on 19 May 2016, 2:00 p.m. at the CSA Conference Room, 2 <sup>nd</sup> Floor, TESDA Administration Building, Taguig City.
10.1	The Procuring Entity's address is:
	Technical Education and Skilis Development Authority East Service Road
	South Luzon Expressway
	Taguig City, Metro Manila
ļ	Tel/Fax No. 893-8296
12.1(a)	No further instructions.
12.1(a)(i)	No other acceptable proof of registration is recognized.
12.1(a)(iii)	The statement of all ongoing government and private contracts shall include all such contracts within the last five (5) years prior to the deadline for the submission and receipt of bids.
13.1	No additional requirements.
<u> </u>	<u> </u>

13.1(b)	No further instructions.
13.2	The ABC is Php127,658,070.858. Any bid with a financial component exceeding this amount shall not be accepted.
15.4(a)(iii)	No incidental services are required.
15.4(b)	Not applicable
16.1(b)	The Bid prices for Goods supplied from outside of the Philippines shall be quoted in Philippine Pesos.
16.3	Not applicable.
17.1	Bids will be valid for one hundred twenty (120) calendar days.
18.1	The bid security shall be in the following amount:
	<ol> <li>2% of ABC, if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit (depending on the lot/s);</li> </ol>
	<ol> <li>5% of ABC, if bid security is in Surety Bond (depending on the lot/s);</li> </ol>
	Bid Securing Declaration pursuant to GPPB Circular No. 01- 2014 issued on 23 May 2014; or
	Any combination of the foregoing proportionate to the share of form with respect to total amount of security.
18.2	The bid security shall be valid for one hundred twenty (120) calendar days.
20.3	Each Bidder shall submit one (1) original and three (3) copies of the first and second components of its bid.
21	The address for submission of bids is:
	TECHNICAL EDUCATION AND SKILLS DEVELOPMENT AUTHORITY RD FRANCISCO B. JUCAR, JR.
	Chairperson, BAC TESDA Complex, TESDA Administration Building East Service Road, SLEX Taguig City, Philippines
	The deadline for submission of bids is 03 June 2016 at 2:00 p.m.
24.1	The place of bid opening is:
	CSA Conference Room, 2 <sup>nd</sup> Floor,

	TESDA Administration Building Taguig City
	The date and time of bid opening is 03 June 2016 at 2:15 p.m.
24.2	No further instructions.
27.1	No further instructions.
28.3	The bidding shall be done by lot. Each qualification shall consist of one (1) lot. There are fifty-one (51) qualifications totaling to fifty-one (51) lots. Only bids for all the items in each lot/qualification shall be accepted by the Procuring Entity. Bidders may bid for multiple lot/s qualifications where they think they are capable of supplying.  Evaluation and award of contract will be undertaken depending on
	whatever is most advantageous to the government in terms of technical specifications and costs.
28.3(b)	Bid modification is not allowed.
28.4	No further instructions.
29.2(a)	Only tax returns filed and taxes paid through the BIR Electronic Filing and Payments System (EFPS) shall be accepted.  NOTE: The latest income and business tax returns are those within the last six (6) months preceding the date of the submission of bid.
29.2(b)	List licenses and permits relevant to the Project and the corresponding law requiring it.
32.4(g)	List additional contract documents relevant to the Project that may be required by existing laws and/or the Procuring Entity.





# Section IV. General Conditions of Contract

# TABLE OF CONTENTS

1.	DEFINITIONS	. 37
2.	CORRUPT, FRAUDULENT, COLLUSIVE, AND COERCIVE PRACTICES	. 38
3.	INSPECTION AND AUDIT BY THE FUNDING SOURCE	. 39
4.	GOVERNING LAW AND LANGUAGE	. 39
5.	NOTICES	. 39
6.	SCOPE OF CONTRACT	. 40
7.	SUBCONTRACTING	. 40
8.	PROCURING ENTITY'S RESPONSIBILITIES	. 40
9.	PRICES	. 40
10.	PAYMENT	. 41
11.	ADVANCE PAYMENT AND TERMS OF PAYMENT	. 41
12.	TAXES AND DUTIES	. 42
13.	PERFORMANCE SECURITY	. 42
14.	USE OF CONTRACT DOCUMENTS AND INFORMATION	. 42
15.	STANDARDS	. 43
16.	INSPECTION AND TESTS	. 43
17.	WARRANTY	. 44
18.	DELAYS IN THE SUPPLIER'S PERFORMANCE	. 44
19.	LIQUIDATED DAMAGES	. 45
20.	SETTLEMENT OF DISPUTES	. 45
21.	LIABILITY OF THE SUPPLIER	. 46
22.	FORCE MAJEURE	. 46
23.	TERMINATION FOR DEFAULT	. 46
24.	TERMINATION FOR INSOLVENCY	47
25.	TERMINATION FOR CONVENIENCE	47

26.	TERMINATION FOR UNLAWFUL ACTS	48
27.	PROCEDURES FOR TERMINATION OF CONTRACTS	48
28.	ASSIGNMENT OF RIGHTS	49
29.	CONTRACT AMENDMENT	49
30.	APPLICATION	49

1 9

36

### 1. **Definitions**

- 1.1. In this Contract, the following terms shall be interpreted as indicated:
  - "The Contract" means the agreement entered into between the (a) Procuring Entity and the Supplier, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
  - "The Contract Price" means the price payable to the Supplier under the (b) Contract for the full and proper performance of its contractual obligations.
  - (c) "The Goods" means all of the supplies, equipment, machinery, spare parts, other materials and/or general support services which the Supplier is required to provide to the Procuring Entity under the Contract.
  - "The Services" means those services ancillary to the supply of the (d) Goods, such as transportation and insurance, and any other incidental services, such as installation, commissioning, provision of technical assistance, training, and other such obligations of the Supplier covered under the Contract.
  - "GCC" means the General Conditions of Contract contained in this (e) Section.
  - "SCC" means the Special Conditions of Contract. (f)
  - "The Procuring Entity" means the organization purchasing the Goods. (g) as named in the SCC.
  - (h) "The Procuring Entity's country" is the Philippines.
  - "The Supplier" means the individual contractor, manufacturer (i) distributor, or firm supplying/manufacturing the Goods and Services under this Contract and named in the SCC.
  - (j) The "Funding Source" means the organization named in the SCC.
  - "The Project Site," where applicable, means the place or places named (k) in the SCC.
  - **(l)** "Day" means calendar day.
  - (m) The "Effective Date" of the contract will be the date of receipt by the Supplier of the Notice to Proceed or the date provided in the Notice to Proceed. Performance of all obligations shall be reckoned from the Effective Date of the Contract.

944<sup>7</sup>

"Verified Report" refers to the report submitted by the Implementing (n) Unit to the Head of the Procuring Entity setting forth its findings as to the existence of grounds or causes for termination and explicitly stating its recommendation for the issuance of a Notice to Terminate.

### 2. Corrupt, Fraudulent, Collusive, and Coercive Practices

- Unless otherwise provided in the SCC, the Procuring Entity as well as the 2.1. bidders, contractors, or suppliers shall observe the highest standard of ethics during the procurement and execution of this Contract. In pursuance of this policy, the Procuring Entity:
  - defines, for the purposes of this provision, the terms set forth below as (a) follows:
    - "corrupt practice" means behavior on the part of officials in the (i) public or private sectors by which they improperly and unlawfully enrich themselves, others, or induce others to do so, by misusing the position in which they are placed, and it includes the offering, giving, receiving, or soliciting of anything of value to influence the action of any such official in the procurement process or in contract execution; entering, on behalf of the Government, into any contract or transaction manifestly and grossly disadvantageous to the same, whether or not the public officer profited or will profit thereby, and similar acts as provided in Republic Act 3019.
    - "fraudulent practice" means a misrepresentation of facts in (ii) order to influence a procurement process or the execution of a contract to the detriment of the Procuring Entity, and includes collusive practices among Bidders (prior to or after bid submission) designed to establish bid prices at artificial, noncompetitive levels and to deprive the Procuring Entity of the benefits of free and open competition.
    - "collusive practices" means a scheme or arrangement between (iii) two or more Bidders, with or without the knowledge of the Procuring Entity, designed to establish bid prices at artificial, non-competitive levels.
    - "coercive practices" means harming or threatening to harm, (iv) directly or indirectly, persons, or their property to influence their participation in a procurement process, or affect the execution of a contract;
    - "obstructive practice" is (v)
      - (aa) deliberately destroying, falsifying, altering concealing of evidence material to an administrative proceedings or investigation or making false statements to investigators in order to materially impede an



administrative proceedings or investigation of the Procuring Entity or any foreign government/foreign or international financing institution into allegations of a corrupt, fraudulent, coercive or collusive practice; and/or threatening, harassing or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the administrative proceedings or investigation or from pursuing such proceedings or investigation; or

- (bb) acts intended to materially impede the exercise of the inspection and audit rights of the Procuring Entity or any foreign government/foreign or international financing institution herein.
- (b) will reject a proposal for award if it determines that the Bidder recommended for award has engaged in any of the practices mentioned in this Clause for purposes of competing for the contract.
- 2.2. Further the Funding Source, Borrower or Procuring Entity, as appropriate, will seek to impose the maximum civil, administrative and/or criminal penalties available under the applicable law on individuals and organizations deemed to be involved with any of the practices mentioned in GCC Clause 2.1(a).

### 3. Inspection and Audit by the Funding Source

The Supplier shall permit the Funding Source to inspect the Supplier's accounts and records relating to the performance of the Supplier and to have them audited by auditors appointed by the Funding Source, if so required by the Funding Source.

## 4. Governing Law and Language

- 4.1. This Contract shall be interpreted in accordance with the laws of the Republic of the Philippines.
- 4.2. This Contract has been executed in the English language, which shall be the binding and controlling language for all matters relating to the meaning or interpretation of this Contract. All correspondence and other documents pertaining to this Contract exchanged by the parties shall be written in English.

### 5. Notices

5.1. Any notice, request, or consent required or permitted to be given or made pursuant to this Contract shall be in writing. Any such notice, request, or consent shall be deemed to have been given or made when received by the concerned party, either in person or through an authorized representative of the Party to whom the communication is addressed, or when sent by registered mail, telex, telegram, or facsimile to such Party at the address specified in the

gus a d

- <u>SCC</u>, which shall be effective when delivered and duly received or on the notice's effective date, whichever is later.
- 5.2. A Party may change its address for notice hereunder by giving the other Party notice of such change pursuant to the provisions listed in the <u>SCC</u> for GCC Clause 5.1.

## 6. Scope of Contract

- 6.1. The GOODS and Related Services to be provided shall be as specified in Section VI. Schedule of Requirements.
- 6.2. This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. Any additional requirements for the completion of this Contract shall be provided in the SCC.

## 7. Subcontracting

- 7.1. Subcontracting of any portion of the Goods, if allowed in the BDS, does not relieve the Supplier of any liability or obligation under this Contract. The Supplier will be responsible for the acts, defaults, and negligence of any subcontractor, its agents, servants or workmen as fully as if these were the Supplier's own acts, defaults, or negligence, or those of its agents, servants or workmen.
- 7.2. Subcontractors disclosed and identified during the bidding may be changed during the implementation of this Contract, subject to compliance with the required qualifications and the approval of the Procuring Entity.

### 8. Procuring Entity's Responsibilities

- 8.1. Whenever the performance of the obligations in this Contract requires that the Supplier obtain permits, approvals, import, and other licenses from local public authorities, the Procuring Entity shall, if so needed by the Supplier, make its best effort to assist the Supplier in complying with such requirements in a timely and expeditious manner.
- 8.2. The Procuring Entity shall pay all costs involved in the performance of its responsibilities in accordance with GCC Clause 6.

### 9. Prices

- 9.1. For the given scope of work in this Contract as awarded, all bid prices are considered fixed prices, and therefore not subject to price escalation during contract implementation, except under extraordinary circumstances and upon prior approval of the GPPB in accordance with Section 61 of R.A. 9184 and its IRR or except as provided in this Clause.
- 9.2. Prices charged by the Supplier for Goods delivered and/or services performed under this Contract shall not vary from the prices quoted by the Supplier in its

bid, with the exception of any change in price resulting from a Change Order issued in accordance with GCC Clause 29.

### 10. **Payment**

- 10.1. Payments shall be made only upon a certification by the Head of the Procuring Entity to the effect that the Goods have been rendered or delivered in accordance with the terms of this Contract and have been duly inspected and accepted. Except with the prior approval of the President no payment shall be made for services not yet rendered or for supplies and materials not yet delivered under this Contract. Ten percent (10%) of the amount of each payment shall be retained by the Procuring Entity to cover the Supplier's warranty obligations under this Contract as described in GCC Clause 17.
- 10.2. The Supplier's request(s) for payment shall be made to the Procuring Entity in writing, accompanied by an invoice describing, as appropriate, the Goods delivered and/or Services performed, and by documents submitted pursuant to the SCC provision for GCC Clause 6.2, and upon fulfillment of other obligations stipulated in this Contract.
- Pursuant to GCC Clause 10.2, payments shall be made promptly by the Procuring Entity, but in no case later than sixty (60) days after submission of an invoice or claim by the Supplier.
- Unless otherwise provided in the SCC, the currency in which payment is made to the Supplier under this Contract shall be in Philippine Pesos.

### 11. Advance Payment and Terms of Payment

- 11.1. Advance payment shall be made only after prior approval of the President, and shall not exceed fifteen percent (15%) of the Contract amount, unless otherwise directed by the President or in cases allowed under Annex "D" of RA 9184.
- 11.2. For Goods supplied from abroad, the terms of payment shall be as follows:
  - On Contract Signature: Fifteen Percent (15%) of the Contract Price (a) shall be paid within sixty (60) days from signing of the Contract and upon submission of a claim and a bank guarantee for the equivalent amount valid until the Goods are delivered and in the form provided in Section VIII. Bidding Forms.
  - (b) On Delivery: Sixty-five percent (65%) of the Contract Price shall be paid to the Supplier within sixty (60) days after the date of receipt of the Goods and upon submission of the documents (i) through (vi) specified in the SCC provision on Delivery and Documents.
  - (c) On Acceptance: The remaining twenty percent (20%) of the Contract Price shall be paid to the Supplier within sixty (60) days after the date of submission of the acceptance and inspection certificate for the respective delivery issued by the Procuring Entity's authorized representative. In the event that no inspection or acceptance certificate

que 1

is issued by the Procuring Entity's authorized representative within forty five (45) days of the date shown on the delivery receipt the Supplier shall have the right to claim payment of the remaining twenty percent (20%) subject to the Procuring Entity's own verification of the reason(s) for the failure to issue documents (vii) and (viii) as described in the SCC provision on Delivery and Documents.

11.3. All progress payments shall first be charged against the advance payment until the latter has been fully exhausted.

### 12. Taxes and Duties

The Supplier, whether local or foreign, shall be entirely responsible for all the necessary taxes, stamp duties, license fees, and other such levies imposed for the completion of this Contract.

### 13. Performance Security

- 13.1. Within ten (10) calendar days from receipt of the Notice of Award from the Procuring Entity but in no case later than the signing of the contract by both parties, the successful Bidder shall furnish the performance security in any the forms prescribed in the ITB Clause 33.2.
- 13.2. The performance security posted in favor of the Procuring Entity shall be forfeited in the event it is established that the winning bidder is in default in any of its obligations under the contract.
- 13.3. The performance security shall remain valid until issuance by the Procuring Entity of the Certificate of Final Acceptance.
- 13.4. The performance security may be released by the Procuring Entity and returned to the Supplier after the issuance of the Certificate of Final Acceptance subject to the following conditions:
  - (a) There are no pending claims against the Supplier or the surety company filed by the Procuring Entity;
  - (b) The Supplier has no pending claims for labor and materials filed against it; and
  - (c) Other terms specified in the <u>SCC</u>.
- 13.5. In case of a reduction of the contract value, the Procuring Entity shall allow a proportional reduction in the original performance security, provided that any such reduction is more than ten percent (10%) and that the aggregate of such reductions is not more than fifty percent (50%) of the original performance security.

### 14. Use of Contract Documents and Information

- The Supplier shall not, except for purposes of performing the obligations in this Contract, without the Procuring Entity's prior written consent, disclose this Contract, or any provision thereof, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the Procuring Entity. Any such disclosure shall be made in confidence and shall extend only as far as may be necessary for purposes of such performance.
- 14.2. Any document, other than this Contract itself, enumerated in GCC Clause 14.1 shall remain the property of the Procuring Entity and shall be returned (all copies) to the Procuring Entity on completion of the Supplier's performance under this Contract if so required by the Procuring Entity.

### 15. Standards

The Goods provided under this Contract shall conform to the standards mentioned in the Section VII. Technical Specifications; and, when no applicable standard is mentioned, to the authoritative standards appropriate to the Goods' country of origin. Such standards shall be the latest issued by the institution concerned.

### 16. **Inspection and Tests**

- The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Contract specifications at no extra cost to the Procuring Entity. The SCC and Section VII. Technical Specifications shall specify what inspections and/or tests the Procuring Entity requires and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.
- 16.2. If applicable, the inspections and tests may be conducted on the premises of the Supplier or its subcontractor(s), at point of delivery, and/or at the goods' final destination. If conducted on the premises of the Supplier or its subcontractor(s), all reasonable facilities and assistance, including access to drawings and production data, shall be furnished to the inspectors at no charge to the Procuring Entity. The Supplier shall provide the Procuring Entity with results of such inspections and tests.
- The Procuring Entity or its designated representative shall be entitled to attend the tests and/or inspections referred to in this Clause provided that the Procuring Entity shall bear all of its own costs and expenses incurred in connection with such attendance including, but not limited to, all traveling and board and lodging expenses.
- 16.4. The Procuring Entity may reject any Goods or any part thereof that fail to pass any test and/or inspection or do not conform to the specifications. The Supplier shall either rectify or replace such rejected Goods or parts thereof or make alterations necessary to meet the specifications at no cost to the Procuring Entity, and shall repeat the test and/or inspection, at no cost to the Procuring Entity, upon giving a notice pursuant to GCC Clause 5.

9" 1

43

16.5. The Supplier agrees that neither the execution of a test and/or inspection of the Goods or any part thereof, nor the attendance by the Procuring Entity or its representative, shall release the Supplier from any warranties or other obligations under this Contract.

### 17. Warranty

- 17.1. The Supplier warrants that the Goods supplied under the Contract are new, unused, of the most recent or current models, and that they incorporate all recent improvements in design and materials, except when the technical specifications required by the Procuring Entity provides otherwise.
- 17.2. The Supplier further warrants that all Goods supplied under this Contract shall have no defect, arising from design, materials, or workmanship or from any act or omission of the Supplier that may develop under normal use of the supplied Goods in the conditions prevailing in the country of final destination.
- 17.3. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier for a minimum period specified in the SCC. The obligation for the warranty shall be covered by, at the Supplier's option, either retention money in an amount equivalent to at least ten percent (10%) of the final payment, or a special bank guarantee equivalent to at least ten percent (10%) of the Contract Price or other such amount if so specified in the SCC. The said amounts shall only be released after the lapse of the warranty period specified in the SCC; provided, however, that the Supplies delivered are free from patent and latent defects and all the conditions imposed under this Contract have been fully met.
- 17.4. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, within the period specified in the SCC and with all reasonable speed, repair or replace the defective Goods or parts thereof, without cost to the Procuring Entity.
- If the Supplier, having been notified, fails to remedy the defect(s) within the period specified in GCC Clause 17.4, the Procuring Entity may proceed to take such remedial action as may be necessary, at the Supplier's risk and expense and without prejudice to any other rights which the Procuring Entity may have against the Supplier under the Contract and under the applicable law.

### Delays in the Supplier's Performance 18.

- 18.1. Delivery of the Goods and/or performance of Services shall be made by the Supplier in accordance with the time schedule prescribed by the Procuring Entity in Section VI. Schedule of Requirements.
- 18.2. If at any time during the performance of this Contract, the Supplier or its Subcontractor(s) should encounter conditions impeding timely delivery of the Goods and/or performance of Services, the Supplier shall promptly notify the Procuring Entity in writing of the fact of the delay, its likely duration and its

7

cause(s). As soon as practicable after receipt of the Supplier's notice, and upon causes provided for under GCC Clause 22, the Procuring Entity shall evaluate the situation and may extend the Supplier's time for performance, in which case the extension shall be ratified by the parties by amendment of Contract.


18.3. Except as provided under GCC Clause 22, a delay by the Supplier in the performance of its obligations shall render the Supplier liable to the imposition of liquidated damages pursuant to GCC Clause 19, unless an extension of time is agreed upon pursuant to GCC Clause 29 without the application of liquidated damages.

## 19. Liquidated Damages

Subject to GCC Clauses 18 and 22, if the Supplier fails to satisfactorily deliver any or all of the Goods and/or to perform the Services within the period(s) specified in this Contract inclusive of duly granted time extensions if any, the Procuring Entity shall, without prejudice to its other remedies under this Contract and under the applicable law, deduct from the Contract Price, as liquidated damages, the applicable rate of one tenth (1/10) of one (1) percent of the cost of the unperformed portion for every day of delay until actual delivery or performance. The maximum deduction shall be ten percent (10%) of the amount of contract. Once the maximum is reached, the Procuring Entity shall rescind the Contract pursuant to GCC Clause 23, without prejudice to other courses of action and remedies open to it.

## 20. Settlement of Disputes

- 20.1. If any dispute or difference of any kind whatsoever shall arise between the Procuring Entity and the Supplier in connection with or arising out of this Contract, the parties shall make every effort to resolve amicably such dispute or difference by mutual consultation.
- 20.2. If after thirty (30) days, the parties have failed to resolve their dispute or difference by such mutual consultation, then either the Procuring Entity or the Supplier may give notice to the other party of its intention to commence arbitration, as hereinafter provided, as to the matter in dispute, and no arbitration in respect of this matter may be commenced unless such notice is given.
- 20.3. Any dispute or difference in respect of which a notice of intention to commence arbitration has been given in accordance with this Clause shall be settled by arbitration. Arbitration may be commenced prior to or after delivery of the Goods under this Contract.
- 20.4. In the case of a dispute between the Procuring Entity and the Supplier, the dispute shall be resolved in accordance with Republic Act 9285 ("R.A. 9285"), otherwise known as the "Alternative Dispute Resolution Act of 2004."
- 20.5. Notwithstanding any reference to arbitration herein, the parties shall continue to perform their respective obligations under the Contract unless they



otherwise agree; and the Procuring Entity shall pay the Supplier any monies due the Supplier.

## 21. Liability of the Supplier

- 21.1. The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines, subject to additional provisions, if any, set forth in the <u>SCC</u>.
- 21.2. Except in cases of criminal negligence or willful misconduct, and in the case of infringement of patent rights, if applicable, the aggregate liability of the Supplier to the Procuring Entity shall not exceed the total Contract Price, provided that this limitation shall not apply to the cost of repairing or replacing defective equipment.

### 22. Force Majeure

- 22.1. The Supplier shall not be liable for forfeiture of its performance security, liquidated damages, or termination for default if and to the extent that the Supplier's delay in performance or other failure to perform its obligations under the Contract is the result of a *force majeure*.
- 22.2. For purposes of this Contract the terms "force majeure" and "fortuitous event" may be used interchangeably. In this regard, a fortuitous event or force majeure shall be interpreted to mean an event which the Contractor could not have foreseen, or which though foreseen, was inevitable. It shall not include ordinary unfavorable weather conditions; and any other cause the effects of which could have been avoided with the exercise of reasonable diligence by the Contractor. Such events may include, but not limited to, acts of the Procuring Entity in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions, and freight embargoes.
- 22.3. If a force majeure situation arises, the Supplier shall promptly notify the Procuring Entity in writing of such condition and the cause thereof. Unless otherwise directed by the Procuring Entity in writing, the Supplier shall continue to perform its obligations under the Contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the force majeure.

### 23. Termination for Default

- 23.1. The Procuring Entity shall terminate this Contract for default when any of the following conditions attends its implementation:
  - (a) Outside of *force majeure*, the Supplier fails to deliver or perform any or all of the Goods within the period(s) specified in the contract, or within any extension thereof granted by the Procuring Entity pursuant to a request made by the Supplier prior to the delay, and such failure amounts to at least ten percent (10%) of the contact price;



- (b) As a result of *force majeure*, the Supplier is unable to deliver or perform any or all of the Goods, amounting to at least ten percent (10%) of the contract price, for a period of not less than sixty (60) calendar days after receipt of the notice from the Procuring Entity stating that the circumstance of force majeure is deemed to have ceased; or
- (c) The Supplier fails to perform any other obligation under the Contract.
- 23.2. In the event the Procuring Entity terminates this Contract in whole or in part, for any of the reasons provided under GCC Clauses 23 to 26, the Procuring Entity may procure, upon such terms and in such manner as it deems appropriate, Goods or Services similar to those undelivered, and the Supplier shall be liable to the Procuring Entity for any excess costs for such similar Goods or Services. However, the Supplier shall continue performance of this Contract to the extent not terminated.
- 23.3. In case the delay in the delivery of the Goods and/or performance of the Services exceeds a time duration equivalent to ten percent (10%) of the specified contract time plus any time extension duly granted to the Supplier, the Procuring Entity may terminate this Contract, forfeit the Supplier's performance security and award the same to a qualified Supplier.

### 24. Termination for Insolvency

The Procuring Entity shall terminate this Contract if the Supplier is declared bankrupt or insolvent as determined with finality by a court of competent jurisdiction. In this event, termination will be without compensation to the Supplier, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the Procuring Entity and/or the Supplier.

### 25. Termination for Convenience

- 25.1. The Procuring Entity may terminate this Contract, in whole or in part, at any time for its convenience. The Head of the Procuring Entity may terminate a contract for the convenience of the Government if he has determined the existence of conditions that make Project Implementation economically, financially or technically impractical and/or unnecessary, such as, but not limited to, fortuitous event(s) or changes in law and national government policies.
- 25.2. The Goods that have been delivered and/or performed or are ready for delivery or performance within thirty (30) calendar days after the Supplier's receipt of Notice to Terminate shall be accepted by the Procuring Entity at the contract terms and prices. For Goods not yet performed and/or ready for delivery, the Procuring Entity may elect:
  - (a) to have any portion delivered and/or performed and paid at the contract terms and prices; and/or

- (b) to cancel the remainder and pay to the Supplier an agreed amount for partially completed and/or performed goods and for materials and parts previously procured by the Supplier.
- 25.3. If the Supplier suffers loss in its initial performance of the terminated contract, such as purchase of raw materials for goods specially manufactured for the Procuring Entity which cannot be sold in open market, it shall be allowed to recover partially from this Contract, on a quantum meruit basis. Before recovery may be made, the fact of loss must be established under oath by the Supplier to the satisfaction of the Procuring Entity before recovery may be made.

### 26. Termination for Unlawful Acts

- 26.1. The Procuring Entity may terminate this Contract in case it is determined prima facie that the Supplier has engaged, before or during the implementation of this Contract, in unlawful deeds and behaviors relative to contract acquisition and implementation. Unlawful acts include, but are not limited to, the following:
  - (a) Corrupt, fraudulent, and coercive practices as defined in ITB Clause 3.1(a);
  - (b) Drawing up or using forged documents;
  - (c) Using adulterated materials, means or methods, or engaging in production contrary to rules of science or the trade; and
  - (d) Any other act analogous to the foregoing.

### 27. Procedures for Termination of Contracts

- 27.1. The following provisions shall govern the procedures for termination of this Contract:
  - (a) Upon receipt of a written report of acts or causes which may constitute ground(s) for termination as aforementioned, or upon its own initiative, the Implementing Unit shall, within a period of seven (7) calendar days, verify the existence of such ground(s) and cause the execution of a Verified Report, with all relevant evidence attached;
  - (b) Upon recommendation by the Implementing Unit, the Head of the Procuring Entity shall terminate this Contract only by a written notice to the Supplier conveying the termination of this Contract. The notice shall state:
    - (i) that this Contract is being terminated for any of the ground(s) afore-mentioned, and a statement of the acts that constitute the ground(s) constituting the same;
    - (ii) the extent of termination, whether in whole or in part;

gunid

- (iii) an instruction to the Supplier to show cause as to why this Contract should not be terminated; and
- (iv) special instructions of the Procuring Entity, if any.
- (c) The Notice to Terminate shall be accompanied by a copy of the Verified Report;
- (d) Within a period of seven (7) calendar days from receipt of the Notice of Termination, the Supplier shall submit to the Head of the Procuring Entity a verified position paper stating why this Contract should not be terminated. If the Supplier fails to show cause after the lapse of the seven (7) day period, either by inaction or by default, the Head of the Procuring Entity shall issue an order terminating this Contract;
- (e) The Procuring Entity may, at any time before receipt of the Supplier's verified position paper described in item (d) above withdraw the Notice to Terminate if it is determined that certain items or works subject of the notice had been completed, delivered, or performed before the Supplier's receipt of the notice;
- (f) Within a non-extendible period of ten (10) calendar days from receipt of the verified position paper, the Head of the Procuring Entity shall decide whether or not to terminate this Contract. It shall serve a written notice to the Supplier of its decision and, unless otherwise provided, this Contract is deemed terminated from receipt of the Supplier of the notice of decision. The termination shall only be based on the ground(s) stated in the Notice to Terminate;
- (g) The Head of the Procuring Entity may create a Contract Termination Review Committee (CTRC) to assist him in the discharge of this function. All decisions recommended by the CTRC shall be subject to the approval of the Head of the Procuring Entity; and
- (h) The Supplier must serve a written notice to the Procuring Entity of its intention to terminate the contract at least thirty (30) calendar days before its intended termination. The Contract is deemed terminated if it is not resumed in thirty (30) calendar days after the receipt of such notice by the Procuring Entity.

## 28. Assignment of Rights

The Supplier shall not assign his rights or obligations under this Contract, in whole or in part, except with the Procuring Entity's prior written consent.

### 29. Contract Amendment

Subject to applicable laws, no variation in or modification of the terms of this Contract shall be made except by written amendment signed by the parties.

## 30. Application

7 and

These General Conditions shall apply to the extent that they are not superseded by provisions of other parts of this Contract.

50

# Section V. Special Conditions of Contract

# **Special Conditions of Contract**

GCC Clause	
1.1(g)	The Procuring Entity is Technical Education and Skills Development Authority (TESDA).
1.1(i)	The Supplier is:
1.1(j)	The Funding Source is the Government of the Philippines (GOP) through the General Appropriations Act for FY 2016 in the amount of Php127,658,070.858.
1.1(k)	The Project Sites are the <b>regional offices of TESDA Regions</b> I, II, III, IV-A, IV-B, V, VI, VII, VIII, IX, X, XI, XII and NCR.
5.1	The Procuring Entity's address for Notices is:
	SEC. IRENE M. ISAAC Director General Technical Education and Skills Development Authority East Service Road South Luzon Expressway Taguig City, Metro Manila Philippines Tel/Fax No. 893-8296
	The Supplier's address for Notices is:
6.2	Delivery and Documents –
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:
	For Goods Supplied from Abroad, state "The delivery terms applicable to the Contract are DDP delivered to various regional offices of TESDA. In accordance with INCOTERMS."
	For Goods Supplied from Within the Philippines, state "The delivery terms applicable to this Contract are delivered to

grb

various regional offices of TESDA. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."

Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI. Schedule of Requirements. The details of shipping and/or other documents to be furnished by the Supplier are as follows:

For Goods supplied from within the Philippines:

Upon delivery of the Goods to the Project Site, the Supplier shall notify the Procuring Entity and present the following documents to the Procuring Entity:

- (i) Original and four copies of the Supplier's invoice showing Goods' description, quantity, unit price, and total amount;
- (ii) Original and four copies delivery receipt/note, railway receipt, or truck receipt;
- (iii) Original Supplier's factory inspection report;
- (iv) Original and four copies of the Manufacturer's and/or Supplier's warranty certificate;
- (v) Original and four copies of the certificate of origin (for imported Goods);
- (vi) Delivery receipt detailing number and description of items received signed by the authorized receiving personnel:
- (vii) Certificate of Acceptance/Inspection Report signed by the Procuring Entity's representative at the Project Site; and
- (viii) Four copies of the Invoice Receipt for Property signed by the Procuring Entity's representative at the Project Site.

For Goods supplied from abroad:

Upon shipment, the Supplier shall notify the Procuring Entity and the insurance company by cable the full details of the shipment, including Contract Number, description of the Goods, quantity, vessel, bill of lading number and date, port of loading, date of shipment, port of discharge etc. Upon delivery to the Project Site, the Supplier shall notify the Procuring Entity and present the following documents as applicable with the documentary requirements of any letter of credit issued taking precedence:

(i) Original and four copies of the Supplier's invoice



- showing Goods' description, quantity, unit price, and total amount:
- (ii) Original and four copies of the negotiable, clean shipped on board bill of lading marked "freight pre-paid" and five copies of the non-negotiable bill of lading;
- (iii) Original Supplier's factory inspection report;
- (iv) Original and four copies of the Manufacturer's and/or Supplier's warranty certificate;
- (v) Original and four copies of the certificate of origin (for imported Goods);
- (vi) Delivery receipt detailing number and description of items received signed by the Procuring Entity's representative at the Project Site; ...
- (vii) Certificate of Acceptance/Inspection Report signed by the Procuring Entity's representative at the Project Site; and
- (viii) Four copies of the Invoice Receipt for Property signed by the Procuring Entity's representative at the Project Site.

For purposes of this Clause the Procuring Entity's Representative at the Project Site is the Regional Director.

### Incidental Services -

The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:

- (a) performance or supervision of on-site assembly and/or start-up of the supplied Goods;
- (b) furnishing of tools required for assembly and/or maintenance of the supplied Goods;
- (c) furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;
- (d) performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and
- (e) training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.

The Contract price for the Goods shall include the prices

T gul also charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

### Spare Parts -

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

- (a) such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- in the event of termination of production of the spare (b) parts:
  - advance notification to the Procuring Entity of the pending termination, in sufficient time to permit Procuring Entity to procure needed requirements; and
  - following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts required are listed in Section VI. Schedule of Requirements and the cost thereof are included in the Contract Price

### Packaging -

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the GOODS' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract. including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4)

sides as follows:

Name of the Procuring Entity

Name of the Supplier

Contract Description

**Final Destination** 

Gross weight

Any special lifting instructions

Any special handling instructions

Any relevant HAZCHEM classifications

A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.

### Insurance -

The Goods supplied under this Contract shall be fully insured by the Supplier in a freely convertible currency against loss or damage incidental to manufacture or acquisition, transportation, storage, and delivery. The Goods remain at the risk and title of the Supplier until their final acceptance by the Procuring Entity.

### Transportation -

Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.

Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the Contract Price.

Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the

7 1 28

	Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure in accordance with GCC Clause 22.  The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP Deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.  Patent Rights —  The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any
	part thereof.
9	For the given scope of work in this Contract as awarded, all bid prices are considered fixed prices, and therefore not subject to price escalation during contract implementation, except under extraordinary circumstances and upon prior approval of the GPPB in accordance with Section 61 of R.A. 9184 and its IRR-A.
10.4	Not applicable.
13.4(c)	No further instructions.
16.1	The inspections and tests that will be conducted are: [Insert the applicable inspections and tests, if none, state "None"].
17.3	If the Goods pertain to Expendable Supplies: Three (3) months after acceptance by the Procuring Entity of the delivered Goods or after the Goods are consumed, whichever is earlier.  If the Goods pertain to Non-expendable Supplies: One (1) year after acceptance by the Procuring Entity of the delivered Goods.
17.4	The period for correction of defects in the warranty period is [insert number of days].
19	The applicable rate is one tenth (1/10) of one (1) percent of the cost of the unperformed portion for every day of delay until actual delivery or performance.
	The maximum deduction shall be ten percent (10%) of the

amount of contract. Once the maximum is reached Procuring Entity shall rescind the Contract pursuant to Clause 23, without prejudice to other courses of action remedies open to it			
20.4	In the case of a dispute between the Procuring Entity and the Supplier, the dispute shall be resolved in accordance with Republic Act 9285 ("R.A. 9285"), otherwise known as the "Alternative Dispute Resolution Act of 2004."		
21.1	No additional provision.		



# Section VI. Schedule of Requirements

### A. List of Goods and Related Services

The goods and related services refer to supply, delivery, installation, testing and training of end-user's representatives on the use of training tools and equipment. Only bids for all the items in each lot shall be accepted. The bidding shall be done by lot. Each qualification shall consist of one (1) lot. However, evaluation and award of contract will be undertaken depending on whatever is most advantageous to the government in terms of technical specifications and costs.

Lot No.	QUALIFICATIONS
1.	Produce Organic Vegetable (Leading to Organic Agriculture Production NC II)
2.	Raise Organic Chicken (Leading to Organic Agriculture Production NC II)
3.	Raise Small Ruminants (Leading to Animal Productions NC II)
4.	Raise Swine (Leading to Animal Production NC II)
5.	Perform Diesel/Gas Engine Tune Up (Leading to Automotive Servicing NC I)
6.	Perform Preventive Maintenance On Motorcycle Mechanical And Electrical System (Leading to Motorcycle/Small Engine Servicing NC II)
7.	Perform Underchassis Preventive Maintenance (Leading to Automotive Servicing NC II)
8.	Service Automotive Battery (Leading to Automotive Servicing NC II)
9.	Service Automotive Electrical (Leading to Automotive Servicing NCII)
10.	Service Engine Mechanical Components (Leading to Automotive Servicing NC II)
11.	Service Ignition System (Leading to Automotive Servicing NC II)
12.	Service Power Train Components (Leading to Automotive Servicing NC II)
13.	Service Small Engine System And Components (Leading to Motorcycle/Small Engine Servicing NC II)
14.	Test And Repair Wiring & Lighting System (Leading to Automotive




	Servicing NC II)
15.	Carpentry NC II
16.	Construction Painting NC II
17.	Install Pre-Cast Balusters And Handrail (Leading to Masonry NC II)
18.	Install Wiring Devices/Install Lighting System (Leading to Electrical Installation and Maintenance NC II)
19.	Masonry NC I
20.	Perform Single Unit Plumbing Installation And Repair Maintenance Work (Leading to Plumbing NC II)
21.	Pipefitting NC II
22.	Plaster Concrete/Masonry Surface (Leading to Masonry NC II)
23.	Tile Setting NC II
24.	Maintain and Repair Audio/Video Products and Systems (Leading to Consumer Electronics Servicing NC II)
25.	Maintain and Repair Electronically-controlled Domestic Appliances (Leading to Consumer Electronics Servicing NC II)
26.	Maintain And Repair Cellular Phones (Leading to Consumer Electronics NC II)
27.	Dressmaking NC II
28.	Tailoring NC II
29.	Hilot (Wellness Massage) NC II
30.	Perform Body Massage (Leading to Beauty Care NC II)
31.	Perform Facial Make-Up (Leading to Beauty Care NC II)
32.	Perform Facial Treatment (Leading to Beauty Care NC II)
33.	Perform Foot Spa (Leading to Beauty Care NC II)
34.	Perform Hand Spa (Leading to Beauty Care NC II)
35.	Perform Manicure And Pedicure (Leading to Beauty Care NC II)
36.	Perform Haircutting Services (Leading to Hairdressing NC II)



37.	Perform Hair Coloring/Bleaching Services (Leading to Hairdressing NC II)
38.	Perform Hair Perming And Straightening (Leading to Hairdressing NC II)
	RAC Servicing DOM/RAC NC II
39.	
40.	Troubleshoot And Repair Transport Airconditioning System (Leading to Transport RAC Servicing NC II)
41.	Service and Maintain Transport Airconditioning Unit (Leading to Transport RAC Servicing NC II)
42.	Shielded Metal Arc Welding (SMAW) NC I
43.	Process Food By Salting, Curing And Smoking (Leading to Food Processing NC II)
44.	Process Foods By Fermentation And Pickling (Leading to Food Processing NC II)
45.	Process Foods By Sugar Concentration (Leading to Food Processing NC II)
46.	Bread Making (Leading to Bread and Pastry Production NC II)
47.	Cake Making (Leading to Bread and Pastry Production NC II)
48.	Pastry Making (Leading to Bread and Pastry Production NC II)
49.	Prepare And Cook Hot Meals (Leading to Cookery NC II)
50.	Prepare Cold Meals (Leading to Cookery NC II)
51.	Service Consumer Electronic Products And Systems (Assembly Of Solar Nightlight and Post Lamp)

## B. Delivery and Completion Schedule

The delivery period shall start from the date of the Notice to Proceed. No partial shipment shall be allowed. Completion of the contract shall be made not later than ninety (90) calendar days from the date of the receipt by the winning bidder of the Notice to Proceed.





# Section VII. Technical Specifications

Item	Specification	Statement of Compliance
	See attached Technical specifications	
-		

1

als

	-	TESDA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS	CIFICATIONS
S O	Item	Specifications	item/Brand/Model	Specifications
_	Steel Rake	14 tine made of steel; hardwood handle		
<b>7</b>	Sprayer	Knapsack type (16 litres cap) stainless tank and steel lance manual type with cone nozzles and fan nozzles		
ယ	Shovel	Round point steel blade; fiberglass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"		
4	Pruning Shear	Stainless steel blade, fiber glass handle, blade cutting type by- pass, 8 " total length		
တ	Sprinkler	2 gallon capacity, heavy duty plastic		

		Name of Bidder:
Date:	Position/Designation:	Name and Signature of Authorized Representative:

**∽** 

	TES	TESDA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS	CIFICATIONS
<mark>ک</mark>	Item	Specifications	Item/Brand/Model	Specifications
	Galloner	Dimension: height 347 mm (tube), 55 mm (plate, plate diameter is 9.6 inches, 5000 ml water capacity, plastic		
N	Tube Feeder	3 kg. capacity, automatic plastic feeder, 11 inches plate diameter, 10.5 inches feeder height		i
ω	Brooder/Heater Lamp	45 cm diameter aluminum reflector; socket is insulated porcelain, flexible heavy gauge SJT cord with molded-on plug		
4	Infrared Lamp	250 Watts Bulb, clear colour emitted light		
<u>တာ</u>	Chopping Board	1/2 " x 12 " x 18 "; made of polyethylene material		

Name of Bidder:\_ Name and Signature of Authorized Representative:
Position/Designation:
Date:

K

į	TESD	TESDA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS	CIFICATIONS
8	ltem	Specifications	Item/Brand/Model	Specifications
_	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"		The state of the s
2	Reusable Veterinary Syringe	Plastic/fiberglass hypodermic adjustable syringe with engraved volume indication on barrel; 10 ml capacity		
ω	Veterinary Injection Needle	16 G X 1" long hypodermic needle (12pcs/box)		
4	Veterinary Injection Needle	18 G X 1" long hypodermic needle (12pcs/box)		
Ch	Hoof knife/ Hook Knife	Overall length 5 ½ ", Taper ground cutlery steel blade, Ergonomically designed slip resistant grip, Wooden Handle		
6	Plastic Pail	16 litres capacity		

		Name of Bidder:
Date:	Position/Designation:	Name and Signature of Authorized Representative:

ļ

R

İ	TESDA'S SPECIFICATIONS	TESDA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS	FICATIONS
<b>₹</b>	ltem	Specifications	Item/Brand/Model	Specifications
احـ	Ear Notcher	Small V-shape blade; stainless		
2	Reusable Veterinary Syringe	Plastic/fiberglass hypodermic adjustable syringe with engraved volume indication on barrel; 10 ml capacity		
ယ	Tooth Nipper	Diagonal cutting blade, stainless steel		
<b>-</b>	Veterinary Injection Needle	18 G X 1" long hypodermic needle (12pcs/box)		
တ	Veterinary Injection Needle	16 G X 1" long hypodermic needle (12pcs/box)		
თ	Reusable Pig Catheter	Pig spiral tip Artificial Insemination (A.I.) Catheter; orange colored rubberized; 18 " long		
7	Forcep	Stainless 5.5" long, straight kelly forcep		

Date: \_ Name and Signature of Authorized Representative: Position/Designation:

Name of Bidder:\_

at Care

	TESD	TESDA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS	IFICATIONS
No.	Item	Specifications	item/Brand/Model	Specifications
_	Timing Light	Automatic reverse polarity and overload		
		activated, accurate at all speeds, bright xenon bulb, works on 12 volts gas engine.		
<b>2</b> i	Thickness Gauge	0.0015 in to 0.025in (any brand) 21 pcs blades (3in by 1/2 in blades)		
ယ	Spark Plug Wrench (T-Wrench)	socket high quality steel drop or cold press, zinc plated, PVC dipped handle, 16mm		
4	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 5 (sizes 10mm, 12mm, 14mm,17mm, 19mm) 7.5 deg offset		

		Name of Bidder:
Date:	Position/Designation:	Name and Signature of Authorized Representative:

R

- QW-X

	DA'S SPECIFICATIONS	BIDDER'S SPEC	SPECIFICATIONS
Item	Specifications	Item/Brand/Model	Specifications
Impact Driver	1/2-Inch Drive Impact Driver Kit, For loosening frozen fasteners using a hammer, Includes two slotted and two Phillips bits size 10mm.		
ch	size 10mm,12mm,14mm, insulated t plug handle; deep hexagonal socket, Overall Size: 290 x 190 x 14mm/ 11.4" x 7.5" x 0.55" (L*W*T)		
ation Wrench (Open End)	chrome vanadium steel, set of 5 (sizes 10mm, 12mm, 14mm,17mm, 19mm) 7.5 deg offset		
rench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder		
ss Gauge	0.0015 in to 0.025in (any brand) 21 pcs blades (3in by 1/2 in blades)		
in Hammer	Forged hard steel, jacketed graphite ballpeen hammer, 16 oz.		
liers	8 in carbon steel insulated handle detachable tip(combination) internal and external		
	Driver	TESDA iver	TESDA'S SPECIFICATIONS  Specifications  Item/Brand/Model  1/2-Inch Drive Impact Driver Kit, For loosening frozen fasteners using a hammer, Includes two slotted and two Phillips bits size 10mm.  size 10mm,12mm,14mm, insulated t plug handle; deep hexagonal socket, Overall Size: 290 x 190 x 14mm/ 11.4" x 7.5" x 0.55" (L*W*T)  chrome vanadium steel, set of 5 (sizes 10mm, 12mm, 14mm,17mm, 19mm) 7.5 deg offset  Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 in., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder 0.0015 in to 0.025in (any brand) 21 pcs blades (3in by 1/2 in blades)  Forged hard steel; Jacketed graphite ballpeen hammer, 16 oz.  8 in carbon steel insulated handle detachable tip(combination) internal and external

aff.

z [	<b>o</b>	On I	4	ω		2	_	No.		2
Name of Bidder:	Combination Wrench (Open And Box End)	Vise Grip	Circlip Pliers	Ball Peen Hammer	Set		Manual Impact Driver	o. Item	TESD/	T 7 - PERFORM UNDERCHASSI
Name and Signature of Authorized Position/Designation:  Date:	chrome vanadium steel, set of 5 (sizes 10mm, 12mm, 14mm,17mm, 19mm) 7.5 deg offset	10"chrome plated insulated handle; flat jaw, adjustment 0" to 1 5/8"	8 in carbon steel insulated handle detachable tip(combination)internal and external	Forged hard steel, jacketed graphite ballpeen hammer, 16 oz.	steel construction, black oxide finish, knurled handle Cold Chisel: 3 piece set contains 3/8" x 5-9/16", 1/2" x 6" and 5/8" x 6-3/4", high carbon steel	Pin Punch: Pin sizes: 1/8", 3/16", 1/4", carbon	1/2-Inch Drive Impact Driver Kit, For loosening frozen fasteners using a hammer, Includes two slotted and two Phillips bits size 10mm.	Specifications	TESDA'S SPECIFICATIONS	LOT 7 - PERFORM UNDERCHASSIS PREVENTIVE MAINTENANCE (Leading to Automotive
zed Representative:								Item/Brand/Model	BIDDER'S SPECIFICATIONS	otive Servicing NC II)
								Specifications	PIFICATIONS	

ag

gund

Spec

and of

	TESI	TESDA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS	CIFICATIONS
No.	Item	Specifications	Item/Brand/Model	Specifications
<u></u> :	Battery Load Tester	100-Amp Battery Load Tester, 6V and 12V batteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted rocker switch.		
<b>N</b>	Soldering Iron	100 watts,220v, 60hz, pencil tip		
ယ 	Battery Series Connector	Copper plated steel jaw clamps with 2 meters long 10 gauge automotive copper wire, red and black color coded		
	Mechanical Pliers	10" chrome plated, Slip-resistant bi-material handle. Two-position, adjustable joint pliers		

Name of Bidder:\_ 

L

	5 Circlip Pliers 6 Combination Wrench (Open				3 Ball Peen Hammer	2 T-Wrench	1 Manual Impact Driver	No.	LOT 10 - SEI	
		chrome vanadium steel, set of 5 (sizes 10mm, 12mm, 14mm, 17mm, 19mm) 7.5 deg offset	8 in carbon steel insulated handle detachable tip (combination) internal and external	2.80 to 6.80 ln., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz.	size 10mm,12mm,14mm, insulated t plug handle; deep hexagonal socket, Overall Size: 290 x 190 x 14mm/ 11.4" x 7.5" x 0.55" (L*W*T)	1/2-Inch Drive Impact Driver Kit, For loosening frozen fasteners using a hammer, Includes two slotted and two Phillips bits size 10mm.	Specifications	ANICAL COMPONENTS (Leading to Automotive Serv	
TESDA'S SPECIFICATIONS  Specifications  1/2-Inch Drive Impact Driver Kit, For loosening frozen fasteners using a hammer, Includes two slotted and two Phillips bits size 10mm.  size 10mm, 12mm, 14mm, insulated t plug handle; deep hexagonal socket, Overall Size: 290 x 190 x 14mm/ 11.4" x 7.5" x 0.55" (L*W*T)  Forged hard steel; jacketed graphite ballpeen hammer, 16 oz.  Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder 8 in carbon steel insulated handle detachable tip (combination) internal and external								Item/Brand/Model	icing NC II)  BIDDER'S SPECIFICATIONS	
S (Leading to Automotive Servicing NC II)  acifications  t Driver Kit, For loosening g a hammer, and two Phillips bits size  mm, insulated t plug handle; (et, Overall Size: 290 x 190 x 0.55" (L*W*T)  cketed graphite ballpeen cketed graphite ballpeen s Included 1.5, 2, 2.5, 3, 4, Material Alloy steel, Handle ades Molded Plastic Holder slated handle detachable tip II and external					:			Specifications	HICATIONS	

	TESD	TESDA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS	XIFICATIONS
No.	Item	Specifications	Item/Brand/Model	Specifications
1 VOM (Multitester)	ester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6(IEC)		
		or UM-3 1.5V x 2 Internal Fuse: 0.5Ano,/250V/5.2mm dia. X 20mm Dimension		
		and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k		
2 Combination And Box End)	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 5 (sizes 10mm, 12mm, 14mm,17mm, 19mm) 7.5 deg offset		
3 Thickness Gauge	bauge	0.0015 in to 0.025in (any brand) 21 pcs. blades (3in by 1/2 in blades)		
4 Philips Screw Driver	w Driver	10" shank length (chrome plated) plastic handle, tip:2 X 6mm		
	Flat Screw Driver	10" shank length (chrome plated)plastic handle,		

Name and Signature of Authorized Representative: Position/Designation:

Date:

	TES	TESDA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS	HICATIONS
۶ ا	Item	Specifications	Item/Brand/Model	Specifications
ــــــــــــــــــــــــــــــــــــــ	Manual Impact Driver	1/2-Inch Drive Impact Driver Kit, For loosening frozen fasteners using a hammer, Includes two slotted and two Phillips bits size 10mm.		
ν.	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz.		
ယ	T-Wrench	size 10mm,12mm,14mm, insulated t plug handle; deep hexagonal socket, Overall Size: 290 x 190 x 14mm/ 11.4" x 7.5" x 0.55" (L*W*T)		
اِ <b>ح</b>	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder		
ري د	Circlip Pliers	8 in carbon steel insulated handle detachable tip(combination)internal and external		
6	Vise Grip	10" chrome plated insulated handle; flat jaw, adjustment 0" to 1 5/8"		

•			Name of Bidder:	
	Date:	Position/Designation:	Name and Signature of Authorized Representative:	

and parker

No. Item Specifications Item/Brand/Model  1 Manual Impact Driver 1/2-Inch Drive Impact Driver Kit, For loosening frozen fasteners using a hammer
Manual Impact Driver
frozen factoners licing a hammer
ן ייטבפון ופסנכוופיס ניפווע פ ייפוויייפיי,
Includes two slotted and two Phillips bits size
10mm.
2 T-Wrench size 10mm, 12mm, 14mm, insulated t plug
× 190 × 14mm/ 11.4" × 7.5" × 0.55" (L*W*T)
3 Combination Wrench (Open chrome vanadium steel, set of 5 (sizes 10mm,
And Box End) 12mm, 14mm, 17mm, 19mm) 7.5 deg offset
4 Allen Wrench Set Hex Key Set, Number of Pieces 9, Arm Length
2.80 to 6.80 ln., Sizes Included 1.5, 2, 2.5, 3, 4,
5, 6, 8, 10mm, Blade Material Alloy steel, Handle
Type L-Shaped, Includes Molded Plastic Holder
5 Pin Punch And Cold Chisel Pin Punch: Pin sizes: 1/8", 3/16", 1/4", carbon
Set steel construction, black oxide finish, knurled
handle
Cold Chisel: 3 piece set contains 3/8" x 5-9/16".
1/2" x 6" and 5/8" x 6-3/4", high carbon steel
6 Circlip Pliers 8 in carbon steel insulated handle detachable
tip(combination)internal and external
7 Thickness Gauge 0.0015 in to 0.025in (any brand) 21 pcs blades
•

the se

LOT 14 - TES	No.		······	<del>=                                    </del>	2 Batter			
T AND REPAIR WIRI	Item	VOM (Multitester)		Battery Series Connector		Diagonal Cutting Plier	Diagonal Cutting Plier Soldering Iron	Diagonal Cutting Plier Soldering Iron Long Nose Pliers
LOT 14 - TEST AND REPAIR WIRING & LIGHTING SYSTEM (Leading to Automotive Servi	TESDA'S SPECIFICATIONS  Specifications	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6(IEC) or UM-3 1.5V x 2 Internal Fuse:	0.5Ano,/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	Copper plated steel jaw clamps with 2 meters	black color coded	Overall length 8", Handle finish plastic dipped, Carbon Steel	Overall length 8", Handle finish plastic dipped. Carbon Steel  100 watts,220v, 60hz, pencil tip	black color coded  Overall length 8", Handle finish plastic dipped.  Carbon Steel  100 watts,220v, 60hz, pencil tip  Overall Length: 8"  Knife Length: 5/8"  Material: Carbon Steel  Handle Finish: plastic dipped
vicing NC II)  BIDDER'S SPECIFICATIONS	Item/Brand/Model							
CIFICATIONS	Specifications	,						

<b>→</b> Name	8	7	6	5	4	ယ	2		ĕ.	
Name of Bidder:	Wood Chisel	Sledge Hammer	Spirit Level Bar	Steel Square	Pull-Push Rule	Chalk Line Reel	Claw Hammer	Cross Cut Saw	ltem	Tion to the second seco
Name and Signature of Authorized Position/Designation:	Forged steel blade; 3/4: blade width; plastic handle	Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With Wooden Handle	Aluminum, top-read center vial; 3 vials; Length: 24"	Carpenters framing square; 2x16x24", aluminum	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	Includes Chalk Reel and 4 Oz. Bottle Blue Chalk; High Impact Abs Case On-Board Hook Storage, Stainless-Steel Hook, Sliding Door For Easy Filling, Folding Crank Handle	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	Crosscut saw; 8 points per inch; 18 in. length / 450 mm; hardwood handle	Specifications	TESDA'S SPECIFICATIONS
ed Representative:									Item/Brand/Model	BIDDER'S SPEC
									Specifications	SPECIFICATIONS

LO <sub>1</sub>	LOT 16 - CONSTRUCTION PAINTING NC II	TESDA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS	IFICATIONS
No.	ltem	Specifications	item/Brand/Model	Specifications
	Paint Brush, 3/4"	Soft Bristle, %", long bristle, wooden handle,	11	and the second control of the second control
_		Stall liess steel relitates		
20	Paint Brush, 1"	Soft Bristle, 1", long bristle, wooden handle, stainless steel ferrules		
ယ	Paint Brush, 1.5"	Soft Bristle, 1 1/2", long bristle, wooden handle, stainless steel ferrules		
4	Paint Brush, 2"	Soft Bristle, 2", long bristle, wooden handle, stainless steel ferrules		
<b>U</b> T:	Paint Brush, 2.5"	Soft Bristle, 2 1/2", long bristle, wooden handle, stainless steel ferrules		
O	Paint Brush, 3"	Soft Bristle, 3", long bristle, wooden handle, stainless steel ferrules		
7	Paint Brush, 4"	Soft Bristle, 4", long bristle, wooden handle, stainless steel ferrules		
8	Spray Gun, Gravity Feed Type	Professional gravity feed HVLP spray gun with a 1.5 mm fluid tip, 400 ml Aluminum cup, with air regulator; air inlet 1/4"		
ဖ	Scraper	Hardened, tempered and polished steel blade; plastic handle; blade width: 2 inches; full tang blade		
10	Putty Knife	Hardened, tempered and polished steel blade; plastic handle; blade width: 3 inches; full tang		

B

B

9"	Plastic, size 9"	Paint Tray	15
Paint Roller pure polyester with handle, size:9"	Paint Roller p	Paint Roller, 9"	14
Paint Roller pure polyester with handle size 7"	Paint Roller p	Paint Roller, 7"	13
Paint Roller pure polyester with handle, size:4"	Paint Roller p	Paint Roller, 4"	12
With Blade Snapper; Thumb-Dial Blade Release;	With Blade Snappe 18 mm blade width	Nt Cutter	3
	blade		

Position/Designation:\_ Date:\_\_\_\_\_

page gaves

	TES	TESDA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS	IFICATIONS
Z O	Item	Specifications	Item/Brand/Model	Specifications
_	Pointing Trowel	Steel 8", wooden handle		
2	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant		
		tru-zero end		
ယ	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle		
4	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"		
55	Sledge Hammer	Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With Wooden Handle.		
6	Steel Square	Carpenters framing square; 2x16x24", aluminum		
7	Shovel	Round point steel blade, fiberglass D-grip handle, blade length 11.5" width 8.25" wooden handle		

Name of Bidder: Name and Signature of Authorized Representative:
Position/Designation:
Date:

as 1

- QUEL

	TES	TESDA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS	FICATION
N <sub>O</sub>	. Item	Specifications	item/Brand/Model	
<u></u>	VOM (Multi	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6(IEC) or UM-3 1.5V x 2 Internal Fuse:		
		0.5Ano,/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k		
N	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm,5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"		
ယ	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped		
4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel		
5	Electricians Plier	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped		
ை	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end		

Name and Signature of Authorized Representative:
Position/Designation:
Date:

Name of Bidder:

	_  <mark>S</mark>		TESDA'S SPECIFICATIONS Specifications Steel 8", wooden handle	
	_	Pointing Trowel	Steel 8", wooden handle	
.	2	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	act
	ယ	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	saw
	4	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	5
ĺ	G	Sledge Hammer	Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With Wooden Handle.	1 Kg)
	6	Steel Square	Carpenters framing square; 2x16x24", aluminum	m m
	7	Shovel	Round point steel blade, fiberglass D-grip handle, blade length 11.5", width 8.25", wooden handle length 20"	ndle, die
	Name	Name of Bidder:	Name and Signature of Authorized Position/Designation:	∆uthoriz

all good

	TE	TESDA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS	CIFICATIONS
ا ا	Item	Specifications	Item/Brand/Model	Specifications
_	Pipe Wrench	14" Straight cast iron handle; max jaw opening: 65mm (2.55")		
7	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle		
ယ	Pvc Pipe Cutter	PVC pipe cutter; steel handle 1/2"- 2"	•	7
4	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end		
Ç	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz.		

Name of Bidder:\_ Name and Signature of Authorized Representative: Position/Designation: Date:

æ

		TES	TESDA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS	FICA
-	<u>8</u>	Item	Specifications	Item/Brand/Model	
	-	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz.		
	2	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"		
!	<u>ω</u> .	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end		
:	4	File	Half-round, 8",tapered width and thickness, bastard teeth spacing, Plastic handle is slip resistant,		
	5	Adjustable Wrench	12"/ 304.8 mm length, heavy duty chrome vanadium steel, max. Jaw capacity 43.2 mm, head width, 3/4" / 19.1 mm	,	
	G	Adjustable Combination Square	stainless steel blade, high visibility die cast handle with brass hardware, 12 tn. Length of blade		
	7	C - Clamp	Heavy duty, Machine ground anvils, steel sliding pin handles, bright plated steel swivel, 8 " opening		
	8	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle		

Name of Bidder: Name and Signature of Authorized Representative:
Position/Designation:
Date:

	TES	TESDA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS	CIFICATIONS
N <sub>O</sub>	Item	Specifications	Item/Brand/Model	Specifications
_	Pointing Trowel	Steel 8", wooden handle		
2	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end		
س  اسا	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw		
4		blade, 24 TPI, aluminum alloy frame and handle		
4	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"		
Gr	Sledge Hammer	Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With Wooden Handle.		
6	Steel Square	Carpenters framing square; 2x16x24", aluminum		
7	Shovel	Round point steel blade, fiberglass D-grip handle, blade length 11.5", width 8.25", wooden handle length 20"		

		Name of Bidder:
Date:	Position/Designation:	Name and Signature of Authorized Representative:

Ž,

	15	TESDA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS	MFICATIONS
<u>8</u>	Item	Specifications	Item/Brand/Model	Specifications
	Nipper, End Cutter	End nipper Plier 8"		
N	Plier	Forged carbon steel, length 8 inches, machined jaws		
ω	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle		
4	Notched Trowel	Plastering Trowel, carbon steel; plastic handle		
<b>5</b> 1	Spirit Level	Torpedo level; high impact plastic; magnetic; 3 vials; Length 9"		
6	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end		
7	Tile Cutter	Pen type, carbide tip, manual 8" length		
<b>8</b>	Rubber Mallet	16 oz, wooden handle		

Name of Bidder: Name and Signature of Authorized Representative: Position/Designation:

A See

TESDA'S SPECIFICATIONS	TES	TESDA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS	FICATIO
<del>2</del>	Item	Specifications	Item/Brand/Model	1
_	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6(IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano,/250V/5.2mm dia. X 20mm Dimension		}
		0.5Ano,/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k		
2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz		
ယ	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped		
4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel		
თ	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm,5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"		İ
6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.		

Name of Bidder: 

B

	TES	TESDA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS
No.	ltem	Specifications	Item/Brand/Mode
	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6(IEC) or UM-3 1.5V x 2 Internal Fuse:	
		0.5Ano,/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	
2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	
ယ	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	
4	Diagonal Cutting Piler	Overall length 8", Handle finish plastic dipped, Carbon Steel	
5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm,5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	
တ	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	

Name of Bidder:\_ Name and Signature of Authorized Representative:
Position/Designation:
Date:

Item Utitester)		TES	TESDA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS	FICATIONS
Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6(IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano,/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k  oldering Tool Uatt Hot Air Input Voltage: 220VAC +/-10%, 60 Hz Power Consumption with soldering iron  30 in 1 screwdriver set Mode of variations steel	S.	Item	Specifications	Item/Brand/Model	Specificat
oldering Tool	_	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V		
oldering Tool			ACV Range: 10 to 750V Internal Battery: R6(IEC)		
oldering Tool			0.5Ano,/250V/5.2mm dia. X 20mm Dimension		
oldering Tool			and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k		
:	2	Hot Air Soldering Tool	Watt Hot Air Input Voltage: 220VAC +/-10% , 60 Hz Power		
	<u>ن</u> ا	Precision	Consumption with soldering iron  30 in 1 screwdriver set Made of vanadium steel	10 · · · · · · · · · · · · · · · · · · ·	

		Name of Bidder:
Date:	Position/Designation:	Name and Signature of Authorized Representative:

and one

	TESD	TESDA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS	CIFICATIONS
No.	Item	Specifications	Item/Brand/Model	Specifications
<u></u>	Ordinary Sewing Machine	manually operated foot pedal, wooden table with drawers, cast iron stand		
2	Drafting Tools	Tailors square, aluminum 14x24" L shape ruler Hip curve, aluminum 23" length curve ruler		
3	Cutting Shears	9" length stainless steel cutting blade, plastic handle, for fabric		

		Name of Bidder:
Date:	Position/Designation:	Name and Signature of Authorized Representative:

Col grand

TESD	TESDA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS	CIFICATIONS
No. Item	Specifications	Item/Brand/Model	Specifications
1 Ordinary Sewing Machine	manually operated foot pedal, wooden table with drawers, cast iron stand		
2 Drafting Tools	Tailors square, aluminum 14x24" L shape ruler Hip curve, aluminum 23" length curve ruler		
3 Cutting Shears	9" length stainless steel cutting blade, plastic handle, for fabric		

Name of Bidder:\_\_\_ 

apply days

Name	10	9	æ	7	თ	5	4	ယ	2	_	No.		101
Name of Bidder:	Rubbing Alcohol (Disinfectant)	Powder	Virgin Coconut Oil	Aromatic Oil	Body Lotion	Head Band	Scrub Suit	Face Mask	Bath Towel	Face Towel	Item	TESC	LOT 29 - HILOT (WELLNESS MASSAGE) NC II
Name and Signature of Authorized Position/Designation:	250 ml, any brand, 70%	Baby powder, 200 g	virgin coconut oil 250 ml, any brand	Bottled, 100 ml, any scent	Bottled, 200 ml (hypoallergenic)	3"x 23" cotton fabric with snap tape	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), pants in garter(adjustable draw string) 1 back pocket, free size preferably blue color.	disposable earloop face mask, 50 pcs per box	100 % cotton, 27" X 54" preferably white	100 % cotton, 12" X 12" preferably white	Specifications	TESDA'S SPECIFICATIONS	SAGE) NC II
ed Representative:											Item/Brand/Model	BIDDER'S SPECIFICATIONS	
											Specifications	FICATIONS	ANTAL CONTRACTOR OF THE CONTRA

A ST

Queres

}

TESDA'S SPECIFICATIONS	<b></b>	TESDA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS	HICATIONS
P	ltem	Specifications	Item/Brand/Model	Specifications
_	Face Towel	100 % cotton, 12" X 12" preferably white		
2	Bath Towel	100 % cotton, 27" X 54" preferably white		
ယ	Face Mask	disposable earloop face mask, 50 pcs per box		
4	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2		
		lower front pockets), pants in garter(adjustable draw string) 1 back pocket, free size preferably blue color.		
ري ت	Head Band	3"x 23" cotton fabric with snap tape		
0	Body Lotion	Bottled, 200 ml (hypoallergenic)		
7	Aromatic Oil	Bottled, 100 ml, any scent		
8	Virgin Coconut Oil	virgin coconut oil 250 ml, any brand		
9	Powder	Baby Powder, 200 g		
10	Rubbing Alcohol (Disinfectant)	250 ml, any brand, 70%		

Name of Bidder:\_ Name and Signature of Authorized Representative: Position/Designation:

Date:

S.

	11	TESDA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS	IFICATIONS
No.	Item	Specifications	Item/Brand/Model	Specifications
	Astringent	125 ml, deep cleansing, hypoallergenic		
2	Blusher	pink and bronze shade, 4grams each	The second secon	
ω	Eye Brow Pencils	Pencil, 1 brown and 1 black, 4" each		
4	Eye Liner	Pencil, 1 brown and 1 black, 4" each		
Çī	Eye Shadow	8 palette, earth colors, matte finish		
6	Eyebrow Tweezer	stainless steel, scissor type		
	Eyelash Curler	stainless steel, scissor type		
80	Face Mask	disposable earloop face mask, 50 pcs per box		
9	Make-Up Sponge	round, powder puff sponge		
10	Foundation	Liquid, 30 ml, natural shade		
11	Head Band	3"x23" cotton fabric with snap tape		
12	Lipstick	matte finish, red and coral pink		
13	Make Up Brush Set	wooden handle, soft bristle, set of 5pcs (lip brush,		
		angle eye brush, powder brush, eye shadow		
		brush, angle blusher brush)		
4	Mascara	black, water proof, 7g		
15	Pressed Powder	natural shade, matte finish		

Name of Bidder:\_ Name and Signature of Authorized Representative:
Position/Designation:

at sured

5	TESI	TESDA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS	CIFICATIONS
O	Item	Specifications	Item/Brand/Model	Specifications
-	Acne Gel	plastic tube, 25ml		
8	Astringent	125 ml, deep cleansing, hypoallergenic		
ယ	Bleaching Cream	50 grams, tube, hypoallergenic		
4	Cleansing Cream	60 ml., hypoallergenic		
5	Face Mask	disposable earloop face mask, 50 pcs per box		
တ	Facial Brush	wooden handle, soft bristle	The state of the s	
7	Facial Cream	50 ml, dermatologically tested		
8	Facial Scrub Cream	50ml, dermatologically tested		
မ	Moisturizer	50 ml, plastic container, hypoallergenic		
10	Pricking Tools	stainless steel, dual end, pointed and round		
3	Skin Toner	100 ml, dermatologically tested		
12	Sun Block Cream	50 ml. SPF 40		
3	Face Towel	100 % cotton, 12" X 12" preferably white	a de la companya de l	The state of the s

Name of Bidder:\_ Name and Signature of Authorized Representative:
Position/Designation:
Date:

- P

TESD/	TESDA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS	IFICATIONS
No. Item	Specifications	Item/Brand/Model	Specifications
Footspa Ma	220V 1800-2000W 60Hz, with bubbles and vibrator		
2 Callus Remover	Stainless Steel, 7"		
3 Scrubbing Gloves	Exfoliating bath and shower gloves, elasticized wrist (regular size, nylon)		
4 Foot File	Wooden, 9.5"		
_			
5 Foot Blush	120ml, spray type		
i	120ml, spray type 150ml, Liquid		
	120ml, spray type 150ml, Liquid 150ml, cream		
	120ml, spray type 150ml, Liquid 150ml, cream 150ml, scented		
	120ml, spray type 150ml, Liquid 150ml, cream 150ml, scented plastic handle, plastic bristle		

Position/Designation:
Date:

ak gener

	TESDA'S SPECIFICATIONS	TESDA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS	HICATIONS
8	Item	Specifications	item/Brand/Model	Specifications
	Handspa Machine	Thermostatically-controlled heating unit, 220v, 60hz		
2	Paraffin Wax	Scented, 500g		\$
		and the state of t		·
łame	Name of Bidder:	Name and Signature of Authorized	zed Representative:	

Name and Signature of Authorized Representative:
Position/Designation:
Date:

-		TESDA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS	HICATIONS
N O	Item	Specifications	Item/Brand/Model	Specifications
_	Cuticle Nipper	Stainless steel, 3.5"		
2	Cuticle Pusher	stainless steel, 5"		
ယ	Foot Nail Cutter	stainless steel, 3" long	A PARTY OF THE PAR	
4	Hand Nail Cutter	stainless steel, 2.5" long		
Çī	Manicure Supply Tray	Standard size, plastic with compartment tray		
G	Nail Brush	Plastic, soft bristle		
7	Emery Board	80/100 coarse, 8" Long		
æ	Orange Woodstick	1.77mm, smooth woodstick		
9	Cotton Balls	150 balls		
10	Cuticle Remover	120 ml bottle		
11	Nail Polish Remover	120 ml bottle		
12	Antiseptic (Merthiolate)	25 ml bottle		
13	Colored Nail Polish	15ml bottle, preferably touch of tan		
14	Colored Nail Polish	15ml bottle, white		
15	Colorless Nail Polish	15ml bottle, with glitters		
16	Colorless Nail Polish	15ml bottle		
17	Low Stool	small plastic stool with backrest		
		measurement: 320mm x 360mm x 430mm		

Name and Signature of Authorized Representative:
Position/Designation:
Date:

Name of Bidder:

	TEX	TESDA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS
No.	İtem	Specifications	Item/Brand/Model
	Hair Blower	220V, 1800W, 60 Hz, hot and cold blower	
		function	
N	Cutting Scissors	6" stainless steel with tight regulator screw	
ω	Barber's Scissors	5" stainless steel	
4	Thinning Scissors	5" Single notched, 23 teeth, stainless steel	TOTAL CAME AND THE PARTY OF THE
51	Apron	black with 3 pockets	
O	Protective Cape	Water proof, nylon, black	

Name of Bidder: Name and Signature of Authorized Representative: Position/Designation:

a

qu

	16:	TESDA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS	CIFICATIONS
No.	ltem .	Specifications	Item/Brand/Model	Specifications
_	Measuring Cup	Plastic, transparent, 100 mt capacity, equally		
		distributed graduation		
2	Hand Gloves	washable, medium size, preferably black		
ω	Bottle Applicator	Plastic, transparent, 100 ml capacity		
4	Protective Cape	Water proof, nylon, black		
نا ن	Oxidizing Solution	set of 3, 6%, 9% and 12%, at 100 ml each bottle		
တ	Colorants	Paste form, brown (light, medium and dark) and blonde (light, medium and dark), at 100 grams each		

		Name of Bidder:	
Date:	Position/Designation:	Name and Signature of Authorized Representative:	

ak

	TESI	TESDA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS	HEICATIONS
No.	Item	Specifications	item/Brand/Model	Specifications
	Hair Straightening Product	straightening solution and neutralizing cream, at 500ml each		
2	Hair Perming Product	cold wave lotion & neutralizer at 500 ml each		
ယ	Applicator Brush	Plastic, black, with comb and tail		
4	Hand Gloves	washable, medium size, preferably black		
ပာ	Face Mask	disposable earloop face mask, 50 pcs per box		
6	Bottle Applicator	Plastic, transparent, 100 ml capacity		
7	Shower Cap	Thick plastic, preferably black, free size		
8	Protective Cape	Water proof, nylon, black		
9	Hair Straightening Iron	220V, 60hz, adjustable heat control		

Position/Designation:\_ Date: \_\_\_\_\_

E

gund

TESDA'S SPE	TESD	TESDA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS	HICATIONS
8	ltem	Specifications	Item/Brand/Model	Specifications
_	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6(IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano,/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k		
2	Mechanical Manifold Gauge Set	2 valves, number of hoses 3, gauge high side pressure 0-500 PSIG, Gauge low side pressure 30 ln. Hg. to 250 PSIG, for use with R-22, R-134a refrigerants, 1/4 in. vacuum port size, hose length 36", 2500 PSI burst.		
အ	Electricians Plier	Overall Length: 8", Steel Alloy, Handle finish:	The state of the s	

		Name of Bidder:
Date:	Position/Designation:	Name and Signature of Authorized Representative:

Y

af June

	TESD	TESDA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS	CIFICATIONS
Š	item	Specifications	Item/Brand/Model	Specifications
ے	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6(IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano,/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k		
2	Mechanical Manifold Gauge Set	2 valves, number of hoses 3, gauge high side pressure 0-500 PSIG, Gauge low side pressure 30 ln. Hg. to 250 PSIG, for use with R-22, R-134a refrigerants, 1/4 in. vacuum port size, hose length 36", 2500 PSI burst.		
ω	Electricians Plier	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped		

		Name of Bidder:
Cata.	Position/Designation:	Name and Signature of Authorized Representative:

Es.

Bung

	TESL	TESDA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS	HIC.
<u>۲</u>	Item	Specifications	Item/Brand/Model	
	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6(IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano,/250V/5.2mm dia. X 20mm Dimension		
اد		Justine supplied to the side		
N	Mechanical Manifold Gauge Set	2 valves, number of hoses 3, gauge high side pressure 0-500 PSIG, Gauge low side pressure 30 In. Hg. to 250 PSIG, for use with R-22, R-134a refrigerants, 1/4 in. vacuum port size, hose length 36", 2500 PSI burst.		
ယ	Electricians Plier	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped		

Name of Bidder:\_ Name and Signature of Authorized Representative:
Position/Designation:
Date:

Compared great

	TESD	TESDA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS	CIFICATIONS
N <sub>O</sub>	Item	Specifications	Item/Brand/Model	Specifications
	Welding Mask	Flip Front Welding Helmet, impact-resistant polypropylene material, adjustable fit, 41/2" x 2" view area		
2	Portable Welding Machine	Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground.		

		Name of Bidder:
Date:	Position/Designation:	Name and Signature of Authorized Representative:

b

Color grand

No. Item TESDA	No. Item TESDA'S SPECIFICATIONS Specifications Item/Br	
Mixing Bow	Stainless steel, 8 " diameter, 5 quart capacity	
2 Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	ë
3 Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ½ cup	×
4 Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp	tsp
5 Chef's Knife	8", stainless steel blade with black polymer handle	
6 Chopping Board	%"x 12"x 18"; made of polyethylene material	nai 
7 Impulse Sealer	8 " long, Adjustable Sealing Control Timer with Ready Light, 220V, 60Hz	À
8 Utility Tray	14"x18", large rectangular tray, aluminum	
Name of Bidder:	Name and Signature of Authorized	Authori

	TES	TESDA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS	IFICATIONS
S O	Item	Specifications	Item/Brand/Model	Specifications
	Chef's Knife	8", stainless steel blade with black polymer handle		
72	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup		
ω	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp		
4	Casserole	Stainless; 6L capacity; with two grip handle, with cover		
თ	Mixing Bowl	Stainless steel, 8 " diameter, 5 quart capacity	-	
_ 6 	Chopping Board	1/2 " x 12 " x 18 "; made of polyethylene material		
7	Colander	5 qts capacity, stainless steel, with two grip handles		
80	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray		

Name of Bidder:\_ Name and Signature of Authorized Representative:
Position/Designation:
Date:

af Just

LOT	45 - PROCESS FOODS BY S	LOT 45 - PROCESS FOODS BY SUGAR CONCENTRATION (Leading to Food Processing	sing NC II)  BIDDER'S SPECIFICATIONS	HEICATIONS
N <sub>O</sub>	Item	Specifications	item/Brand/Model	Specifications
_	Candy Thermometer	8 " long, measures temperatures from 100 to 400		
		degrees F; glass, pen-type_adjustable clip secures thermometer to pan	-	
2	Measuring Cups	Stainless steel, 1 set (1 cup. ½ cup, 1/3 cup, ¼ cup		
ဒ	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp		
4	Mixing Bowl	Stainless steel, 8 " diameter, 5 quart capacity		
S	Casserole	Stainless; 6L capacity, with two grip handle, with cover		
6	Chef's Knife	8", stainless steel blade with black polymer handle		
7	Rubber Scraper	Rubber head high heat resistant, flexible, 12" long		
œ	Chopping Board	%" x 12" x 18"; made of polyethylene material		
9	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray		

)		Name of Bidder:
Date:	Position/Designation:	Name and Signature of Authorized Representative:

i when

	TESDA'S SPECIFICATIONS	TESDA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS	<b>IFICATIONS</b>
No.	Item	Specifications	Item/Brand/Model	Specifications
1	Electric Oven	18L Stainless Housing, Timer 60mins with bell		
		alarm, Temperature Control (100-250C) 4		
		Stainless Steel Heating Element, Indicator Light,		
		Removable Tray for easy Cleaning (Crumb Tray)		
		Tempered Glass, 4 Stage Heating Selection		
		Accessories: Enamel Bake Tray, Wire Rack, Tray		
_		Handle, 220V, 60hz		
2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼		
أد		4		
	Algebra	Transparent glass , I cup capacity, measurements		
		are clearly mark in ounce, quarts and millilitres		
4	Mixing Bowl	Stainless steel, 8 " diameter, 5 quart capacity		

Name of Bidder: Name and Signature of Authorized Representative:
Position/Designation:
Date:

	TE	TESDA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS	HICATIONS
N <sub>O</sub>	o. Item	Specifications	Item/Brand/Model	Specifications
ــــ	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light,		
		Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection		
		Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz		
2	Muffin Pan	6 holes, 3oz capacity per holes, non-stick		
ယ	Mixing Bowl	Stainless steel, 8 " diameter, 5 quart capacity		
4	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ½ cup		

Name of Bidder:\_ Name and Signature of Authorized Representative:
Position/Designation:
Date:

The same

	TE	TESDA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS	FICATIONS
<del>ک</del>	ltem	Specifications	Item/Brand/Model	Specifications
	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4		Alle
		Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection		
<b></b>		Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz		
N	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ½ cup		
<b>ω</b>	Mixing Bowl	Stainless steel, 8 " diameter, 5 quart capacity		
4	Muffin Pan	6 holes, 3oz capacity per holes, non-stick		

Name of Bidder:\_ 

of great

İ		TESDA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS	IFICATIONS
٥ و	Item	Specifications	Item/Brand/Model	Specifications
_	Frying Pan	10" diameter by 2" high teflon, non-stick, riveted handle		
2	Mixing Bowl	Stainless steel, 8 " diameter, 5 quart capacity		
ယ	Chef's Knife	8", stainless steel blade with black polymer handle		
4	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup		
ري ا	Chopping Board	½" x 12" x 18"; made of polyethylene material		
6 	Wooden Spoon	6" long, biodegradable, solid birchwood	• .	
7	Utility Knife	5" Stain-resistant stainless steel blade with black polymer handle		
တ	Strainer	8" diameter, single fine mesh, flat wooden handle		

and guild

Name of Bidder:\_

Name and Signature of Authorized Representative:
Position/Designation:
Date:

i		TESDA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS	CIFICATIONS
_	Frving Pan	Specifications 10" diameter by 2" high tellon pon stick riveted	Item/Brand/Model	Specifications
		handle		
N	Mixing Bowl	Stainless steel, 8 " diameter, 5 quart capacity	-	
ယ	Cher's Knife	8", stainless steel blade with black polymer handle		
4	Chopping Board	%" x 12" x 18"; made of polyethylene material		
5	Wooden Spoon	6" long, biodegradable, solid birchwood		
<u> </u>	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup		

Name of Bidder:\_ 

all guts

	TES	TESDA'S SPECIFICATIONS  BIDDER'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS
- <u>8</u>	VOM (Multitester)	Specifications  Multi-tester Analog DCV Range: 0.1 V to 1000V  ACV Range: 10 to 750V Internal Battery: R6(IEC)	Item/Brand/Mode
		or UM-3 1.5V x 2 Internal Fuse: 0.5Ano,/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	
N	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	
ω	Diagonal Cutting Piler	Overall length 8", Handle finish plastic dipped, Carbon Steel	
4	Soldering fron	30 watts, 220 Volts, Heat pencil tip 60Hz	
5	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 5 (sizes 10mm, 12mm, 14mm,17mm, 19mm) 7.5 deg offset	

Name of Bidder: Name and Signature of Authorized Representative:
Position/Designation:
Date:

My god

### SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) STARTER TOOLKITS PRICE DERIVATION - PHASE II FY 2016

		I		20 10	Γ	<del>, ,</del>	·	·
xt No.		<u> </u>		<del></del>				
	NO.	ITEM	AGENCY SPECS	ατγ	TINU	No. Of Pax	Total Coat	PER PAX
1	PRODUCE Production		Leading to Organic Agriculture					
	1	Steel Rake	14 tine made of steet; hardwood handle	1	PC			
	2	Sprayer	Knapsack type (16 litres cap) stainless tank and steel lance manual type with cone nozzles and fan nozzles	1	UNIT			
	3	Shovel	Round point steel blade; fiberglass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC			
	4	Pruning Shear	Stainless steel blade, fiber glass handle, blade cutting type by- pass, 8 " total length	1	PC			
	5	Sprinkler	2 gallon capacity, heavy duty plastic	1	PC			
	Agricultur	e Production NC II)	GETABLE (Leading to Organic			40	207,726.440	5,193.16
2	RAISE OR	GANIC CHICKEN (Leadin	g to Organic Agriculture Production NC		İ			
	1	Galloner	Dimension: height 347 mm (tube), 55 mm (plate, plate diameter is 9.6 inches, 5000 m) water capacity, plastic	3	PC			
	2	Tube Feeder	3 kg, capacity, automatic plastic feeder, 11 inches plate diameter, 10.5 inches feeder height	5	PC			
	3	Brooder/Heater Lamp	45 cm diameter aluminum reflector, socket is insulated porcelain, flexible heavy gauge SJT cord with moded-on plug	1	SET			
	4	Infrared Lamp	250 Watts Bulb, clear colour emitted light	1	PC			
	5	Chopping Board	1/2 " x 12 " x 18 "; made of polyethylene material	1	PC	<del> </del>		
	Sub-total, Productio		EN (Leading to Organic Agriculture			20	107,263.420	5,363.17
3	RAISE SM		g to Animal Production NC II)	-				
	1	Shovei	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC			
	2	Reusable Veterinary Syringe	Plastic/fiberglass hypodermic adjustable syringe with engraved volume indication on barrel; 10 ml capacity	1	PC			
	3	Veterinary Injection Needle	16 G X 1" long hypodermic needle (12pcs/box)	1	BOX			
	4	Veterinary Injection Needle	18 G X 1" long hypodermic needle (12pcs/box)	1	вох			
	5	Hoof knife/ Hook Knife	Overall length 5 ½ ", Taper ground cuttery steel blade, Ergonomically designed slip resistant grip, Wooden Handle	1	PC			
	6	Plastic Pail	16 litres capacity	1	PC	+ +		
	Sub-total,	RAISE SMALL RUMINAN	ITS (Leading to Animal Production NC II)			21	51,039.072	2,430.43
4	RAISE SW	/IN€ (Leading to Animal F				<u> </u>		
	1	Ear Notcher	Small V-shape blade; stainless	1	PC			
	2	Reusable Veterinary Syringe	Plastic/fiberglass hypodermic adjustable syringe with engraved volume indication on barrel; 10 ml capacity	1	PC			
	ļ				<b>-</b>	+ +		
	3	Tooth Nipper	Diagonal cutting blade, stainless steel	1	PC			

				_		<u> </u>		
ı No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax	Total Cost	PER PAX
	5	Veterinary Injection Needle	16 G X 1" long hypodermic needle (12pcs/box)	1	вох			
	6	Reusable Pkg Catheter	Pig spiral tip Artificial Insemination (A.I.) Catheter, orange colored rubbenzed; 18 " long	1	PC		!	
	7	Forcep	Stainless 5.5" long, straight kelly forcep	1	PC			
	Sub-total.	RAISE SWINE (Leading t	o Animal Production NC II)	_		20	121,854.080	6,092,704
		DIESEL/GAS ENGINE TO	JNE UP (Leading to Automotive					
	1	Timing Light	Automatic reverse polarity and overload protection, clamp on inductive pick up trigger activated, accurate at all speeds, bright xenon bulb, works on 12 volts gas engine.	1	SET			
	2	Thickness Gauge	0.0015 in to 0.025in (any brand) 21 pcs blades (3in by 1/2 in blades)	1	PC			
	3	Spark Plug Wrench (T-Wrench)	socket high quality steel drop or cold press, zinc plated, PVC dipped handle, 16mm	1	PC			<del> </del>
	4	Combination Wrench (Open And Box End)	Chrome vanadium steel, set of 5 (sizes 10mm, 12mm, 14mm, 17mm, 19mm) 7.5 deg offset	1	SET		-	
		PERFORM DIESEL/GAS re Servicing NC I)	ENGINE TUNE UP (Leading to			791	4,582,846.758	5,793.738
6	1		ANCE ON MOTORCYCLE MECHANICAL ng to Motorcycle/Small Engine Servicing					
	1	Manual Impact Driver	1/2-Inch Drive impact Driver Kit, For loosening frozen fasteners using a hammer, Includes two slotted and two Phillips bits size 10mm.	1	SET			
	2	T-Wrench	size 10mm,12mm,14mm, insulated t plug handle; deep hexagonal socket, Overall Size: 290 x 190 x 14mm/ 11.4" x 7.5" x 0,55" (L*W*T)	1 .	SET		·	<del></del>
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 5 (sizes 10mm, 12mm, 14mm,17mm, 19mm) 7.5 dep offset	1	SET			
	4	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L- Shaped, Includes Molded Plastic Holder	1	SET			
	5	Thickness Gauge	0.0015 in to 0.025in (any brand) 21 pcs blades (3in by 1/2 in blades)	1	PC			
	6	Ball Peen Hammer	Forged hard steel; jacketed graphite belipeen hammer, 16 oz.	1	PC	<u> </u>		
	7	Circlip Pliers	6 in carbon steel insulated handle detachable tip(combination) internal and external	1	SET			
	MECHANI Engine Se	ICAL AND ELECTRICAL prvicing NC II)	MAINTENANCE ON MOTORCYCLE SYSTEM (Leading to Motorcycle/Small			962	8,149,535.862	8,471.45
7		M UNDERCHASSIS PREV	ENTIVE MAINTENANCE (Leading to					
	1	Manual Impact Driver	1/2-Inch Drive Impact Driver Kit, For loosening frozen fasteners using a hammer, Includes two slotted and two Phillips bits size 10mm.	1	SET			
	2	Pin Punch And Cold Chisel Set	Pin Punch: Pin sizes: 1/8", 3/16", 1/4", carbon steel construction, black exide finish, knurled handle Cold Chiset: 3 piece set contains 3/8" x 5-9/16", 1/2" x 6" and 5/8" x 6-3/4", high carbon steel	1	SET			

	<del></del>	1	• • • • • • • • • • • • • • • • • • • •		Т	<del></del>		· · · · · · · · · · · · · · · · · · ·
.ol No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax	Total Cost	PER PAX
	3		Forged hard stee!; jacketed graphite ballpeen hammer, 16 oz.	1	PC			
	4	1 '	8 in carbon steel insulated handle detachable tip(combination)internal and external	ì	SET			
	5	Vise Grip	10"chrome plated insulated handle; flat jaw, adjustment 0" to 1 5/8"	1	PC			
	6	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 5 (sizes 10mm, 12mm, 14mm,17mm, 19mm) 7.5 deg offset	1	SET			
			IS PREVENTIVE MAINTENANCE			52	399,223,084	7,677.367
	<u></u>	o Automotive Servicing NO	eading to Automotive Servicing NC II)		<del> </del>			1,011.001
B	SERVICE	AUTOMOTIVE BATTERT (L	eading to Adtomotive Servicing NC II;					
	1	Battery Load Tester	100-Amp Battery Load Tester, 6V and 12V batteries, shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted rocker switch.	1	PC			
	2	Hydrometer Tester	1100-1300 Scale Range.	1	PC	++		
	2	-	designed to test the concentration of the battery acid in non-sealed batteries, graduated specific gravity float, easy to read, color coded hydrometer, precise readings for status of battery cells, tests battery fluid condition	•				
	3	Soldering Iron	100 watts,220v, 60hz, pencil tip	1	PC		· · · · · · · · · · · · · · · · · · ·	
	4	Battery Series Connector	Copper plated steel jaw clamps with 2 meters long 10 gauge automotive copper wire, red and black color coded	1	PC .			
	5	Mechanical Pilers	10" chrome plated, Slip-resistant bi- material handle, Two-position, adjustable joint pilers	1	PC			
	1 .		ATTERY (Leading to Automotive	:		111	633,146.775	5,704.025
	Servicing .	<u> </u>	L (Leading to Automotive Servicing		ļ			
9	NCII)	ACTOMOTIVE ELECTRICA	- (-casing to read institute out them's	1	1			
·	1	Battery Load Tester	100-Amp Battery Load Tester, 6V and 12V batteries, shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted rocker switch.	3	PC		-	
	2	Soldering Iron	100 watts,220v, 60hz, pencil tip	1	PC			
	3	Battery Series Connector	Copper plated steel jew clamps with 2 meters long 10 pauge automotive copper wire, rad and black color coded	1	PC			
	4	Mechanical Pliers	10" chrome plated, Slip-resistant bi- material handle, Two-position, adjustable joint pliers	1	PC			
	Servicing	NCII)	LECTRICAL (Leading to Automotive			301	1,662,635.205	5,523.705
10	SERVICE Servicing		MPONENTS (Leading to Automotive					
	1	Manual Impact Driver	1/2-inch Drive Impact Driver Kit, For loosening frozen fasteners using a hammer, includes two slotted and two Phillips bits size 10mm.	1	SET			
	2	T-Wrench	size 10mm,12mm,14mm, insulated t plug handle; deep hexagonal socket, Overall Size: 290 x 190 x 14mm/ 11.4" x 7.5" x 0.55" (L"W"T)	1	SET			

nt No.	NO. 3	Ball Peen Hammer  Allen Wrench Set	AGENCY SPECS  Forged hard steel; jacketed graphite balipeen hardmer, 16 oz.  Hax Key Set, Number of Pieces 9, Arm	QTY	UNIT	No. Of Pax	Total Cost	PER PAX
	4		balipeen hammer, 16 oz.	1	PC			
	<u> </u>	Allen Wrench Set	· ·		, ,	1		
	5		Length 2.80 to 6.80 in., Sizes included	1	SET			
	5		1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L- Shaped, includes Molded Plastic Holder					
_		Circlip Pliers	8 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET			
	6	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 5 (sizes 10mm, 12mm, 14mm,17mm, 19mm) 7.5 deg offset	1	SET			
		SERVICE ENGINE MECH e Servicing NC II)	ANICAL COMPONENTS (Leading to			398	3,220,459.586	8,091.607
11 5	SERVICE I	SNITION SYSTEM (Lead	ing to Automotive Servicing NC II)					
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6(IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano,/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g. Resistance: X1 to X1k	1	TINU			
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 5 (sizes 10mm, 12mm, 14mm,17mm, 19mm) 7.5 deg offset	1	SET			
	3	Thickness Gauge	0.0015 in to 0.025in (any brand) 21 pcs blades (3in by 1/2 in blades)	1	PÇ			-
	4	Philips Screw Driver	10" shank length (chrome plated) plastic handle, tip:2 X 6mm	1	PC			
	. 2	Flat Scew Driver	10" shank length (chrome plated)plastic handle, tip: 1/4" / 6,5mm	1	PC			<del>,</del>
		SERVICE IGNITION SYS	TEM (Leading to Automotive Servicing	-		187	1,060,226.420	5,669.660
42 5	<u>NCII)</u> SERVICE F NC II)	POWER TRAIN COMPON	ENTS (Leading to Automotive Servicing					
	1	Manual Impact Driver	1/2-inch Drive Impact Driver Kit, For loosening frozen fasteners using a hammer, Includes two skotted and two Phillips bits size 10mm.	1	SET			
	2	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen harmer, 16 oz.	1	PC			
	3	T-Wrench	size 10mm,12mm,14mm, insulated t plug handle; deep hexagonal socket, Overall Size: 290 x 190 x 14mm/ 11.4" x 7.5" x 0.55" (L"W"T)	1	SET			· • • · · · · · · · · · · · · · · · · ·
	4	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 8.80 in., Sizes Included 1.5, 2. 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET			
	5	Circlip Pliers	8 in carbon steel insulated handle detachable tip(combination)internal and external	1	SET			
	6	Vise Grip	10" chrome plated insulated handle; flat jaw, adjustment 0" to 1 5/8"	1	PC			
	Sub-total, Servicing		COMPONENTS (Leading to Automotive		1	10	71,750.470	7,175.04
			AND COMPONENTS (Leading to	<del> </del>		<del></del>	+	<del></del>

						†T		
ot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax	Total Cost	PER PAX
	1	Manual Impact Driver	1/2-Inch Drive Impact Driver Kit, For loosening frozen fasteners using a hammer, includes two slotted and two Phillips bits size 10mm.	1	SET			**
	2	T-Wrench	size 10mm, 12mm, 14mm, insulated t plug handle; deep hexagonal socket, Overall Size: 290 x 190 x 14mm/ 11.4" x 7.5" x 0.55" (L"W*T)	1	SET			
	3	Combination Wrench (Open And Box End)	Chrome vanadium steel, set of 5 (sizes 10mm, 12mm, 14mm,17mm, 19mm) 7.5 deg offset	1	SET			
	4	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L- Shaped, Includes Molded Plastic Holder	1	SET			
	5	Pin Punch And Cold Chisel Set	Pin Punch: Pin sizes: 1/8", 3/16", 1/4", carbon steel construction, black oxide finish, knurled frandle Cold Chisel: 3 piece set contains 3/8" x 5-9/16", 1/2" x 6" and 5/8" x 6-3/4", high carbon steel	1	SET			
	6	Circlip Pliers	8 in carbon steel insulated handle detachable tip(combination)internal and external	1	SET			
	7	Thickness Gauge	0.0015 in to 0.025in (any brand) 21 pcs blades (3in by 1/2 in blades)	1	PC			
	to Motorcy	ycle/Small Engine Servic		··		890	7,570,113.940	8,505.746
	TEST AND Servicing 1		TING SYSTEM (Leading to Automotive					
<u>·</u>	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6(IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano,/250V/5.2mm dia. X 20mm Dimension and Weight: 159,5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT			
	2	Battery Series Connecto	or Copper plated steel jaw clamps with 2 meters long 10 gauge automotive copper wire, red and black color coded	1	PC		,	
	3	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC			
<del></del>	4	Soldering Iron	100 watts,220v, 60hz, pencil tip	1	PC	<del>  -  </del>		
	5	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC			
			ING & LIGHTING SYSTEM (Leading to		İ	118	758,624.950	6,429.025
15	Automotiv	ve Servicing NC II) RY NC II						-,
	1	Cross Cut Saw	Crosscut saw; 8 points per inch; 18 in, length / 450 mm; hardwood handle	1	PC			<u> </u>
	2	Claw Hammer	Forged High-Carbon Steel Head, Smooth Face; 16 Oz; Wood Handle	1	PC			<del></del>
					ŀ	1	1	
<del></del>	3	Chalk Line Res	Includes Chalk Reel and 4 Oz. Bottle Blue Chalk; High Impact Abs Case On-Board Hook Storage, Stainless-Steel Hook, Sliding Door For Easy Filling, Folding Crank Handle	1	PC			

	· ·				1	<del> </del>		
t No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax	Total Cost	PER PAX
	5	Steel Square	Carpenters framing square; 2x16x24*, aluminum	1	PC			
	6	Spirit Level Bar	Aluminum, top-read center vial; 3 vials, Length: 24"	1	PC			
	7	Sledge Hammer	Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With Wooden Handle	1	PC			
	Б	Wood Chisel	Forged steel blade; 3/4: blade width, plastic handle	1	PC			
	Sub-total,	CARPENTRY NC II				282	1,566,577.116	5,555.238
16	CONSTRU	CTION PAINTING NC II			<u> </u>			
	1	Paint Brush, 3/4"	Soft Bristle, %", long bristle, wooden handle, stainless steel ferrules	1	PC			
	2	Paint Brush, 1"	Soft Bristle, 1", long bristle, wooden handle, stainless steel ferrules	1	PC			
	3	Paint Brush, 1.5"	Soft Bristle, 1 1/2", long bristle, wooden handle, stainless steel ferrules	1	PC			
	4	Paint Brush, 2"	Soft Bristle, 2", long bristle, wooden handle, stainless steel ferrules	1	PC			
	5	Paint Brush, 2.5"	Soft Bristle, 2 1/2", long bristle, wooden handle, stainless steel femules	1	PC			_
	6	Paint Brush, 3*	Soft Bristle, 3", long bristle, wooden handle, stainless steel femules	1	PC		· · · · · · · · · · · · · · · · · · ·	
	7	Paint Brush, 4"	Soft Bristle, 4", long bristle, wooden handle, stainless steel ferrules	1	PC			
	8	Spray Gun, Gravity Feed Type	Professional gravity feed HVLP spray gun with a 1.5 mm fluid tip, 400 ml Aluminum cup, with air regulator, air Inlet 1/4"	i	PC			
	9	Scraper	Hardened, tempered and polished steel blade; plastic handle; blade width: 2 (inches; full tang blade	1	PC			
	10	Putty Knife	Hardened, tempered and polished steel blade; plastic handle; blade width: 3 inches; full tang blade	1	PC			
	11	Nt Cutter	With Blade Snapper, Thumb-Dial Blade Release: 16 mm blade width	1	PC			
	12	Paint Roller, 4"	Paint Roller pure polyester with handle, size:4"	1	PC			
	13	Paint Roller, 7*	Paint Roker pure polyester with handle size 7"	1	PC			
	14	Paint Roller, 9"	Paint Roller pure polyester with handle, size:9"	1	PC			
	15	Paint Tray	Piastic, size 9"	1	PC			
	Sub total	CONSTRUCTION PAINTIE	NG NC II	<u> </u>	+	173	724,595.276	4,188.41
	1		ND HANDRAIL (Leading to Masonry NC			+	. 2 1,00 2/2 / 2	
17	(EL)			<del> </del>	<del> </del>			
	1	Pointing Trowel	Steel 8", wooden handle	1	PC			
	2	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC			
	3	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum slloy frame and handle	1	PC			
	4	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC			
	5	Sledge Hammer	Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With Wooden Handle.	1	PC			
	6	Steel Square	Carpenters framing square; 2x16x24", aluminum	1	PC			
	7	Shovel	Round point steel blade, fiberglass D-grip handle, blade length 11.5", width 8.25", wooden handle length 20"					

					T	<del></del>	<del></del>	···
А.		<del>_</del> .						
t No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax	Total Cost	PER PAX
	MASONRY	NC II)	LUSTERS AND HANDRAIL (LEADING TO			46	254,016.048	5,522.08
18		/IRING DEVICES/INSTAL	L LIGHTING SYSTEM (Leading to ance NC II)					
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R8(IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano,/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT			
	2	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm,5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET			
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Hendle Finish: plastic dipped	1	PC			
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC			
	5	Electricians Plier	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC			••
	6	Pull-Push Rule	Blade length 8m/28ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC			-
	(Leading t	o Electrical Installation a	CES/INSTALL LIGHTING SYSTEM and Maintenance NC II)			1,609	9,872,991.336	6,136.10
19	MASONRY	NC I Pointing Trowel	Steel 8", wooden handle	1	PC	<del>                                     </del>		
	2	Pull-Push Rule	Blade length 8m/26ft Blade width 1* High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC			
	3	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC ·			
	4	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length; 24"	1	PC			
	5	Siedge Hammer	Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With Wooden Handle.	1	PĈ			
	6	Steel Square	Carpenters framing square; 2x16x24*, saluminum	1	PC			
	7	Shovel	Round point steel blade, fiberglass D-grip handle, blade length 11.5", width 8.25", wooden handle length 20"	1	PC			
	Sub-total,	MASONRY NC I				301	1,662,148.488	5,522.00
20		I SINGLE UNIT PLUMBIN ANCE WORKS	NG INSTALLATION AND REPAIR					
	1	Pipe Wrench	14" Straight cast iron handle; max jaw opening: 65mm (2.55")	1	PC			
	2	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC			
	3	Pvc Pipe Cutter	PVC pipe cutter, steel handle 1/2"- 2"	1	PC			
	4	Pul⊢Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC			
	. 5	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz.	1	PC			
	REPAIR M	PERFORM SINGLE UNI IAINTENANCE WORKS 5 TO PLUMBING NC II)	T PLUMBING INSTALLATION AND			135	790,724.700	5,857.22
21	PIPEFITTI	,						
	1	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen harnmer, 16 oz.	1	PC			
	2	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length; 24"	1	PĊ			

22 PLASTER  1 1 2 3 4 5 6 6 7 7 8 5 Sub-total Maintain  8 Sub-total Maintain  8 Sub-total Maintain  8 Sub-total Maintain		T	<del></del>			<del></del>	<del></del>	
NO.   3   3   4   5   6   7     8			<u> </u>					
4   5   6   7   8   Sub-total   1   2   3   4   5   6   7     2   3   4   5   6   7   8     5   6   7   8     5   6   7   8     5   6   7   8     5   6   7   8     5   5   6   7   8     5   5   6   7   8     5   5   6   7   8     5   5   6   7   8     5   5   6   7   8     5   5   6   7   8     5   5   6   7   8     5   5   6   7   8     5   5   6   7   8     5   5   6   7   7   8     5   5   6   7   7   8     5   5   6   7   7   8     5   5   6   7   7   8     5   5   6   7   7   8     5   5   6   7   7   8     5   5   6   7   7   8     5   5   6   7   7   8     5   5   6   7   7   7   7   7   7   7   7   7	), ПЕМ		AGENCY SPECS	QTY	UNIT	No. Of Pax	Total Cost	PER PAX
5 6 7 8 Sub-total 1 2 3 3 4 5 6 6 7 8 Sub-total 2 4 Maintain Consum	Pull-Push Rule	3	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC			
	File	4	Half-round, 8*,tapered width and thickness, bestard teeth spacing, Plastic handle is alip resistant,	1	PC			
7   7   8	Adjustable Wrench	5	127 304.8 mm length, heavy duty chrome vanadium steel, max. Jaw capacity 43.2 mm, head width, 3/4* / 19.1 mm	1	PC			
Sub-total	Adjustable Combination Square	6	stainless steel blade, high visibility die cast handle with brass hardware, 12 tn. Length of blade	1	PC			
Sub-total	C - Clamp	7	Heavy duty, Machine ground anvils, steel sliding pin handles, bright plated steel swivel, 8 " opening	1	PC			
22 PLASTER  1 2 3 4 5 6 7 Sub-tota MASONE 23 TILE SET 1 2 3 4 5 6 5 6 7 8 Sub-tota Maintain Consum	Hacksaw With Blade	8	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC			
22	otal, PIPEFITTING NC II	Sub-total,		7.1.1		60	426,193.980	7,103.233
2 3 3 4 5 6 7 Sub-total MASOME 23 TILE SET 1 2 3 4 5 6 7 8 Sub-total Maintain Consum	TER CONCRETE/MASONR	PLASTER	URFACE (Leading to Masonry NC II)					
3 4 5 6 7 Sub-tota: MASONF 23 TILE SET 1 2 3 4 5 6 7 8 Sub-tota: Maintain Consum	Pointing Trowel	1	Steel 8", wooden handle	1	PC			
4 5 6 7 7 Sub-total MASONE 23 TILE SET 1 2 3 4 5 6 7 8 Sub-total Maintain Consum	Pull-Push Rule	2	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC			
5 6 7 Sub-tota: MASONF 23 TILE SET 1 2 3 4 5 6 7 8 Sub-tota: Maintain Consum	Hacksaw With Blade	3	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC			
5 Sub-total MASONF 1	Spirit Level Bar	4	Aluminum, top-read center vial; 3 vials; Length: 24*	1	PC			
7 Sub-total MASONF 23 TILE SET 1 2 3 4 5 6 7 8 Sub-total Maintain Consum	Siedge Hammer	5	Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With Wooden Handle.	1	PC			
Sub-total MASONF 23 TILE SET 1 2 3 4 5 6 7 8 Sub-total Maintain Consum	Steel Square	6	Carpenters framing square, 2x16x24*, aluminum	1	PC			
### ### ##############################	Shovel	7	Round point steel blade, fiberglass D-grip handle, blade length 11.5", width 8.25", wooden handle length 20"	1	PC			
23 TILE SET  1 2 3 4 5 6 7 8 Sub-tota Maintain Consum			ASONRY SURFACE (LEADING TO			97	535,642.536	5,522.088
1 2 3 3 4 4 5 5 6 5 6 5 7 8 Sub-tota Maintain Consum	SETTING NO II		<del></del>			+		
3 4 5 6 7 8 Sub-tota Maintain Consum	,- ·		End nipper Plier 8*	1	PC			
4 5 6 7 8 Sub-tota Maintain Consum	2 Plier	2	Forged carbon steel, length 8 inches, machined jaws	1	PC	<del> </del>		
5 6 7 8 Sub-tota Maintain Consum	3 Claw Hammer	3	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC			
7 8 Sub-tota  Maintain Consum	4 Notched Trowel	4	Plastering Trowel, carbon steel; plastic handle	1	PC			
7 8 Sub-tota Sub-tota Maintain Consum	5 Spirit Level	5	Torpedo level; high impact plastic; magnetic; 3 vials; Length 9"	1	PC			<u> </u>
Sub-tota  Sub-tota  Maintain Consum	5 Puil-Push Rule	6	Blade length 8m/28ft Blade width 1° High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC			<del></del>
Sub-tota  Maintain  Consum	7 Tile Cutter	7	Pen type, carbide tip, manual 8* length	1	PC			
24 Maintain Consum	B Rubber Mallet	8	16 oz, wooden handis	1	PC			
24 Maintain Consum	total, TILE SETTING NC II	Sub-total,				375	1,620,059.625	4,320.159
Consum		Maintain a	roducts and Systems (Leading to					-
		Consume	Multi-tester Analog DCV Range; 0.1 V to 1000V ACV Range; 10 to 750V Internal Battery; R6(IEC) or UM-3 1.5V x 2 Internal Fuse; 0.5Ano,/250V/5.2mm dia. X 20mm Dimension and Weight; 159.5 x 129 x 41.5 mm/approx. 320g Resistance; X1 to X1k	j 5	UNIT			
2	2 Soldering Iron	2	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC			

ot <sup>*</sup> No.	NO.	ITEM	AGENCY SPECS	OTY	UNIT	No. Of Pax	Total Cost	PER PAX
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC			-
	4		Overall length 6", Handle finish plastic dipped, Carbon Steel	1	PC			
•	5		4 pieces per set Flat Blade Tip: 6.5X150mm,5X100mm Phillips Blade tip: 1X100mm, 2X150mm Piestic and rubberized handle, Chrome Vanadium, Shank 6*	1	SET			
	6		Anodized aluminum housing, high suction, strong and light weight.	1	PC			
		Maintain and Repair Audio o Consumer Electronics S	Video Products and Systems ervicing NC II)			70	401,452.380	5,735.034
		nd Repair Electronicalty-Co o Consumer Electronics So	ontrolled Domestic Appliances ervicing NC II)					. <u></u>
	1		Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6(IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano,/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT			
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	i	PC			
•	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/6" Material: Carbon Steel Handle Finish: plastic dipped	1	PG			<u>.</u>
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC			
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm,5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6*	1	SET			
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC			
	Appliance		ronically-Controlled Domestic			170	974,955.780	5,735.034
26	MAINTAIN Electronic		PHONES (Leading to Consumer					
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6(IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano,/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT			
	2	Hot Air Soldering Tool	Watt Hot Air Input Voltage: 220VAC +/-10% , 60 Hz Power Consumption with soldering iron	1	PC			_
	3	Precision	30 in 1 screwdriver set. Made of vanadium stee!	1	SET			
		MAINTAIN AND REPAIR C r Electronics NC II)	ELLULAR PHONES (Leading to			169	1,141,439.520	6,754.080
27		AKING NC II	T	<del> </del> -	<del> </del>	+	-	
	1	Ordinary Sewing Machine	manually operated foot pedal, wooden table with drawers, cast iron stand	1	UNIT			
	2	Drafting Tools	Tailors square, aluminum 14x24" L shape ruler Hip curve, aluminum 23" length curve ruler	1	SET			

			<u> </u>			T	<del></del>	
			<del> </del>		<u> </u>			
ot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax	Total Cost	PER PAX
	3	Cutting Shears	9" length stainless steel cutting blade, plastic handle, for fabric	1	PC			
	Sub-total, I	DRESSMAKING NC II				515	4,925,826.165	9,564.711
28	TAILORING	G NC II						· · · · · ·
	1		manually operated foot pedal, wooden table with drawers, cast iron stand	1	UNIT			
	2	Drafting Tools	Tailors square, aluminum 14x24" L shape	1	SET			
			ruler Hip curve, aluminum 23" length curve ruler					
	3	Cutting Shears	9" length stainless steel cutting blade, plastic handle, for fabric	1	PC			
	Sub-total,	TAILORING NC II				25	239,117.775	9,564.711
29	HILOT (WE	ELLNESS MASSAGE) NO	11		<del> </del>			
	1	Face Towei	100 % cotton, 12" X 12" preferably white	1	PC			
	2	Bath Towel	100 % cotton, 27" X 54" preferably white	1	PC .·			
	3	Face Mask	disposable earloop face mask, 50 pcs per lbox	1	ВОХ			
	4	Scrub Suit .	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), pants in garter(adjustable draw string) 1 back pocket, free size preferably blue color.	1	PAIR			
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC		-	··
	6	Body Lotion	Bottled, 200 ml (hypoallergenic)	1	BOTTLE	_		
	7	Aromatic Oil	Bottled, 100 ml, any scent	1	BOTTLE	-		
	8	Virgin Coconut Oil	virgin coconut oli 250 ml, any brand	1	BOTTLE			
	9	Powder	Baby powder, 200 g	1	BOTTLE			
	10	Rubbing Alcohol (Disinfectant)	250 ml, eny brand, 70%	1	BOTTLE			
	Sub-total.	HILOT (WELLNESS MASS	SAGE) NC II	<del></del>	<del> </del>	2,042	5,679,265.534	2,781,227
30		BODY MASSAGE (Leadin	<u> </u>				,	
	1	Face Towel	100 % cotton, 12" X 12" preferably white	1	PC			<del></del>
	2	Bath Towel	100 % cotton, 27" X 54" preferably white	1	PC			
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	ВОХ			
	4	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), pants in garter(adjustable draw string) 1 back pocket, free size preferably blue color.	1	PAIR			
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PÇ			
	6	Body Lotion	Bottled, 200 ml (hypoallergenic)	1	BOTTLE			
	7	Aromatic Oil	Bottled, 100 ml, any scent	1	BOTTLE			
	8	Virgin Coconut Oil	virgin coconut oil 250 ml, any brand	1	BOTTLE			
	10	Powder Rubbing Alcohol	Baby Powder, 200 g 250 ml, any brand, 70%	1	BOTTLE			
		(Disinfectant)	200 Mil Olly Midney 70 M		DOTTEE			· <del></del> .
	Sub-total,	PERFORM BODY MASSA	GE (Leading to Beauty Care NC II)			264	734,243.928	2,781.22
31	PERFORM	FACIAL MAKE-UP (Lead	ing to Beauty Care NC II)			† · · · · · · · · · · · · · · · · · · ·		
	1	Astringent	125 ml, deep cleansing, hyposilergenic	1	BOTTLE			
	2	Blusher	pink and bronze shade, 4grams each	2	PC			
	3	Eye Brow Pencils	Pencil, 1 brown and 1 black, 4" each	2	PC	<del> </del>		
	4	Eye Liner	Pencil, 1 brown and 1 black: 4" each	2	PC		1	
	5	Eye Shadow	8 palette, earth colors, matte finish	1 1	PC	1		
	6	Eyebrow Tweezer	stainless steel, scissor type	1	PC	1		
	7	Eyelash Curier	stainless steel, scissor type	1 1	PC			
	<u></u>							
	В	Face Mask	disposable earloop face mask, 50 pcs per box	1 1	PACK			

					Τ			
	-				<del> </del>			
ot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax	Total Cost	PER PAX
	10	Foundation	Liquid, 30 ml, natural shade	1	BOTTLE			
	11	Head Band	3"x23" cotton fabric with snap tape	. 1	PC		"	
1	12	Lipstick	matte finish, red and coral pink	2	PC		·	
	13	Make Up Brush Set	wooden handle, soft bristle, set of 5pcs (lip brush, angle eye brush, powder brush, eye shadow brush, angle blusher brush)	1	SET		:	
	14	Mascara	bleck, water proof, 7g	1	PC			
	15	Pressed Powder	natural shade, matte finish	1	PC			
	Sub-total, F	PERFORM FACIAL MAK	E-UP (Leading to Beauty Care NC II)			161	634,742.661	3,942.501
32	PERFORM	FACIAL TREATMENT (L	eading to Beauty Care NC II)					•
	1	Acne Gel	plastic tube, 25ml	1	PC			· -
	2	Astringent	125 ml, deep cleansing, hypoallergenic	1	BOTTLE			
	3	Bleaching Cream	50 grams, tube, hypoallergenic	1	TUBE			
	4	Cleansing Cream	60 ml., hypoallergenic	1	BOTTLE			
	5	Face Mask	disposable earloop face mask, 50 pcs per	<u>_</u>	BOX			
			box					
	6	Facial Brush	wooden handle, soft bristle	1	PC			
	- 7	Facial Cream	50 ml, dermatologically tested	1	PC			
	8	Facial Scrub Cream	50ml, dermatologically tested	1	TUBE			
	9	Moistunzer	50 ml, plastic container, hypoallergenic	1	PC			· · · · · · · · · · · · · · · · · · ·
_	10	Pricking Tools	stainless steel, dual end, pointed and round	1	PC			
	11	Skin Toner	100 ml, dermatologically tested	1	BOTTLE	1		
	12	Sun Block Cream	50 ml. SPF 40	1	TÜBE	<del>                                     </del>		··· · · · · · · · · · · · · · · · · ·
	13	Face Towel	100 % cotton, 12" X 12" preferably white	1	PC			
··-	Sub-total,	PERFORM FACIAL TRE	ATMENT (Leading to Beauty Care NC II)			325	1,103,415.625	3,395.12
33	PERFORM	FOOT SPA (Leading to	Beauty Care NC II)	i	†		·	
	1	Footspa Machine	220V 1800-2000W 60Hz, with bubbles and vibrator	1	UNIT			
	2	Callus Remover	Stainless Steel, 7"	1	PC	· <del>  · · · · · · ·  </del>		
	3	Scrubbing Gloves	Exfoliating bath and shower gloves, elasticized wrist (regular size, nylon)	1	PAIR			
	4	Foot File	Wooden, 9.5"	1	PC			
	5	Foot Blush	120mi, spray type	1	BOTTLE	1	· · · · · · · · · · · · · · · · · · ·	
	6	Foot Soak	150ml, Liquid	1	BOTTLE	1		
	7	Foot Scrub	150ml, cream	1	TUBE	<u>                                      </u>		
	- 8	Foot Lotion	150ml, scented	1	BOTTLE			
	9	Foot Brush	plastic handle, plastic bristle	1	PC			
	10	Face Towel	100 % cotton, 12" X 12" preferably white	1	PC			
	Sub-total,	PERFORM FOOT SPA (	Leading to Beauty Care NC II)			200	759,505.600	3,797.52
34	PERFORM	HAND SPA (Leading to	Beauty Care NC II)					
_	1	Handspa Machine	Thermostatically-controlled heating unit, 220v, 60hz	1	PC			
	2	Paraffin Wax	Scented, 500g	1	вох			
	1	-	Leading to Beauty Care NC II)			200	772,370.400	3,861.85
35	PERFORM	MANICURE AND PEDIC	CURE (Leading to Beauty Care NC II)					
	1	Cuticle Nipper	Stainless steel, 3.5	1	PC			
	2	Cuticle Pusher	stainless steel, 5"	1	PC			
	3	Foot Nail Cutter	stainless steet, 3" long	1	PC			
	4,	Hand Nail Cutter	stainless steel, 2.5" long	1	PC			
	5	Manicure Supply Tray	Standard size, plastic with compartment tray	1	PC			
	6	Nail Brush	Plastic, soft bristle	1	PC	1		
	7	Emery Board	80/100 coarse, 8" Long	1	PC	<u> </u>		<u></u> _



	1							
ot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax	Total Cost	PER PAX
	8	Orange Woodstick	1.77mm, smooth woodstick	3	PC\$		-	
_	9	Cotton Balls	150 balis	1	PACK			
	10	Cuticie Remover	120 mi bottle	1	BOTTLE			
	11	Nail Polish Remover	120 ml bottle	1	BOTTLE			
	12	Antiseptic (Merthiolate)	25 ml bottle	1	BOTTLE			
	13	Colored Nail Polish	15ml bottle, preferably touch of tan	1	BOTTLE	+		
	14	Colored Nail Polish	15ml bottle, white	1	BOTTLE	· · · · · ·		
	15	Colorless Nail Polish	15ml bottle, with glitters	1	BOTTLE			
	16	Colorless Nail Polish	15ml bottle	1	BOTTLE		<del></del>	
	17	Law Stool	small plastic stool with backrest measurement: 320mm x 360mm x 430mm	1	PC			
	18	Face Towel	100 % cotton, 12" X 12" preferably white	1 ~~	PC			
	Sub-total, I NC II)	PERFORM MANICURE AI	ND PEDICURE (Leading to Beauty Care			373	635,163.796	1,702.852
36		HAIRCUTTING SERVICE	S (Leading to Hairdressing NC II)					
	1	Hair Blower	220V, 1800W, 60 Hz, hot and cold blower	1	UNIT			
	2	Cutting Scissors	function 6' stainless steel with tight regulator screw	1	PC			
	3	Barber's Scissors	5" stainless steel	<del></del> 1	PC			<del></del>
	4	Thinning Scissors	5" Single notched, 23 teeth, stainless steel	1	PC			<u> </u>
	5	Apron	black with 3 pockets	. 1	PC	!,		
	6	Protective Cape	Water proof, nylon, black	1	PC			
	Sub-total, NC II)	PERFORM HAIR CUTTIN	G SERVICES (Leading to Hairdressing			277	1,191,705.522	4,302.186
37	PERFORM HAIR COLORING/BLEACHING SERVICES (Leading to Hairdressing NC II)			,				
	1	Measuring Cup	Plastic, transparent, 100 ml capacity, equally distributed graduation	1	PC			
	2	Hand Gloves	washable, medium size, preferably black	1	PAIR			
	3	Bottle Applicator	Plastic, transparent, 100 ml capacity	1	PC	,		
	4	Protective Cape	Water proof, nylon, black	1	PC			
	5	Oxidizing Solution	set of 3, 6%, 9% and 12%, at 100 ml each bottle	1	SET			
	6	Colorants	Paste form, brown (light, medium and dark) and blonde (light, medium and dark), at 100 grams each	6	TUBES			
			ING/BLEACHING SERVICES (Leading to			230	586,536,570	2,550,159
	Hairdress		CANCULTERING II and II and I a		<del>                                     </del>			2,000,100
38	NC II)	HAIR PERMING AND ST	RAIGHTENING (Leading to Hairdressing					
	1	Hair Straightening Product	straightening solution and neutralizing cream, at 500ml each	1	SET			
	2	Hair Perming Product	cold wave lotion & neutralizer at 500 ml each	1	SET			
	3	Applicator Brush	Plastic, black, with comb and tail	1	PC	-		
	4	Hand Gloves	washable, medium size, preferably black	1	PAIR			
	5	Face Mask	disposable earloop face mask, 50 pcs per box	1	вох			
	В	Bottle Applicator	Plastic, transparent, 100 ml capacity	11	PC			
	7	Shower Cap	Thick pleatic, preferably black, free size	1	PACK			
	8	Protective Cape	Water proof, nylon, black	1	PC	<u> </u>		
	9	Hair Straightening Iron	220V, 60hz, adjustable heat control	1	PC		. 105	
	Sub-total, Hairdress		IG AND STRAIGHTENING (Leading to		i	180	876,933.540	4,871.85;
39	RAC SER	VICING DOM/RAC NO 16			<del> </del>	<del> </del>		
	BEN	O Denies O HO R	<u> </u>	<u>L.</u>		<u> </u>		<u> </u>

ot No.			<del></del>		<del></del>	<del></del>		
	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax	Total Cost	PER PAX
	1	VOM (Multitester)	Multi-tester Analog DCV Renge: 0.1 V to 1000V ACV Range: 10 to 750V internal Battery: R6(IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano,/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	TINU			
	2	Mechanical Manifold Gauge Set	2 valves, number of hoses 3, gauge high side pressure 0-500 PSIG, Gauge low side pressure 30 In. Hg. to 250 PSIG, for use with R-22, R-134a refrigerants, 1/4 in. vacuum port size, hose length 36", 2500 PSI burst	1	SEŤ			
	3	Electricians Plier	Overall Length: 8*, Steel Alloy, Handle finish: plastic-dipped	1	PC			
	Sub-total,	RAC SERVICING DOM/F	RAC NC II			155	1,164,755.870	7,514.554
40		SHOOT AND REPAIR TR o Transport RAC Servici	RANSPORT AIRCONDITIONING SYSTEM ong NC II)	_				····-
	1	VOM (Multifester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6(IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano,/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	-		
	2	Mechanical Manifold Gauge Set	2 valves, number of hoses 3, gauge high side pressure 0-500 PSIG, Gauge low side pressure 30 In. Hg. to 250 PSIG, for use with R-22, R-134a refrigerents, 1/4 in. vacuum port size, hose length 36", 2500 PSI burst.	1	SET	-		
	3	Electricians Piler	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	· · · · · · · · · · · · · · · · · · ·		
41	SYSTEM (	Leading to Transport RA	PORT AIRCONDITIONING UNIT (Leading			67	503,475.118	7,514.554
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6(IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano./250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistence: X1 to X1k	1	UNIT			
	2	Mechanical Manifold Gauge Set	2 valves, number of hoses 3, gauge high side pressure 0-500 PSIG, Gauge low side pressure 30 In. Hg. to 250 PSIG, for use with R-22, R-134a refrigerants, 1/4 in.	1	SET			
			vacuum port size, hose length 36", 2500	   <u> </u>	35.1		ļ	
	3	Electricians Plier	vacuum port size, hose length 36", 2500 PS) burst Overall Length: 8", Steel Alkoy, Handle finish: plastic-dipped	1	PC			···
· ·	Sub-total,	SERVICE AND MAINTA	vacuum port size, hose length 36", 2500 PSI burst Overall Length: 8", Steel Alkoy, Handle finish: plastic-dipped	1		55	413,300.470	7,514.554
42	Sub-total, (Leading)		vacuum port size, hose length 36", 2500 PSI burst Overall Length: 8", Steel Alkoy, Handle finish: plastic-dipped UN TRANSPORT AIRCONDITIONING UNIT	1		55	413,300.470	7,514.554
42	Sub-total, (Leading)	SERVICE AND MAINTA to Transport RAC Service	vacuum port size, hose length 36", 2500 PSI burst Overall Length: 8", Steel Alkoy, Handle finish: plastic-dipped UN TRANSPORT AIRCONDITIONING UNIT	1		55	413,300.470	7,514.554
42	Sub-total, (Leading : SHIELDER	SERVICE AND MAINTA to Transport RAC Service DIMETAL ARC WELDING	vacuum port size, hose length 36", 2500 PSI, burst Overall Length: 8", Steel Alkoy, Handle finish: plastic-dipped  IIN TRANSPORT AIRCONDITIONING UNIT- ting NC II)  (SMAW) NC I  Flip Front Welding Helmet, impact- resistant polypropylene material,		PC	55	413,300.470	7,514.554
42	Sub-total, (Leading : SHIELDEI	SERVICE AND MAINTA to Transport RAC Service DIMETAL ARC WELDING Welding Mask Portable Welding Machine	vacuum port size, hose length 36", 2500 PSI, burst Overall Length: 8", Steel Alkoy, Handle finish: plastic-dipped  IIN TRANSPORT AIRCONDITIONING UNIT- ting NC II)  (SMAW) NC I  Flip Front Welding Helmet, impact- resistant polypropylene material, adjustable fit, 41/2" x 2" view area  Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding	i	PC PC	2,240	26,222,237.440	
42	Sub-total, (Leading : SHIELDEI 1 2 Sub-total,	SERVICE AND MAINTA to Transport RAC Service METAL ARC WELDING Welding Mask  Portable Welding Machine  SHIELDED METAL ARC GFOOD BY SALTING, CL	vacuum port size, hose length 36", 2500 PSI, burst  Overall Length: 8", Steel Alkoy, Handle finish: plastic-dipped  IIN TRANSPORT AIRCONDITIONING UNIT ing NC II)  (SMAW) NC I  Flip Front Welding Helmet, impact-resistant polypropylene material, adjustable fit, 41/2" x 2" view area  Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground.	i	PC PC			
	Sub-total, (Leading : SHIELDEI  2  Sub-total, PROCESS	SERVICE AND MAINTA to Transport RAC Service METAL ARC WELDING Welding Mask  Portable Welding Machine  SHIELDED METAL ARC GFOOD BY SALTING, CL	vacuum port size, hose length 36", 2500 PSI, burst Overall Length: 8", Steel Alkoy, Handle finish: plastic-dipped  IIN TRANSPORT AIRCONDITIONING UNIT ing NC II)    SMAW) NC     Flip Front Welding Helmet, impact- resistant polypropylene material, adjustable fit, 41/2" x 2" view area   Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground.	i	PC PC			
	Sub-total, (Leading SHIELDEI  1  2  Sub-total, PROCESS Processin	SERVICE AND MAINTA to Transport RAC Service DIMETAL ARC WELDING Welding Mask  Portable Welding Machine  SHIELDED METAL ARC S FOOD BY SALTING, CL ig NC II)	vacuum port size, hose length 36", 2500 PSI, burst  Overall Length: 8", Steel Alkoy, Handle finish: plastic-dipped  IIN TRANSPORT AIRCONDITIONING UNIT ing NC II)  (SMAW) NC I  Flip Front Welding Helmet, impact-resistant polypropylene material, adjustable fit, 41/2" x 2" view area  Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground.  CWELDING (SMAW) NC I  JRING AND SMOKING (Leading to Food	1	PC PC			7,514.554 11,706.356

	T	Τ "			l			
.ot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax	Total Cost	PER PAX
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, 1/2 tsp, 1/2 tsp	1	SET			
	5	Chefs Knife	8", stainless steel blade with black polymer handle	1	PC			
	6	Chopping Board	1/3 " x 12 " x 18 "; made of polyethylene material	1	PC			
	7	Impulse Sealer	6 " long, Adjustable Sealing Control Timer with Ready Light, 220V, 50Hz	1	UNIT			
	В	Utility Tray	14"x18", large rectangular tray, aluminum	1	PC			
		PROCESS FOOD BY SA rocessing NC II)	ALTING, CURING AND SMOKING (Leading			370	2,459,439.210	6,647.133
44	PROCESS Processin	-	TION AND PICKLING (Leading to Food		į			
	1	Chef's Knife	8*, stainless steel blade with black polymer handle	1	PC			
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup	1	SET			
	3	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, 1/4 tsp. 1/4 tsp.	1	SET			
	4	Casserole	Stainless; 6L capacity, with two grip handle, with cover	1	PC			-
	5	Mixing Bowl	Stainless steel, 8 " diameter, 5 quart capacity	1	PC			
	6	Chopping Board	1/2 " x 12 " x 18 "; made of polyethylene material	1	PC			
	7	Colander	5 qts capacity, steinless steel, with two grip handles	1	PC			
	8	Weighing Scale	Manual Weighing Scale; maximum weight capacity 2 kg, graduated by grams; removable and weshable tray	1	UNIT			
45	to Food	Processing NC II) S FOODS BY SUGAR CO	FERMENTATION AND PICKLING (Leading			120	822,261.360	6,852.178
	1	Candy Thermometer	8 " long, measures temperatures from 100 to 400 degrees F; glass, pen-type adjustable clip secures thermometer to ban	1	PC			·
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup	1	SET			1
	3	Measuring Spoons	Steinless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ½ tsp	1	SET			
	4	Mixing Bowl	Stainless steel, 8 " diameter, 5 quart capacity	1	PC			
	5	Casserole	Stainless; 6L capacity; with two grip handle, with cover	1	PC			
	6	Chers Knife	8", stainless steel blade with black polymer handle	1	PC			
	7	Rubber Scraper	Rubber head high heat resistant, flexible,	1	PC			
	'		12" long			,	1	
	8	Chopping Board	12" long 15" x 12" x 18"; made of polyethylene material	1	PC			
		Chopping Board Weighing Scale	1/2" x 12" x 18", made of polyethylene	1	PC			·
	8 9 Sub-total	Weighing Scale	5/5 x 12 x 18 5, made of polyethylene material  Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams;			140	939,450.820	6,710.36
46	8 Sub-total Food Pro	Weighing Scale  PROCESS FOODS BY  CESSING NC II)	1/3 " x 12 " x 18 ", made of polyethylene material Manual Weighing Scale; maximum weight capacity: 2 kg, graduated by grams; removable and washable tray			140	939,450.820	6,710.36
46	8 Sub-total Food Pro	Weighing Scale  PROCESS FOODS BY  CESSING NC II)	1/3," x 12 " x 18 ", made of potyethylene material Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray  SUGAR CONCENTRATION (Leading to	1		140	939,450.820	6,710.36

ot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax	Total Cost	PER PAX
	3	Measuring Um	Transparent glass ,1 cup capacity, measurements are clearly mark in ounce, quarts and millilitres	1	PC			
	4	Mixing Bowl	Stainless steel, 8 " diameter, 5 quart capacity	1	PC			
	Sub-total,	BREAD MAKING (Lead	ling to Bread and Pastry Production NC II)			1,138	8,254,085.838	7,253.151
47	CAKE MAP	(ING (Leading to Bread	d and Pastry Production NC II)		<u> </u>	<del>                                     </del>		
	1	Electric Oven	18L Steinless Housing, Timer 60mins with bell starm, Temperature Control (100-250C) 4 Steinless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz	1	PC			
	2	Muffin Pan	6 holes, 3oz capacity per holes, non-stick	1	PC			
	3	Mixing Bowl	Stainless steel, 8 " diameter, 5 quart capacity	1	PC			
·	4	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup	1	SET			
	Sub-total,	CAKE MAKING (Leadir	ng to Bread and Pastry Production NC II)			544	3,894,527.552	7,159.058
48	PASTRY M	IAKING (Leading to Br	read and Pastry Production NC II)					
	1	Electric Oven	- 18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100- 250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz	1	PC			
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3	1	SET			
	3	Mixing Bowl	Stainless steel, 8 " diameter, 5 quart	1	PC			
	4	Muffin Pan ·	6 holes, 3oz capacity per holes, non-stick	<del></del> -	PC			
	Sub-total,	PASTRY MAKING (Lea	eding to Bread and Pastry Production NC			982	7,030,194.956	7,159.058
40	<u> </u>	AND COOK HOT MEA	LS (Leading to Cookery NC II)		<del>                                     </del>			
	1	Frying Pan	10" diameter by 2" high teflon, non-stick, riveted handle	1	PC			
	2	Mixing Bowl	Stainless steel, 8 " diameter, 5 quart capacity	1	PC			
	3	Chef's Knife	8°, stainless steel blade with black polymer handle	1	PC			
	4	Measuring Cups	Stainless steel, 1 set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup	1	SET			
	5	Chopping Board	1/2 " x 12 " x 18 "; made of polyethylene material	1	PC			
	Б	Wooden Spoon	6" long, biopegradable, solid birchwood	1	PC			<u></u>
	7	Utility Knife	5" Stain-resistant stainless steel blade with black polymer handle	1	PC			
	8	Strainer	8" diameter, single fine mesh, flat wooden handle	1	PC			
	Sub-total,	PREPARE AND COOK	( HOT MEALS (Leading to Cookery NC II)			1,118	4,847,229.868	4,335.626
50	PREPARE	COLD MEALS (Leading	ng to Cookery NC II)	-		<del>                                     </del>		
	1	Frying Pan	10" diameter by 2" high teflon, non-stick, riveted handle	1	PC			
	2	Mixing Bowl	Stainless steel, 8 " diameter, 5 quart capacity	1	PC			
	3	Chef's Knife	8', stainless steel blade with black polymer handle	1	PC			
	4	Chopping Board	1/2 " x 12 " x 18 "; made of polyethylene material	1	PC			
	5	Wooden Spoon	6" long, biodegradable, solid birchwood	1	PC			
	6	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ½ cup	1	SET			
	Sub-total,	PREPARE COLD MEA	ALS (Leading to Cookery NC II)	}		803	2,954,294.013	3,679.07

oť No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax	Total Cost	PER PAX
51		CONSUMER ELECTRONI Y OF SOLAR NIGHTLIG	C PRODUCTS AND SYSTEMS HT AND POST LAMP)					
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6(IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano,/250V/5.2mm dis. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT			
	2	Long Nose Pliers	Overall Length: 8"   Knife Length: 5/6"   Material: Carbon Steel   Handle Finish: plastic dipped	1	PC			
	3	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC			
	4	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC		_	
	5	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 5 (sizes 10mm, 12mm, 14mm,17mm, 19mm) 7.5 deg offset	1	ŞET			
		SERVICE CONSUMER E	LECTRONIC PRODUCTS AND SYSTEMS HT AND POST LAMP)			220	1,446,748.380	6,576.12
	Grand To	otal				20,152	127,658,070.858	

### Section VIII. Bidding Forms

### TABLE OF CONTENTS

BID FORM	63
CONTRACT AGREEMENT FORM	67
OMNIBUS SWORN STATEMENT	68
BANK GUARANTEE FORM FOR ADVANCE PAYMENT	70

### **Bid Form**

Invitation	Date:
To: [name and address of Procuring Entity]	
Gentlemen and/or Ladies:	
numbers], the receipt of which is hereby duly [supply/deliver/perform] [description of the Documents for the sum of [total Bid amount in	Goods] in conformity with the said Bidding
We undertake, if our Bid is accepted, delivery schedule specified in the Schedule of I	to deliver the goods in accordance with the Requirements.
If our Bid is accepted, we undertake to amounts, and within the times specified in the	provide a performance security in the form, Bidding Documents.
	id Validity Period specified in <u>BDS</u> provision ing upon us and may be accepted at any time
Commissions or gratuities, if any, paid of and to contract execution if we are awarded the	or to be paid by us to agents relating to this Bid, e contract, are listed below:2
Name and address Amount and of agent Currency	Purpose of Commission or gratuity
(if none, state "None")	

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the lowest or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements as per ITB Clause 5 of the Bidding Documents.

oper of

<sup>&</sup>lt;sup>1</sup> If ADB, JICA and WB funded projects, use IFB.

<sup>&</sup>lt;sup>2</sup> Applicable only if the Funding Source is the ADB, JICA or WB.

Dated this	day of	20	
[signature]		[in the capacity of]	·
Duly authorized to sign Bid	for and on bel	nalf of	

### For Goods Offered From Abroad

Name of Bidder	. Invitation to Bid <sup>3</sup> Number P	Page of
	•	

l	2	3	4	5	6	7	8	9
Item	Description	Country of origin	Quantity	Unit price CIF port of Total CIF or Unit Price entry (specify port) or CIP price per CIP named place item Unpaid (DDU) (specify border point or place of destination)		Unit price Delivered Duty Paid (DDP)	Total Price delivered DDP (col 4 x 8)	
 		- 						



 $<sup>^{3}</sup>$  If ADB, JICA and WB funded projects, use IFB.

### For Goods Offered From Within the Philippines

Name of Bidder	Invitation to Bid <sup>4</sup> Number	Page of	
----------------	---------------------------------------	---------	--

1	2	3	4	5	6	7	8	9	10
Item	Description	Country of origin	Quantity	Unit price EXW   per item	Cost of local labor, raw material, and component <sup>2</sup>	Total price EXW per item (cols. 4 x 5)	Unit prices per item final destination and unit price of other incidental services	Sales and other taxes payable per item if Contract is awarded	Total Price delivered Final Destination (col 8 + 9) x 4

<sup>&</sup>lt;sup>4</sup> If ADB, JICA and WB funded projects, use IFB.

### **Contract Agreement Form**

PROCURING.	AGREEMENT made the of ENTITY] of the Philippines (her lier] of [city and country of Supplements]	einafter called "the Entity	") of the one part and			
[brief descript supply of thos	EAS the Entity invited Bids faction of goods and services] and se goods and services in the salled "the Contract Price").	d has accepted a Bid by	the Supplier for the			
NOW 7	THIS AGREEMENT WITNESS	ETH AS FOLLOWS:				
	Agreement words and expressigned to them in the Condition		me meanings as are			
2. The fo	llowing documents shall be deenent, viz:	med to form and be read	and construed as part			
(a) (b) (c) (d) (e) (f)	the Bid Form and the Price Sch the Schedule of Requirements; the Technical Specifications; the General Conditions of Cont the Special Conditions of Cont the Entity's Notification of Aw	ract; ract; and	dder;			
hereinafter me	nsideration of the payments to entioned, the Supplier hereby of and to remedy defects therein in	ovenants with the Entity	to provide the goods			
the goods and sum as may	ntity hereby covenants to pay the services and the remedying of become payable under the proribed by the contract.	defects therein, the Contra	act Price or such other			
	TNESS whereof the parties her with the laws of the Republic o	-				
Signed, sealed	i, delivered by	the	_ (for the Entity)			
Signed, sealed, delivered by the (for the Supplier).						

67

gb

### **Omnibus Sworn Statement**

REPUBLIC OF THE PHILIPPINES	)
CITY/MUNICIPALITY OF	) S.S.

### AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

### 1. Select one, delete the other:

If a sole proprietorship: I am the sole proprietor of [Name of Bidder] with office address at [address of Bidder];

If a partnership, corporation, cooperative, or joint venture: I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

### 2. Select one, delete the other:

If a sole proprietorship: As the owner and sole proprietor of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to represent it in the bidding for [Name of the Project] of the [Name of the Procuring Entity];

If a partnership, corporation, cooperative, or joint venture: I am granted full power and authority to do, execute and perform any and all acts necessary and/or to represent the [Name of Bidder] in the bidding as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate issued by the corporation or the members of the joint venture)];

- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board;
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;
- 6. Select one, delete the rest:



If a sole proprietorship: I am not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

If a partnership or cooperative: None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

If a corporation or joint venture: None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. [Name of Bidder] is aware of and has undertaken the following responsibilities as a Bidder:
  - a) Carefully examine all of the Bidding Documents;
  - Acknowledge all conditions, local or otherwise, affecting the implementation of the Contract;
  - c) Made an estimate of the facilities available and needed for the contract to be bid, if any; and
  - d) Inquire or secure Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- 9. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.

IN WITNESS	WHEREOF, I	have	hereunto	set my	hand	this	day	of		20	at
 , Pl	hilippines.			•		_	_ <i>'</i>		,		

Bidder's Representative/Authorized Signatory

[JURAT]

\* This form will not apply for WB funded projects.

7 perch

### **Bank Guarantee Form for Advance Payment**

To: [name and address of PROCURING ENTITY] [name of Contract]

Gentlemen and/or Ladies:

In accordance with the payment provision included in the Special Conditions of Contract, which amends Clause 10 of the General Conditions of Contract to provide for advance payment, [name and address of Supplier] (hereinafter called the "Supplier") shall deposit with the PROCURING ENTITY a bank guarantee to guarantee its proper and faithful performance under the said Clause of the Contract in an amount of [amount of guarantee in figures and words].

We, the [bank or financial institution], as instructed by the Supplier, agree unconditionally and irrevocably to guarantee as primary obligator and not as surety merely, the payment to the PROCURING ENTITY on its first demand without whatsoever right of objection on our part and without its first claim to the Supplier, in the amount not exceeding [amount of guarantee in figures and words].

We further agree that no change or addition to or other modification of the terms of the Contract to be performed thereunder or of any of the Contract documents which may be made between the PROCURING ENTITY and the Supplier, shall in any way release us from any liability under this guarantee, and we hereby waive notice of any such change, addition, or modification.

This guarantee shall remain valid and in full effect from the date of the advance payment received by the Supplier under the Contract until [date].

Signature and seal of the Guarantors

Yours truly,

[name of bank or financial institution]	
[address]	
[date]	-





### SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP)

STARTER TOOLKITS PRICE DERIVATION for FY 2016 - PHASE II **TESDA-NCR - Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City** 

_ot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
5	PERFORM Servicing		JNE UP (Leading to Automotive			
	1	Timing Light	Automatic reverse polarity and overload protection, clamp on inductive pick up,trigger activated, accurate at all speeds, bright xenon bulb, works on 12 volts gas engine.	1	SET	200
	2	Thickness Gauge	0.0015 in to 0.025in (any brand) 21 pcs blades (3in by 1/2 in blades)	1	PC	200
	3	Spark Plug Wrench (T-Wrench)	socket high quality steel drop or cold press, zinc plated, PVC dipped handle, 16mm	1	PC	200
•••	4	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 5 (sizes 10mm, 12mm, 14mm,17mm, 19mm) 7.5 deg offset	1	SET	200
	Sub-total, PERFORM DIESEL/GAS ENGINE TUNE UP (Leading to Automotive Servicing NC I)			· , . <u>.</u>		
	Automoti	ve Servicing NC I)				200
6	PERFORM AND ELE	M PREVENTIVE MAINTEN	IANCE ON MOTORCYCLE MECHANICAL ng to Motorcycle/Small Engine Servicing			200
6	PERFORM	M PREVENTIVE MAINTEN		1	SET	680
6	PERFORM AND ELE- NC (I)	M PREVENTIVE MAINTEN CTRICAL SYSTEM (Leadi	ng to Motorcycle/Small Engine Servicing  1/2-Inch Drive Impact Driver Kit, For loosening frozen fasteners using a hammer, Includes two slotted and two Phillips bits	1	SET	
6	PERFORM AND ELE- NC II)	M PREVENTIVE MAINTEN CTRICAL SYSTEM (Leadi Manual Impact Driver	1/2-Inch Drive Impact Driver Kit, For loosening frozen fasteners using a hammer, Includes two slotted and two Phillips bits size 10mm.  size 10mm,12mm,14mm, insulated t plug handle; deep hexagonal socket, Overall Size: 290 x 190 x 14mm/ 11.4" x 7.5" x			680
6	PERFORI AND ELE- NC II) 1	M PREVENTIVE MAINTENCTRICAL SYSTEM (Leading Manual Impact Driver)  T-Wrench  Combination Wrench	1/2-Inch Drive Impact Driver Kit, For loosening frozen fasteners using a hammer, Includes two slotted and two Phillips bits size 10mm.  size 10mm,12mm,14mm, insulated t plug handle; deep hexagonal socket, Overall Size: 290 x 190 x 14mm/ 11.4" x 7.5" x 0.55" (L*W*T)  chrome vanadium steel, set of 5 (sizes 10mm, 12mm, 14mm,17mm, 19mm) 7.5	1	SET	680
6	PERFORI AND ELE- NC II) 1	M PREVENTIVE MAINTENCTRICAL SYSTEM (Leading Manual Impact Driver)  T-Wrench  Combination Wrench (Open And Box End)	1/2-Inch Drive Impact Driver Kit, For loosening frozen fasteners using a hammer, Includes two slotted and two Phillips bits size 10mm.  size 10mm,12mm,14mm, insulated t plug handle; deep hexagonal socket, Overall Size: 290 x 190 x 14mm/ 11.4" x 7.5" x 0.55" (L*W*T)  chrome vanadium steel, set of 5 (sizes 10mm, 12mm, 14mm,17mm, 19mm) 7.5 deg offset  Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 in., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped,	1	SET	680 680

goed

### SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP)

### STARTER TOOLKITS PRICE DERIVATION for FY 2016 - PHASE II "ESDA-NCR - Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

	<u> </u>	<del></del>	1			T
.ot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
· · · · · · · · · · · · · · · · · · ·	7	Circlip Pliers	8 in carbon steel insulated handle detachable tip(combination) internal and external	1	SET	680
	MECHANI		AINTENANCE ON MOTORCYCLE STEM (Leading to Motorcycle/Small			680
8	SERVICE AUTOMOTIVE BATTERY (Leading to Automotive Servicing NC II)					
	1	Battery Load Tester	100-Amp Battery Load Tester, 6V and 12V batteries, shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted rocker switch.	1	PC	. 75
	2	Hydrometer Tester	1100-1300 Scale Range, designed to test the concentration of the battery acid in non-sealed batteries, graduated specific gravity float, easy to read, color coded hydrometer, precise readings for status of battery cells, tests battery fluid condition	1	PC	75
	3	Soldering Iron	100 watts,220v, 60hz, pencil tip	1	PC	75
·	4	Battery Series Connector	Copper plated steel jaw clamps with 2 meters long 10 gauge automotive copper wire, red and black color coded	1	PC	75
_	5	Mechanical Pliers	10" chrome plated, Slip-resistant bi-material handle, Two-position, adjustable joint pliers	1	PC	75
	Sub-total, SERVICE AUTOMOTIVE BATTERY (Leading to Automotive Servicing NC II)					75
11	SERVICE IGNITION SYSTEM (Leading to Automotive Servicing NC II)					, and the second
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6(IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano,/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	75
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 5 (sizes 10mm, 12mm, 14mm,17mm, 19mm) 7.5 deg offset	1	SET	7:

### SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP)

### STARTER TOOLKITS PRICE DERIVATION for FY 2016 - PHASE II FESDA-NCR - Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

		-,				
₌ot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
	3	Thickness Gauge	0.0015 in to 0.025in (any brand) 21 pcs blades (3in by 1/2 in blades)	1	PC	75
	4	Philips Screw Driver	10" shank length (chrome plated) plastic handle, tip:2 X 6mm	1	PC	75
	5	Flat Scew Driver	10" shank length (chrome plated)plastic handle, tip: 1/4" / 6.5mm	1	PC	75
	Sub-total, NCII)	SERVICE IGNITION SYS	TEM (Leading to Automotive Servicing			75
13	SERVICE SMALL ENGINE SYSTEM AND COMPONENTS (Leading to  Motorcycle/Small Engine Servicing NC II)					
***	1	Manual Impact Driver	1/2-Inch Drive Impact Driver Kit, For loosening frozen fasteners using a hammer, Includes two slotted and two Phillips bits size 10mm.	1	SET	765
	2	T-Wrench	size 10mm, 12mm, 14mm, insulated t plug handle; deep hexagonal socket, Overall Size: 290 x 190 x 14mm/ 11.4" x 7.5" x 0.55" (L*W*T)	1	SET	765
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 5 (sizes 10mm, 12mm, 14mm,17mm, 19mm) 7.5 deg offset	1	SET	765
	4	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET	765
	5	Pin Punch And Cold Chisel Set	Pin Punch: Pin sizes: 1/8", 3/16", 1/4", carbon steel construction, black oxide finish, knurled handle Cold Chisel: 3 piece set contains 3/8" x 5-9/16", 1/2" x 6" and 5/8" x 6-3/4", high carbon steel	1	SET	765
	6	Circlip Pliers	8 in carbon steel insulated handle detachable tip(combination)internal and external	1	SET	76!
<u>-</u>	7	Thickness Gauge	0.0015 in to 0.025in (any brand) 21 pcs blades (3in by 1/2 in blades)	1	PC	76!

### STARTER TOOLKITS PRICE DERIVATION for FY 2016 - PHASE II FESDA-NCR - Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

	<u> </u>	1	raguig City	<del></del>	<del></del>	<del>,</del> -
Lot <b>N</b> o.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
		SERVICE SMALL ENGINI cle/Small Engine Servici	E SYSTEM AND COMPONENTS (Leading ing NC II)			765
18	1	VIRING DEVICES/INSTAL nstallation and Maintena	L LIGHTING SYSTEM (Leading to nce NC II)			
-	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6(IEC) or UM-3 1.5V x 2 internal Fuse: 0.5Ano,/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	366
	2	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm,5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	366
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	366
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	366
	5	Electricians Plier	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	36€
	6	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	36€
		INSTALL WIRING DEVIC o Electrical Installation a	ES/INSTALL LIGHTING SYSTEM and Maintenance NC II)			366
25		nd Repair Electronically o Consumer Electronics	Controlled Domestic Appliances Servicing NC II)			
-	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6(IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano,/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	85
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	8:

### STARTER TOOLKITS PRICE DERIVATION for FY 2016 - PHASE II TESDA-NCR - Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

						<u> </u>
Lot No.	NO.	ITÉM	AGENCY SPECS	QTY	UNIT	No. Of Pax
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	85
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	85
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm,5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET .	85
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	85
	Appliance (Leading MAINTAIN	es to Consumer Electronics S N AND REPAIR CELLULAR	ervicing NC II) PHONES (Leading to Consumer			85
26	Electronics NC II)					
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6(IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano,/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	85
	2	Hot Air Soldering Tool	Watt Hot Air input Voltage: 220VAC +/-10%, 60 Hz Power Consumption with soldering iron	1	PC	85
	3	Precision	30 in 1 screwdriver set. Made of vanadium steel	1	SET	85
_		, MAINTAIN AND REPAIR C or Electronics NC II)	ELLULAR PHONES (Leading to			85
27	DRESSM	AKING NC II				1
<del></del> -	1	Ordinary Sewing Machine	manually operated foot pedal, wooden table with drawers, cast iron stand	1	UNIT	100
	2	Drafting Tools	Tailors square, aluminum 14x24" L shape ruler Hip curve, aluminum 23" length curve ruler	1	SET	10



### STARTER TOOLKITS PRICE DERIVATION for FY 2016 - PHASE II FESDA-NCR - Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

				<u> </u>		
L <b>ot N</b> o.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
	3	Cutting Shears	9" length stainless steel cutting blade, plastic handle, for fabric	1	PC	100
	Sub-total,	DRESSMAKING NC II			-	100
29	HILOT (W	ELLNESS MASSAGE) N	ic II			
	1	Face Towel	100 % cotton, 12" X 12" preferably white	1	PC	1,385
	2	Bath Towel	100 % cotton, 27" X 54" preferably white	1	PC	1,385
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	ВОХ	1,385
	4	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), pants in garter(adjustable draw string) 1 back pocket, free size preferably blue color.	1	PAIR	1,385
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	1,385
	6	Body Lotion	Bottled, 200 ml (hypoallergenic)	1	BOTTLE	1,385
	7	Aromatic Oil	Bottled, 100 ml, any scent	1	BOTTLE	1,385
	8	Virgin Coconut Oil	virgin coconut oil 250 ml, any brand	1	BOTTLE	1,385
	9	Powder	Baby powder, 200 g	1	BOTTLE	1,385
	10	Rubbing Alcohol (Disinfectant)	250 ml, any brand, 70%	¨ 1	BOTTLE	1,385
	Sub-total	, HILOT (WELLNESS MA	SSAGE) NC II			1,385
30	PERFORI	M BODY MASSAGE (Lea			<del></del>	
<u> </u>	1	Face Towel	100 % cotton, 12" X 12" preferably white	1	PC	221
	2	Bath Towel	100 % cotton, 27" X 54" preferably white	1	PC	22*
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	22
	4	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), pants in garter(adjustable draw string) 1 back pocket, free size preferably blue color.	1	PAIR	22.
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	22
	6	Body Lotion	Bottled, 200 ml (hypoallergenic)	1	BOTTLE	22
	7	Aromatic Oil	Bottled, 100 ml, any scent	1	BOTTLE	22
	8	Virgin Coconut Oil	virgin coconut oil 250 ml, any brand	1	BOTTLE	22
	9	Powder	Baby Powder, 200 g	1	BOTTLE	22
	10	Rubbing Alcohol (Disinfectant)	250 ml, any brand, 70%	1	BOTTLE	22.
			Page 6			./

Page 6

# SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) STARTER TOOLKITS PRICE DERIVATION for FY 2016 - PHASE II FESDA-NCR - Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

ot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
	Sub-total, i	PERFORM BODY MASS	AGE (Leading to Beauty Care NC II)			221
31	PERFORM	FACIAL MAKE-UP (Lea	ding to Beauty Care NC II)			_
	1	Astringent	125 ml, deep cleansing, hypoallergenic	1	BOTTLE	141
	2	Blusher	pink and bronze shade, 4grams each	2	PC	141
	3	Eye Brow Pencils	Pencil, 1 brown and 1 black, 4" each	2	PC	141
	4	Eye Liner	Pencil, 1 brown and 1 black, 4" each	2	PC	141
	5	Eye Shadow	8 palette, earth colors, matte finish	1	PC	141
	6	Eyebrow Tweezer	stainless steel, scissor type	1	PC	141
	7	Eyelash Curler	stainless steel, scissor type	1	PC	141
	8	Face Mask	disposable earloop face mask, 50 pcs per box	1	PACK	141
	9	Make-Up Sponge	round, powder puff sponge	1	PC	141
	10	Foundation	Liquid, 30 ml, natural shade	1	BOTTLE	141
	11	Head Band	3"x23" cotton fabric with snap tape	1	PC ··	141
	12	Lipstick	matte finish, red and coral pink	2	PC	141
	13	Make Up Brush Set	wooden handle, soft bristle, set of 5pcs (lip brush, angle eye brush, powder brush, eye shadow brush, angle blusher brush)	1	SET	141
	14	Mascara	black, water proof, 7g	1	PC	141
	15	Pressed Powder	natural shade, matte finish	1	PC	141
·	Sub-total,	PERFORM FACIAL MAI	KE-UP (Leading to Beauty Care NC II)			141
32	PERFORM	FACIAL TREATMENT	(Leading to Beauty Care NC II)			
•	1	Acne Gel	plastic tube, 25ml	1	PC	325
	2	Astringent	125 ml, deep cleansing, hypoallergenic	1	BOTTLE	325
•	3	Bleaching Cream	50 grams, tube, hypoallergenic	1	TUBE	325
	4	Cleansing Cream	60 ml., hypoallergenic	1	BOTTLE	325
	5	Face Mask	disposable earloop face mask, 50 pcs per box	1	вох	325
	6	Facial Brush	wooden handle, soft bristle	1	PC	325
	7	Facial Cream	50 ml, dermatologically tested	1	PC	325

### STARTER TOOLKITS PRICE DERIVATION for FY 2016 - PHASE II FESDA-NCR - Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

		<del></del>				
ot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
	110.	17611	ACERO I SI EGG	Q.,,		110. 017 42
	8	Facial Scrub Cream	50ml, dermatologically tested	1	TUBE	325
	9	Moisturizer	50 ml, plastic container, hypoallergenic	1	PC	325
	10	Pricking Tools	stainless steel, dual end, pointed and round	1	PC	325
	11	Skin Toner	100 ml, dermatologically tested	1	BOTTLE	. 325
	12	Sun Block Cream	50 ml. SPF 40	1	TUBE	325
	13	Face Towel	100 % cotton, 12" X 12" preferably white	1	PC	325
	Sub-total	PERFORM FACIAL TRE	EATMENT (Leading to Beauty Care NC II)			325
		WI FOOT SPA (Leading to			<del>                                       </del>	
33	1	Footspa Machine	220V 1800-2000W 60Hz, with bubbles and vibrator	1	UNIT	200
	2	Callus Remover	Stainless Steel, 7"	1	PC	200
	3	Scrubbing Gloves	Exfoliating bath and shower gloves, elasticized wrist (regular size, nylon)	1	PAIR	200
	4	Foot File	Wooden, 9.5"	1	PC	200
	5	Foot Blush	120ml, spray type	1	BOTTLE	200
	6	Foot Soak	150ml, Liquid	1	BOTTLE	200
	7	Foot Scrub	150ml, cream	1	TUBE	200
<u> </u>	8	Foot Lotion	150ml, scented	1	BOTTLE	200
	9	Foot Brush	plastic handle, plastic bristle	1	PC	200
	10	Face Towel	100 % cotton, 12" X 12" preferably white	1	PC	200
	Sub-total	, PERFORM FOOT SPA (	(Leading to Beauty Care NC II)	<u>-</u>	<del>  - · -</del>	20(
34	PERFOR	M HAND SPA (Leading to	o Beauty Care NC II)			
	1	Handspa Machine	Thermostatically-controlled heating unit, 220v, 60hz	1	PC	200
	2	Paraffin Wax	Scented, 500g	1	вох	201
_	Sub-total	, PERFORM HAND SPA	(Leading to Beauty Care NC II)			200
35	!		CURE (Leading to Beauty Care NC II)			<del>                                     </del>
	1	Cuticle Nipper	Stainless steel, 3.5"	1	PC	21
	2	Cuticle Pusher	stainless steel, 5"	1	PC	21
	3	Foot Nail Cutter	stainless steel, 3" long	1	PC	21
	4	Hand Nail Cutter	stainless steel, 2.5" long	1	PC	21



### STARTER TOOLKITS PRICE DERIVATION for FY 2016 - PHASE II FESDA-NCR - Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City


			Tagaig Oity		1 1	
_ot No.	NO.	1TEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
	5	Manicure Supply Tray	Standard size, plastic with compartment tray	1	PC	213
	6	Nail Brush	Plastic, soft bristle	1	PC	213
	7	Emery Board	80/100 coarse, 8" Long	1	PC	213
	8	Orange Woodstick	1.77mm, smooth woodstick	3	PCS	213
	9	Cotton Balls	150 balis	1	PACK	213
	10	Cuticle Remover	120 ml bottle	1	BOTTLE	213
	11	Nail Polish Remover	120 ml bottle	1	BOTTLE	213
	12	Antiseptic (Merthiolate)	25 ml bottle	1	BOTTLE	213
	13	Colored Nail Polish	15ml bottle, preferably touch of tan	1	BOTTLE	213
	14	Colored Nail Polish	15ml bottle, white	1	BOTTLE	213
	15	Colorless Nail Polish	15ml bottle, with glitters	1	BOTTLE	213
	16	Colorless Nail Polish	15ml bottle	1	BOTTLE	213
_	17	Low Stool	small plastic stool with backrest measurement: 320mm x 360mm x 430mm	1	PC	213
	18	Face Towel	100 % cotton, 12" X 12" preferably white	1	PC	213
-	Sub-total, NC II)	, PERFORM MANICURE A	ND PEDICURE (Leading to Beauty Care		<del> </del>	213
36		M HAIRCUTTING SERVICE				
	1	Hair Blower	220V, 1800W, 60 Hz, hot and cold blower function	1	UNIT	42
	2	Cutting Scissors	6" stainless steel with tight regulator screw	1	PC	42
	3	Barber's Scissors	5" stainless steel	1	PC	42
	4	Thinning Scissors	5" Single notched, 23 teeth, stainless steel	1	PC	42
·	5	Apron	black with 3 pockets	1	PC	42
	6	Protective Cape	Water proof, nylon, black	1	PC	42
<u> </u>	Sub-total	, PERFORM HAIR CUTTIN	G SERVICES (Leading to Hairdressing	_	_	42
37	PERFOR	M HAIR COLORING/BLEAG sing NC II)	CHING SERVICES (Leading to			
	1	Measuring Cup	Plastic, transparent, 100 ml capacity, equally distributed graduation	1	PC	40
	2	Hand Gloves	washable, medium size, preferably black	1	PAIR	40
	3	Bottle Applicator	Plastic, transparent, 100 mi capacity	1	PC	4C
	4	Protective Cape	Water proof, nylon, black	1	PC	40

Page 9



### STARTER TOOLKITS PRICE DERIVATION for FY 2016 - PHASE II FESDA-NCR - Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

	<del></del>		Taguig City			<u> </u>
_ot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
	5	Oxidizing Solution	set of 3, 6%, 9% and 12%, at 100 ml each bottle	1	SET	40
	6	Colorants	Paste form, brown (light, medium and dark) and blonde (light, medium and dark), at 100 grams each	6	TUBES	40
	·	PERFORM HAIR COLORI	NG/BLEACHING SERVICES (Leading to			40
38	PERFORI NC II)	M HAIR PERMING AND ST	RAIGHTENING (Leading to Hairdressing			
	1	Hair Straightening Product	straightening solution and neutralizing cream, at 500ml each	1	SET	40
	2	Hair Perming Product	cold wave lotion & neutralizer at 500 ml	1	SET	40
	3	Applicator Brush	Plastic, black, with comb and tail	1	PC	40
	4	Hand Gloves	washable, medium size, preferably black	1	PAIR	40
	5	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	40
	6	Bottle Applicator	Plastic, transparent, 100 ml capacity	1	PC	40
	7	Shower Cap	Thick plastic, preferably black, free size	1	PACK	40
	8	Protective Cape	Water proof, nylon, black	1	PC	40
	9	Hair Straightening Iron	220V, 60hz, adjustable heat control	1	PC	40
		, PERFORM HAIR PERMIN sing NC II)			40	
42	SHIELDE	D METAL ARC WELDING	(SMAW) NC I	_		
	1	Weiding Mask	Flip Front Welding Helmet, impact-resistant polypropylene material, adjustable fit, 41/2" x 2" view area	1	PC	635
	2	Portable Welding Machine	Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground.	1	PC	635
	Sub-total	, SHIELDED METAL ARC	WELDING (SMAW) NC I			635
	<u> </u>			_		<del></del>



#### STARTER TOOLKITS PRICE DERIVATION for FY 2016 - PHASE II FESDA-NCR - Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

			raguig Oity			
.ot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
43	PROCESS Processin		URING AND SMOKING (Leading to Food			-
	1	Mixing Bowl	Stainless steel, 8 " diameter, 5 quart capacity	3	PC	100
- <u>-</u>	2	Weighing Scale	Manual Weighing Scale; maximum weight capacity, 2 kg, graduated by grams; removable and washable tray	1	UNIT	100
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup	1	SET	100
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ½ tsp	1	SET	100
<del></del>	5	Chef's Knife	8*, stainless steel blade with black polymer handle	1	PC	100
	6	Chopping Board	1/2 " x 12 " x 18 "; made of polyethylene material	1	PC	100
	7	Impulse Sealer	8 " long, Adjustable Sealing Control Timer with Ready Light, 220V, 60Hz	1	UNIT	100
	8	Utility Tray	14"x18", large rectangular tray, aluminum	1	PC	100
		PROCESS FOOD BY S	ALTING, CURING AND SMOKING (Leading			100
46	BREAD N	IAKING (Leading to Bre				
	1	Electric Öven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz	1	PC	655
••	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	655
	3	Measuring Um	Transparent glass ,1 cup capacity, measurements are clearly mark in ounce, quarts and millilitres	1	PC	655
	4	Mixing Bowl	Stainless steel, 8 " diameter, 5 quart capacity	1	PC	655
	Sub-total	, BREAD MAKING (Lead	ling to Bread and Pastry Production NC II)			655
47	CAKE MA	KING (Leading to Brea	d and Pastry Production NC II)			



### STARTER TOOLKITS PRICE DERIVATION for FY 2016 - PHASE II FESDA-NCR - Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

	1	1	Tuguig Oity		1	<u></u> _
_ot No.	NO.	item	AGENCY SPECS	QTY	UNIT	No. Of Pax
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz	1	PC	121
	2	Muffin Pan	6 holes, 3oz capacity per holes, non-stick	1	PC	121
	3	Mixing Bowl	Stainless steel, 8 " diameter, 5 quart capacity	1	PC	121
	4	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup	1	SET	121
		CAKE MAKING (Leadi			121	
48	PASTRY	MAKING (Leading to B				
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz	1	PC	705
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup	1	SET	705
	3	Mixing Bowl	Stainless steel, 8 " diameter, 5 quart capacity	1	PC	705
	4	Muffin Pan	6 holes, 3oz capacity per holes, non-stick	1	PC	705
	II)	•	ading to Bread and Pastry Production NC			705
49	PREPARE	E AND COOK HOT MEA	ALS (Leading to Cookery NC II)			
	1	Frying Pan	10" diameter by 2" high teflon, non-stick, riveted handle	1	PC	536
	2	Mixing Bowl	Stainless steel, 8 " diameter, 5 quart capacity	1	PC	536
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	53€
	4	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup	1	SET	536

general

#### STARTER TOOLKITS PRICE DERIVATION for FY 2016 - PHASE II FESDA-NCR - Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

		1			1	
Lot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
	5	Chopping Board	1/2 " x 12 " x 18 "; made of polyethylene material	1	PC	536
	6	Wooden Spoon	6" long, biodegradable, solid birchwood	1	PC	536
	7	Utility Knife	5" Stain-resistant stainless steel blade with black polymer handle	1	PC	536
	8	Strainer	8" diameter, single fine mesh, flat wooden handle	1	PC	536
	Sub-total,	PREPARE AND COOK H	OT MEALS (Leading to Cookery NC II)			536
50	PREPARE	COLD MEALS (Leading	to Cookery NC II)			
	1	Frying Pan	10" diameter by 2" high teflon, non-stick, riveted handle	1	PC	541
	2	Mixing Bowl	Stainless steel, 8 " diameter, 5 quart capacity	1	PC	541
	3	Chef's Knife	8", stainless steel blade with black polymer handle	. 1	PC	541
	4	Chopping Board	1/2 " x 12 " x 18 "; made of polyethylene material	1	PC	541
	5	Wooden Spoon	6" long, biodegradable, solid birchwood	1	PC	541
_	6	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup	1	SET	541
_	Sub-total	PREPARE COLD MEALS	(Leading to Cookery NC II)			541
51		CONSUMER ELECTRON LY OF SOLAR NIGHTLIG	IC PRODUCTS AND SYSTEMS HT AND POST LAMP)		-	
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6(IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano,/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	75
-	2	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	75
	3	Diagonal Cutting Piler	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	7!



# SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) STARTER TOOLKITS PRICE DERIVATION for FY 2016 - PHASE II [ESDA-NCR - Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

.ot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
<del></del>	4	Soldering fron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	75
	5	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 5 (sizes 10mm, 12mm, 14mm,17mm, 19mm) 7.5 deg offset	1	SET	75
		SERVICE CONSUMER E	LECTRONIC PRODUCTS AND SYSTEMS HT AND POST LAMP)			75
	Grand T		••		8,606	

1 gwel

ot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
1	PRODUCE Production	: ORGANIC VEGETABLE n NC II)				
	1	Steel Rake	14 tine made of steet; hardwood handle	1	PC	20
	2	Sprayer	Knapsack type (16 litres cap) stainless tank and steel lance manual type with cone nozzles and fan nozzles	1	UNIT	20
	3	Shovel	Round point steel blade; fiberglass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	20
	4	Pruning Shear	Stainless steel blade, fiber glass handle, blade cutting type by- pass, 8 " total length	1	PC	20
	5	Sprinkler	2 gallon capacity, heavy duty plastic	1	PC	20
	Agricultui	re Production NC II)	EGETABLE (Leading to Organic			20
2	RAISE OR	GANIC CHICKEN (Leadin				
	1	Galloner	Dimension: height 347 mm (tube), 55 mm (plate, plate diameter is 9.6 inches, 5000 ml water capacity, plastic	3	PC	20
	2	Tube Feeder	3 kg. capacity, automatic plastic feeder, 11 inches plate diameter, 10.5 inches feeder height	5	PC	20
	3	Brooder/Heater Lamp	45 cm diameter aluminum reflector; socket is insulated porcelain, flexible heavy gauge SJT cord with molded-on plug	1	SET	20
	4	Infrared Lamp	250 Watts Bulb, clear colour emitted light	1	PC	20
	5	Chopping Board	1/2 " x 12 " x 18 *; made of polyethylene material	1	PC	20
	Sub-total,		KEN (Leading to Organic Agriculture			20
3		<u> </u>	ing to Animal Production NC II)			
	1	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	2
	2	Reusable Veterinary Syringe	Plastic/fiberglass hypodermic adjustable syringe with engraved volume indication on barret; 10 ml capacity	1	PC	2
	3	Veterinary Injection Needle	16 G X 1" long hypodermic needle (12pcs/box)	1	BOX	2
•	4	Veterinary Injection Needle	18 G X 1" long hypodermic needle (12pcs/box)	1	BOX	21




Lot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
	5	Hoof knife/ Hook Knife	Overall length 5 ½ ", Taper ground cutlery steel blade, Ergonomically designed stip resistant grip, Wooden Handle	1	PC	21
-	6	Plastic Pail	16 litres capacity	1	PC	21
	Sub-total,	RAISE SMALL RUMINANT	TS (Leading to Animal Production NC II)	<del></del>		21
5	PERFORM Servicing		NE UP (Leading to Automotive			
	1	Timing Light	Automatic reverse polarity and overload protection, clamp on inductive pick up,trigger activated, accurate at all speeds, bright xenon bulb, works on 12 volts gas engine.	1	SET	20
,	2	Thickness Gauge	0.0015 in to 0.025in (any brand) 21 pcs blades (3in by 1/2 in blades)	1	PC	20
	3	Spark Plug Wrench (T- Wrench)	socket high quality steel drop or cold press, zinc plated, PVC dipped handle, 16mm	1	PC	20
	4	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 5 (sizes 10mm, 12mm, 14mm,17mm, 19mm) 7.5 deg offset	1	SET	20
		, PERFORM DIESEL/GAS I	ENGINE TUNE UP (Leading to			20
6	PERFORM PREVENTIVE MAINTENANCE ON MOTORCYCLE MECHANICAL AND ELECTRICAL SYSTEM (Leading to Motorcycle/Small Engine Servicing NC II)					
	1	Manual Impact Driver	1/2-Inch Drive impact Driver Kit, For loosening frozen fasteners using a hammer, Includes two slotted and two Phillips bits size 10mm.	1	SET	25
	2	T-Wrench	size 10mm,12mm,14mm, insulated t plug handle; deep hexagonal socket, Overall Size: 290 x 190 x 14mm/ 11.4" x 7.5" x 0.55" (L*W*T)	1	SET	25
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 5 (sizes 10mm, 12mm, 14mm,17mm, 19mm) 7.5 deg offset	1	SET	25
	4	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L- Shaped, Includes Molded Plastic Holder	1	SET	25
	5	Thickness Gauge	0.0015 in to 0.025in (any brand) 21 pcs blades (3in by 1/2 in blades)	1	PC	25

Lot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
<u>, –                                     </u>	6	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz.	1	PC	25
	7	Circlip Pliers	8 in carbon steel insulated handle detachable tip(combination) internal and external	1	SET	25
	MECHANI		MAINTENANCE ON MOTORCYCLE (STEM (Leading to Motorcycle/Small			25
9		AUTOMOTIVE ELECTRICA	•			
	1	Battery Load Tester	100-Amp Battery Load Tester, 6V and 12V batteries, shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted rocker switch.	1	PC	. 25
	2	Soldering Iron	100 watts,220v, 60hz, pencil tip	1	PC	25
<del>:</del>	3	Battery Series Connector	Copper plated steel jaw clamps with 2 meters long 10 gauge automotive copper wire, red and black color coded	1	PC	25
,	4	Mechanical Pliers	10" chrome plated, Slip-resistant bi- material handle, Two-position; adjustable joint pliers	1	PC	26
	Sub-total, SERVICE AUTOMOTIVE ELECTRICAL (Leading to Automotive Servicing NCII)					25
15	CARPEN	÷.				
	1	Cross Cut Saw	Crosscut saw; 8 points per inch; 18 in. length / 450 mm; hardwood handle	1	PC	£
	2	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	5
	3	Chalk Line Reel	Includes Chalk Reel and 4 Oz. Bottle Blue Chalk; High Impact Abs Case On-Board Hook Storage, Stainless-Steel Hook, Sliding Door For Easy Filling, Folding Crank Handle	1	PC	5
	4	Puli-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	5
	5	Steel Square	Carpenters framing square; 2x16x24", aluminum	1	PC	5
	6	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24*	1	PC	5
	7	Sledge Hammer	Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With Wooden Handle	1	PC	E
	8	Wood Chisel	Forged steel blade; 3/4: blade width;	1	PC	5

ot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
	Sub-total,	CARPENTRY NC II				5
	INSTALL V	VIRING DEVICES/INSTAL	L LIGHTING SYSTEM (Leading to			
18	Electrical Installation and Maintenance NC II)					
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6(IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano,/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	45
	2	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm,5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	49
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	49
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	49
	5	Electricians Plier	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	4
. <del> </del>	6	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	4
	,		CES/INSTALL LIGHTING SYSTEM	· · · · · · · · · · · · · · · · · · ·		4!
		to Electrical Installation	and Maintenance NC II)			
19	MASONR		Overal Officer and the second	4		
_	1	Pointing Trowel	Steel 8", wooden handle	1	PC	2
	2	Pull-Push Rule	Blade length 8m/26ft Blade width 1* High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	2
	3	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	21
	4	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	2
	5	Siedge Hammer	Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With Wooden Handle.	1	PC	2
	6	Steel Square	Carpenters framing square; 2x16x24", aluminum	1	PC	2
	7	Shovel	Round point steel blade, fiberglass D-grip handle, blade length 11.5", width 8.25", wooden handle length 20"	1	PC	2
	Sub-total	, MASONRY NC I			†	2
27		AKING NC II	<u> </u>		1	<del>                                     </del>



Lot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
<u> </u>	1	Ordinary Sewing Machine	manually operated foot pedal, wooden table with drawers, cast iron stand	1	UNIT	78
	2	Drafting Tools	Tailors square, aluminum 14x24" L shape ruler Hip curve, aluminum 23" length curve ruler	1	SET	78
	3	Cutting Shears	9" length stainless steel cutting blade, plastic handle, for fabric	1	PC	78
	Sub-total,	DRESSMAKING NC II				78
28	TAILORING NC II					
	1	Ordinary Sewing Machine	manually operated foot pedal, wooden table with drawers, cast iron stand	1	ŲNIT	25
	2	Drafting Tools	Tailors square, aluminum 14x24" L shape ruler Hip curve, aluminum 23" length curve ruler	1	ŞET	25
	3	Cutting Shears	9" length stainless steel cutting blade, plastic handle, for fabric	1	PC	25
	Sub-total	, TAILORING NC II			-	25
42	SHIELDE	D METAL ARC WELDING (S	SMAW) NC I			
	1	Welding Mask	Fiip Front Welding Helmet, impact- resistant polypropylene material, adjustable fit, 41/2" x 2" view area	1	PC	150
	2	Portable Welding Machine	Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground.	1	PC	150
	Sub-total, SHIELDED METAL ARC WELDING (SMAW) NC I			·		150
43	PROCES	·	ING AND SMOKING (Leading to Food			
	1	Mixing Bowl	Stainless steel, 8 " diameter, 5 quart capacity	3	PC	20
	2	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	1	UNIT	20
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup	1	SET	20
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp	1	SET	20
	5	Chef's Knife	8*, stainless steel blade with black polymer handle	1	PC	20
<u> </u>	6	Chopping Board	1/2 " x 12 " x 18 "; made of polyethylene material	1	PC	20
	7	impuise Sealer	8 " long, Adjustable Sealing Control Timer with Ready Light, 220V, 60Hz	1	UNIT	20



_ot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
	8	Utility Tray	14"x18", targe rectangular tray, aluminum	1	PC	20
<del></del>	<b>I</b>	PROCESS FOOD BY SA	LTING, CURING AND SMOKING (Leading			20
		FOODS BY FERMENTA		<u> </u>		
44	Processin	g NC II)				
	1	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	20
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup	1	SET	20
	3	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp	1	SET	20
•	4	Casserole	Stainless; 6L capacity, with two grip handle, with cover	1	PC	20
	5	Mixing Bowl	Stainless steel, 8 " diameter, 5 quart capacity	1	PC	20
	6	Chopping Board	1/2 " x 12 " x 18 "; made of polyethylene material	1	PC	20
	7	Colander	5 qts capacity, stainless steel, with two grip handles	1	PC	20
····	8	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	1	UNIT	20
		PROCESS FOODS BY F Processing NC II)	ERMENTATION AND PICKLING (Leading	·		20
45		FOODS BY SUGAR CO			-	
	1	Candy Thermometer	8 " long, measures temperatures from 100 to 400 degrees F; glass, pen-type adjustable clip secures thermometer to pan	1	PC	20
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup	1	SET	20
	3	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ½ tsp	1	SET	20
	4	Mixing Bowl	Stainless steel, 8 " diameter, 5 quart capacity	1	PC	20
	5	Casserole	Stainless; 6L capacity; with two grip handle, with cover	1	PC	20
	6	Chef's Knife	8*, stainless steel blade with black polymer handle	1	PC	20
	7	Rubber Scraper	Rubber head high heat resistant, flexible, 12" long	1	PC	20



ot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
	8	Chopping Board	1/2 " x 12 " x 18 "; made of polyethylene material	1	PC	20
	9	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	1	UNIT	20
		, PROCESS FOODS BY cessing NC II)	SUGAR CONCENTRATION (Leading to			20
46	BREAD W	IAKING (Leading to Bre	ead and Pastry Production NC II)			
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100- 250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz	1	PC	41
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	4
	3	Measuring Urn .	Transparent glass ,1 cup capacity, measurements are clearly mark in ounce, quarts and millilitres	1	PC	4
	4	Mixing Bowl	Stainless steel, 8 " diameter, 5 quart capacity	1	PC	4
	Sub-total	, BREAD MAKING (Lead			4	
47	CAKE MA	AKING (Leading to Brea	ad and Pastry Production NC II)		<del> </del>	
- 1.	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz	1	PC	4
	2	Muffin Pan	6 holes, 3oz capacity per holes, non-stick	1	PC	4
	3	Mixing Bowl	Stainless steel, 8 " diameter, 5 quart capacity	1	PC	4
·	4	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup	1	SET	4
	Sub-total, CAKE MAKING (Leading to Bread and Pastry Production NC II)					4:
48	PASTRY	MAKING (Leading to B	read and Pastry Production NC II)		-	



.ot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100- 250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz	1	PC	41
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup	1	SET	41
	3	Mixing Bowl	Stainless steel, 8 " diameter, 5 quart capacity	1	PC	41
	4	Muffin Pan	6 holes, 3oz capacity per holes, non-stick	1	- PC	41
• •	I	Sub-total, PASTRY MAKING (Leading to Bread and Pastry Production NC II)				41
49		AND COOK HOT MEA	LS (Leading to Cookery NC II)			
	1	Frying Pan	10" diameter by 2" high teflon, non-stick, riveted handle	1	PC	113
	2	Mixing Bowl	Stainless steel, 8 " diameter, 5 quart capacity	1	PC	113
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	113
	4	Measuring Cups	Stainless steel, 1 set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup	1	SET	113
	5	Chopping Board	½ " x 12 " x 18 "; made of polyethylene material	1	PC	113
	6	Wooden Spoon	6" long, biodegradable, solid birchwood	1	PC	113
	7	Utility Knife	5" Stain-resistant stainless steel blade with black polymer handle	1	PC	113
-	8	Strainer	8" diameter, single fine mesh, flat wooden handle	1	PC	113
	Sub-total	, PREPARE AND COOP	( HOT MEALS (Leading to Cookery NC II)			113
50	PREPARI	COLD MEALS (Leadi	ng to Cookery NC II)		+	
-	1	Frying Pan	10" diameter by 2" high teflon, non-stick, riveted handle	1	PC	40
	2	Mixing Bowl	Stainless steel, 8 " diameter, 5 quart capacity	1	PC	40
	3	Chef's Knife	8*, stainless steel blade with black polymer handle	1	PC	40
	4	Chopping Board	1/2 " x 12 " x 18 "; made of polyethylene material	1	PC	40
	5	Wooden Spoon	6" long, biodegradable, solid birchwood	1	PC	4(
	6	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup	1	SET	40
			ALS (Leading to Cookery NC II)			40
	Grand T	otal				797

## SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) STARTER TOOLKITS PRICE DERIVATION for FY 2016 - PHASE II TESDA Region II - Carig, Tuguegarao Cagayan

Lot No.						<u> </u>
	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
5	PERFORM Servicing	DIESEL/GAS ENGINE TO NC ()				
	1	Timing Light	Automatic reverse polarity and overload protection, clamp on inductive pick up,trigger activated, accurate at all speeds, bright xenon bulb, works on 12 volts gas engine.	1	SET	27
	2	Thickness Gauge	0.0015 in to 0.025in (any brand) 21 pcs blades (3in by 1/2 in blades)	1	PC	27
	3	Spark Plug Wrench (T-Wrench)	socket high quality steel drop or cold press, zinc plated, PVC dipped handle, 16mm	1	PC	27
·	4	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 5 (sizes 10mm, 12mm, 14mm, 17mm, 19mm) 7.5 deg offset	1	SET	27
		PERFORM DIESEL/GAS ve Servicing NC I)	ENGINE TUNE UP (Leading to			27
6		PREVENTIVE MAINTEN CTRICAL SYSTEM (Leadi		-		
	1	Manual Impact Driver	1/2-Inch Drive Impact Driver Kit, For loosening frozen fasteners using a hammer, Includes two slotted and two Phillips bits size 10mm.	1	SET	10
	2	T-Wrench	size 10mm,12mm,14mm, insulated t plug handle; deep hexagonal socket, Overall Size: 290 x 190 x 14mm/ 11.4" x 7.5" x 0.55" (L*W*T)	1	SET	10
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 5 (sizes 10mm, 12mm, 14mm, 17mm, 19mm) 7.5 deg offset	1	SET	10
	4	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L- Shaped, Includes Molded Plastic Holder	1	SET	10
	5	Thickness Gauge	0.0015 in to 0.025in (any brand) 21 pcs blades (3in by 1/2 in blades)	1	PC	10
	6	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz.	1	PC	10

### SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) STARTER TOOLKITS PRICE DERIVATION for FY 2016 - PHASE II TESDA Region II - Carig, Tuguegarao Cagayan

						<u> </u>
Lot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
	7	Circlip Pliers	8 in carbon steel insulated handle detachable tip(combination) internal and external	1	SET	16
	MECHANIC		MAINTENANCE ON MOTORCYCLE STEM (Leading to Motorcycle/Small			10
9	SERVICE A	AUTOMOTIVE ELECTRICA				
	1	Battery Load Tester	100-Amp Battery Load Tester, 6V and 12V batteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted rocker switch.	1	PC	2'
	2	Soldering Iron	100 watts,220v, 60hz, pencil tip	1	PC	2
	3	<u> </u>	Copper plated steel jaw clamps with 2 meters long 10 gauge automotive copper wire, red and black color coded	1	PC	27
	4	Mechanical Pliers	10" chrome plated, Slip-resistant bi- material handle, Two-position, adjustable joint pliers	1	PC	2.
	Servicing				2	
10	SERVICE I		MPONENTS (Leading to Automotive			
	1	Manual Impact Driver	1/2-Inch Drive Impact Driver Kit, For loosening frozen fasteners using a hammer, Includes two slotted and two Phillips bits size 10mm.	1	SET	20
	2	T-Wrench	size 10mm,12mm,14mm, insulated t plug handle; deep hexagonal socket, Overall Size: 290 x 190 x 14mm/ 11.4" x 7.5" x 0.55" (L*W*T)	1	SET	24
	3	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz.	1	PC	2
	4	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L- Shaped, Includes Molded Plastic Holder	1	SET	21
	5	Circlip Pliers	8 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	2
•	6	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 5 (sizes 10mm, 12mm, 14mm,17mm, 19mm) 7.5 deg offset	1	SET	2
		SERVICE ENGINE MECHA	NICAL COMPONENTS (Leading to			20


#### SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) STARTER TOOLKITS PRICE DERIVATION for FY 2016 - PHASE II TESDA Region II - Carig, Tuguegarao Cagayan

Lot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax	
18		VIRING DEVICES/INSTALL installation and Maintenand	LIGHTING SYSTEM (Leading to se NC II)				
	1		Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6(IEC) or UM-3 1.5V x 2 internal Fuse: 0.5Ano,/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	18	
	2		4 pieces per set Flat Blade Tip: 6.5X150mm,5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	. 18	
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Stee! Handle Finish: plastic dipped	1	PC	18	
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	18	
	5	Electricians Plier	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	18	
	6	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	18	
	Sub-total, INSTALL WIRING DEVICES/INSTALL LIGHTING SYSTEM (Leading to Electrical Installation and Maintenance NC II)						
27	DRESSMA	KING NC II		_			
	1	Ordinary Sewing Machine	manually operated foot pedal, wooden table with drawers, cast iron stand	1	UNIT	9	
	2	Drafting Tools	Tailors square, aluminum 14x24" L shape ruler Hip curve, aluminum 23" length curve ruler	1	SET	9	
	3	Cutting Shears	9" length stainless steel cutting blade, plastic handle, for fabric	1	PC	9	
	Sub-total,	DRESSMAKING NC II				9	
42	SHIELDEI	METAL ARC WELDING (S	MAW) NC I			" "	
	1	Welding Mask	Flip Front Welding Helmet, impact-resistant polypropylene material, adjustable fit, 41/2" x 2" view area	1	PC	9	
	2	Portable Welding Machine	Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground.	1	PC	9	

	<del></del>	T				
						<u> </u>
ot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
	PERFORM	PREVENTIVE MAINTENAN	ICE ON MOTORCYCLE MECHANICAL			
6	AND ELEC	TRICAL SYSTEM (Leading	to Motorcycle/Small Engine Servicing			
	1	, ,	1/2-inch Drive Impact Driver Kit, For loosening frozen fasteners using a hammer, Includes two slotted and two Phillips bits size 10mm.	1	SÉT	33
	2		size 10mm,12mm,14mm, insulated t piug handle; deep hexagonal socket, Overall Size: 290 x 190 x 14mm/ 11.4" x 7.5" x 0.55" (L*W*T)	1	SET	33
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 5 (sizes 10mm, 12mm, 14mm,17mm, 19mm) 7.5 deg offset	1	SET	33
• , _	4	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 ln., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L- Shaped, Includes Molded Plastic Holder	1	SET	33
	5	Thickness Gauge	0.0015 in to 0.025in (any brand) 21 pcs blades (3in by 1/2 in blades)	1	PC	33
	6	Ball Peen Hammer	Forged hard steet; jacketed graphite ballpeen hammer, 16 oz.	1	PC	33
	7	Circlip Pliers	8 in carbon steel insulated handle detachable tip(combination) internal and external	1	SET	33
	MECHAN		MAINTENANCE ON MOTORCYCLE  STEM (Leading to Motorcycle/Small			3;
9	SERVICE NCII)	AUTOMOTIVE ELECTRICA	L (Leading to Automotive Servicing			
	1	Battery Load Tester	100-Amp Battery Load Tester, 6V and 12V batteries, shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted rocker switch.	1	PC	26
	2	Soldering Iron	100 watts,220v, 60hz, pencil tip	1	PC	20
	3	Battery Series Connector	Copper plated steel jaw clamps with 2 meters long 10 gauge automotive copper wire, red and black color coded	1	PC	2

		<del>,                                      </del>			<del></del>	·
1 -4 NI-	-					<u> </u>
Lot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
	4	Mechanical Pliers	10" chrome plated, Slip-resistant bi- material handle, Two-position, adjustable joint pliers	1	PC	20
	Sub-total, Servicing		ELECTRICAL (Leading to Automotive			20
10	SERVICE E		OMPONENTS (Leading to Automotive			
-	1	Manual Impact Driver	1/2-Inch Drive Impact Driver Kit, For loosening frozen fasteners using a hammer, Includes two slotted and two Phillips bits	1	SET	31
	2	T-Wrench	size 10mm. size 10mm,12mm,14mm, insulated t plug handle; deep hexagonal socket, Overall Size: 290 x 190 x 14mm/ 11.4" x 7.5" x 0.55" (L*W*T)	1	SET	31
	3	Bali Peen Hammer	Forged hard steel; jacketed graphite balipeen hammer, 16 oz.	1	PC	31
	4	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 in., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L- Shaped, Includes Molded Plastic Holder	1	SET	31
	5	Circlip Pliers	8 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	31
	6	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 5 (sizes 10mm, 12mm, 14mm,17mm, 19mm) 7.5 deg offset	1	SET	31
_	•	SERVICE ENGINE MECH re Servicing NC II)	HANICAL COMPONENTS (Leading to			31
18	1	VIRING DEVICES/INSTAL	LL LIGHTING SYSTEM (Leading to			
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6(IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano,/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	15
	2	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm,5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	15

				<u> </u>		
Lot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	15
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	15
	5	Electricians Plier	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	15
	6	Pull-Push Rule	Blade length 8m/26ft Blade width 1* High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	15
	1	INSTALL WIRING DEVICE Electrical Installation	ES/INSTALL LIGHTING SYSTEM and Maintenance NC II)			15
29	HILOT (W	ELLNESS MASSAGE) NO				
	1	Face Towel	100 % cotton, 12" X 12" preferably white	1	PC	60
	2	Bath Towel	100 % cotton, 27" X 54" preferably white	1	PC	60
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	ВОХ	60
	4	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), pants in garter(adjustable draw string) 1 back pocket, free size preferably blue color.	1	PAIR	60
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	60
	6	Body Lotion	Bottled, 200 ml (hypoaltergenic)	1	BOTTLE	60
	7	Aromatic Oil	Bottled, 100 ml, any scent	1	BOTTLE	60
	8	Virgin Coconut Oil	virgin coconut oil 250 ml, any brand	1	BOTTLE	60
	9	Powder	Baby powder, 200 g	1	BOTTLE	60
·	10	Rubbing Alcohol (Disinfectant)	250 ml, any brand, 70%	1	BOTTLE	60
	Sub-total,	HILOT (WELLNESS MAS	SSAGE) NC II			60
30	PERFORM	N BODY MASSAGE (Lead	ing to Beauty Care NC II)			
	1	Face Towel	100 % cotton, 12" X 12" preferably white	1	PC	20
	2	Bath Towel	100 % cotton, 27" X 54" preferably white	1	PC	20
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	вох	20
	4	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), pants in garter(adjustable draw string) 1 back pocket, free size preferably blue color.	1	PAIR	20




ot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	20
	6	Body Lotion	Bottled, 200 ml (hypoallergenic)	1	BOTTLE	20
	7	Aromatic Oil	Bottled, 100 mi, any scent	1	BOTTLE	20
	8	Virgin Coconut Oil	virgin coconut oil 250 ml, any brand	1	BOTTLE	20
	9	Powder	Baby Powder, 200 g	1	BOTTLE	20
	10	Rubbing Alcohol (Disinfectant)	250 ml, any brand, 70%	1	BOTTLE	20
	Sub-total,	PERFORM BODY MASSA	GE (Leading to Beauty Care NC II)			. 20
35	PERFORM	MANICURE AND PEDICU	IRE (Leading to Beauty Care NC II)			·
	1	Cuticle Nipper	Stainless steel, 3.5"	1	PC	. 15
·	2	Cuticle Pusher	stainless steel, 5"	1	PC	15
	3	Foot Nail Cutter	stainless steel, 3" long	1	PC	15
	4	Hand Nail Cutter	stainless steel, 2.5" long	1	PC	15
	5	Manicure Supply Tray	Standard size, plastic with compartment tray	1	PC	15
	6	Nail Brush	Plastic, soft bristle	1	PC	15
	7	Emery Board	80/100 coarse, 8° Long	1	PC	15
	8	Orange Woodstick	1.77mm, smooth woodstick	3	PCS	15
~	9	Cotton Balls	150 balls	1	PACK	15
	10	Cuticle Remover	120 ml bottle	1	BOTTLE	15
-·	11	Nail Polish Remover	120 ml bottle	1	BOTTLE	15
	12	Antiseptic (Merthiolate)	25 ml bottle	1	BOTTLE	15
	13	Colored Nail Polish	15ml bottle, preferably touch of tan	1	BOTTLE	15
	14	Colored Nail Polish	15ml bottle, white	1	BOTTLE	15
	15	Colorless Nail Polish	15ml bottie, with glitters	1	BOTTLE	15
	16	Colorless Nail Polish	15ml bottle	1	BOTTLE	15
	17	Low Stool	small plastic stool with backrest measurement: 320mm x 360mm x 430mm	1	PC	15
<del></del>	18	Face Towel	100 % cotton, 12" X 12" preferably white	1	PC	15
	Sub-total, NC II)	PERFORM MANICURE A	ND PEDICURE (Leading to Beauty Care			15
38	PERFORM NC II)	HAIR PERMING AND ST	RAIGHTENING (Leading to Hairdressing			
	1	Hair Straightening Product	straightening solution and neutralizing cream, at 500ml each	1	SET	25
	2	Hair Perming Product	cold wave lotion & neutralizer at 500 ml each	1	SET	25
	3	Applicator Brush	Plastic, black, with comb and tail	1	PC	25

	_	<del> </del>	<del> </del>	·····		<del>-</del>
ot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
	4	Hand Gloves	washable, medium size, preferably black	1	PAIR	25
	5	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	25
	6	Bottle Applicator	Plastic, transparent, 100 ml capacity	1	PC	25
	7	Shower Cap	Thick plastic, preferably black, free size	1	PACK	25
	8	Protective Cape	Water proof, nylon, black	1	PC	25
	9	Hair Straightening Iron	220V, 60hz, adjustable heat control	1 .	PC	25
	Hairdressi	ing NC II)	IG AND STRAIGHTENING (Leading to			25
42	SHIELDEC	METAL ARC WELDING (	SMAW) NC I			
	1	Welding Mask	Flip Front Welding Helmet, impact-resistant polypropylene material, adjustable fit, 41/2" x 2" view area	1	PC	40
	2	Portable Welding Machine	Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground.	1	PC	40
·	Sub-total,	SHIELDED METAL ARC	WELDING (SMAW) NC I			40
46	BREAD M	AKING (Leading to Bread	d and Pastry Production NC II)	•		
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100- 250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz	1	PC	25
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ½ cup)	1	SET	25
	3	Measuring Urn	Transparent glass ,1 cup capacity, measurements are clearly mark in ounce, quarts and millilitres	1	PC	25
	4	Mixing Bowl	Stainless steel, 8 " diameter, 5 quart capacity	1	PC	25
			g to Bread and Pastry Production NC II)			25
47	CAKE MAI	KING (Leading to Bread a	and Pastry Production NC II)			

que

Lot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz	1	PC	15
	2	Muffin Pan	6 holes, 3oz capacity per holes, non-stick	1	PC	15
	3	Mixing Bowl	Stainless steel, 8 " diameter, 5 quart capacity	1	PC	15
	4	Measuring Cups	Stainless-steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup	1	SET	15
	Sub-total,	CAKE MAKING (Leadi	ng to Bread and Pastry Production NC II)			15
48	PASTRY N	MAKING (Leading to B	read and Pastry Production NC II)			
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz	1	PC	50
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup	1	SET	50
	3	Mixing Bowl	Stainless steel, 8 diameter, 5 quart capacity	1	PC	50
•	4	Muffin Pan	6 holes, 3oz capacity per holes, non-stick	1	PC	50
, ,	Sub-total,	PASTRY MAKING (Lea			50	
49	PREPARE	AND COOK HOT MEA	LS (Leading to Cookery NC II)	•	<del></del>	<del></del>
,	1	Frying Pan	10" diameter by 2" high teflon, non-stick, riveted handle	1	PC	82
	2	Mixing Bowl	Stainless steel, 8 " diameter, 5 quart capacity	1	PC	82
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	82
	4	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ½ cup	1	SET	82
	5	Chopping Board	1/2 " x 12 " x 18 "; made of polyethylene material	1	PC	82
	6	Wooden Spoon	6* long, biodegradable, solid birchwood	1	PC	82



					l	
_ot No.	NO.	ITEM	AGENCY SPECS	ΩΤΥ	UNIT	No. Of Pax
	NO.	1) = (1)	AGENOT SPECS	<b>W</b> 11	0,417	NO. OI FAX
	7	Utility Knife	5" Stain-resistant stainless steel blade with black polymer handle	1	PC	82
	8	Strainer	8" diameter, single fine mesh, flat wooden handle	1	PC	82
	Sub-total,	PREPARE AND COOK	HOT MEALS (Leading to Cookery NC II)			82
50	PREPARE	COLD MEALS (Leadi	ng to Cookery NC II)			
	1	Frying Pan	10" diameter by 2" high teflon, non-stick, riveted handle	1	PC	25
	2	Mixing Bowl	Stainless steel, 8 " diameter, 5 quart capacity	1	PC	25
	3	Chef's Knife	B", stainless steel blade with black polymer handle	1	PC	25
	4	Chopping Board	1½ " x 12 " x 18 "; made of polyethylene material	1	PC	25
	5	Wooden Spoon	6" long, biodegradable, solid birchwood	1	PC	25
	6	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup	1	SET	25
	Sub-total,	PREPARE COLD MEA	LS (Leading to Cookery NC II)			25
	Grand To	otal			•	456



#### STARTER TOOLKITS PRICE DERIVATION for FY 2016 - PHASE II TESDA Region IV-B - Luna Building III, Governor Infantado St., Calapan City,

_		4 2 1	<b>A. 3.</b> 1		
( }rı	Δn	tai	MIN	doro	

NO. ERFORM 1	NC I) Timing Light Thickness Gauge Spark Plug Wrench	AGENCY SPECS  JNE UP (Leading to Automotive  Automatic reverse polarity and overload protection, clamp on inductive pick up,trigger activated, accurate at all speeds, bright xenon bulb, works on 12 volts gas engine.  0.0015 in to 0.025in (any brand) 21 pcs blades (3in by 1/2 in blades)	QTY 1	UNIT	No. Of Pax
ervicing 1 2	NC I) Timing Light Thickness Gauge Spark Plug Wrench	Automatic reverse polarity and overload protection, clamp on inductive pick up,trigger activated, accurate at all speeds, bright xenon bulb, works on 12 volts gas engine.  0.0015 in to 0.025in (any brand) 21 pcs	·	SET	100
2	Timing Light  Thickness Gauge  Spark Plug Wrench	protection, clamp on inductive pick up,trigger activated, accurate at all speeds, bright xenon bulb, works on 12 volts gas engine.  0.0015 in to 0.025in (any brand) 21 pcs	·	SET	100
	Spark Plug Wrench		1		
3	- · · · · ·			PC	100
	(T-Wrench)	socket high quality steel drop or cold press, zinc plated, PVC dipped handle, 16mm	1	PC	100
4	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 5 (sizes 10mm, 12mm, 14mm,17mm, 19mm) 7.5 deg offset	1	SET	100
\utomotiv	re Servicing NC I)				100
LICUIOL	CITITION STOTEM (LEAK	uning to Automotive out vicing NO II)			
1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6(IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano,/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	78
2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 5 (sizes 10mm, 12mm, 14mm, 17mm, 19mm) 7.5 deg offset	1	SET	78
3	Thickness Gauge	0.0015 in to 0.025in (any brand) 21 pcs blades (3in by 1/2 in blades)	1	PC	78
4	Philips Screw Driver	10" shank length (chrome plated) plastic handle, tip:2 X 6mm	1	PC	78
5	Flat Scew Driver	10" shank length (chrome plated)plastic handle, tip: 1/4" / 6.5mm	1	PC	78
ICII)					78
	ub-total, utomotiv ERVICE  1  2  3  4  5  ub-total, Cil) ERVICE	(Open And Box End)  ub-total, PERFORM DIESEL/GAS utomotive Servicing NC I)  ERVICE IGNITION SYSTEM (Lead  1 VOM (Multitester)  2 Combination Wrench (Open And Box End)  3 Thickness Gauge  4 Philips Screw Driver  5 Flat Scew Driver  ub-total, SERVICE IGNITION SYS CII)  ERVICE SMALL ENGINE SYSTEM	(Open And Box End)  10mm, 12mm, 14mm, 17mm, 19mm) 7.5 deg offset  10mb-total, PERFORM DIESEL/GAS ENGINE TUNE UP (Leading to utomotive Servicing NC I)  ERVICE IGNITION SYSTEM (Leading to Automotive Servicing NC II)  1 VOM (Multitester)  Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6(IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano,/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k  2 Combination Wrench (Open And Box End)  Chrome vanadium steel, set of 5 (sizes 10mm, 12mm, 14mm, 17mm, 19mm) 7.5 deg offset  3 Thickness Gauge  0.0015 in to 0.025in (any brand) 21 pcs blades (3in by 1/2 in blades)  4 Philips Screw Driver  10" shank length (chrome plated) plastic handle, tip: 2 X 6mm  5 Flat Scew Driver  10" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	(Open And Box End)   10mm, 12mm, 14mm,17mm, 19mm) 7.5   deg offset	(Open And Box End)   10mm, 12mm, 14mm, 17mm, 19mm) 7.5   deg offset



#### STARTER TOOLKITS PRICE DERIVATION for FY 2016 - PHASE !! TESDA Region IV-B - Luna Building III, Governor Infantado St., Calapan City,

Oriental Mindoro

	<del>.</del>		- Cricinal Militable			
Lot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
	1	Manual Impact Driver	1/2-Inch Drive Impact Driver Kit, For loosening frozen fasteners using a hammer, includes two slotted and two Phillips bits size 10mm.	1	SET	100
	2	T-Wrench	size 10mm, 12mm, 14mm, insulated t plug handie; deep hexagonal socket, Overall Size: 290 x 190 x 14mm/ 11.4" x 7.5" x 0.55" (L*W*T)	1	SET	100
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 5 (sizes 10mm, 12mm, 14mm, 17mm, 19mm) 7.5 deg offset	1	SET	100
	4	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L- Shaped, Includes Molded Plastic Holder	1	SET	100
	5	Pin Punch And Cold Chisel Set	Pin Punch: Pin sizes: 1/8", 3/16", 1/4", carbon steel construction, black oxide finish, knurled handle Cold Chisel: 3 piece set contains 3/8" x 5-9/16", 1/2" x 6" and 5/8" x 6-3/4", high carbon steel	1	SET	100
	6	Circlip Pliers	8 in carbon steel insulated handle detachable tip(combination)internal and external	1	SET	100
	7	Thickness Gauge	0.0015 in to 0.025in (any brand) 21 pcs blades (3in by 1/2 in blades)	1	PC	100
	to Motoro	ycle/Small Engine Service	NE SYSTEM AND COMPONENTS (Leading cing NC II)			100
15	CARPEN	TRY NO II				
	1	Cross Cut Saw	Crosscut saw; 8 points per inch; 18 in. length / 450 mm; hardwood handle	1	PC	100
	2	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	100
	3	Chalk Line Reel	Includes Chalk Reel and 4 Oz. Bottle Blue Chalk; High Impact Abs Case On-Board Hook Storage, Stainless-Steel Hook, Sliding Door For Easy Filling, Folding Crank Handle	1	PC	100

#### SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) STARTER TOOLKITS PRICE DERIVATION for FY 2016 - PHASE II A Region IV-B - Luna Building III. Governor Infantado St., Calapan City

TESDA Region IV-B - Luna Building III, Governor Infantado St., Calapan City, Oriental Mindoro

		-Ţ	T T T T T T T T T T T T T T T T T T T			
Lot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
	4	Pull-Push Rule	Blade length 8m/26ft Blade width 1* High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	100
	5	Steel Square	Carpenters framing square; 2x16x24", aluminum	1	PC	100
	6	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	100
	7	Sledge Hammer	Forged High-Carbon Steel Head, 4 Lbs. (1.81 Kg) With Wooden Handle	1	PC	100
	8	Wood Chisel	Forged steel blade; 3/4: blade width; plastic handle	1	PC	100
	<u> </u>	CARPENTRY NC II				100
19	MASONR					
	1	Pointing Trowel	Steel 8", wooden handle	1	PC	100
	2	Pull-Push Ruie	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	100
-	3	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	100
	4	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	100
	5	Sledge Hammer	Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With Wooden Handle.	1	PC	100
_	6	Steel Square	Carpenters framing square; 2x16x24", aluminum	1	PC	100
	7	Shovel	Round point steel blade, fiberglass D-grip handle, blade length 11.5", width 8.25", wooden handle length 20"	1	PC	100
	Sub-total	, MASONRY NC I				100
23	TILE SET	TING NC II				
	1	Nipper, End Cutter	End nipper Plier 8*	1	PC	100
	2	Plier	Forged carbon steel, length 8 inches, machined jaws	1	PC	100
	3	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	100
	4	Notched Trowel	Plastering Trowel; carbon steel; plastic handle	1	PC	100
	5	Spirit Level	Torpedo level; high impact plastic; magnetic; 3 vials; Length 9"	1	PC	100

#### STARTER TOOLKITS PRICE DERIVATION for FY 2016 - PHASE II TESDA Region IV-B - Luna Building III, Governor Infantado St., Calapan City, **Oriental Mindoro**

	T		Oliolitai miniooto	-	1	1
ot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
<u> </u>	6		Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	100
	7	Tile Cutter	Pen type, carbide tip, manual 8" length	1	PC	100
· · · · · · · · · · · · · · · · · · ·	8	Rubber Mallet	16 oz, wooden handle	1	PC	100
	Sub-total,	TILE SETTING NC II		<del>-</del>		100
24		and Repair Audio/Video Pro r Electronics Servicing NC	ducts and Systems (Leading to			
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6(IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano,/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT .	50
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	50
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Materiat: Carbon Steel	1	PC .	50
	4	Diagonal Cutting Plier	Handle Finish: plastic dipped  Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	50
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm,5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	50
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	50
	1	, Maintain and Repair Audio to Consumer Electronics S			50	
25		and Repair Electronically-C to Consumer Electronics S	Controlled Domestic Appliances Servicing NC II)			
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6(IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano,/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	50
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	50

#### STARTER TOOLKITS PRICE DERIVATION for FY 2016 - PHASE II

#### TESDA Region IV-B - Luna Building III, Governor Infantado St., Calapan City,

_		4 . 1	B. B	
- Or	ien	tal	NIIN	doro

	Τ."	· · · · · · · · · · · · · · · · · · ·			····-	T · · · · · · · · · · · · · · · · · ·
Lot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	50
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	50
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm,5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	50
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	50
	Appliance	s (Leading to Consumer E	ronically-Controlled Domestic lectronics Servicing NC II)			50
26	MAINTAIN Electronic		PHONES (Leading to Consumer			
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V internal Battery: R6(IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano,/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	50
	2	Hot Air Soldering Tool	Watt Hot Air Input Voltage: 220VAC +/-10%, 60 Hz Power Consumption with soldering iron	1	PC	50
_	3	Precision	30 in 1 screwdriver set. Made of vanadium steel	1	SET	50
		MAINTAIN AND REPAIR C r Electronics NC II)	ELLULAR PHONES (Leading to			50
29	HILOT (W	ELLNESS MASSAGE) NC I				
	1	Face Towel	100 % cotton, 12" X 12" preferably white	1	PC	90
	2	Bath Towel	100 % cotton, 27" X 54" preferably white	1	PC	90
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	90
	4	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), pants in	1	PAIR	90
	:		garter(adjustable draw string) 1 back pocket, free size preferably blue color.			





#### SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) STARTER TOOLKITS PRICE DERIVATION for FY 2016 - PHASE II

TESDA Region IV-B - Luna Building III, Governor Infantado St., Calapan City,
Oriental Mindoro

		T		<u> </u>		
Lot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
	6	Body Lotion	Bottled, 200 ml (hypoallergenic)	1	BOTTLE	90
	7	Aromatic Oil	Bottled, 100 ml, any scent	1	BOTTLE	90
	8	Virgin Coconut Oil	virgin coconut oil 250 ml, any brand	1	BOTTLE	90
	9	Powder	Baby powder, 200 g	1	BOTTLE	90
	10	Rubbing Alcohol (Disinfectant)	250 ml, any brand, 70%	1	BOTTLE	90
	Sub-total,	HILOT (WELLNESS MA	SSAGE) NC II			90
43	PROCESS Processin	S FOOD BY SALTING, CI			<del> </del>	
	1	Mixing Bowl	Stainless steel, 8 " diameter, 5 quart capacity	3	PC	100
	2	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	1	UNIT	100
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup	1	SET	100
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp	1	ŞET	100
	5	Chef's Knife	8*, stainless steel blade with black polymer handle	1 	PC	100
•	6	Chopping Board	½ " x 12 " x 18 "; made of polyethylene material	1	PC	100
	7	Impulse Sealer	8 " long, Adjustable Sealing Control Timer with Ready Light, 220V, 60Hz	1	UNIT	100
	8	Utility Tray	14"x18", large rectangular tray, aluminum	1	PC	100
	to Food F	, PROCESS FOOD BY S Processing NC II)			100	
44	PROCESS FOODS BY FERMENTATION AND PICKLING (Leading to Food Processing NC II)					
	1	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	100
-	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup	1	SET	100
	3	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp	1	SET	100
	4	Casserole	Stainless; 6L capacity; with two grip handle, with cover	1	PC	100
	5	Mixing Bowl	Stainless steel, 8 " diameter, 5 quart capacity	1	PC	100
	6	Chopping Board	½ " x 12 " x 18 "; made of polyethylene material	1	PC	100





#### STARTER TOOLKITS PRICE DERIVATION for FY 2016 - PHASE II

TESDA Region IV-B - Luna Building III, Governor Infantado St., Calapan City, Oriental Mindoro

		1	Onental Militable	· · · · · <u>· · · · · · · · · · · · · · </u>	T	<del> </del>
_ot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
	7	Colander	5 qts capacity, stainless steel, with two grip handles	1	PC	100
	8	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	1	UNIT	100
	,	PROCESS FOODS BY FI Processing NC II)	ERMENTATION AND PICKLING (Leading			100
45	PROCESS Processin	FOODS BY SUGAR CON g NC II)	•			
	1	Candy Thermometer	8 " long, measures temperatures from 100 to 400 degrees F; glass, pen-type adjustable clip secures thermometer to pan	.1	PC	100
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup	1	SET	100
	3	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ½ tsp	1	SET	100
	4	Mixing Bowl	Stainless steel, 8 " diarneter, 5 quart capacity	1.	PC	100
	5	Casserole	Stainless; 6L capacity; with two grip handle, with cover	1	PC	100
	6	Chef's Knife	8°, stainless steel blade with black polymer handle	1	PC	100
	7	Rubber Scraper	Rubber head high heat resistant, flexible, 12" long	1	PC	100
	8	Chopping Board	1/2 " x 12 " x 18 "; made of polyethylene material	1	PC	100
•	9	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	1	UNIT	100
		PROCESS FOODS BY S cessing NC II)	UGAR CONCENTRATION (Leading to			100
46	BREAD M	IAKING (Leading to Brea				
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz	1	PC	100



#### SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) STARTER TOOLKITS PRICE DERIVATION for FY 2016 - PHASE II TESDA Region IV-B - Luna Building III, Governor Infantado St., Calapan City,

$\overline{}$				1			
r	ric	enta	NA 1	n	~	$\alpha r r$	١.
						.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	

Lot No.						
	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	100
	3	Measuring Urn	Transparent glass ,1 cup capacity, measurements are clearly mark in ounce, quarts and millilitres	1	PC	100
	4	Mixing Bowl	Stainless steel, 8 " diameter, 5 quart capacity	1	PC	100
	Sub-total,	, BREAD MAKING (Lead	ding to Bread and Pastry Production NC II)			100
47	CAKE MA	KING (Leading to Brea	d and Pastry Production NC II)			
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz	1	PC	100
	2	Muffin Pan	6 holes, 3oz capacity per holes, non-stick	1	PC	100
	3	·Mixing Bowl	Stainless steel, 8 " diameter, 5 quart capacity	1	PC	100
	4	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup	1	SET	100
	Sub-total	, CAKE MAKING (Lead			100	
	Grand T	otal				1,318



··· ·					,,,-	
Lot No.	NO.	ITEM	AGENCY SPECS	QΤY	UNIT	No. Of Pax
	1		ANCE ON MOTORCYCLE MECHANICAL			
6	AND ELEC	CTRICAL SYSTEM (Leadi	ng to Motorcycle/Small Engine Servicing			
<del></del>	1	Manual Impact Driver	1/2-Inch Drive Impact Driver Kit, For loosening frozen fasteners using a hammer, includes two slotted and two Phillips bits size 10mm.	1	SET	65
	2	T-Wrench	size 10mm,12mm,14mm, insulated t plug handle; deep hexagonal socket, Overall Size: 290 x 190 x 14 mm/ 11,4" x 7.5" x 0.55" (L*W*T)	1	SET	65
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 5 (sizes 10mm, 12mm, 14mm, 17mm, 19mm) 7.5 deg offset	1	SET	65
	4	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Piastic Holder	1	SET	65
	5	Thickness Gauge	0.0015 in to 0.025in (any brand) 21 pcs blades (3in by 1/2 in blades)	1	PC	65
_	6	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz.	1	PC	65
	7	Circlip Pliers	8 in carbon steel insulated handle detachable tip(combination) internal and external	1	SET	65
	MECHAN		MAINTENANCE ON MOTORCYCLE SYSTEM (Leading to Motorcycle/Small			65
7		II UNDERCHASSIS PREV ve Servicing NC II)	ENTIVE MAINTENANCE (Leading to			
<u>-</u>	1	Manual Impact Driver	1/2-Inch Drive Impact Driver Kit, For loosening frozen fasteners using a hammer, includes two slotted and two Phillips bits size 10mm.	1	SET	10
	2	Pin Punch And Cold Chisel Set	Pin Punch: Pin sizes: 1/8", 3/16", 1/4", carbon steel construction, black oxide finish, knurled handle Cold Chisel: 3 piece set contains 3/8" x 5-9/16", 1/2" x 6" and 5/8" x 6-3/4", high carbon steel	1	SET	10
	3	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz.	1	PC	10

Page 1

	ļ		+			<u> </u>
Lot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
	4	Circlip Pliers	8 in carbon steel insulated handle detachable tip(combination)internal and external	1	SET	10
	5	Vise Grip	10"chrome plated insulated handle; flat jaw, adjustment 0" to 1 5/8"	1	PC	10
	6	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 5 (sizes 10mm, 12mm, 14mm, 17mm, 19mm) 7.5 deg offset	1	SET	10
· · · · ·	(Leading to	o Automotive Servicing i				10
13		SMALL ENGINE SYSTEN e/Small Engine Servicing	I AND COMPONENTS (Leading to			
	1	Manual Impact Driver	1/2-Inch Drive Impact Driver Kit, For loosening frozen fasteners using a hammer, Includes two slotted and two Phillips bits size 10mm.	1	SET	25
	2	T-Wrench .	size 10mm, 12mm, 14mm, insulated t plug handle; deep hexagonal socket, Overall Size: 290 x 190 x 14mm/ 11.4" x 7.5" x 0.55" (L*W*T)	1	SET	25
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 5 (sizes 10mm, 12mm, 14mm,17mm, 19mm) 7.5 deg offset	1	SET	25
	4	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET	25
	5	Pin Punch And Cold Chisel Set	Pin Punch: Pin sizes: 1/8", 3/16", 1/4", carbon steel construction, black oxide finish, knurled handle Cold Chisel: 3 piece set contains 3/8" x 5-9/16", 1/2" x 6" and 5/8" x 6-3/4", high carbon steel	1	SET	25
	6	Circlip Pliers	8 in carbon steel insulated handle detachable tip(combination)internal and external	1	SET	25
	7	Thickness Gauge	0.0015 in to 0.025in (any brand) 21 pcs blades (3in by 1/2 in blades)	1	PC	25
	to Motorcy	/cle/Small Engine Servic	<del>-</del> '			25
17	INSTALL F  II)	RE-CAST BALUSTERS	AND HANDRAIL (Leading to Masonry NC			

ot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
	1	Pointing Trowel	Steel 8", wooden handle	1	PC	25
	2	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	25
	3	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	25
•	4	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	25
•	5	Sledge Hammer	Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With Wooden Handle.	1	PC	25
	6	Steel Square	Carpenters framing square; 2x16x24", aluminum	1	PC	25
· · · ·	7	Shovel	Round point steel blade, fiberglass D-grip handle, blade length 11.5", width 8.25", wooden handle length 20"	1	PC	25
	Sub-total, MASONR		LUSTERS AND HANDRAIL (LEADING TO			25
18	INSTALL		LL LIGHTING SYSTEM (Leading to ance NC II)			
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6(IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano,/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	100
	2	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm,5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	100
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	100
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	100
	5	Electricians Plier	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	100
	6	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	100
		INSTALL WIRING DEVIC to Electrical Installation	CES/INSTALL LIGHTING SYSTEM and Maintenance NC II)			100
19	MASONR					

Lot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
	1	Pointing Trowel	Steel 8", wooden haindle	1	PC	125
	2	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	125
-	3	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	125
	4	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	125
	5	Siedge Hammer	Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With Wooden Handle.	1	PC	125
	6	Steel Square	Carpenters framing square; 2x16x24", aluminum	1	PC	125
	7	Shovel	Round point steel blade, fiberglass D-grip handle, blade length 11.5", width 8.25", wooden handle length 20"	1	PC	125
	Sub-total,	MASONRY NC I				125
20		M SINGLE UNIT PLUMBIN ANCE WORKS	IG INSTALLATION AND REPAIR			
	1	Pipe Wrench	14" Straight cast iron handle; max jaw opening: 65mm (2.55")	1	PC	20
	2	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	20
	3	Pvc Pipe Cutter	PVC pipe cutter; steel handle 1/2"- 2"	1	PC	20
<u>-</u>	4	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	20
	5	Ball Peen Hammer	Forged hard steel, jacketed graphite ballpeen hammer, 16 oz.	1	PC	20
·**	REPAIR I	MAINTENANCE WORKS G TO PLUMBING NC II)	T PLUMBING INSTALLATION AND			20
22	PLASTER	R CONCRETE/MASONRY	SURFACE (Leading to Masonry NC II)	:		
_	1	Pointing Trowel	Steel 8", wooden handle	1	PC	97
	2	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	97
	3	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	97
	4	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	97

Page 4



				-· <u></u> -		
Lot No.	NO.	ITEM	AGENCY SPECS	ατγ	UNIT	No. Of Pax
	5	Siedge Hammer	Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With Wooden Handle.	1	PC	97
	6	Steel Square	Carpenters framing square; 2x16x24", aluminum	1	PC	97
	7	Shovel	Round point steel blade, fiberglass D-grip handle, blade length 11.5", width 8.25", wooden handle length 20"	1	PC	97
	Sub-total,		ASONRY SURFACE (LEADING TO	· · · · · · · · · · · · · · · · · · ·		. 97
23	TILE SET	TING NC II				
	1	Nipper, End Cutter	End nipper Plier 8"	1	PC .	. 95
<del>,</del>	2	Plier	Forged carbon steel, length 8 inches, machined jaws	1	PC	95
	3	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	95
	4	Notched Trowel	Plastering Trowel; carbon steel; plastic handle	1	PC ·	· 95
	5	Spirit Level	Torpedo level; high impact plastic; magnetic; 3 vials; Length 9"	1	PC	95
	6	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC ·	95
	7	Tile Cutter	Pen type, carbide tip, manual 8" length	1	PC	95
	8	Rubber Mallet	16 oz, wooden handle	1	PC	95
	Sub-total,	, TILE SETTING NC II				95
25		and Repair Electronically to Consumer Electronics				
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6(IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano,/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	20
	2	Soldering fron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	20
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	20
			_			

					<u> </u>	
ot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm,5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	í	SET	20
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	20
	Appliances		conically-Controlled Domestic			20
27	DRESSMA	<del></del>	er vicing ivo ii)			
	1		manually operated foot pedal, wooden table with drawers, cast iron stand	1	UNIT	125
	2	Drafting Tools	Tailors square, aluminum 14x24" L shape ruler Hip curve, aluminum 23" length curve ruler	1	SET	125
	3	Cutting Shears	9" length stainless steel cutting blade, plastic handle, for fabric	1	PC	125
	Sub-total,	Sub-total, DRESSMAKING NC II				125
29	HILOT (WELLNESS MASSAGE) NC		II .			
	1	Face Towel	100 % cotton, 12" X 12" preferably white	1	PC	173
	2	Bath Towel	100 % cotton, 27" X 54" preferably white	1	PC	173
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	вох	173
	4	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), pants in garter(adjustable draw string) 1 back pocket, free size preferably blue color.	1	PAIR	173
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	173
	6	Body Lotion	Bottled, 200 ml (hypoallergenic)	1	BOTTLE	173
	7	Aromatic Oil	Bottled, 100 ml, any scent	1	BOTTLE	173
	8	Virgin Coconut Oil	virgin coconut oil 250 ml, any brand	1	BOTTLE	173
	9	Powder	Baby powder, 200 g	1	BOTTLE	173
	10	Rubbing Alcohol (Disinfectant)	250 ml, any brand, 70%	1	BOTTLE	173
	Sub-total,	HILOT (WELLNESS MASS	SAGE) NC II			173
36	PERFORM	HAIRCUTTING SERVICES	S (Leading to Hairdressing NC II)		-	
	1	Hair Blower	220V, 1800W, 60 Hz, hot and cold blower function	1	UNIT	191



Lot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
	2	Cutting Scissors	6" stainless steel with tight regulator screw	1	PC	191
	3	Barber's Scissors	5" stainless steel	1	PC	191
	4	Thinning Scissors	5" Single notched, 23 teeth, stainless steel	1	PC	191
	5	Apron	black with 3 pockets	1	PC	191
	6	Protective Cape	Water proof, nylon, black	1	PC	191
	Sub-total, I	PERFORM HAIR CUTTIN	G SERVICES (Leading to Hairdressing			191
37	PERFORM Hairdressi		CHING SERVICES (Leading to			-
	1	Measuring Cup	Plastic, transparent, 100 ml capacity, equally distributed graduation	1	PC	190
	2	Hand Gloves	washable, medium size, preferably black	1	PAIR	190
	3	Bottle Applicator	Plastic, transparent, 100 ml capacity	1	PC	190
	4	Protective Cape	Water proof, nylon, black	1	PC	190
	5	Oxidizing Solution	set of 3, 6%, 9% and 12%, at 100 ml each bottle	1	SET	190
,	6	Colorants	Paste form, brown (light, medium and dark) and blonde (light, medium and dark), at 100 grams each	6	TUBES	190
	Sub-total, Hairdressi	PERFORM HAIR COLOR			190	
38			RAIGHTENING (Leading to Hairdressing			<u>-</u> .
	1	Hair Straightening Product	straightening solution and neutralizing cream, at 500ml each	1	SET	115
	2	Hair Perming Product	cold wave lotion & neutralizer at 500 ml each	1	SET	115
	3	Applicator Brush	Plastic, black, with comb and tail	1	PC	115
	4	Hand Gloves	washable, medium size, preferably black	1	PAIR	115
	5	Face Mask	disposable earloop face mask, 50 pcs per box	1	вох	115
	6	Bottle Applicator	Plastic, transparent, 100 ml capacity	1	PC	115
	7	Shower Cap	Thick plastic, preferably black, free size	1	PACK	115
	8	Protective Cape	Water proof, nylon, black	1	PC	115
	9	Hair Straightening Iron	220V, 60hz, adjustable heat control	1	PC	115

Lot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax	
	Sub-total, Hairdress		NG AND STRAIGHTENING (Leading to			115	
39	RAC SERV	/ICING DOM/RAC NO II	_		· · · · ·	<u> </u>	
	. 1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6(IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano,/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT .	140	
		Mechanical Manifold Gauge Set	2 valves, number of hoses 3, gauge high side pressure 0-500 PSIG, Gauge tow side pressure 30 In. Hg. to 250 PSIG, for use with R-22, R-134a refrigerants, 1/4 in. vacuum port size, hose length 36", 2500 PSI burst.	1	SET	140	
	3	Electricians Plier	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	140	
	Sub-total,	RAC SERVICING DOM/R	RAC NC II			140	
40	(	SHOOT AND REPAIR TR o Transport RAC Servici	RANSPORT AIRCONDITIONING SYSTEM ing NC II)				
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V internal Battery: R6(IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano,/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	7	
	2	Mechanical Manifold Gauge Set	2 valves, number of hoses 3, gauge high side pressure 0-500 PSIG, Gauge low side pressure 30 In. Hg. to 250 PSIG, for use with R-22, R-134a refrigerants, 1/4 in. vacuum port size, hose length 36", 2500 PSI burst.	1	SET	7	
	3	Electricians Plier	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	7	
	Sub-total.		REPAIR TRANSPORT AIRCONDITIONING AC Servicing NC II)			7	
		Leading to Hansport to	SHIELDED METAL ARC WELDING (SMAW) NC I				
42	SYSTEM		(SMAW) NC I			<u> </u>	
42	SYSTEM		Flip Front Welding Helmet, impact-resistant polypropylene material, adjustable fit, 41/2" x 2" view area	1	PC	275	

		<del></del>			<u> </u>	
Lot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
	Sub-total,	SHIELDED METAL ARC	WELDING (SMAW) NC I			275
43	PROCESS Processin	FOOD BY SALTING, CI				
<del></del>	1	Mixing Bowl	Stainless steel, 8 " diameter, 5 quart capacity	3	PC	137
	2	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	1	UNIT	137
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup	1	SET	137
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ½ tsp	1	SET	137
	5	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	137
	6	Chopping Board	1/2 " x 12 " x 18 "; made of polyethylene material	1	PC	137
	7	Impulse Sealer	8 " long, Adjustable Sealing Control Timer with Ready Light, 220V, 60Hz	1	UNIT	137
· · · · · ·	8	Utility Tray	14"x18", large rectangular tray, aluminum	1	PC	137
		PROCESS FOOD BY S. rocessing NC II)	ALTING, CURING AND SMOKING (Leading			137
46	BREAD M	AKING (Leading to Bre	ad and Pastry Production NC II)			
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell atarm, Temperature Control (100- 250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz	1	PC	190
,,,,	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	190
	3	Measuring Um	Transparent glass .1 cup capacity, measurements are clearly mark in ounce, quarts and millilitres	1	PC	190
	4	Mixing Bowl	Stainless steel, 8 " diameter, 5 quart capacity	1	PC	190
	Sub-total,	BREAD MAKING (Lead	ding to Bread and Pastry Production NC II)			190
47	CAKE MA	KING (Leading to Brea	id and Pastry Production NC II)			1 ,



Lot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100- 250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz	1	PC	105
	2	Muffin Pan	6 holes, 3oz capacity per holes, non-stick	1	PC	105
	3	Mixing Bowl	Stainless steel, 8 " diameter, 5 quart capacity	1	PC	105
	4	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup	1	SET	- 105
	Sub-total	, CAKE MAKING (Leadii	ng to Bread and Pastry Production NC II)			105
48	PASTRY	MAKING (Leading to B	read and Pastry Production NC II)			
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz	1	PC	. 72
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup	1	SET	72
	3	Mixing Bowl	Stainless steel, 8 " diameter, 5 quart capacity	1	PC	72
	4	Muffin Pan	6 holes, 3oz capacity per holes, non-stick	1	PC	72
	Sub-total	, PASTRY MAKING (Lea			72	
49	PREPAR	E AND COOK HOT MEA	LS (Leading to Cookery NC II)			
	1	Frying Pan	10" diameter by 2" high teflon, non-stick, riveted handle	1	PC	195
	2	Mixing Bowl	Stainless steel, 8 " diameter, 5 quart capacity	1	PC	195
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	195
	4	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup	1	SET	195
·	5	Chopping Board	½" x 12 " x 18 "; made of polyethylene material	1	PC	195
	6	Wooden Spoon	6° long, biodegradable, solid birchwood	1	PC .	195
	7	Utility Knife	5" Stain-resistant stainless steel blade with black polymer handle	1	PC	195

		_	<u> </u>			
Lot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
	8	Strainer	8" diameter, single fine mesh, flat wooden handie	1	PC	195
	Sub-total,	PREPARE AND COOK H	OT MEALS (Leading to Cookery NC II)			195
50	PREPARE	COLD MEALS (Leading	to Cookery NC II)			
	1	Frying Pan	10" diameter by 2" high teflon, non-stick, riveted handle	1	PC	197
	2	Mixing Bowl	Stainless steel, 8 " diameter, 5 quart capacity	1	PC	197
	3	Chef's Knife	8*, stainless steel blade with black polymer handle	1	PC	197
	4	Chopping Board	1/2" x 12" x 18"; made of polyethylene - material	1	PC	- 197
	5	Wooden Spoon	6" long, biodegradable, solid birchwood	1	PC	197
	6	Measuring Cups	Stainless steel, 1 set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup	1	SET	197
	Sub-total,	, PREPARE COLD MEALS	(Leading to Cookery NC II)			197
51		CONSUMER ELECTRONIBLY OF SOLAR NIGHTLIG				
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6(IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano./250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	145
	2	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	145
	3	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	145
	4	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	145
	5	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 5 (sizes 10mm, 12mm, 14mm,17mm, 19mm) 7.5 deg offset	1	SET	145
	Sub-total, (ASSEME	, SERVICE CONSUMER E BLY OF SOLAR NIGHTLIG	LECTRONIC PRODUCTS AND SYSTEMS HT AND POST LAMP)			145
	Grand T	otal			<del> </del>	2,839



	· ·		·			
Lot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
5	PERFORM DIESEL/GAS ENGINE TUNE UP (Leading to Automotive					
	Servicing 1		Automatic reverse polarity and overload protection, clamp on inductive pick up,trigger activated, accurate at all speeds, bright xenon bulb, works on 12 volts gas engine.	1	SET	124
_	2	Thickness Gauge	0.0015 in to 0.025in (any brand) 21 pcs blades (3in by 1/2 in blades)	1	PC	124
	3	Spark Plug Wrench (T-Wrench)	socket high quality steel drop or cold press, zinc plated, PVC dipped handle, 16mm	1	PC	124
	4	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 5 (sizes 10mm, 12mm, 14mm,17mm, 19mm) 7.5 deg offset	1	SET	124
	Automotiv	ve Servicing NC I)	NGINE TUNE UP (Leading to			124
8	SERVICE	AUTOMOTIVE BATTERY (L	Leading to Automotive Servicing NC II)			
	1	Battery Load Tester	100-Amp Battery Load Tester, 6V and 12V batteries, shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted rocker switch.	1	PC	10
	2	Hydrometer Tester	1100-1300 Scale Range, designed to test the concentration of the battery acid in non-sealed batteries, graduated specific gravity float, easy to read, color coded hydrometer, precise readings for status of battery cells, tests battery fluid condition	1	PC	10
	3	Soldering Iron	100 watts,220v, 60hz, pencil tip	1	PC	10
	4	Battery Series Connector	Copper plated steel jaw clamps with 2 meters long 10 gauge automotive copper wire, red and black color coded	1	PC	10
	5	Mechanical Pliers	10" chrome plated, Slip-resistant bi- material handle, Two-position, adjustable joint pliers	1	PC	10
	Servicing	NC II)	ATTERY (Leading to Automotive			10
9	SERVICE NCII)	AUTOMOTIVE ELECTRICA	L (Leading to Automotive Servicing			



-	<del>-</del>					
ot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
	1	Battery Load Tester	100-Amp Battery Load Tester, 6V and 12V batteries, shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted rocker switch.	1	PC	73
	2	Soldering Iron	100 watts,220v, 60hz, pencil tip	1	PC	73
	3	Battery Series Connector	Copper plated steel jaw clamps with 2 meters long 10 gauge automotive copper wire, red and black color coded	1	PC	73
	4	Mechanical Pliers	10" chrome plated, Slip-resistant bi- material handle, Two-position, adjustable joint pliers	1	PC	73
	Servicing	NCII)	LECTRICAL (Leading to Automotive			73
10	SERVICE Servicing	ENGINE MECHANICAL CO				
	1	Manual Impact Driver	1/2-Inch Drive Impact Driver Kit, For loosening frozen fasteners using a hammer, Includes two slotted and two Phillips bits size 10mm.	1	ŞET	122
	2	T-Wrench	size 10mm,12mm,14mm, insulated t plug handle; deep hexagonal socket, Overall Size: 290 x 190 x 14mm/ 11.4" x 7.5" x 0.55" (L*W*T)	1	SET	122
	3	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz.	1	PC	122
	4	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Materia! Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET	122
	5	Circlip Pliers	8 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	122
	6	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 5 (sizes 10mm, 12mm, 14mm,17mm, 19mm) 7.5 deg offset	1	SET	122
		SERVICE ENGINE MECHA ve Servicing NC II)	ANICAL COMPONENTS (Leading to			122
11	SERVICE	IGNITION SYSTEM (Leadi	ng to Automotive Servicing NC II)		ļ. <del>_</del>	



1 64 84-						
Lot No.	NO.	ITEM	. AGENCY SPECS	QTY	UNIT	No. Of Pax
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6(IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano,/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	34
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 5 (sizes 10mm, 12mm, 14mm, 17mm, 19mm) 7.5 deg offset	1	SET	34
	3	Thickness Gauge	0.0015 in to 0.025in (any brand) 21 pcs blades (3in by 1/2 in blades)	1	PC	34
	4	Philips Screw Driver	10" shank length (chrome plated) plastic handle, tip:2 X 6mm	1	PC	34
	5	Flat Scew Driver	10" shank length (chrome plated)plastic handle, tip: 1/4" / 6.5mm	1 .	PC	34
		SERVICE IGNITION SYS	TEM (Leading to Automotive Servicing			34
	NCII)	POWER TRAIN COMPON	NENTS (Leading to Automotive Servicing			
12	NC II)					
	1	Manual Impact Driver	1/2-Inch Drive Impact Driver Kit, For loosening frozen fasteners using a hammer, includes two slotted and two Phillips bits size 10mm.	1	SET	10
	2	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz.	1	PC	10
	3	T-Wrench	size 10mm,12mm,14mm, insulated t plug handle; deep hexagonal socket, Overall Size: 290 x 190 x 14mm/ 11.4" x 7.5" x 0.55" (L*W*T)	1	SET	10
	4	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Piastic Holder	1	SET	10
-	5	Circlip Pliers	8 in carbon steel insulated handle detachable tip(combination)internal and external	1	SET	10
		T. C. C. C. C. C. C. C. C. C. C. C. C. C.	· •		1	1



l at Na						-
Lot No.	NO.	ITEM	AGENCY SPECS	QΤΥ	UNIT	No. Of Pax
	Sub-total, Servicing		COMPONENTS (Leading to Automotive			10
14	TEST AND Servicing I	REPAIR WIRING & LIGHT NC II)				
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6(IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano,/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	55
	2	Battery Series Connector	Copper plated steel jaw clamps with 2 meters long 10 gauge automotive copper wire, red and black color coded	1	PC	55
<u></u>	3	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	55
	4	Soldering Iron	100 watts,220v, 60hz, pencil tip	1	PC	55
	5	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	55
		TEST AND REPAIR WIRIN Servicing NC II)	G & LIGHTING SYSTEM (Leading to			55
15	CARPENT					
	1	Cross Cut Saw	Crosscut saw; 8 points per inch; 18 in. length / 450 mm; hardwood handle	1	PC	37
	2	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	37
	3	Chalk Line Reel	Includes Chalk Reel and 4 Oz. Bottle Blue Chalk; High Impact Abs Case On-Board Hook Storage, Stainless-Steel Hook, Sliding Door For Easy Filling, Folding Crank Handle	1	PC	37
	4	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	37
<u></u>	5	Steel Square	Carpenters framing square; 2x16x24", aluminum	1	PC	37
	6	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	37
	7	Sledge Hammer	Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With Wooden Handle	1	PC	37



Lot <b>No</b> .	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
_	8	Wood Chisel	Forged steel blade; 3/4: blade width; plastic handle	1	PC	37
	Sub-total,	CARPENTRY NC II				37
16	CONSTRU	ICTION PAINTING NC II				
	1	Paint Brush, 3/4"	Soft Bristle, ¾", long bristle, wooden handle, stainless steel ferrules	1	PC	10
	2	Paint Brush, 1"	Soft Bristle, 1", long bristle, wooden handle, stainless steel ferrules	1	PC	10
<del></del>	3	Paint Brush, 1.5"	Soft Bristle, 1 1/2", long bristle, wooden handle, stainless steel ferrules	1	PC	10
	4	Paint Brush, 2"	Soft Bristle, 2", long bristle, wooden handle, stainless steel ferrules	1	PC	10
	5	Paint Brush, 2.5"	Soft Bristle, 2 1/2", long bristle, wooden handle, stainless steel ferrules	. 1	PC	10
<u></u>	6	Paint Brush, 3"	Soft Bristle, 3", long bristle, wooden handle, stainless steel ferrules	1	PC	10
<del>-</del>	7	Paint Brush, 4"	Soft Bristle, 4", long bristle, wooden handle, stainless steel ferrules	1	PC	10
	8	Spray Gun, Gravity Feed Type	Professional gravity feed HVLP spray gun with a 1.5 mm fluid tip, 400 ml Aluminum cup, with air regulator; air inlet 1/4"	1	PC	10
	9	Scraper	Hardened, tempered and polished steel blade; plastic handle; blade width: 2 inches; full tang blade	1	PC	10
_	10	Putty Knife	Hardened, tempered and polished steel blade; plastic handle; blade width: 3 inches; full tang blade	1	PC	10
, .	11	Nt Cutter	With Blade Snapper; Thumb-Dial Blade Release; 18 mm blade width	1	PC	10
_	12	Paint Roller, 4"	Paint Roller pure polyester with handle, size:4"	1	PC	10
_	13	Paint Roller, 7"	Paint Roller pure polyester with handle size 7"	1	PC	10
	14	Paint Roller, 9"	Paint Roller pure polyester with handle, size:9"	1	PC	10
	15	Paint Tray	Plastic, size 9"	1	PC	10
	Sub-total	Sub-total, CONSTRUCTION PAINTING NC II				10



Lot No.						
	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
<del></del>	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V internal Battery: R6(IEC) or UM-3 1.5V x 2 internal Fuse: 0.5Ano,/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	10
	2	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm,5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"		SET	10
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1.	PC	10
	4	Diagonal Cutting Piler	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	10
	5	Electricians Plier	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	10
	6	Pull-Push Ruie	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1,	PC	10
		INSTALL WIRING DEVIC o Electrical Installation a	ES/INSTALL LIGHTING SYSTEM and Maintenance NC II)			10
19	MASONRY NC I					
•	1	Pointing Trowel	Steel 8", wooden handle	1	PC	12
	2	Puli-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	12
	3	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	12
	4	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	12
	5	Sledge Hammer	Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With Wooden Handle.	1	PC	12
	6	Steel Square	Carpenters framing square; 2x16x24*, aluminum	1	PC	12
	7	Shovel	Round point steel blade, fiberglass D-grip handle, blade length 11.5", width 8.25", wooden handle length 20"	1	PC	12
			1			1



						ļ
Lot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
20	i	SINGLE UNIT PLUMBING ANCE WORKS	INSTALLATION AND REPAIR		· <b>-</b>	
	1	Pipe Wrench	14" Straight cast iron handle; max jaw opening: 65mm (2.55")	1	PC	10
	2	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	10
	3	Pvc Pipe Cutter	PVC pipe cutter; steel handle 1/2"- 2"	1	PC	10
···········	4	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	10
_	5	Ball Peen Hammer	Forged hard steet; jacketed graphite ballpeen hammer, 16 oz.	1	PC	10
	REPAIR N	PERFORM SINGLE UNIT I MAINTENANCE WORKS IS TO PLUMBING NC II)	PLUMBING INSTALLATION AND			10
21	PIPEFITT	NG NC II				
	1	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz.	1	PC	12
	2	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	12
	3	Pull-Push Rule .	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	12
	4	File	Haff-round, 8",tapered width and thickness, bastard teeth spacing, Plastic handle is slip resistant,	1	PC	12
	5	Adjustable Wrench	12"/ 304.8 mm length, heavy duty chrome vanadium steel, max. Jaw capacity 43.2 mm, head width, 3/4" / 19.1 mm	1	PC	12
	6	Adjustable Combination Square	stainless steel blade, high visibility die cast handle with brass hardware, 12 tn. Length of blade	1	PC	12
	7	C - Clamp	Heavy duty, Machine ground anvils, steel sliding pin handles, bright plated steet swivel, 8 " opening	1	PC	12
	8	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	12
		PIPEFITTING NC II				12
30		W BODY MASSAGE (Leadi			1	
	1	Face Towel	100 % cotton, 12" X 12" preferably white	1	PC	10
	2	Bath Towel	100 % cotton, 27" X 54" preferably white	1	PC	10

ot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	10
	4	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), pants in garter(adjustable draw string) 1 back pocket, free size preferably blue color.	1	PAIR	10
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	10
	6	Body Lotion	Bottled, 200 ml (hypoallergenic)	1	BOTTLE	10
	7	Aromatic Oil	Bottled, 100 ml, any scent	1	BOTTLE	10
	8	Virgin Coconut Oil	virgin coconut oil 250 ml, any brand	<u> :</u>	BOTTLE	10
	9	Powder	Baby Powder, 200 g	1	BOTTLE	10
	10	Rubbing Alcohol (Disinfectant)	250 ml, any brand, 70%	1	BOTTLE	10
			AGE (Leading to Beauty Care NC II)			10
40		SHOOT AND REPAIR TR o Transport RAC Servici	RANSPORT AIRCONDITIONING SYSTEM ing NC II)		:	_
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6(IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano,/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	30
	2	Mechanical Manifold Gauge Set	2 valves, number of hoses 3, gauge high side pressure 0-500 PSIG, Gauge tow side pressure 30 In. Hg. to 250 PSIG, for use with R-22, R-134a refrigerants, 1/4 in. vacuum port size, hose length 36", 2500 PSI burst.	1	SET	30
	3	Electricians Plier	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	30
	1	TROUBLESHOOT AND (Leading to Transport RA	REPAIR TRANSPORT AIRCONDITIONING AC Servicing NC II)			30
42	SHIELDE	METAL ARC WELDING	(SMAW) NC I			
•••	1	Welding Mask	Flip Front Welding Helmet, impact-resistant polypropylene material, adjustable fit, 41/2" x 2" view area	1	PC	214
	2	Portable Welding Machine	Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground.	1	PC	214
	Sub-total,	SHIELDED METAL ARC	WELDING (SMAW) NC I			214
45	PROCESS Processin		NCENTRATION (Leading to Food			



				<del></del>		
Lot No.	NO.	ITEM	AGENCY SPECS	QTY	บทเт	No. Of Pax
	1	Candy Thermometer	8 " long, measures temperatures from 100 to 400 degrees F; glass, pen-type adjustable clip secures thermometer to pan	1	PC	20
·	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup	1	SET	20
	3	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp	1	SET	20
	4	Mixing Bowl	Stainless steel, 8 " diameter, 5 quart capacity	1	PC	20
	5	Casserole	Stainless; 6L capacity; with two grip handle, with cover	1	PC	20
	6	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	20
	7	Rubber Scraper	Rubber head high heat resistant, flexible, 12" long	1	PC	20
	8	Chopping Board	1/2 " x 12 " x 18 "; made of polyethylene material	1	PC	20
	9	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	1	UNIT	20
	•	PROCESS FOODS BY cessing NC II)	•		20	
47	CAKE MA	KING (Leading to Brea	d and Pastry Production NC II)			
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handie, 220V, 60hz	1	PC	8
	2	Muffin Pan	6 holes, 3oz capacity per holes, non-stick	1	PC	8
	3	Mixing Bowl	Stainless steel, 8 " diameter, 5 quart capacity	1	PC	8
	4	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup	1	SET	8
	Sub-total,	CAKE MAKING (Leadi	ng to Bread and Pastry Production NC II)			8
	Grand T	ota!			!	801



gueb

						<u></u> :
Lot No.	NO.	ITEM	AGENCY SPECS	ΩΤΥ	UNIT	No. Of Pax
5		 I DIESEL/GAS ENGINE TI			<del> </del>	
	Servicing 1	Timing Light	Automatic reverse polarity and overload protection, clamp on inductive pick up,trigger activated, accurate at all speeds, bright xenon bulb, works on 12 volts gas engine.	1	SET	45
·	2	Thickness Gauge	0.0015 in to 0.025in (any brand) 21 pcs blades (3in by 1/2 in blades)	1	PC	45
	3	Spark Plug Wrench (T-Wrench)	socket high quality steel drop or cold press, zinc plated, PVC dipped handle, 16mm	1 .	PC	45
	4	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 5 (sizes 10mm, 12mm, 14mm, 17mm, 19mm) 7.5 deg offset	1	SET	45
		PERFORM DIESEL/GAS ve Servicing NC I)	ENGINE TUNE UP (Leading to	<del></del>		45
7	PERFORM UNDERCHASSIS PREVENTIVE MAINTENANCE (Leading to Automotive Servicing NC II)					
	1	Manual Impact Driver	1/2-Inch Drive Impact Driver Kit, For loosening frozen fasteners using a hammer, Includes two slotted and two Phillips bits size 10mm.	1.	SET	12
	2	Pin Punch And Cold Chisel Set	Pin Punch: Pin sizes: 1/8", 3/16", 1/4", carbon steel construction, black oxide finish, knurled handle Cold Chisel: 3 piece set contains 3/8" x 5-9/16", 1/2" x 6" and 5/8" x 6-3/4", high carbon steel	1	SET	12
	3	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz.	1	PC	12
	4	Circlip Pliers	8 in carbon steel insulated handle detachable tip(combination)internal and external	1	SET	12
_	5	Vise Grip	10"chrome plated insulated handle; flat jaw, adjustment 0" to 1 5/8"	1	PC	12
	6	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 5 (sizes 10mm, 12mm, 14mm, 17mm, 19mm) 7.5 deg offset	1	SET	12
	(Leading	Sub-total, PERFORM UNDERCHASSIS PREVENTIVE MAINTENANCE (Leading to Automotive Servicing NC II)				. 12
9	SERVICE NCII)	AUTOMOTIVE ELECTRIC	CAL (Leading to Automotive Servicing			

Lot No.	NO.	ITÉM	AGENCY SPECS	QTY	UNIT	No. Of Pax
	1	Battery Load Tester	100-Amp Battery Load Tester, 6V and 12V batteries, shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted rocker switch.	1	PC	15
	2	Soldering Iron	100 watts,220v, 60hz, pencil tip	1	PC	15
	3	Battery Series Connector	Copper plated steel jaw clamps with 2 meters long 10 gauge automotive copper wire, red and black color coded	1	PC	15
	4	Mechanical Pliers	10" chrome plated, Slip-resistant bi- material handle, Two-position, adjustable joint pliers	1	PC	15
	Sub-total, Servicing		LECTRICAL (Leading to Automotive			15
10	SERVICE Servicing		MPONENTS (Leading to Automotive			
	1	Manual Impact Driver	1/2-Inch Drive Impact Driver Kit, For loosening frozen fasteners using a hammer, Includes two slotted and two Phillips bits size 10mm.	1	SET	45
	2	T-Wrench	size 10mm,12mm,14mm, insulated t plug handle; deep hexagonal socket, Overall Size: 290 x 190 x 14mm/ 11.4" x 7.5" x 0.55" (L*W*T)	1	SET	45
	3	Ball Peen Hammer	Forged hard steel; jacketed graphite balipeen hammer, 16 oz.	1	PC	45
	4	Alien Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET	45
	5	Circlip Pliers	8 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	45
	6	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 5 (sizes 10mm, 12mm, 14mm,17mm, 19mm) 7.5 deg offset	1	SET	45
	Cub total	DEDICOS ENOUS MEAN	ANICAL COMPONENTS (Leading to	· .	<u> </u>	

qued 1

Lot No.	NO.	ITÉM	AGENCY SPECS	QTY	UNIT	No. Of Pax
14	TEST AND Servicing		ING SYSTEM (Leading to Automotive			
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6(IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano,/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	38
	2	Battery Series Connector	Copper plated steel jaw clamps with 2 meters long 10 gauge automotive copper wire, red and black color coded	1	PC	38
· <del>-</del>	3	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	38
	4	Soldering Iron	100 watts,220v, 60hz, pencil tip	1	PC	38
	5	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	38
	Automotiv	ve Servicing NC II)	G & LIGHTING SYSTEM (Leading to			38
15	CARPENT		Constant Series - sinch 40 in		70	
	1	Cross Cut Saw	Crosscut saw; 8 points per inch; 18 in. length / 450 mm; hardwood handle	1	PC	71
•	2	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	71
	3	Chalk Line Reel	includes Chalk Reel and 4 Oz. Bottle Blue Chalk; High Impact Abs Case On-Board Hook Storage, Stainless-Steel Hook, Sliding Door For Easy Filling, Folding Crank Handle	1	PC	71
·	4	Pull-Push Rule	Blade length 8m/26ft Blade width 1* High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	71
	5	Steel Square	Carpenters framing square; 2x16x24", aluminum	1	PC	71
	6	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	71
	7	Sledge Hammer	Forged High-Carbon Steel Head; 4 Lbs.	1	PC	71



Lot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
<u> </u>	8	Wood Chisel	Forged steel blade; 3/4: blade width; plastic handle	1	PC	71
	Sub-total,	CARPENTRY NC II				71
16	CONSTR	JCTION PAINTING NC II		•		
	1	Paint Brush, 3/4"	Soft Bristle, ¾", long bristle, wooden handle, stainless steel ferrules	1	PĊ	100
•-	2	Paint Brush, 1"	Soft Bristle, 1", long bristle, wooden handle, stainless steel ferrules	1	PC .	100
	3	Paint Brush, 1.5"	Soft Bristle, 1 1/2", long bristle, wooden handle, stainless steel ferrules	1	PC .	100
	4	Paint Brush, 2"	Soft Bristle, 2", long bristle, wooden handle, stainless steel ferrules	1	PC	100
	5	Paint Brush, 2.5"	Soft Bristle, 2 1/2", long bristle, wooden handle, stainless steet ferrules	1	PC	100
	6	Paint Brush, 3"	Soft Bristle, 3", long bristle, wooden handle, stainless steel ferrules	1	PC .	100
	7	Paint Brush, 4"	Soft Bristle, 4", long bristle, wooden handle, stainless steel femules	1	PC	100
	8	Spray Gun, Gravity Feed Type	Professional gravity feed HVLP spray gun with a 1.5 mm fluid tip, 400 ml Aluminum cup, with air regulator; air inlet 1/4"	1	PC	100
<del></del>	9	Scraper	Hardened, tempered and polished steet blade; plastic handle; blade width: 2 inches; full tang blade	1	PC	100
	10	Putty Knife	Hardened, tempered and polished steel blade; plastic handle; blade width: 3 inches; full tang blade	1	PC	100
	11	Nt Cutter	With Blade Snapper, Thumb-Dial Blade Release; 18 mm blade width	1	PC	100
	12	Paint Roller, 4"	Paint Roller pure polyester with handle, size:4"	1	PC	100
	13	Paint Roller, 7"	Paint Roller pure polyester with handle size 7"	1	PC	100
· · ·	14	Paint Roller, 9"	Paint Roller pure polyester with handle, size:9"	1	PC	100
	15	Paint Tray	Plastic, size 9"	1	PC	100
		CONSTRUCTION PAINTIN	G NC II LIGHTING SYSTEM (Leading to			100



Lot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
,	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6(IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano,/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	115
	2	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm,5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	115
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	115
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	115
	5	Electricians Plier	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	115
<del> </del>	6	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1 .	PC	115
·	1 '	INSTALL WIRING DEVIC to Electrical Installation a	ES/INSTALL LIGHTING SYSTEM and Maintenance NC II)			115
20	PERFORM SINGLE UNIT PLUMBING INSTALLATION AND REPAIR MAINTENANCE WORKS					
	1	Pipe Wrench	14" Straight cast iron handle; max jaw opening: 65mm (2.55")	1	PC	46
	2	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	46
	3	Pvc Pipe Cutter	PVC pipe cutter; steel handle 1/2"- 2"	1	PC	46
	4	Puli-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	46
	5	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz.	1	PC	46
	REPAIR M	PERFORM SINGLE UNIT IAINTENANCE WORKS IS TO PLUMBING NC II)	PLUMBING INSTALLATION AND			46
21	PIPEFITTI				<del>                                     </del>	
	1	Ball Peen Hammer	Forged hard steet, jacketed graphite ballpeen hammer, 16 oz.	1	PC	48
	2	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	48



Lot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	48
	4	File	Half-round, 8",tapered width and thickness, bastard teeth spacing, Ptastic handle is slip resistant,	1	PC	48
<u> </u>	5	Adjustable Wrench	12"/ 304.8 mm length, heavy duty chrome vanadium steel, max. Jaw capacity 43.2 mm, head width, 3/4" / 19.1 mm	1	PC	48
	6	Adjustable Combination Square	stainless steel blade, high visibility die cast handle with brass hardware, 12 tn. Length of blade	1	PĈ -	48
	7	C - Clamp	Heavy duty, Machine ground anvils, steel sliding pin handles, bright plated steel swivel, 8 " opening	1	PC	48
	8	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	48
	Sub-total,	PIPEFITTING NC II				48
23	TILE SET	TING NC II				
	1	Nipper, End Cutter	End nipper Plier 8"	1	PC	147
	2	Plier	Forged carbon steel, length 8 inches, machined jaws	1	PC	147
	3	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	147
	4	Notched Trowel	Plastering Trowel; carbon steel; plastic handle	1	PC	147
	5	Spirit Level	Torpedo level; high impact plastic; magnetic; 3 vials; Length 9"	1	PC	147
	6	Puli-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	147
	7	Tile Cutter	Pen type, carbide tip, manual 8" length	1	PC	147
	8	Rubber Mallet	16 oz, wooden handle	1	PC	147
	Sub-total,	TILE SETTING NC II		-		147
26	MAINTAIN Electronic		PHONES (Leading to Consumer			
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V internal Battery: R6(IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano,/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	25



Lot No.	NO.	ITEM	AGENCY SPECS	QTY	TINU	No. Of Pax
	2	Hot Air Soldering Tool	Watt Hot Air Input Voltage: 220VAC +/-10% , 60 Hz Power Consumption with soldering iron	1	PC	25
•	3	Precision	30 in 1 screwdriver set, Made of vanadium steel	1	SET	25
		MAINTAIN AND REPAIR C Electronics NC II)	ELLULAR PHONES (Leading to			25
27	DRESSMA	KING NC II				
	1	Ordinary Sewing Machine	manually operated foot pedal, wooden table with drawers, cast iron stand	1	UNIT	97
	2	Drafting Tools	Tailors square, aluminum 14x24" L shape ruler Hip curve, aluminum 23" length curve ruler	1 .	SET	97
<u></u>	3	Cutting Shears	9" length stainless steel cutting blade, plastic handle, for fabric	1	PC	97
	Sub-total,	DRESSMAKING NC II	·			97
29	HILOT (WI	ELLNESS MASSAGE) NC 1	<u> </u>			
	1	Face Towel	100 % cotton, 12" X 12" preferably white	1	PC	245
	2	Bath Towel	100 % cotton, 27" X 54" preferably white	1	PC	245
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	245
	4	Scrub Şuit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), pants in garter(adjustable draw string) 1 back pocket, free size preferably blue color.	1	PAIR	245
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	245
	6	Body Lotion	Bottled, 200 ml (hypoallergenic)	1	BOTTLE	245
	7	Aromatic Oil	Bottled, 100 ml, any scent	1	BOTTLE	245
	8	Virgin Coconut Oil	virgin coconut oil 250 ml, any brand	1	BOTTLE	245
	9	Powder	Baby powder, 200 g	1	BOTTLE	245
	10	Rubbing Alcohol (Disinfectant)	250 ml, any brand, 70%	1	BOTTLE	245
	Sub-total,	HILOT (WELLNESS MASS	AGE) NC II			245
42		METAL ARC WELDING (S	·		<del> </del>	240
<u> </u>	1	Welding Mask	Flip Front Welding Helmet, impact-resistant polypropylene material, adjustable fit, 41/2" x 2" view area	1	PC	230
	2	Portable Welding Machine	Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground.	1	PC	230
		SHIELDED METAL ARC W		_		230
46	BREAD MA	AKING (Leading to Bread	and Pastry Production NC II)	<u> </u>	-	



		•			ļ	
Lot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Ename! Bake Tray, Wire Rack, Tray Handle, 220V, 60hz	1	PC	49
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	49
	3	Measuring Um	Transparent glass ,1 cup capacity, measurements are clearly mark in ounce, quarts and millilitres	1	PC	49
	4	Mixing Bowl	Stainless steel, 8 " diameter, 5 quart capacity	1	PC	49
	•		ding to Bread and Pastry Production NC II)			49
49	IPREPAR					1
			LS (Leading to Cookery NC II)			
	1	Frying Pan	10" diameter by 2" high teflon, non-stick, riveted handle	1	PC	72
			10" diameter by 2" high teflon, non-stick,	1	PC PC	72
	1	Frying Pan	10" diameter by 2" high teflon, non-stick, riveted handle  Stainless steel, 8 " diameter, 5 quart			
	2	Frying Pan Mixing Bowl	10" diameter by 2" high teflon, non-stick, riveted handle  Stainless steel, 8 " diameter, 5 quart capacity  8", stainless steel blade with black polymer	1	PC	72
	2 3	Frying Pan  Mixing Bowl  Chef's Knife	10" diameter by 2" high teflon, non-stick, riveted handle  Stainless steel, 8 " diameter, 5 quart capacity  8", stainless steel blade with black polymer handle  Stainless steel, 1 set (1 cup, ½ cup, 1/3	1	PC PC	72
	1 2 3 4	Frying Pan  Mixing Bowl  Chef's Knife  Measuring Cups	10" diameter by 2" high teflon, non-stick, riveted handle  Stainless steel, 8 " diameter, 5 quart capacity  8", stainless steel blade with black polymer handle  Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup  ½ " x 12 " x 18 "; made of polyethylene	1 1	PC PC SET	72 72 72
	1 2 3 4 5 5	Frying Pan  Mixing Bowl  Chef's Knife  Measuring Cups  Chopping Board	10" diameter by 2" high teflon, non-stick, riveted handle  Stainless steel, 8 " diameter, 5 quart capacity  8", stainless steel blade with black polymer handle  Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup  ½ " x 12 " x 18 "; made of polyethylene material  6" long, biodegradable, solid birchwood  5" Stain-resistant stainless steel blade with black polymer handle	1 1 1	PC PC SET	72 72 72 72
	1 2 3 4 5	Frying Pan  Mixing Bowl  Chef's Knife  Measuring Cups  Chopping Board  Wooden Spoon	10" diameter by 2" high teflon, non-stick, riveted handle  Stainless steel, 8 " diameter, 5 quart capacity  8", stainless steel blade with black polymer handle  Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup  ½ " x 12 " x 18 "; made of polyethylene material  6" long, biodegradable, solid birchwood  5" Stain-resistant stainless steel blade with	1 1 1	PC PC SET PC PC	72 72 72 72 72
	1 2 3 4 5 6 7 8	Frying Pan  Mixing Bowl  Chef's Knife  Measuring Cups  Chopping Board  Wooden Spoon  Utility Knife  Strainer	10" diameter by 2" high teflon, non-stick, riveted handle  Stainless steel, 8 " diameter, 5 quart capacity  8", stainless steel blade with black polymer handle  Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ½ cup  ½ " x 12 " x 18 "; made of polyethylene material  6" long, biodegradable, solid birchwood  5" Stain-resistant stainless steel blade with black polymer handle  8" diameter, single fine mesh, flat wooden	1 1 1 1	PC PC PC PC	72 72 72 72 72 72



Lot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
42	SHIELDE	D METAL ARC WELDING	· · · · · · · · · · · · · · · · · · ·			
_	1	Welding Mask	Flip Front Welding Helmet, impact- resistant polypropylene material, adjustable fit, 41/2" x 2" view area	1	PC	12
	2	Portable Welding Machine	Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground.	1	PC	12
	Sub-total, SHIELDED METAL ARC WELDING (SMAW) NC I					12
	Grand T	otal				12



	<del></del>				,	
Lot No.	NO.	ПЕМ	AGENCY SPECS	QTY	UNIT	No. Of Pax
	PRODUCE	ORGANIC VEGETABLE	(Leading to Organic Agriculture		<b>—</b>	
1	Production	n NC II)				
	1	Steel Rake	14 tine made of steel; hardwood handle	1	PC	20
	.2	Sprayer	Knapsack type (16 litres cap) stainless tank and steel lance manual type with cone nozzles and fan nozzles	1	UNIT	20
	3	Shovel	Round point steel blade; fiberglass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	20
	4	Pruning Shear	Stainless steel blade, fiber glass handle, blade cutting type by- pass, 8 " total length	1	PC	20
	5	Sprinkler	2 gallon capacity, heavy duty plastic	1	PC	20
		PRODUCE ORGANIC VI e Production NC II)	EGETABLE (Leading to Organic			20
31	PERFORM	<u> </u>	ding to Beauty Care NC II)			
	1	Astringent	125 ml, deep cleansing, hypoallergenic	1	BOTTLE	20
	2	Błusher	pink and bronze shade, 4grams each	2	PC	20
· ·	3	Eye Brow Pencils	Pencil, 1 brown and 1 black, 4" each	2	PC	20
	4	Eye Liner	Pencil, 1 brown and 1 black, 4" each	2	PC	20
	5	Eye Shadow	8 palette, earth colors, matte finish	1	PC	20
	6	Eyebrow Tweezer	stainless steel, scissor type	1	PC	20
	7	Eyelash Curler	stainless steel, scissor type	1	PC	20
	8	Face Mask	disposable earloop face mask, 50 pcs per box	1	PACK	20
	9	Make-Up Sponge	round, powder puff sponge	1	PC	20
	10	Foundation	Liquid, 30 ml, natural shade	1	BOTTLE	20
	11	Head Band	3"x23" cotton fabric with snap tape	1	PC	20
	12	Lipstick	matte finish, red and coral pink	2	PC	20
•	13	Make Up Brush Set	wooden handle, soft bristle, set of 5pcs (lip brush, angle eye brush, powder brush, eye shadow brush, angle blusher brush)	1	SET	20
	14	Mascara	black, water proof, 7g	1	PC	20
	15	Pressed Powder	natural shade, matte finish	. 1	PC	20
	Sub-total,	PERFORM FACIAL MAI	KE-UP (Leading to Beauty Care NC II)	·		20
42	SHIELDE	METAL ARC WELDING	(SMAW) NC I	<del></del>		
	1	Welding Mask	Flip Front Welding Heimet, impact-resistant polypropylene material, adjustable fit, 41/2" x 2" view area	1	PC	20
	2	Portable Welding Machine	Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground.	1	PC	20
	·	<u></u>	Page 1	<del></del>	<u></u>	

Lot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
_	Sub-total, S	SHIELDED METAL ARC W	ELDING (SMAW) NC I			20
	Grand Tot	tal			<u> </u>	60

7 gural

Lot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
5	PERFORM Servicing		UNE UP (Leading to Automotive			
	1	Timing Light	Automatic reverse polarity and overload protection, clamp on inductive pick up,trigger activated, accurate at all speeds, bright xenon bulb, works on 12 volts gas engine.	1	SET	25
	2	Thickness Gauge	0.0015 in to 0.025in (any brand) 21 pcs blades (3in by 1/2 in blades)	1	PC	25
	3	Spark Plug Wrench (T-Wrench)	socket high quality steel drop or cold press, zinc plated, PVC dipped handle, 16mm	1	PC	25
<u></u>	4	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 5 (sizes 10mm, 12mm, 14mm, 17mm, 19mm) 7.5 deg offset	1	SET	25
		PERFORM DIESEL/GAS	ENGINE TUNE UP (Leading to			25
7		UNDERCHASSIS PREV	ENTIVE MAINTENANCE (Leading to			
	1	Manual Impact Driver	1/2-Inch Drive Impact Driver Kit, For loosening frozen fasteners using a hammer, Includes two slotted and two Phillips bits size 10mm.	1	SET	30
	2	Pin Punch And Cold Chisel Set	Pin Punch: Pin sizes: 1/8", 3/16", 1/4", carbon steel construction, black oxide finish, knurled handle Cold Chisel: 3 piece set contains 3/8" x 5-9/16", 1/2" x 6" and 5/8" x 6-3/4", high carbon steel	1	SET	30
	3	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz.	1	PC	30
	4	Circlip Pliers	8 in carbon steel insulated handle detachable tip(combination)internal and external	1	SET	30
	5	Vise Grip	10"chrome plated insulated handle; flat jaw, adjustment 0" to 1 5/8"	1	PC	30
	6	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 5 (sizes 10mm, 12mm, 14mm,17mm, 19mm) 7.5 deg offset	1	SET	30
	(Leading	to Automotive Servicing				30
8	SERVICE	AUTOMOTIVE BATTERY	(Leading to Automotive Servicing NC II)			



	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
	1	Battery Load Tester	100-Amp Battery Load Tester, 6V and 12V batteries, shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery	1	PC	26
<u></u>	2	Hydrometer Tester	clamps and a top-mounted rocker switch 1100-1300 Scale Range, designed to test the concentration of the battery acid in non-sealed batteries, graduated specific gravity float, easy to read, color coded hydrometer, precise readings for status of battery cells, tests battery fluid condition	1	PC	26
	3	Soldering Iron	100 watts,220v, 60hz, pencil tip	1	PC	26
_	4	Battery Series Connector	Copper plated steel jaw clamps with 2 meters long 10 gauge automotive copper wire, red and black color coded	1	PC	26
	5	Mechanical Pliers	10" chrome plated, Slip-resistant bi- material handle, Two-position, adjustable joint pliers	1	PC	24
	Sub-total, Servicing		ATTERY (Leading to Automotive		<del>                                     </del>	2
9	<del></del>	AUTOMOTIVE ELECTRICA				
	1	Battery Load Tester	100-Amp Battery Load Tester, 6V and 12V batteries, shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted rocker switch.	1	PC	4
	2	Soldering Iron	100 watts,220v, 60hz, pencil tip	1	PC	4
	3	Battery Series Connector	Copper plated steel jaw clamps with 2 meters long 10 gauge automotive copper wire, red and black color coded	1	PC	4
			110" abrown ploted Clip registers bi		PC	4
	4	Mechanical Pliers	10" chrome plated, Slip-resistant bi- material handle, Two-position, adjustable joint pliers	,		

7 gard

	<u> </u>				<u></u>	<u> </u>
Lot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
<u>.</u>	1	Manual Impact Driver	1/2-Inch Drive Impact Driver Kit, For loosening frozen fasteners using a hammer, lincludes two slotted and two Phillips bits size 10mm.	1	SET	45
•	2	T-Wrench	size 10mm,12mm,14mm, insulated t plug handle; deep hexagonal socket, Overall Size: 290 x 190 x 14mm/ 11.4" x 7.5" x 0.55" (L*W*T)	1	SET	45
· -	3	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz.	1	PC	45
	4	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET	45
	5	Circlip Pliers	8 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	45
	6	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 5 (sizes 10mm, 12mm, 14mm, 17mm, 19mm) 7.5 deg offset	1	SET	45
	1 *	SERVICE ENGINE MECHA e Servicing NC II)	NICAL COMPONENTS (Leading to			45
14	TEST AND		ING SYSTEM (Leading to Automotive			
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6(IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano,/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIŤ	25
	2	Battery Series Connector	Copper plated steel jaw clamps with 2 meters long 10 gauge automotive copper wire, red and black color coded	1	PC	25
	3	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	25
	4	Soldering Iron	100 watts,220v, 60hz, pencil tip	1	PC	25
	5	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	25

Lot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
	1	-total, TEST AND REPAIR WIRING & LIGHTING SYSTEM (Leading to				25
	Automotive Servicing NC II)					
18	INSTALL WIRING DEVICES/INSTALL LIGHTING SYSTEM (Leading to Electrical Installation and Maintenance NC II)					
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6(IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano,/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	63
	2	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm,5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	63
· -	3	Long Nose Pliers	Overalt Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	63
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	63
	5	Electricians Plier	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	63
	6	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	63
	Sub-total, INSTALL WIRING DEVICES/INSTALL LIGHTING SYSTEM (Leading to Electrical Installation and Maintenance NC II)					63
20	PERFORM SINGLE UNIT PLUMBING INSTALLATION AND REPAIR MAINTENANCE WORKS					
	1	Pipe Wrench	14" Straight cast iron handle; max jaw opening: 65mm (2.55")	1	PC	39
	2	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	39
	3	Pvc Pipe Cutter	PVC pipe cutter; steel handle 1/2"- 2"	1	PC	39
	4	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	39
	5	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz.	1	PC	39
	Sub-total, PERFORM SINGLE UNIT PLUMBING INSTALLATION AND REPAIR MAINTENANCE WORKS (LEADING TO PLUMBING NC II)					39



## SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) STARTER TOOLKITS PRICE DERIVATION for FY 2016 - PHASE II TESDA Region X - P. Chavez-Jupiter Street, Macasandig Cagayan de Oro

_ot No.	NO.	IYEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
25		nd Repair Electronically-Co o Consumer Electronics Se	ontrolled Domestic Appliances ervicing NC II)			
	1		Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6(IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano,/250V/5.2mm dia, X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	15
	2	Soldering-Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	· 1
	3	Long Nose Pliers	Overali Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	15
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	_11
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm,5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	1;
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	1
. <u>.</u>	Sub-total, Maintain and Repair Electronically-Controlled Domestic Appliances (Leading to Consumer Electronics Servicing NC II)					11
27	DRESSM/	AKING NC II Ordinary Sewing Machine	manually operated foot pedal, wooden table with drawers, cast iron stand	1	UNIT	8
	2	Drafting Tools	Taitors square, aluminum 14x24" L shape ruler Hip curve, aluminum 23" length curve ruler	1	SET	8
	3	Cutting Shears	9" length stainless steel cutting blade, plastic handle, for fabric	1	PC	8
	Sub-total,	DRESSMAKING NC II				8
40		SHOOT AND REPAIR TRA to Transport RAC Servicing	NSPORT AIRCONDITIONING SYSTEM g NC II)			



### STARTER TOOLKITS PRICE DERIVATION for FY 2016 - PHASE II TESDA Region X - P. Chavez-Jupiter Street, Macasandig Cagayan de Oro

		_				
Lot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6(IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano,/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	30
	2	Mechanical Manifold Gauge Set	2 valves, number of hoses 3, gauge high side pressure 0-500 PSIG, Gauge low side pressure 30 ln. Hg. to 250 PSIG, for use with R-22, R-134a refrigerants, 1/4 in. vacuum port size, hose length 36", 2500 PSI burst.	1	SET	30
	3	Electricians Plier	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	30
		TROUBLESHOOT AND I Leading to Transport RA			30	
41	1	AND MAINTAIN TRANSI ort RAC Servicing NC II)	PORT AIRCONDITIONING UNIT (Leading			
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6(IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano,/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	. 1	UNIT	30
	2	Mechanical Manifold Gauge Set	2 valves, number of hoses 3, gauge high side pressure 0-500 PSIG, Gauge low side pressure 30 In. Hg. to 250 PSIG, for use with R-22, R-134a refrigerants, 1/4 in. vacuum port size, hose length 36", 2500 PSI burst.	1	SET	30
	3	Electricians Plier	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	30
	(Leading t	o Transport RAC Servic				30
42	SHIELDED	METAL ARC WELDING	· · · · · · · · · · · · · · · · · · ·	_		
	1	Welding Mask	Flip Front Welding Helmet, impact-resistant polypropylene material, adjustable fit, 41/2" x 2" view area	1	PC	165
	2	Portable Welding Machine	Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground.	1	PC	165
	Sub-total,	SHIELDED METAL ARC	WELDING (SMAW) NC I			165
43		FOOD BY SALTING, CU	JRING AND SMOKING (Leading to Food			<del> </del>
**,.*	1	Mixing Bowl	Stainless steel, 8 " diameter, 5 quart capacity	3	PC	13



## SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) STARTER TOOLKITS PRICE DERIVATION for FY 2016 - PHASE II TESDA Region X - P. Chavez-Jupiter Street, Macasandig Cagayan de Oro

Lot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
	2	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	1	UNIT	13
•	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, 1/4 cup	1	SET	13
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, 1/2 tsp, 1/4 tsp	1	SET	13
	5	Chef's Knife	8*, stainless steel blade with black polymer handle	1	PC	13
-	6	Chopping Board	1/2 " x 12 " x 18 "; made of polyethylene material	1	PC	13
·	7	Impulse Sealer	8 " long, Adjustable Sealing Control Timer with Ready Light, 220V, 60Hz	1	UNIT	13
	8	Utility Tray	14"x18", large rectangular tray, aluminum	1	PC	13
· · ·	1	PROCESS FOOD BY Sa rocessing NC II)	ALTING, CURING AND SMOKING (Leading			13
46	BREAD M	AKING (Leading to Bre				
		Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz	1	PC	48
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	48
	3	Measuring Urn	Transparent glass ,1 cup capacity, measurements are clearly mark in ounce, quarts and millilitres	1	PC	48
	4	Mixing Bowl	Stainless steel, 8 " diameter, 5 quart capacity	1	PC	48
	Sub-total,	BREAD MAKING (Lead	ling to Bread and Pastry Production NC II)			48
47	CAKE MA	KING (Leading to Brea	d and Pastry Production NC II)			1
_	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz	1	PC	46
	2	Muffin Pan	6 holes, 3oz capacity per holes, non-stick	1	PC	46
<u> </u>	3	Mixing Bowl	Stainless steel, 8 " diameter, 5 quart capacity	1	PC	46



#### SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) STARTER TOOLKITS PRICE DERIVATION for FY 2016 - PHASE II TESDA Region X - P. Chavez-Jupiter Street, Macasandig Cagayan de Oro

Lot No.				·		
	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
	4	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ½ cup	1	ŞET	46
	Sub-total,	CAKE MAKING (Leadi	ng to Bread and Pastry Production NC II)			46
48	PASTRY	MAKING (Leading to B	read and Pastry Production NC II)			<del></del>
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz	1	PC	66
_	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup	1	SET	66
	3	Mixing Bowl	Stainless steel, 8 " diameter, 5 quart capacity	1	PC	66
	4	Muffin Pan	6 holes, 3oz capacity per holes, non-stick	1	PC	66
	Sub-total,	PASTRY MAKING (Lea	ading to Bread and Pastry Production NC			66
49	PREPARI	AND COOK HOT MEA	LS (Leading to Cookery NC II)			
	1	Frying Pan	10" diameter by 2" high teflon, non-stick, riveted handle	1	PC	72
	-				i	
	2	Mixing Bowl	Stainless steel, 8 * diameter, 5 quart capacity	1	PC	72
	3	Mixing Bowl Chef's Knife		1	PC PC	
			8*, stainless steel blade with black polymer			72
	3	Chef's Knife	capacity  8°, stainless steel blade with black polymer handle  Stainless steel, 1 set (1 cup, ½ cup, 1/3	1	PC	72
	3	Chef's Knife  Measuring Cups	capacity  8", stainless steel blade with black polymer handle  Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup  ½ " x 12 " x 18 "; made of polyethylene	1	PC SET	72
	3 4	Cher's Knife  Measuring Cups  Chopping Board	capacity  8*, stainless steel blade with black polymer handle  Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup  ½ " x 12 " x 18 "; made of polyethylene material  6" long, biodegradable, solid birchwood  5" Stain-resistant stainless steel blade with black polymer handle	1 1	PC SET PC	72 72 72 72
	3 4 5	Chef's Knife  Measuring Cups  Chopping Board  Wooden Spoon	capacity  8*, stainless steel blade with black polymer handle  Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ½ cup  ½ " x 12 " x 18 "; made of polyethylene material  6" long, biodegradable, solid birchwood  5" Stain-resistant stainless steel blade with	1 1 1	PC SET PC PC	72 72 72 72 72
	3 4 5 6 7 8	Chef's Knife  Measuring Cups  Chopping Board  Wooden Spoon  Utility Knife  Strainer	capacity  8*, stainless steel blade with black polymer handle  Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ½ cup  ½ " x 12 " x 18 "; made of polyethylene material  6" long, biodegradable, solid birchwood  5" Stain-resistant stainless steel blade with black polymer handle  8" diameter, single fine mesh, flat wooden	1 1 1 1	PC SET PC PC	72 72 72 72 72 72 72 72





## SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) STARTER TOOLKITS PRICE DERIVATION for FY 2016 - PHASE II TESDA Region XI - 616 Int. 2 Rimas St., Aquino Subd., J.P Laurel Avenue, Davao

City

			City		<del></del>	<del></del>
Lot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
4	RAISE SV	VINE (Leading to Animal P	roduction NC II)			
	1	Ear Notcher	Small V-shape blade; stainless	1	PC	20
	2	Reusable Veterinary Syringe	Plastic/fiberglass hypodermic adjustable syringe with engraved volume indication on barrel; 10 ml capacity	1	PC	20
	3	Tooth Nipper	Diagonal cutting blade, stainless steel	1	PC	20
	. 4	Veterinary Injection Needle	18 G X 1" long hypodermic needle (12pcs/box)	1	BOX	20
	5	Veterinary Injection Needle	16 G X 1" long hypodermic needle (12pcs/box)	1	BOX	20
	6	Reusable Pig Catheter	Pig spiral tip Artificial Insemination (A.I.) Catheter; orange colored rubberized; 18 " long	1	PC	20
	7	Forcep	Stainless 5.5° long, straight kelly forcep	1	PC	20
	Sub-total,	RAISE SWINE (Leading t	o Animal Production NC II)			20
5	PERFORM Servicing		JNE UP (Leading to Automotive			
	1	Timing Light	Automatic reverse polarity and overload protection, clamp on inductive pick up,trigger activated, accurate at all speeds, bright xenon bulb, works on 12 volts gas engine.	1	SET	115
	2	Thickness Gauge	0.0015 in to 0.025in (any brand) 21 pcs blades (3in by 1/2 in blades)	1	PC	115
	3	Spark Plug Wrench (T-Wrench)	socket high quality steel drop or cold press, zinc plated, PVC dipped handle, 16mm	1	PC	115
	4	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 5 (sizes 10mm, 12mm, 14mm, 17mm, 19mm) 7.5 deg offset	1	SET	115
·- <u>-</u>	1 '	PERFORM DIESEL/GAS ve Servicing NC I)	ENGINE TUNE UP (Leading to			115
9	SERVICE NCII)	AUTOMOTIVE ELECTRIC	AL (Leading to Automotive Servicing	_ <u></u>		
	1	Battery Load Tester	100-Amp Battery Load Tester, 6V and 12V batteries, shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted rocker switch.	1	PC	10
	2	Soldering Iron	100 watts,220v, 60hz, pencil tip	1	PC	10

ato ato

#### STARTER TOOLKITS PRICE DERIVATION for FY 2016 - PHASE II

TESDA Region XI - 616 Int. 2 Rimas St., Aquino Subd., J.P Laurel Avenue, Davao City

		<del></del>			1
NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
3	Battery Series Connector	Copper plated steel jaw clamps with 2 meters long 10 gauge automotive copper wire, red and black color coded	1	PC	10
4	Mechanical Pliers	10" chrome plated, Slip-resistant bi- material handle, Two-position, adjustable joint pliers	1	PC	10
		LECTRICAL (Leading to Automotive			10
		MPONENTS (Leading to Automotive			
1	Manual Impact Driver	1/2-inch Drive Impact Driver Kit, For loosening frozen fasteners using a hammer, Includes two slotted and two Phillips bits size 10mm.	1	SET	16
2	T-Wrench	size 10mm,12mm,14mm, insulated t plug handle; deep hexagonal socket, Overall Size: 290 x 190 x 14mm/ 11.4" x 7.5" x 0.55" (L*W*T)	1	SET	16
3	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz.	1	PC	16
4	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, includes Molded Plastic Holder	1	SET	16
5	Circlip Pliers	8 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	16
6	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 5 (sizes 10mm, 12mm, 14mm,17mm, 19mm) 7.5 deg offset	1	SET	16
1		ANICAL COMPONENTS (Leading to			16
CARPENT	RY NC II				
1	Cross Cut Saw	Crosscut saw; 8 points per inch; 18 in. length / 450 mm; hardwood handle	1	PC	49
2	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	49
	3 4 Sub-total, Servicing I SERVICE E Servicing I 1 2 3 4 Sub-total, Automotiv CARPENT 1	3 Battery Series Connector  4 Mechanical Pliers  Sub-total, SERVICE AUTOMOTIVE E. Servicing NCII)  SERVICE ENGINE MECHANICAL CO Servicing NC II)  1 Manual Impact Driver  2 T-Wrench  3 Ball Peen Hammer  4 Allen Wrench Set  5 Circlip Pliers  6 Combination Wrench (Open And Box End)  Sub-total, SERVICE ENGINE MECHA Automotive Servicing NC II)  CARPENTRY NC II  1 Cross Cut Saw	3 Battery Series Connector Copper plated steel jaw ctamps with 2 meters long 10 gauge automotive copper wire, red and black color coded  4 Mechanical Pliers 10" chrome plated, Slip-resistant bimaterial handle, Two-position, adjustable joint pliers  Sub-total, SERVICE AUTOMOTIVE ELECTRICAL (Leading to Automotive Servicing NCII)  1 Manual Impact Driver 1/2-Inch Drive Impact Driver Kit, For loosening frozen fasteners using a hammer, Includes two slotted and two Phillips bits size 10mm.  2 T-Wrench Size 10mm, 12mm, 14mm, insulated t plug handle; deep hexagonal socket, Overall Size: 290 x 190 x 14mm/11.4" x 7.5" x 0.55" (L*W*T)  3 Ball Peen Hammer Forged hard steet; jacketed graphite ballpeen hammer, 16 oz. Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, includes Molded Plastic Holder  5 Circlip Pliers 8 in carbon steel insulated handle detachable tip (combination) internal and external  6 Combination Wrench (Open And Box End) 10mm, 12mm, 14mm, 17mm, 19mm) 7.5 deg offset  Sub-total, SERVICE ENGINE MECHANICAL COMPONENTS (Leading to Automotive Servicing NC II)  CARPENTRY NC II  1 Cross Cut Saw Crosscut saw, 8 points per inch, 18 in. length / 450 mm; hardwood handle	3 Battery Series Connector Copper plated steel jaw damps with 2 meters long 10 gauge automotive copper wire, red and black color coded  4 Mechanical Pliers 10" chrome plated, Slip-resistant bi- material handle, Two-position, adjustable joint pliers Sub-total, SERVICE AUTOMOTIVE ELECTRICAL (Leading to Automotive Servicing NCII) SERVICE ENGINE MECHANICAL COMPONENTS (Leading to Automotive Servicing NC II)  1 Manual Impact Driver 1/2-inch Drive Impact Driver Kit, For loosening frozen fasteners using a hammer, Includes two slotted and two Phillips bits size 10mm. 2 T-Wrench 1 size 10mm, 12mm, 14mm, insulated t plug thandle; deep hexagonal socket, Overall Size: 290 x 190 x 14mm/ 11.4" x 7.5" x 0.55" (L"W"T)  3 Ball Peen Hammer Forged hard steel; jacketed graphite ballpeen hammer, 16 oz. 4 Allen Wrench Set 1 Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2, 5, 3, 4, 5, 6, 8, 10mm, Blaed Malerial Alloy steel, Handle Type L-Shaped, includes Molded Plastic Holder  5 Circlip Pliers 8 in carbon steel insulated handle detachable tip (combination) internal and external  6 Combination Wrench (Open And Box End) detachable tip (combination) internal and external  6 Combination Wrench (Open And Box End) Chrome vanadium steel, set of 5 (sizes 10mm, 12mm, 14mm, 17mm, 19mm) 7.5 deg offset  Sub-total, SERVICE ENGINE MECHANICAL COMPONENTS (Leading to Automotive Servicing NC II) CARPENTRY NC II  1 Cross Cut Saw Crosscut saw, 8 points per inch; 18 in. length / 450 mm; hardwood handle	3 Battery Series Connector Copper plated steel jaw clamps with 2 meters long 10 gauge automotive copper wire, red and black color coded  4 Mechanical Pliers 10° chrome plated, Slip-resistant bimaterial handle, Two-position, adjustable joint pliers  Sub-total, SERVICE AUTOMOTIVE ELECTRICAL (Leading to Automotive Servicing NCII)  SERVICE ENGINE MECHANICAL COMPONENTS (Leading to Automotive Servicing NCII)  1 Manual impact Driver 1/2-Inch Drive Impact Driver Kit, For loosening frozen festeners using a harmer, Includes two slotted and two Phillips bits size 10mm, 12mm, 14mm, insulated t plug 1 size 290 x 190 x 14mm/ 11.4" x 7.5" x 0.55" (L-W-T)  3 Ball Peen Hammer Forged hard steel; jacketed graphite ballpeen harmer, 16 oz.  4 Allen Wrench Set Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 in, Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blace Material Alloy steel, Handle Type L-Shaped, includes Molded Plastic Holder  5 Circlip Pliers 8 in carbon steel insulated handle detachable tip (combination) internal and external  6 Combination Wrench (Open And Box End) Chrome vanadium steel, set of 5 (sizes 10mm, 12mm, 14mm, 17mm, 19mm) 7.5 deg offset  Sub-total, Service ENGINE MECHANICAL COMPONENTS (Leading to Automotive Servicing NC II)  CARPENTRY NC II  1 Cross Cut Saw Crosscut saw, 8 points per inch; 18 in. length / 450 mm; hardwood handle



#### SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) STARTER TOOLKITS PRICE DERIVATION for FY 2016 - PHASE II

#### TESDA Region XI - 616 Int. 2 Rimas St., Aquino Subd., J.P Laurel Avenue, Davao

City

		· ··	1	•		1
Lot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
	3	Chalk Line Reel	Includes Chalk Reel and 4 Oz. Bottle Blue Chalk; High Impact Abs Case On-Board Hook Storage, Stainless-Steel Hook, Sliding Door For Easy Filling, Folding Crank Handle	1	PC	49
	4	Pull-Push Rule	Btade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	49
	5	Steel Square	Carpenters framing square, 2x16x24", aluminum	1 .	PC	49
	6	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	49
	7	Sledge Hammer	Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With Wooden Handle	1 .	PC	49
	8	Wood Chisel	Forged steel blade; 3/4: blade width; plastic handle	1	PC	49
	Sub-total,	CARPENTRY NC II		•		. 49
19	MASONRY NC I					
	1	Pointing Trowel	Steel 8", wooden handle	1	PC	44
	2	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	44
	3	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	44
	4	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	44
	5	Sledge Hammer	Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With Wooden Handle.	1	PC	44
	6	Steel Square	Carpenters framing square; 2x16x24", aluminum	1	PC	44
	7	Shovel	Round point steel blade, fiberglass D-grip handle, blade length 11.5", width 8.25", wooden handle length 20"	1	PC	44
	Sub-total, MASONRY NC I			•	<u> </u>	44
20		I SINGLE UNIT PLUMBIN ANCE WORKS	IG INSTALLATION AND REPAIR	- <u></u>		-
	1	Pipe Wrench	14" Straight cast iron handle; max jaw	1	PC	20

Toured

Page 3

### STARTER TOOLKITS PRICE DERIVATION for FY 2016 - PHASE II TESDA Region XI - 616 Int. 2 Rimas St., Aquino Subd., J.P Laurel Avenue, Davao

City

	1	<del></del> -	City		<u> </u>	<del>-,</del>
Lot <b>No</b> .	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	вох	44
	4	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), pants in garter(adjustable draw string) 1 back pocket, free size preferably blue color.	1	PAIR	44
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	44
	6	Body Lation	Bottled, 200 ml (hypoallergenic)	1	BOTTLE	44
	7	Aromatic Oil	Bottled, 100 ml, any scent	1	BOTTLE	44
	8	Virgin Coconut Oil	virgin coconut oil 250 ml, any brand	1	BOTTLE	44
	9	Powder	Baby powder, 200 g	1	BOTTLE	44
<del></del>	10	Rubbing Alcohol (Disinfectant)	250 ml, any brand, 70%	1	BOTTLE	44
	·	HILOT (WELLNESS MASS	<u> </u>			44
35	PERFORM		JRE (Leading to Beauty Care NC II)			
	1	Cuticle Nipper	Stainless steel, 3.5"	1	PC	145
	2	Cuticle Pusher	stainless steel, 5"	1	PC	145
	3	Foot Nail Cutter	stainless steel, 3" long	1	PC	145
	4	Hand Nail Cutter	stainless steel, 2.5" long	1	PC	145
	5	Manicure Supply Tray	Standard size, plastic with compartment tray	1	PC	145
	6	Nail Brush	Plastic, soft bristle	1	PC	145
	7	Emery Board	80/100 coarse, 8" Long	1	PC	145
	8	Orange Woodstick	1.77mm, smooth woodstick	3	PCS	145
	8	Cotton Balls	150 balls	1	PACK	145
	10	Cuticle Remover	120 ml bottle	1	BOTTLE	145
	11	Nail Polish Remover	120 ml bottle	1	BOTTLE	145
	12	Antiseptic (Merthiolate)	25 ml bottle	1	BOTTLE	145
	13	Colored Nail Polish	15ml bottle, preferably touch of tan	1	BOTTLE	145
	14	Colored Nail Polish	15ml bottle, white	1	BOTTLE	145
	15	Colorless Nail Polish	15ml bottle, with glitters	1	BOTTLE	145
	16	Colorless Nail Polish	15ml bottle	1	BOTTLE	145
	17	Low Stool	small plastic stool with backrest measurement: 320mm x 360mm x 430mm	1	PC	145
	18	Face Towel	100 % cotton, 12" X 12" preferably white	1	PC	145
	Sub-total, NC II)	PERFORM MANICURE A	ND PEDICURE (Leading to Beauty Care			145
36		HAIRCUTTING SERVICE	S (Leading to Hairdressing NC II)	· -	<del> </del>	<del></del>
	1	Hair Blower	220V, 1800W, 60 Hz, hot and cold blower function	1	UNIT	44

Page 5

7 gures

#### SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) STARTER TOOLKITS PRICE DERIVATION for FY 2016 - PHASE II TESDA Region XI - 616 Int. 2 Rimas St., Aquino Subd., J.P Laurel Avenue, Davao City

						1
Lot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
	2	Cutting Scissors	6" stainless steel with tight regulator screw	1	PC	44
	3	Barber's Scissors	5" stainless steel	1	PC	44
	4	Thinning Scissors	5" Single notched, 23 teeth, stainless steel	1	PC	44
	5	Apron	black with 3 pockets	1	PC	44
	6	Protective Cape	Water proof, nylon, black	1	PC	44
	Sub-total, I	PERFORM HAIR CUTTIN	IG SERVICES (Leading to Hairdressing			44
39	<del></del>	ICING DOM/RAC NC II			<u> </u>	
	1 .	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6(IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano,/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	15
	2	Mechanical Manifold Gauge Set	2 valves, number of hoses 3, gauge high side pressure 0-500 PSIG, Gauge low side pressure 30 In. Hg. to 250 PSIG, for use with R-22, R-134a refrigerants, 1/4 in. vacuum port size, hose length 36", 2500 PSI burst.	1	SET	15
	3	Electricians Plier	Overall Length: 8", Steel Alloy, Handie finish: plastic-dipped	1	PC	15
	Sub-total,	RAC SERVICING DOM/F			15	
41	1	AND MAINTAIN TRANSI ort RAC Servicing NC II)				
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6(IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano,/250V/5.2mm dia, X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	13
	2	Mechanical Manifold Gauge Set	2 valves, number of hoses 3, gauge high side pressure 0-500 PSIG, Gauge low side pressure 30 in. Hg. to 250 PSIG, for use with R-22, R-134a refrigerants, 1/4 in. vacuum port size, hose length 36", 2500 PSI burst.	1	SET	13
	3	Electricians Plier	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	13
	Sub-total, SERVICE AND MAINTAIN TRANSPORT AIRCONDITIONING UNIT (Leading to Transport RAC Servicing NC II)					13
42	SHIELDED	METAL ARC WELDING	(SMAW) NC I			·

Tgreb at

#### STARTER TOOLKITS PRICE DERIVATION for FY 2016 - PHASE II

TESDA Region XI - 616 Int. 2 Rimas St., Aquino Subd., J.P Laurel Avenue, Davao City

			Oity			
Lot No.	NO.	ITEM	AGENCY SPECS	QTY	TINU	No. Of Pax
	1	Welding Mask	Flip Front Welding Helmet, impact-resistant polypropylene material, adjustable fit, 41/2" x 2" view area	1	PC	56
	2	Portable Welding Machine	Portable welding machine, 220 V, 60 hrtz, single phase, 200 Arnps, with welding electrode holder and welding ground.	1	PC	56
	Sub-total,	SHIELDED METAL ARG	C WELDING (SMAW) NC I	·		56
46	BREAD M.	AKING (Leading to Bre	ad and Pastry Production NC II)	· · · · · · · · · · · · · · · · · · ·		
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100- 250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz	1	PC	20
	2	Measuring Cups	Stainless steel, 1 set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup)	1	SET	20
•	3	Measuring Urn	Transparent glass ,1 cup capacity, measurements are clearly mark in ounce, quarts and millilitres	1.	PC	. 20
	4	Mixing Bowl	Stainless steel, 8 " diameter, 5 quart capacity	1	PC	. 20
	Sub-total,	BREAD MAKING (Lead			20	
47	CAKE MA	KING (Leading to Brea	d and Pastry Production NC II)			
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100- 250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handie, 220V, 60hz	1	PC	101
	2	Muffin Pan	6 holes, 3oz capacity per holes, non-stick	1	PC	101
	3	Mixing Bowl	Stainless steel, 8 " diameter, 5 quart capacity	1	PC	101
	4	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup	1	SET	101
			ng to Bread and Pastry Production NC II)			101
49	PREPARE	AND COOK HOT MEA	LS (Leading to Cookery NC II)	<del></del>		<del> </del>
	1	Frying Pan	10" diameter by 2" high teflon, non-stick, riveted handle	1	PC	45
	2	Mixing Bowl	Stainless steel, 8 " diameter, 5 quart capacity	1	PC	45



# SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) STARTER TOOLKITS PRICE DERIVATION for FY 2016 - PHASE II TESDA Region XI - 616 Int. 2 Rimas St., Aquino Subd., J.P Laurel Avenue, Davao City

Lot No.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	45
	4	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup	1	SET	45
	5	Chopping Board	1/2 " x 12 " x 18 "; made of polyethylene material	1	PC	45
	6	Wooden Spoon	6" long, biodegradable, solid birchwood	1	PC	45
	7	Utility Knife	5" Stain-resistant stainless steel blade with black polymer handle	1	PC	- 45
	8	Strainer	8" diameter, single fine mesh, flat wooden handle	1	PC	. 45
	Sub-total,	PREPARE AND COOP	( HOT MEALS (Leading to Cookery NC II)			45
	Grand To	otal				777





# SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) STARTER TOOLKITS PRICE DERIVATION for FY 2016 - PHASE II TESDA Region XII - 2nd Floor Duremdes Building, Gen. Santos Drive, Koronadal City

	1	1			I	
ot No.						
	NO.	ITEM	AGENCY SPECS	QTY	UNIT	No. Of Pax
9	SERVICE NCII)	AUTOMOTIVE ELECTRICA	L (Leading to Automotive Servicing			
	1	Battery Load Tester	100-Amp Battery Load Tester, 6V and 12V batteries, shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted rocker switch.	1	PC	12
	2	Soldering Iron	100 watts.220v, 60hz, pencil tip	. 1	PC	12
	3	Battery Series Connector	Copper plated steel jaw clamps with 2 meters long 10 gauge automotive copper wire, red and black color coded	1	PC	12
•	4	Mechanical Pliers	10" chrome plated, Slip-resistant bi- material handle, Two-position, adjustable joint pliers	1	PC	12
	Sub-total, Servicing		LECTRICAL (Leading to Automotive			12
41	1	AND MAINTAIN TRANSPO ort RAC Servicing NC II)	ORT AIRCONDITIONING UNIT (Leading	, 10-3-10-3		
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6(IEC) or UM-3: 1.5V x 2 Internal Fuse: 0.5Ano,/250V/5,2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	TINU	12
	2	Mechanical Manifold Gauge Set	2 valves, number of hoses 3, gauge high side pressure 0-500 PSIG, Gauge low side pressure 30 ln. Hg. to 250 PSIG, for use with R-22, R-134a refrigerants, 1/4 in. vacuum port size, hose length 36", 2500 PSI burst.	1	SET	12
	3	Electricians Plier	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	12
	(Leading	to Transport RAC Servicin				12
42		METAL ARC WELDING (				
	1	Welding Mask	Flip Front Welding Helmet, impact-resistant polypropylene material, adjustable fit, 41/2" x 2" view area	1	PC	10
	2	Portable Welding Machine	Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground.	1	PC	10
	Sub-total,	SHIELDED METAL ARC V	VELDING (SMAW) NC I			10
	Grand T	otal				34

