TESDA-Region XI – 616 Int. 2, Rimas Street, Aquino Subdivision, J.P Laurel Avenue, Davao Citv

		·	City			
NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
1	ANIMA		Poultry-Chicken) NC II			
	1	Galloner	Dimension: height 347 mm (tube), 55 mm (plate, plate diameter is 9.6 inches, 5000 ml water capacity, plastic	3	PC	55
	2	Tubular Feeder	3 kg. capacity, automatic plastic feeder, 11 inches plate diameter, 10.5 inches feeder height	5	PĈ	55
	3	Brooder/Heater Lamp	45 cm diameter aluminum reflector; socket is insulated porcelain, flexible heavy gauge SJT cord with molded-on plug	1	SET	55
	4	Infrared Lamp	250 Watts Bulb, clear colour emitted light	1	PC	55
			UCTION (Poultry-Chicken) NC II			55
2		L PRODUCTION (S				
	1	Ear Notcher	Small V-shape blade; stainless	1	PC	55
	2	Tooth Nipper	Diagonal cutting blade, stainless steel	1	PC	55
	3	Reusable Veterinary Syringe	Fiberglass hypodermic adjustable syringe with engraved volume indication on barrel; 10 ml capacity	1	PC	55
	4	Veterinary Injection Needle	Gauge # 20 X 1/2" long hypodermic needle, 12pcs/box, stainless and sterilizable	1	вох	55
	5	Veterinary Injection Needle	Gauge # 18 X 1" long hypodermic needle, 12pcs/box, stainless and sterilizable	1	вох	55
	6	Veterinary Injection Needle	Gauge # 16 X 1" long hypodermic needle, 12pcs/box, stainless and sterilizable	1	вох	55
	7	Reusable Artificial Insemination Catheter	Pig spiral tip Artificial Insemination (A.I.) Catheter; reusable and sterilizable	1	PC	55
	8	Forcep	Stainless 5.5" long, straight kelly forcep	1	PC	55
			UCTION (Swine) NC II			55
3	ANIMA	L PRODUCTION (F	Y			
	1	Dehorner	High-tempered steel blade, rust- resistant, horn hole size 1 inch	1	PC	55
	2	Reusable Veterinary Syringe	Fiberglass hypodermic adjustable syringe with engraved volume indication on barrel; 10 ml capacity	1	PC	55
	3	Veterinary Injection Needle	Gauge # 18 X 1" long hypodermic needle, 12pcs/box, stainless and sterilizable	1	BOX	55

rogele

7

TESDA-Region XI – 616 Int. 2, Rimas Street, Aquino Subdivision, J.P Laurel Avenue, Davao

			City			
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO OF PAX
	4	Veterinary Injection Needle	Gauge # 16 X 1" long hypodermic needle, 12pcs/box, stainless and sterilizable	1	вох	55
	5	Hoof knife/ Hook Knife	billhook blade, blade length: 110mm, made of carbon steel, wood handle with iron bolster and stud	1	PC	55
	6	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	55
<del></del>	7	Garden Hoe	Carbon Steel head, goose neck type, hardwood handle, 6" blade	1	PC	55
	Sub-to	otal, ANIMAL PRO	DUCTION (Ruminants) NC II	<u> </u>		55
4	RAISE	ORGANIC CHICK	EN (Leading to Organic Agriculture I	roduct	ion NC II)	
	1	Galloner	Dimension: height 347 mm (tube), 55 mm (plate, plate diameter is 9.6 inches, 5000 ml water capacity, plastic	3	PC	55
	2	Tubular Feeder	3 kg. capacity, automatic plastic feeder, 11 inches plate diameter, 10.5 inches feeder height	5	PC	55
	3	Brooder/Heater Lamp	45 cm diameter aluminum reflector; socket is insulated porcelain, flexible heavy gauge SJT cord with molded-on plug	1	SET	55
	4	Infrared Lamp	250 Watts Bulb, clear colour emitted light	1	PC	55
	5	Chopping Board	1/2" x 12" x 18"; made of polyethylene material	1	PC	55
	6	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	55
	1	otal, RAISE ORG	ANIC CHICKEN (Leading to Orga	nnic Ag	griculture	55

### PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR **EMPLOYMENT PROGRAM (STEP) FOR FY 2017** TESDA-Region XI - 616 Int. 2, Rimas Street, Aquino Subdivision, J.P Laurel Avenue, Davao City QTY AGENCY SPECS UNIT NO. **ITEM** LOT ITEM NO. NO. OF PAX PERFORM DIESEL ENGINE TUNE UP (Leading to Automotive Servicing NC I) 7 90 26 tempered steel leaves/blade PC Feeler gauge ranging from 0.015 in to 0.025 inches 0.635 and 0.038 to mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .0.15, .016, .017, .018, .019, .020, .022, .023, .024, and .025. 1 90 2 Combination chrome vanadium steel, set of 8 sizes SET (8mm, 9mm, 10mm, 12mm, 14mm, Wrench (Open And Box End) 17mm, 19mm, 22mm) 7.5 deg offset 1 90 socket chrome vanadium: 1 pc 1/2" SET 3 Socket Wrench Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod

detachable tip (combination) internal and external Sub-total, PERFORM DIESEL ENGINE TUNE UP (Leading to Automotive 90 Servicing NC I) PERFORM GAS ENGINE TUNE UP (Leading to Automotive Servicing NC I) 8 PC 68 Feeler gauge 26 tempered steel leaves/blade ranging from 0.015 in to 0.025 inches 0.038 to 0.635 and mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .432, .483, .457, .406, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .0.15, .016, .017, .018, .019, .020, .022, .023, .024, and .025.

8" shank length (chrome plated)

8" shank length (chrome plated)

6 in carbon steel insulated handle

plastic handle, tip: 1/4" / 6.5mm

plastic handle, tip: 2 X 6mm

1

1

1

PC

PC

SET

90

90

90

4

5

6

Flat Screw Driver

Philips Screw

Circlip Pliers

Driver

Agyer

TESDA-Region XI – 616 Int. 2, Rimas Street, Aquino Subdivision, J.P Laurel Avenue, Davao City

	· · · · · · · · · · · · · · · · · · ·	·	City			
NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	2	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	68
	3	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	68
	4	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	68
	5	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	68
	6	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	68
	7	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	68
10	Servic	ing NC I)	GAS ENGINE TUNE UP (Leading PONENTS (Leading to Automotive Se			68
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	35
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	35
	3	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	35 .
	4		Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET	35
	5	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	35
	6	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	35
	7	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	35
	Sub-to NC II)	tal, SERVICE ENG	INE COMPONENTS (Leading to Auton	notive S	Servicing	35

Type

#### PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR **EMPLOYMENT PROGRAM (STEP) FOR FY 2017** TESDA-Region XI - 616 Int. 2, Rimas Street, Aquino Subdivision, J.P Laurel Avenue, Davao City AGENCY SPECS ITEM QTY UNIT NO. ITEM LOT OF NO. NO. PAX SERVICE AUTOMOTIVE ELECTRICAL COMPONENTS (Leading to Automotive 11 Servicing NCII) 100-Amp, 6V and 12V batteries. PC 110 Battery Load 1 shock-resistant meter, sturdy steel Tester case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted rocker switch. Overall length: 8", Steel Alloy, Handle Electricians/ PC 110 2 finish: plastic-dipped Electrical Plier 3 Philips Screw 8" shank length (chrome plated) 1 PC 110 plastic handle, tip: 2 X 6mm Driver Flat Screw Driver 8" shank length (chrome plated) PC 110 4 plastic handle, tip: 1/4" / 6.5mm Sub-total, SERVICE AUTOMOTIVE ELECTRICAL COMPONENTS (Leading to 110 Automotive Servicing NCII) Overhaul Motorcycle/Small Engine (Leading to Motorcycle/Small Engine Servicing 15 NC II) Socket Wrench 20 socket chrome vanadium: 1 pc 1/2" SET Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod 1 pc 1/2" Drive Impact Driver, 1 pc 8 2 Manual Impact | SET 20 mm long bit holder, 1 pc 36 mm long, Driver 8 mm slotted bit, 1 pc 36 mm long, 10 mm slotted bit, 1 pc 36 mm long, PH2 bit, 1 pc 36 mm long, PH3 bit 3 Combination chrome vanadium steel, set of 8 sizes 1 SET 20 (8mm, 9mm, 10mm, 12mm, 14mm, Wrench (Open And Box End) 17mm, 19mm, 22mm) 7.5 deg offset Feeler gauge 26 tempered steel leaves/blade PC 20 4 ranging from 0.015 in to 0.025 inches and 0.038 to 0.635 mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .0.15, .016, .017, .018, .019, .020,

John

.022, .023, .024, and .025.

TESDA-Region XI – 616 Int. 2, Rimas Street, Aquino Subdivision, J.P Laurel Avenue, Davao City

			City			
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
,	5	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	20
	6	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	20
	7	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET	20
	8	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	20
	9	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	20
	Engin	e Servicing NC II)	torcycle/Small Engine (Leading to I	Notorcy	cle/Small	20
16		ENTRY NC II		, , , ,		
	1	Cross Cut Saw	Crosscut saw; 8 points per inch; 18 in. length / 450 mm; hardwood handle	1	PC	50
	2	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	50
	ഗ	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	50
	4	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	50
	5	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	50
	6	Sledge Hammer	Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With Wooden Handle	1	PC	50
	7	Chalk Line Reel	Includes Chalk Reel and 4 Oz. Bottle Blue Chalk; High Impact Abs Case On-Board Hook Storage, Stainless- Steel Hook, Sliding Door For Easy Filling, Folding Crank Handle	1	PC	50
	8	Wood Chisel	Forged steel blade; 3/4: blade width; plastic handle	1	PC	50
	9	Try Square	Size: 8"x12", Thickness 1.8-2mm, Material: Spring Steel, Handle Material: Aluminum Alloy, Metric & English Graduations	1	PC	50
		<del></del>	• • • • • • • • • • • • • • • • • • •			

369

**,** (

### PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR

EMPLOYMENT PROGRAM (STEP) FOR FY 2017
TESDA-Region XI – 616 Int. 2, Rimas Street, Aquino Subdivision, J.P Laurel Avenue, Davao

			City			<u> </u>
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	10	Ripping Bar	Overall Length: 17", Overall Width: 5/8", Thickness: 5/8", Dia.: 5/8", Material: High Carbon Steel, Color: Black and Yellow	1	PC	50
	11	Plumb Bob	Hexagonal/Conical shape, Machined Steel, 8 ounce	1	PC	50
	Sub-to	otal, CARPENTRY	NC II			50
17	Electr	ical Installation an	d Maintenance NC II			
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	40
	2	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	40
·	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	40
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	40
	5	Electricians/ Electrical Plier	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	40
	6	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	40
			allation and Maintenance NC II			40
18		NRY NC I	Ota al Oll v. 711 ad 1 41 -			75
	2	Pointing Trowel Pull-Push Rule	Steel 3" x 7", wooden handle  Blade length 8m/26ft Blade width 1"  High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC PC	75 75
	3	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	75
	4	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	75

rapper

TESDA-Region XI – 616 Int. 2, Rimas Street, Aquino Subdivision, J.P Laurel Avenue, Davao

LOT   ITEM   ITEM   AGENCY SPECS   QTY   UNIT   NO.			·	City			· 
D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"  6 Hacksaw With Blade Adjustable hacksaw frame with binetal hacksaw blade, 24 TPI, aluminum alloy frame and handle length 20 aluminum alloy frame and handle length 21 per part of the part		NO.					OF PAX
Blade metal hacksaw blade, 24 TPI, aluminum alloy frame and handle  7 Steel Square Carpenters framing square; 1 PC 75  Sub-total, MASONRY NC I 75  RAC SERVICING (Dom/RAC) NC II  1 VOM Multi-tester Analog DCV Range; 0.1 V to 1000V ACV Range; 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse; 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance; X1 to X1k  2 Mechanical Analog Dover Marker States of the States of		5	Shovel	D-grip handle, blade length 11.5" width 8.25" wooden handle length	1	PC	75
Sub-total, MASONRY NC   75		6		metal hacksaw blade, 24 TPI,	1		75
25   RAC SERVICING (Dom/RAC) NC II   1   VOM   Multi-tester Analog DCV Range: 0.1   1   UNIT   20   Vto 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3   1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129   x 41.5 mm/approx. 320g Resistance: X1 to X1k   2   Mechanical   2 valves, number of hoses 3, gauge   Manifold Gauge   high side pressure 0-500 PSIG, Gauge low side pressure 30 ln. Hg. to 250 PSIG, for use with R-22, R-134a refrigerants, 1/4 in. vacuum port size, hose length 36", 2500 PSI burst.   SET   34   SET   34   SET   34   SET   SE		7	Steel Square		1	PC	75
1							75
(Multitester)  V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k  2 Mechanical	25	RACS					
Manifold Gauge Set Set Set Set Set Set Set Set Set Se		1		V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance:	1	UNIT	20
Flaring tool set  Flares and swages. Screw-type feed.Two bars included cover 9 sizes. Swivel-type swaging adapters and flaring cone hardened steel, chrome finished. Slip-on forged steel yoke. Includes tool case. Flares 1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" O.D. Includes 5 swage adapters for 7 tube sizes: 3/16", 1/4", 5/16", 3/8", 1/2", 5/8", 3/4" O.D.  Sub-total, RAC SERVICING (Dom/RAC) NC II  20  SHIELDED METAL ARC WELDING (SMAW) NC I  Portable Welding Machine  Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground.  Welding Mask  Flip Front Welding Helmet, impact- resistant polypropylene material, adjustable fit, 41/2" x 2" view area with lens		2	Manifold Gauge	high side pressure 0-500 PSIG, Gauge low side pressure 30 In. Hg. to 250 PSIG, for use with R-22, R- 134a refrigerants, 1/4 in. vacuum port	1	SET	20
26 SHIELDED METAL ARC WELDING (SMAW) NC I  1 Portable Welding Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground.  2 Welding Mask Flip Front Welding Helmet, impactresistant polypropylene material, adjustable fit, 41/2" x 2" view area with lens		3	Flaring tool set	Flares and swages. Screw-type feed. Two bars included cover 9 sizes. Swivel-type swaging adapters and flaring cone hardened steel, chrome finished. Slip-on forged steel yoke. Includes tool case. Flares 1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" O.D. Includes 5 swage adapters for 7 tube sizes: 3/16", 1/4",	1	SET	20
26 SHIELDED METAL ARC WELDING (SMAW) NC I  1 Portable Welding Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground.  2 Welding Mask Flip Front Welding Helmet, impactresistant polypropylene material, adjustable fit, 41/2" x 2" view area with lens		Sub-to	tal, RAC SERVICI				20
Machine hrtz, single phase, 200 Amps, with welding electrode holder and welding ground.  2 Welding Mask Flip Front Welding Helmet, impactresistant polypropylene material, adjustable fit, 41/2" x 2" view area with lens	26						
2 Welding Mask Flip Front Welding Helmet, impact- resistant polypropylene material, adjustable fit, 41/2" x 2" view area with lens		1		hrtz, single phase, 200 Amps, with welding electrode holder and welding	1	PC	329
<del></del>		2	Welding Mask	Flip Front Welding Helmet, impact- resistant polypropylene material, adjustable fit, 41/2" x 2" view area	1	PC	329
		Sub-to	tal, SHIELDED ME				329

Mayden

#### PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR FY 2017 TESDA-Region XI - 616 Int. 2, Rimas Street, Aguino Subdivision, J.P Laurel Avenue, Davao City ITEM AGENCY SPECS QTY LOT ITEM UNIT NO. NO. NO. OF PAX 28 Service Consumer Electronic Products and Systems (Leading to Electronic Products Assembly and Servicing NC II) VOM Multi-tester Analog DCV Range: 0.1 1 UNIT 145 (Multitester) V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k 30 watts, 220 Volts, Heat pencil tip 2 Soldering Iron 1 PC 145 3 Long Nose Pliers Overall Length: 8" 1 PC 145 Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped Diagonal Cutting Overall length 8", Handle finish 1 PC 145 4 Plier plastic dipped, Carbon Steel 1 SET 5 Screw Driver Set 4 pieces per set 145 Flat Blade Tip: 6.5X150mm,5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle. Chrome Vanadium, Shank 6" Anodized aluminum housing, high Desoldering 1 PC 145 Pump/Solder suction, strong and light weight. Sucker Sub-total, Service Consumer Electronic Products and Systems (Leading to 145 Electronic Products Assembly and Servicing NC II) HILOT (WELLNESS MASSAGE) NC II 33 Face Towel 100 % cotton, 12" X 12", white PC 64 Bath Towel 100 % cotton, 27" X 54", white 2 PC 1 64 Face Mask disposable earloop face mask, 50 BOX 64 pcs per box Unisex, Soft and linen blouse (V-neck Scrub Suit 1 PAIR 64 top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color. Head Band 3"x 23" cotton fabric with snap tape 1 PC 5 64 **Body Lotion** 200 ml., Hypoallergenic 1 64 BOTTLE 6

ropple

64

1

1

BOTTLE

BOTTLE

100 ml.

250 ml.

Aromatic Oil

Coconut

Virgin

Oil

8

### PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR

EMPLOYMENT PROGRAM (STEP) FOR FY 2017
TESDA-Region XI – 616 Int. 2, Rimas Street, Aquino Subdivision, J.P Laurel Avenue, Davao City

LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	9	Powder	Baby powder, 200 g	1	BOTTLE	64
	10	Mentholated Oil	100 ml.	1	BOTTLE	64
	11	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	64
	Sub-to	otal, HILOT (WELL	NESS MASSAGE) NC II			64
34_	PERF		AND PEDICURE (Leading to Beauty C	are NC		
	1	Cuticle Nipper	Stainless steel, 3.5"	1	PC	85_
	2	Cuticle Pusher	stainless steel, 5"	1	PC	85
	3	Foot Nail Cutter	stainless steel, 3" long	1	PC	85_
	4	Hand Nail Cutter	stainless steel, 2.5" long	1	PC	85
	5	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	85 
	6	Nail Brush	Plastic, soft bristle	1	PC	85
	7	Emery Board	80/100 coarse, 8" Long	1	PC	85
	8	Orange Woodstick	1.77mm, smooth woodstick	3	PCS	85
	9	Cotton Balls	150 balls	1	PACK	85
	10	Cuticle Remover	120 ml bottle	1	BOTTLE	85
•	11	Nail Polish Remover	120 ml bottle	1	BOTTLE	85
	12	Antiseptic (Merthiolate)	25 ml bottle	1	BOTTLE	85
	13	Colored Nail Polish	15ml bottle, preferably touch of tan	1	BOTTLE	85
	14	Colored Nail Polish	15ml bottle, white	1	BOTTLE	85
	15	Colorless Nail Polish	15ml bottle, with glitters	1	BOTTLE	85
	16	Colorless Nail Polish	15ml bottle	1	BOTTLE	85
	17	Low Stool	hard plastic, round	1	PC	85
	18	Face Towel	100 % cotton, 12" X 12", white	1	PC	85
			NICURE AND PEDICURE (Leading to	Beauy		85
36	PERF		AGE (Leading to Beauty Care NC II)			
	1	Face Towel	100 % cotton, 12" X 12", white	1	PC	35
	2	Bath Towel	100 % cotton, 27" X 54", white	11	PC	35
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	ВОХ	35
	4	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	35
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	35

Myren

TESDA-Region XI – 616 Int. 2, Rimas Street, Aquino Subdivision, J.P Laurel Avenue, Davao City

		City		Y	<del>,</del>
NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF
					PAX
6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	35
7		100 ml.	1		35
		· <del>  · · · · · · · · · · · · · · · · · ·</del>	1	<del></del>	35
	Oil				
9	Powder	Baby powder, 200 g	1	BOTTLE	35
10	<del></del>	100 ml.	1		35
11	Storage Box		1	PC	35
			are NC	<i>II)</i>	35
PERF	ORM FACIAL MAK	E-UP (Leading to Beauty Care NC II)			
1	Astringent	125 ml, deep cleansing,	1	BOTTLE	42
	_	hypoallergenic			
2	Blusher	pink and bronze shade, 4grams each	2	PC	42
3	Eye Brow Pencil	black, 4"	1	PC	42
4	Eye Brow Pencil		1	PC	42
			1		42
		<del></del>	1		42
		<u></u>			42
					42
Ü	•		•		72
9		stainless steel, scissor type	1	PC	42
		disposable earloop face mask 50			42
, 0	T GOO WAOK		•		
11	Make-Up Sponge	<del>\_'\</del>	1	PC	42
			<del></del>		42
		<u> </u>			42
					42
		·	1		42
			1		42
10	•		'	OL 1	72
Ì	CCC				
		[ '			
17	Mascara	<del>,</del>		PC.	42
		<del> </del>	1		42
	· · · · · · · · · · · · · · · · · · ·	<u></u>	1	<del></del>	42
			1		42
		\\	are NC		42
					74
					85
'	Hall DIOWEI	· · · · · · · · · · · · · · · · · · ·	'	OINIT	00
2	Cutting Scissors	6" stainless steel with tight regulator	1	PC	85
	Juling Julasura	,			65
2	•	screw	,		
	Thinning	SCREW 5" Single notched 23 tooth stainless	1	- PC	05
3	Thinning Scissors	5" Single notched, 23 teeth, stainless steel	1	PC	85
	6 7 8 9 10 11 Sub-to PERFO 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16	NO.  6 Body Lotion 7 Aromatic Oil 8 Virgin Coconut Oil 9 Powder 10 Mentholated Oil 11 Storage Box  Sub-total, PERFORM BO PERFORM FACIAL MAK 1 Astringent 2 Blusher 3 Eye Brow Pencil 4 Eye Brow Pencil 5 Eye Liner Pencil 6 Eye Liner Pencil 7 Eye Shadow 8 Eyebrow Tweezer 9 Eyelash Curler 10 Face Mask 11 Make-Up Sponge 12 Foundation 13 Head Band 14 Lipstick 15 Lipstick 16 Make Up Brush Set  17 Mascara 18 Pressed Powder 19 Cotton Balls 20 Concealer Sub-total, PERFORM FA PERFORM HAIR CUTTIN	ITEM NO.   ITEM   AGENCY SPECS	ITEM NO.   AGENCY SPECS   QTY	ITEM NO.   ITEM   AGENCY SPECS   QTY   UNIT NO.

Mayor

	PROC		ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20		NING FOR				
TESE	TESDA-Region XI – 616 Int. 2, Rimas Street, Aquino Subdivision, J.P Laurel Avenue, Davao City								
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX			
	5	Protective Cape	Water proof, nylon, black	1	PC	85			
	6	Neck brush	Wood handle, app. 10 cm x 6.7cm	1	PC	85			
	7	Talcum Powder	250g	_ 1	BOTTLE	85			
	Sub-to	otal, PERFORM HA	IR CUTTING SERVICES (Leading to	Hairdre	essing NC	85			
44	BREA	D MAKING (Leadir	ng to Bread and Pastry Production N	C II)		· · · · · · · · · · · · · · · · · · ·			
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz	1	PC	116			
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	116			
	3	Measuring Urn	Transparent glass, 1 cup capacity, measurements are clearly mark in ounce, quarts and millilitres	1	PC	116			
	4	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	116			
	Sub-to	tal, BREAD MAKII	NG (Leading to Bread and Pastry Pro	ductio	n NC II)	116			
46	CAKE		to Bread and Pastry Production NC	II)					
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz	1	PC	60			
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	60			
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	60			
	4	Muffin Pan	6 holes, 3oz capacity per holes, non- stick	1	PC	60			
			G (Leading to Bread and Pastry Prod		NC II)	60			
47			OT MEALS (Leading to Cookery NC I	<del></del>					
	1	Frying Pan	10" diameter by 2" high teflon, non- stick, riveted handle	1	PC	198			
	2	Mixing Bowl	Stainless steel, 8 " diameter, 5 quart capacity	1	PC	198			

Mayer

TESDA-Region XI – 616 Int. 2, Rimas Street, Aquino Subdivision, J.P Laurel Avenue, Davao City

			City			
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	198
	4	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	198
	5	Chopping Board	½" x 12" x 18"; made of polyethylene material	1	PC	198
	6	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	198
	7	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	198
	8	Strainer	8" diameter, single fine mesh, flat wooden handle	1	PC	198
			ID COOK HOT MEALS (Leading to Co	okery I	VC II)	198
48	PREP	ARE COLD MEALS	S (Leading to Cookery NC II)		-	
	1	Frying Pan	10" diameter by 2" high teflon, non- stick, riveted handle	1	PC	50
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	50
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	50
	4	Chopping Board	1/2" x 12" x 18"; made of polyethylene material	1	PC	50
_	5	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	50
	6	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	50
	7	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	50
	Sub-to	tal, PREPARE CO	LD MEALS (Leading to Cookery NC I	1)		50
51	PROC	ESS FOODS BY S	JGAR CONCENTRATION (Leading to	Food F	rocessing	NC II)
	1	Blender	2 speed, 1.5liter capacity, glass jar with stainless steel blades	1	unit	50
	2	Candy Thermometer	8" long, measures temperatures from 100 to 400 degrees F; glass, pen- type adjustable clip secures thermometer to pan	1	PC	50
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	50
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	50
	5	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	50
	6	Casserole	Stainless; 6L capacity; with two grip handle, with cover	1	PC	50

rgyen

	PROC		ARTER TOOLKITS FOR THE SPECIA		NING FOR			
		EMPLO'	YMENT PROGRAM (STEP) FOR FY 20	17				
TESE	A-Regi	ion XI – 616 Int. 2,	Rimas Street, Aquino Subdivision, J.	P Laure	el Avenue,	Davao		
			City					
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX		
	7	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	50		
	8	Rubber Scraper	Rubber head high heat resistant, flexible, 12" long	1	PC	50		
	9	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	1	UNIT	50		
	Sub-total, PROCESS FOODS BY SUGAR CONCENTRATION (Leading to Food							
	Processing NC II)							
	ATOT	<b>L</b>				1,987		

progresser

	PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR FY 2017									
TE	SDA-R		or Duremdes Building, Gen. Santos		Koronadal	City				
LOT	ITEM	ITEM	AGENCY SPECS	QTY	UNIT	NO.				
NO.	NO.					OF				
			•			PAX				
7	PERF	ORM DIESEL ENG	NE TUNE UP (Leading to Automotive	e Servi						
	1	Feeler gauge	26 tempered steel leaves/blade	1	PC	16				
			ranging from 0.015 in to 0.025 inches							
			and 0.038 to 0.635 mm							
			mm sizes: .038, .051, .064, .076,							
			1.102, .127, .152, .178, .203, .229,							
			.254, .279, .305, .330, .356, .381,							
			.406, .432, .483, .457, .508,							
			.533, .559, .584, .610 and .635mm.							
·			Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010,							
			0.003, .008, .007, .008, .009, .016, .011, .012, .013, .014, .0.15, .016,							
			.017, .012, .013, .014, .0.13, .016,							
			.022, .023, .024, and .025.							
	2	Combination	chrome vanadium steel, set of 8 sizes	1	SET	16				
	~	Wrench (Open	(8mm, 9mm, 10mm, 12mm, 14mm,	•	J - 1					
		And Box End)	17mm, 19mm, 22mm) 7.5 deg offset							
	3	Socket Wrench	socket chrome vanadium: 1 pc 1/2"	1	SET	16				
			Ratchet Wrench, 10 pcs Socket 6							
			side/point (10mm, 11mm, 12mm,							
			13mm, 14mm, 15mm, 17mm, 19mm,							
	:		22mm, 24mm); 1 pc Extension Rod		· .					
	4	Flat Screw Driver	8" shank length (chrome plated)	1	PC	16				
			plastic handle, tip: 1/4" / 6.5mm							
	5	Philips Screw	8" shank length (chrome plated)	1	PC	16				
		Driver	plastic handle, tip: 2 X 6mm							
	6	Circlip Pliers	6 in carbon steel insulated handle	1	SET	16				
			detachable tip (combination) internal			:				
	0.44	4 / DEDEODM D	and external	4- 4-	-4 41:	10				
	1	otal, PERFORM D ing NC I)	IESEL ENGINE TUNE UP (Leading	to Al	nomotive	16				
9			IS COMPONENTS (Leading to Auton	notive S	Servicing N	IC II)				
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2"	1	SET	20				
			Ratchet Wrench, 10 pcs Socket 6							
		,	side/point (10mm, 11mm, 12mm,							
			13mm, 14mm, 15mm, 17mm, 19mm,							
			22mm, 24mm), 1 pc Extension Rod							
	2	Coil Spring	12" Coil Spring Compressor (Silver).	1	SET	20				
		Compressor	For all vehicles equipped with							
			Macpherson Struts or any other coil							
			spring brand, double ended jaws with							
		O	safety hooks		CF-	20				
	3	Combination	chrome vanadium steel, set of 8 sizes	1	SET	20				
		Wrench (Open	(8mm, 9mm, 10mm, 12mm, 14mm,							
L		And Box End)	17mm, 19mm, 22mm) 7.5 deg offset							

ropper 24

	PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR FY 2017							
TESDA-Region XII – 2nd Floor Duremdes Building, Gen. Santos Drive, Koronadal City								
LOT	ITEM	ITEM	AGENCY SPECS	QTY	UNIT	NO.		
NO.	NO.					OF PAX		
<b></b>	4	Vise Grip	10 inches length, Stainless Steel.	1	PC	20		
		, , , , , , , , , , , , , , , , , , ,	Jaws: straight, flat, square,		, ,			
ŀ	·		Adjustable screw					
		otal, SERVICE UND	ERCHASSIS COMPONENTS (Leadin	ng to Au	ıtomotive	20		
10			ONENTS (Leading to Automotive Se	ervicing	NC II)	<del></del>		
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2"	1	SET	68		
			Ratchet Wrench, 10 pcs Socket 6			1		
			side/point (10mm, 11mm, 12mm,					
ł	ł		13mm, 14mm, 15mm, 17mm, 19mm,	l		ł		
			22mm, 24mm), 1 pc Extension Rod					
	2	Combination	chrome vanadium steel, set of 8 sizes	1	SET	68		
		Wrench (Open	(8mm, 9mm, 10mm, 12mm, 14mm,					
		And Box End)	17mm, 19mm, 22mm) 7.5 deg offset					
	3	Circlip Pliers	6 in carbon steel insulated handle	1	SET	68		
1			detachable tip (combination) internal	'	<b>5</b>			
			and external					
	4	Allen Wrench Set		1	SET	68		
	'		Arm Length 2.80 to 6.80 In., Sizes	·	<u> </u>			
			Included 1.5, 2, 2.5, 3, 4, 5, 6, 8,					
			10mm, Blade Material Alloy steel,					
	.	•	Handle Type L-Shaped, Includes					
			Molded Plastic Holder					
	5	Philips Screw	8" shank length (chrome plated)	1	PC	68		
		Driver	plastic handle, tip: 2 X 6mm	•				
-	6	Flat Screw Driver	8" shank length (chrome plated)	1	PC	68		
			plastic handle, tip: 1/4" / 6.5mm	·	. •			
	7	Ball Peen	Forged hard steel; jacketed graphite	1	PC	68		
	·	Hammer	ballpeen hammer, 16 oz./ 1 lb	·				
	Sub-to		INE COMPONENTS (Leading to Autor	motive	Servicina	68		
	NC II)	,	(					
11		CE AUTOMOTIVE	ELECTRICAL COMPONENTS (L	eadina	to Auto	motive		
		ing NCII)		3	,			
	1	Battery Load	100-Amp, 6V and 12V batteries.	1	PC	20		
	-	Tester	shock-resistant meter, sturdy steel					
			case that has a durable baked			Ì		
			enamel finish, rubber insulated carry					
			handle, equipped with super-grip		ļ	ļ		
			battery clamps and a top-mounted					
			rocker switch.					
	2	Electricians/	Overall length: 8", Steel Alloy, Handle	1	PC	20		
	_	Electrical Plier	finish: plastic-dipped	-				
	3	Philips Screw	8" shank length (chrome plated)	1	PC	20		
		Driver	plastic handle, tip: 2 X 6mm					
	4	Flat Screw Driver	8" shank length (chrome plated)	1	PC	20		
			plastic handle, tip: 1/4" / 6.5mm					
		<del></del>						

nggen y

		EMPLOY	ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20	17		
TE	SDA-R	egion XII – 2nd Flo	or Duremdes Building, Gen. Santos	Drive, Ł	Coronadal	City
LOT	ITEM	ITEM	AGENCY SPECS	QTY	UNIT	NO.
NO.	NO.					OF PAX
		otal, SERVICE AU notive Servicing N	TOMOTIVE ELECTRICAL COMPONE	NTS (L	eading to	20
12			N COMPONENTS (Leading to Automo	tive Se	rvicina NC	: 11)
12	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2"	1	SET	20
			Ratchet Wrench, 10 pcs Socket 6			
			side/point (10mm, 11mm, 12mm,			
			13mm, 14mm, 15mm, 17mm, 19mm,			
			22mm, 24mm), 1 pc Extension Rod			
	2	Combination	chrome vanadium steel, set of 8 sizes	1	SET	20
		Wrench (Open	(8mm, 9mm, 10mm, 12mm, 14mm,	:		
		And Box End)	17mm, 19mm, 22mm) 7.5 deg offset			
	3	Vise Grip	10 inches length, Stainless Steel.	1	PC	20
			Jaws: straight, flat, square,	i i		
	4	Dell Deep	Adjustable screw	1	PC	20
	4	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	! I	PC	20
	5	Circlip Pliers	6 in carbon steel insulated handle	1	SET	20
	5	Circlip Files	detachable tip (combination) internal	,	OLI	20
			and external			
	6	Torque Wrench	Beam/needle type, 0-150 ft-lb (0-20	1	PC	20
			m-kg) capacity, 1/2 drive			
	7	Philips Screw	8" shank length (chrome plated)	1	PC	20
		Driver	plastic handle, tip: 2 X 6mm			
	8	Flat Screw Driver	8" shank length (chrome plated)	1	PC	20
			plastic handle, tip: 1/4" / 6.5mm			
	Servic	ing NCII)	WER TRAIN COMPONENTS (Leading	_		20
13		e Motorcycle/Smaing NC II)	all Engine System (Leading to M	otorcyc	le/Small	Engine
	1	Manual Impact	1 pc 1/2" Drive Impact Driver,1 pc 8	1	SET	119
		Driver	mm long bit holder,1 pc 36 mm long,			
		,	8 mm slotted bit,1 pc 36 mm long, 10			
			mm slotted bit,1 pc 36 mm long, PH2			
			bit,1 pc 36 mm long, PH3 bit			
	2	Socket Wrench	socket chrome vanadium: 1 pc 1/2"	1	SET	119
		•	Ratchet Wrench, 10 pcs Socket 6			
			side/point (10mm, 11mm, 12mm,			
			13mm, 14mm, 15mm, 17mm, 19mm,			
ļ	3	Combination	22mm, 24mm), 1 pc Extension Rod chrome vanadium steel, set of 8 sizes	1	SET	119
	ا	Wrench (Open	(8mm, 9mm, 10mm, 12mm, 14mm,	1	SE I	119
		And Box End)	17mm, 19mm, 22mm) 7.5 deg offset			
	4	Spark Plug	1pc T-Handle Universal Joint Spark	1	SET	119
	•	Wrench	Plug, Socket Wrench 21mm			
	5	Spark Plug	1pc T-Handle Universal Joint Spark	1	SET	119
		Wrench	Plug, Socket Wrench 16mm			

380

white

	PROC		ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20		NING FOR	
TE	SDA-P		or Duremdes Building, Gen. Santos		Koronadal	City
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	6	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET	119
	7	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	119
		cycle/Small Engine			ding to	119
14			n (Leading to Motorcycle/Small Engi			
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	15
	2	Electricians/ Electrical Plier	Overall length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	15
	3	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	15
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	15
	5	Battery Load Tester	100-Amp, 6V and 12V batteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted rocker switch.	1	PC	15
		otal, Service Electing NC II)	rical System (Leading to Motorcyc	le/Sma	ll Engine	15
15			nall Engine (Leading to Motorcycle/	Small E	Engine Sei	vicing
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	144
	2	Manual Impact Driver	1 pc 1/2" Drive Impact Driver, 1 pc 8 mm long bit holder, 1 pc 36 mm long, 8 mm slotted bit, 1 pc 36 mm long, 10 mm slotted bit, 1 pc 36 mm long, PH2 bit, 1 pc 36 mm long, PH3 bit	1	SET	144

Myle

	PROC	•	ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20		NING FOR	· · · · · · · · · · · · · · · · · · ·
TE	SDA-R		or Duremdes Building, Gen. Santos		Coronadal	City
LOT	ITEM	ITEM	AGENCY SPECS	QTY	UNIT	NO.
NO.	NO.					OF PAX
	3	Combination	chrome vanadium steel, set of 8 sizes	1	SET	144
		Wrench (Open	(8mm, 9mm, 10mm, 12mm, 14mm,			
		And Box End)	17mm, 19mm, 22mm) 7.5 deg offset			
	4	Feeler gauge	26 tempered steel leaves/blade	1 1	PC	144
			ranging from 0.015 in to 0.025 inches			
Ì	ĺ		and 0.038 to 0.635 mm mm sizes:			
	ŀ		.038, .051, .064, .076, .102, .127,   .152, .178, .203, .229, .254, .279,			
	<b>[</b>		1.305, .330, .356, .381, .406, .432,		:	
			.483, .457, .508, .533, .559, .584, .610			
			and .635mm.Inch sizes: .0015, .002,			
	[		.0025, .004, .005, .006, .007, .008,	-		
			.009, .010, .011, .012, .013, .014,			
l			.0.15, .016, .017, .018, .019, .020,	l		!
			.021,.022, .023, .024, and .025.		<u> </u>	
	5	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	144
<del></del>	6	Spark Plug	1pc T-Handle Universal Joint Spark	1	SET	144
		Wrench	Plug, Socket Wrench 16mm	'	OL.	
	7	Allen Wrench	Hex Key Set, Number of Pieces 9,	1	SET	144
		Set	Arm Length 2.80 to 6.80 In., Sizes			
			Included 1.5, 2, 2.5, 3, 4, 5, 6, 8,			
			10mm, Blade Material Alloy steel,			
			Handle Type L-Shaped, Includes	}		
		Oirelia Diesa	Molded Plastic Holder		057	
	8	Circlip Pliers	6 in carbon steel insulated handle	1	SET	144
			detachable tip (combination) internal and external			
	9	Ball Peen	Forged hard steel; jacketed graphite	1	PC	144
	_	Hammer	ballpeen hammer, 16 oz./ 1 lb			
		otal, Overhaul Mo e Servicing NC II)	torcycle/Small Engine (Leading to M	Motorcy	cle/Small	144
16	CARP	ENTRY NC II				
	1	Cross Cut Saw	Crosscut saw; 8 points per inch; 18	1	PC	88
	2	Claw Hammer	in. length / 450 mm; hardwood handle	1	PC	
	2	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	88
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1"	1	PC	88
			High impact ABS case with durable			1
			rubber Corrosion resistant tru-zero	ļ		ł
			end			
	4	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	88
	5	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	88
	6	Sledge Hammer	Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With Wooden Handle	1	PC	88

rogethe

	PROC		ARTER TOOLKITS FOR THE SPECIA		NING FOR	
TE	SDA P		MENT PROGRAM (STEP) FOR FY 20 por Duremdes Building, Gen. Santos		Coronadal	City
LOT	ITEM	ITEM	AGENCY SPECS	QTY	UNIT	NO.
NO.	NO.					OF PAX
	7	Chalk Line Reel	Includes Chalk Reel and 4 Oz. Bottle Blue Chalk; High Impact Abs Case On-Board Hook Storage, Stainless- Steel Hook, Sliding Door For Easy Filling, Folding Crank Handle	1	PC	88
	8	Wood Chisel	Forged steel blade; 3/4: blade width; plastic handle	1	PC	88
	9	Try Square	Size: 8"x12", Thickness 1.8-2mm, Material: Spring Steel, Handle Material: Aluminum Alloy, Metric & English Graduations	1	PC	88
	10	Ripping Bar	Overall Length: 17", Overall Width: 5/8", Thickness: 5/8", Dia.: 5/8", Material: High Carbon Steel, Color: Black and Yellow	1	PC	88
	11	Plumb Bob	Hexagonal/Conical shape, Machined Steel, 8 ounce	1	PC	88
	Sub-to	otal, CARPENTRY	NC II			88
17	Electri	ical Installation an	d Maintenance NC II			
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	207
	2	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	207
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	207
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	207
	5	Electricians/ Electrical Plier	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	207
	6	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	207
	SUD-10	otal, Electrical Inst	allation and Maintenance NC II			207

Agy den

		EMPLOY	ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20	17		
		·	or Duremdes Building, Gen. Santos			City
NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
18	MASC	NRY NC I		<del></del>		·
	1	Pointing Trowel	Steel 3" x 7", wooden handle	1	PC	15
	2	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	15
	3	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	15
	4	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	15
	5	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	15
	6	Hacksaw With Blade	Adjustable hacksaw frame with bimetal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	15
	7	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	15
	Sub-to	otal, MASONRY NO				15
19	PLAS	TER CONCRETE/N	IASONRY SURFACE (Leading to Mas	onry N	C II)	
	1	Pointing Trowel	Steel 3" x 7", wooden handle	1	PC	25
	2	Concrete/cement Finishing Trowel	Length (In.) 11, Width (In.) 4-1/2, High Carbon Steel Blade, Wooden Handle	1	PC	<b>2</b> 5
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	25
	4	Hacksaw With Blade	Adjustable hacksaw frame with bimetal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	25
	5	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	25
	6	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	25
	7	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	25
	8	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	25
	1	otal, PLASTER NRY NC II)	CONCRETE/MASONRY SURFACE	(LEAD	ING TO	25

Myse ap

	PRO		ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20		NING FOR	
TE	SDA-R		or Duremdes Building, Gen. Santos		Coronadal	City
LOT		ITEM	AGENCY SPECS	QTY	UNIT	NO.
NO.	NO.					OF
						PAX
22	PERF	ORM MULTIPLE	PLUMBING INSTALLATION AND F	REPAIR	MAINTE	VANCE
	WOR	<b>KS (Leading to Plu</b>				
	1	Pipe Wrench	14" Straight cast iron handle; max jaw	1	PC	13
			opening: 65mm (2.55")			
	2	Hacksaw With	Adjustable hacksaw frame with bi-	1	PC	13
		Blade	metal hacksaw blade, 24 TPI,			l i
ļ <u>.</u>	ļ		aluminum alloy frame and handle		· · · · · · · · · · · · · · · · · · ·	
<u></u>	3	PVC Pipe Cutter	PVC pipe cutter; steel handle 1/2"- 2"	1	PC	13
	4	Pull-Push Rule	Blade length 8m/26ft Blade width 1"	1	PC	13
			High impact ABS case with durable			
			rubber Corrosion resistant tru-zero			
<u> </u>	<u> </u>	5 11 5	end			
ļ	5	Ball Peen	Forged hard steel; jacketed graphite	1	PC	13
	0.4	Hammer	ballpeen hammer, 16 oz./ 1 lb	A 445		40
			ULTIPLE PLUMBING INSTALLATIO (LEADING TO PLUMBING NC II)	N AND	REPAIR	13
25	<del></del>	SERVICING (Dom/F	, <u> </u>			
25	1	VOM	Multi-tester Analog DCV Range: 0.1	1 1	UNIT	20
	'	(Multitester)	V to 1000V ACV Range: 10 to 750V	'	ONIT	20
		(ividitite stor)	Internal Battery: R6 (IEC) or UM-3			
			1.5V x 2 Internal Fuse;			
ļ			0.5Ano/250V/5.2mm dia. X 20mm			
			Dimension and Weight: 159.5 x 129			
			x 41.5 mm/approx. 320g Resistance:			
			X1 to X1k			
	2	Mechanical	2 valves, number of hoses 3, gauge	1	SET	20
		Manifold Gauge	high side pressure 0-500 PSIG,	ľ		
		Set	Gauge low side pressure 30 ln. Hg.			[
}			to 250 PSIG, for use with R-22, R-			
			134a refrigerants, 1/4 in. vacuum port			į
			size, hose length 36", 2500 PSI burst.		<u> </u>	
	3	Flaring tool set	Flares and swages. Screw-type	1	SET	20
			feed.Two bars included cover 9			
			sizes. Swivel-type swaging adapters			
			and flaring cone hardened steel,			
			chrome finished. Slip-on forged steel yoke. Includes tool case. Flares 1/8",			
			3/16", 1/4", 5/16", 3/8", 7/16", 1/2",			-
			5/16, 1/4, 5/16, 5/6, 7/16, 1/2, 5/8" and 3/4" O.D. Includes 5 swage			İ
			adapters for 7 tube sizes: 3/16", 1/4",			
			5/16", 3/8", 1/2", 5/8", 3/4" O.D.			
	Sub-to	otal, RAC SERVICII	NG (Dom/RAC) NC II	<u>_</u>		20
26			WELDING (SMAW) NC I			
	1	Portable Welding	Portable welding machine, 220 V, 60	1	PC	191
		Machine	hrtz, single phase, 200 Amps, with	-	-	-
			welding electrode holder and welding			
			ground.			
			385			<u> </u>

Marken

	PRO		ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20		NING FOR	
TF	SDA-R		oor Duremdes Building, Gen. Santos		Coronadal	City
LOT	ITEM	ITEM	AGENCY SPECS	QTY	UNIT	NO.
NO.	NO.	T I have 100	7.02.101 01 200	• • • • • • • • • • • • • • • • • • • •	0	OF
110.						PAX
	2	Welding Mask	Flip Front Welding Helmet, impact-	1	PC	191
		J	resistant polypropylene material,		,	
Į.			adjustable fit, 41/2" x 2" view area		"	
ļ			with lens			,
	Sub-to	otal, SHIELDED ME	TAL ARC WELDING (SMAW) NC I			191
28	Service	e Consumer Elect	ronic Products and Systems (Leadin	g to Ele	ctronic Pr	oducts
	Assen	nbly and Servicing	NC II)			
	1	VOM	Multi-tester Analog DCV Range: 0.1	1	UNIT	146
		(Multitester)	∨ to 1000∨ AC∨ Range: 10 to 750∨			
			Internal Battery: R6 (IEC) or UM-3			
]			1.5V x 2 Internal Fuse:			
			0.5Ano/250V/5.2mm dia. X 20mm			
			Dimension and Weight: 159.5 x 129			
			x 41.5 mm/approx. 320g Resistance:			
			X1 to X1k			
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip	1	PC	146
		 	60Hz			
	3	Long Nose Pliers	Overall Length: 8"	1	PC	146
			Knife Length: 5/8"			
			Material: Carbon Steel			
			Handle Finish: plastic dipped			
	4	Diagonal Cutting	Overall length 8", Handle finish	1	PC	146
		Plier	plastic dipped, Carbon Steel			
	5	Screw Driver Set	4 pieces per set	1	SET	146
			Flat Blade Tip: 6.5X150mm,			
			5X100mm	Ì		
			Phillips Blade tip: 1X100mm,			
			2X150mm	1		
			Plastic and rubberized handle,	ļ		}
		Describe	Chrome Vanadium, Shank 6"			110
	6	Desoldering	Anodized aluminum housing, high	1	PC	146
		Pump/Solder	suction, strong and light weight.	ļ		
	Sub to	Sucker	umer Electronic Products and Syste	mc // -	adina to	146
			embly and Servicing NC II)	siiis (LE	aumy to	140
29			onic Modules, Products and Systems	s (  pad	ing to Flee	ctronic
		cts Assembly and		- \=eau	9 10 1101	20,0110
	1	VOM	Multi-tester Analog DCV Range: 0.1	1	UNIT	20
	'	(Multitester)	V to 1000V ACV Range: 10 to 750V	'	-1411	
		(	Internal Battery: R6 (IEC) or UM-3			
			1.5V x 2 Internal Fuse:	ł		ł
			0.5Ano/250V/5.2mm dia. X 20mm			
			Dimension and Weight: 159.5 x 129	1		
			x 41.5 mm/approx. 320g Resistance:			
			X1 to X1k	ĺ		
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip	1	PC	20
			60Hz			
	-		386			

Agree agr 1

	PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR FY 2017								
TE	SDA-R	egion XII - 2nd Flo	or Duremdes Building, Gen. Santos	Drive, I	Koronadal	City			
LOT	ITEM	ITEM	AGENCY SPECS	QTY	UNIT	NO.			
NO.	NO.			1		OF			
<u></u>						PAX			
(	3	Long Nose Pliers	Overall Length: 8"	1	PC	20			
			Knife Length: 5/8"	1	1				
ļ	}		Material: Carbon Steel	1		İ			
			Handle Finish: plastic dipped						
)	4	Diagonal Cutting	Overall length 8", Handle finish	1	PC	20			
		Plier	plastic dipped, Carbon Steel		ļ				
İ	5	Screw Driver Set	4 pieces per set	1	SET	20			
-			Flat Blade Tip: 6.5X150mm,	ĺ	[				
1	ĺ		5X100mm						
	<u> </u>		Phillips Blade tip: 1X100mm,	]					
			2X150mm						
			Plastic and rubberized handle,	]					
ļ			Chrome Vanadium, Shank 6"						
	6	Desoldering	Anodized aluminum housing, high	1	PC	20			
		Pump/Solder	suction, strong and light weight.						
		Sucker		L					
	1	•	strial Electronic Modules, Product		Systems	20			
	(Leading to Electronic Products Assembly and Servicing NC II)								
31	<del></del>	SMAKING NC II				105			
	1	Ordinary Sewing	operated by foot pedal with mini	1	UNIT	165			
		machine	electric motor (50/60 HZ;70-150Watt;						
			220 V) automatic bobbin winder,						
			variable stitch length control,						
			numbered tension dial with drop feed, wooden table with drawers and cast						
		,	riron stand			Ì			
	2	Drafting Tools	Tailors square, aluminum 24" L x 1	1	SET	165			
	2	Dialiting 100is	1/2" W, L-shape ruler; Hip curve,	ı	SEI	105			
			aluminum 24" L x 1 1/2" W curve ruler			-			
	3	Cutting Shears	8" length, stainless steel cutting	1	PC	165			
	٥	Culling Shears	blade plastic handle used for cutting	ı		105			
			fabrics			1			
	4	French Curve	made of aluminum curve ruler 1 1/2"	1	PC	165			
		1 Telloll Oulve	W for shaping sharp curve edges	1	10	100			
	5	Sewing Kit	a PVC plastic clear pouch with zipper	1	PC	165			
}		COWING INC	closing containing items for sewing	1		100			
		,	such as tape measure 60" (150cm) L,						
			4 to 5" L paper scissors (plastic			1			
			handle), spools of asstd. colors of			{			
			sewing threads and other notions						
	Sub-to	tal, DRESSMAKIN		<u>.                                    </u>	<u> </u>	165			
34		<del></del>	ND PEDICURE (Leading to Beauty C	are NC					
	1	Cuticle Nipper	Stainless steel, 3.5"	1	PC	113			
	2	Cuticle Pusher	stainless steel, 5"	1	PC	113			
	3	Foot Nail Cutter	stainless steel, 3" long	1	PC	113			
	4	Hand Nail Cutter	stainless steel, 2.5" long	1	PC	113			
		Han Outlot	J.G., 1000 0.001, 2.0 10119						

Ap of

	PRO		ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20		NING FOR	
TE	SDA-R	egion XII - 2nd Flo	oor Duremdes Building, Gen. Santos	Drive, I	Coronadal	City
LOT	ITEM	ITEM	AGENCY SPECS	QTY	UNIT	NO.
NO.	NO.					OF
L						PAX
	5	Storage Box	Plastic, clear storage box with lid	1	PC	113
			lock, carry handle, 14" x 10" x 8"			
	6	Nail Brush	Plastic, soft bristle	1	PC	113
	7	Emery Board	80/100 coarse, 8" Long	1_	PC	113
	8	Orange	1.77mm, smooth woodstick	3	PCS	113
		Woodstick				
	9	Cotton Balls	150 balls	1	PACK	113
	10	Cuticle Remover	120 ml bottle	1	BOTTLE	113
	11	Nail Polish	120 ml bottle	1	BOTTLE	113
		Remover				
	12	Antiseptic	25 ml bottle	1	BOTTLE	113
	<u></u>	(Merthiolate)				
	13	Colored Nail	15ml bottle, preferably touch of tan	1	BOTTLE	113
		Polish				
	14	Colored Nail	15ml bottle, white	1	BOTTLE	113
		Polish				
	15	Colorless Nail	15ml bottle, with glitters	1	BOTTLE	113
		Polish				
	16	Colorless Nail	15ml bottle	1	BOTTLE	113
		Polish				
	17	Low Stool	hard plastic, round	1	PC	113
	18	Face Towel	100 % cotton, 12" X 12", white	1	PC	113
	Sub-to	otal, PERFORM MA	NICURE AND PEDICURE (Leading to	Beauty	/ Care NC	113
	<i>II)</i>			· · · · · - <del></del>		
36	PERF		AGE (Leading to Beauty Care NC II)		· · · · · · · · · · · · · · · · · · ·	
	1	Face Towel	100 % cotton, 12" X 12", white	1	PC	39
	2	Bath Towel	100 % cotton, 27" X 54", white	1	PC	39
	3	Face Mask	disposable earloop face mask, 50	1	BOX	39
			pcs per box			
	4	Scrub Suit	Unisex, Soft and linen blouse (V-neck	1	PAIR	39
			top with 2 lower front pockets),			
			garterized pants with adjustable draw			
			string and back pocket, free size,			
			blue color.			
<u> </u>	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	39
<u> </u>	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	39
	7	Aromatic Oil	100 ml.	1	BOTTLE	39
	8	Virgin Coconut Oil	250 ml.	1	BOTTLE	39
	9	Powder	Baby powder, 200 g	1	BOTTLE	39
	10	Mentholated Oil	100 ml.	1	BOTTLE	39
-	11	Storage Box	Plastic, clear storage box with lid	1	PC	39
			lock, carry handle, 14" x 10" x 8"			
	Sub-to	tal, PERFORM BO	DY MASSAGE (Leading to Beauty Ca	are NC	<i>II)</i>	39

sylver

	PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR FY 2017							
TE	SDA-R		oor Duremdes Building, Gen. Santos		Koronadal	City		
LOT	ITEM	ITEM	AGENCY SPECS	QTY	UNIT	NO.		
NO.	NO.					OF PAX		
43	PERF	ORM HAIR CUTTIN	NG SERVICES (Leading to Hairdressi	ng NC I	l)			
	1	Hair Blower	220V, 1800W, 60 Hz, hot and cold	1	UNIT	40		
			blower function					
	2	Cutting Scissors	6" stainless steel with tight regulator screw	1	PC	40		
	3	Thinning	5" Single notched, 23 teeth, stainless	1	PC	40		
<u></u>		Scissors	steel					
	4	Apron	black with 3 pockets	1	PC	40		
	5	Protective Cape	Water proof, nylon, black	1	PC	40		
	6	Neck brush	Wood handle, app. 10 cm x 6.7cm	1	PC	40		
	7	Talcum Powder	250g	1	BOTTLE	40		
	Sub-to   II)	otal, PERFORM HA	AIR CUTTING SERVICES (Leading to	Hairdre	ssing NC	40		
44		D MAKING (Leadir	ng to Bread and Pastry Production No	C II)				
	1	Electric Oven	18L Stainless Housing, Timer 60mins	1	PC	221		
			with bell alarm, Temperature Control					
			(100-250C) 4 Stainless Steel Heating			ļ		
			Element, Indicator Light, Removable					
ļ			Tray for easy Cleaning (Crumb Tray)					
			Tempered Glass, 4 Stage Heating					
1			Selection Accessories: Enamel Bake					
		·	Tray, Wire Rack, Tray Handle, 220V, 60hz	-	<u></u>			
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	221		
	3	Measuring Urn	Transparent glass, 1 cup capacity,	1	PC	221		
			measurements are clearly mark in					
			ounce, quarts and millilitres					
	4	Mixing Bowl	Stainless steel, 8" diameter, 5 quart	1	PC	221		
			capacity					
45			NG (Leading to Bread and Pastry Pro		NC II)	221		
45			ng to Bread and Pastry Production N	IC II)	50			
[ [	1	Electric Oven	18L Stainless Housing, Timer 60mins	7	PC	44		
			with bell alarm, Temperature Control					
ĺĺ	}		(100-250C) 4 Stainless Steel Heating			ľ		
			Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray)	. [				
			Tempered Glass, 4 Stage Heating					
			Selection Accessories: Enamel Bake			Ì		
}			Tray, Wire Rack, Tray Handle, 220V,	[	1			
			60hz					
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup,	$-\frac{1}{1}$	SET	44		
	-	g Oupo	1/3 cup, ¼ cup)	'	J	1.1		
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart	1	PC	44		
			capacity					

Apyler ap 1

	PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR FY 2017								
TE	TESDA-Region XII – 2nd Floor Duremdes Building, Gen. Santos Drive, Koronadal City								
LOT	ITEM	ITEM	AGENCY SPECS	QTY	UNIT	NO.			
NO.	NO.					OF			
	[	·		ļ		PAX			
	4	Muffin Pan	6 holes, 3oz capacity per holes, non-	1	PC	44			
ł			stick	}		1			
	Sub-to	otal, PASTRY MAK	ING (Leading to Bread and Pastry P	roducti	on NC II)	44			
46	CAKE	MAKING (Leading	to Bread and Pastry Production NC	; II)					
	1	Electric Oven	18L Stainless Housing, Timer 60mins	1	PC	65			
			with bell alarm, Temperature Control						
			(100-250C) 4 Stainless Steel Heating						
1	1		Element, Indicator Light, Removable						
Ì			Tray for easy Cleaning (Crumb Tray)			1			
			Tempered Glass, 4 Stage Heating						
			Selection Accessories: Enamel Bake		į	]			
			Tray, Wire Rack, Tray Handle, 220V,						
			60hz						
1	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup,	1	SET	65			
ļ	ļ		1/3 cup, 1/4 cup)			 			
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart	1	PC	65			
ļ			capacity						
	4	Muffin Pan	6 holes, 3oz capacity per holes, non-	1	PC	65			
Ĺ			stick						
			G (Leading to Bread and Pastry Proc		NC II)	65			
47		<del>,                                      </del>	OT MEALS (Leading to Cookery NC						
1	1	Frying Pan	10" diameter by 2" high teflon, non-	1	PC	131			
ļ			stick, riveted handle						
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart	1	PC	131			
<b> </b>		01 - 0 - 16 - 16	capacity			101			
	3	Chef's Knife	8", stainless steel blade with black	1	PC	131			
	4	14	polymer handle		057	404			
	4	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup,	1	SET	131			
ļ	E	Chamina Daniel	1/3 cup, ¼ cup)			404			
	5	Chopping Board	½" x 12" x 18"; made of polyethylene	1	PC	131			
			material			:			
	6	Mondon Chan	12" long, biodegradable, solid	1		-101			
	Ö	Wooden Spoon	, , , , , , , , , , , , , , , , , , , ,		PC	131			
	7	Courses	birchwood		DC	121			
	/	Saucepan	6" diameter stainless with lid, non	1	PC	131			
	0	Ctrainar	riveted black handle			121			
]	8	Strainer	8" diameter, single fine mesh, flat wooden handle	1	PC	131			
	Sub to	ATAL DREDADE AN	<del></del>	okoni	IC IIV	131			
48			D COOK HOT MEALS (Leading to Co (Leading to Cookery NC II)	UKEIY I	v (	131			
40	1	Frying Pan	10" diameter by 2" high teflon, non-	1	PC	50			
	ı	1 Tyniy Fall	stick, riveted handle	1		50			
<del></del>	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart	1	PC	50			
	_	WINING DOWI	capacity	'	, 0	30			
	3	Chef's Knife	8", stainless steel blade with black	1	PC	50			
		Onoro ramo	polymer handle	1	, 0				
L			polymor name			J			

Apple of

		EMPLOY	ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20	17		
TE	SDA-R	egion XII - 2nd Flo	or Duremdes Building, Gen. Santos	Drive, ł	Coronadal	City
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	4	Chopping Board	1/2" x 12" x 18"; made of polyethylene material	1	PC	50
	5	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	50
	6	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	50
	7	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	50
	Sub-to	tal, PREPARE CO	LD MEALS (Leading to Cookery NC	II)		50
49	PROC NC II)	ESS FOOD BY SA	LTING, CURING AND SMOKING (Lead		Food Proc	
	1	Food Processor	2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments	1	unit	37
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	37
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	37
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	37
	5	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	37
	6	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	1	UNIT	37
	Food	Processing NC II)	OD BY SALTING, CURING AND SMOI			37
50	PROC NC II)	ESS FOODS BY FI	ERMENTATION AND PICKLING (Lead	ding to	Food Proc	essing
	1	Food Processor	2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments	1	unit	18
	2	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	18
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ½ cup)	1	SET	18
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	18
	5	Casserole	Stainless; 6L capacity; with two grip handle, with cover	1	PC	18
	6	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	18
	7	Colander	5 qts capacity, stainless steel, with two grip handles	1	PC	18

Agree ap T

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR FY 2017									
TESDA-Region XII – 2nd Floor Duremdes Building, Gen. Santos Drive, Koronadal Ci									
LOT	ITEM	ITEM	AGENCY SPECS	QTY	UNIT	NO.			
NO.	NO.					OF			
						PAX			
	4	•	ODS BY FERMENTATION AND PICK	LING (L	eading to	18			
		Processing NC II)							
51			UGAR CONCENTRATION (Leading to						
	1	Blender	2 speed, 1.5 liter capacity, glass jar with stainless steel blades	1	unit	18			
	2	Candy	8" long, measures temperatures	1	PC	18			
		Thermometer	from 100 to 400 degrees F; glass,						
			pen-type adjustable clip secures						
			thermometer to pan						
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup,	1	SET	18			
			1/3 cup, 1/4 cup)						
	4	Measuring	Stainless steel, 1 set (1tbsp, 1 tsp, ½	1	SET	18			
		Spoons	tsp, ¼ tsp)						
	5	Mixing Bowl	Stainless steel, 8 " diameter, 5 quart capacity	1	PC	18			
	6	Casserole	Stainless; 6L capacity; with two grip handle, with cover	1	PC	18			
	7	Chef's Knife	8", stainless steel blade with black	1	PC	18			
			polymer handle	·	, •				
	8	Rubber Scraper	Rubber head high heat resistant,	1	PC	18			
			flexible, 12" long			_			
	9	Weighing Scale	Manual Weighing Scale; maximum	1	UNIT	18			
			weight capacity; 2 kg, graduated by						
			grams; removable and washable tray						
			ODS BY SUGAR CONCENTRATION (	Leading	g to Food	18			
		ssing NC II)							
	TOTAL	<b>-</b>				2,088			

ryse ap

PRC	CURE	MENT OF STA	RTER TOOLKITS FOR TH PROGRAM (STEP) F			NING FOR	REMPLOYMENT
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE
1	ANIMA	AL PRODUCTI	ON (Poultry-Chicken) NC	ii	h	_ <del></del>	<u> </u>
	1	Galloner	Dimension: height 347 mm (tube), 55 mm (plate, plate diameter is 9.6 inches, 5000 ml water capacity, plastic	3	PÇ	215	
	2	Tubular Feeder	3 kg. capacity, automatic plastic feeder, 11 inches plate diameter, 10.5 inches feeder height	5	PC	215	
	3	Brooder/ Heater Lamp	45 cm diameter aluminum reflector; socket is insulated porcelain, flexible heavy gauge SJT cord with molded-on plug	1	SET	215	
	4	Infrared Lamp	250 Watts Bulb, clear colour emitted light	1	PC	215	
			PRODUCTION (Poultry-Ch	icken)	NC II	215	999,866.100
2	ANIMA		ON (Swine) NC II	,		·	
	1	Ear Notcher	Small V-shape blade; stainless	1	PC	239	
	2	Tooth Nipper	Diagonal cutting blade, stainless steel	1	PC	239	
,	3	Reusable Veterinary Syringe	Fiberglass hypodermic adjustable syringe with engraved volume indication on barrel; 10 ml capacity	1	PC	239	
	4	Veterinary Injection Needle	Gauge # 20 X 1/2" hypodermic needle, 12pcs/box, stainless and sterilizable	1	ВОХ	239	
	5	Veterinary Injection Needle	Gauge # 18 X 1" hypodermic needle, 12pcs/box, stainless and sterilizable	1	вох	239	
	6	Veterinary Injection Needle	Gauge # 16 X 1" hypodermic needle, 12pcs/box, stainless and sterilizable	1	вох	239	
	7	Reusable Artificial Insemination Catheter	Pig spiral tip Artificial Insemination (A.I.) reusable and sterilizable	1	PC	239	
	8	Forcep	Stainless 5.5" long, straight kelly forcep	1	PC	239	
	Sub-to	tal, ANIMAL F	RODUCTION (Swine) NC	11		239	1,337,426.075

PRO	CURE	MENT OF STA	RTER TOOLKITS FOR TH PROGRAM (STEP) F			NING FO	R EMPLOYMENT
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE
3	ANIMA	AL PRODUCTI	ON (Ruminants) NC II			<del>, , , , , , , , , , , , , , , , , , , </del>	· · · · · · · · · · · · · · · · · · ·
	1	Dehorner	High-tempered steel blade, rust-resistant, horn hole size 1 inch	1	PC	105	·
	2	Reusable Veterinary Syringe	Fiberglass hypodermic adjustable syringe with engraved volume indication on barrel; 10 ml capacity	1	PC	105	
	3	Veterinary Injection Needle	Gauge # 18 X 1" hypodermic needle, 12pcs/box, stainless and sterilizable	1	BOX	105	
	4	Veterinary Injection Needle	Gauge # 16 X 1" hypodermic needle, 12pcs/box, stainless and sterilizable	1	вох	105	
	5	Hoof knife/ Hook Knife	billhook blade, blade length: 110mm, made of carbon steel, wood handle with iron bolster and stud	1	PC	105	
	6	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	105	
	7	Garden Hoe	Carbon Steel head, goose neck type, hardwood handle, 6" blade	1	PC	105	
			PRODUCTION (Ruminants	<del></del>		105	608,169.765
4	1	Galloner	Dimension: height 347 mm (tube), 55 mm (plate, plate diameter is 9.6 inches, 5000 ml water capacity, plastic	ic Agr	iculture Pr PC	80	NC II)
	2	Tubular Feeder	3 kg. capacity, automatic plastic feeder, 11 inches plate diameter, 10.5 inches feeder height	5	PC ·	80	



PRO	CURE	MENT OF STAI	RTER TOOLKITS FOR THI PROGRAM (STEP) F			NING FOI	REMPLOYMENT
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE
	3	Brooder/ Heater Lamp	45 cm diameter aluminum reflector; socket is insulated porcelain, flexible heavy gauge SJT cord with molded-on plug	1	SET	80	
	4	Infrared Lamp	250 Watts Bulb, clear colour emitted light	1	PC	80	
	5	Chopping Board	½" x 12" x 18"; made of polyethylene material	1	PC	80	
	6	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	80	
	Agricu	ılture Product				80	478,217.200
5	PROD		C VEGETABLE (Leading to	o Orga			duction NC II)
	1	Steel Rake	14 tine made of steel; hardwood handle	1	PC	246	
	2	Sprayer	Knapsack type (16 litres cap) stainless tank and steel lance manual type with cone nozzles and fan nozzles	1	UNIT	246	
	3	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	246	
	4	Garden Hoe	Carbon Steel head, goose neck type, hardwood handle, 6" blade	1	PC	246	
	5	Sprinkler	2 gallon capacity, heavy duty plastic	1	PC	246	
			E ORGANIC VEGETABL	E (Le	ading to	246	1,345,761.696
	Organ	ic Agriculture	Production NC II)				
6		ction NC II)	C CONCOCTION AND EX	TRAC			ganic Agriculture
	1	Measuring Cup/Jug	Polypropelene, 1 liter capacity with graduation	1	PC	73	
	2	Sprayer	Knapsack type (16 litres cap) stainless tank and steel lance manual type with cone and fan nozzles	1	UNIT	73	
	3	Chopping Board	1/2" x 12" x 18"; made of polyethylene material	1	PC	73	



PRO	CURE	MENT OF STAI	RTER TOOLKITS FOR THI PROGRAM (STEP) F			NING FOR	REMPLOYMENT
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE
	4	Weighing Scale	10 kg. capacity	1	UNIT	73	
	5	Chef's Knife	8", stainless steel blade with black polymer handle		PC	73	
	EXTR.	ACTS (Leading	ICE ORGANIC CONC g to Organic Agriculture F	Produc	tion NC II)	73	434,325.107
7	PERF	ORM DIESEL	ENGINE TUNE UP (Leadin	g to A	utomotive	Servicing	NC I)
	1	Feeler gauge	26 tempered steel leaves/blade ranging from 0.015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .0.15, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.	1	PC	1,591	
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	1,591	
	3	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	1,591	
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	1,591	
	5	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	1,591	

PRO	CURE	MENT OF STAI	RTER TOOLKITS FOR THI PROGRAM (STEP) F			NING FOR	REMPLOYMENT
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY.	UNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE
	6	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	1,591	
		otal, PERFORI notive Servicir	M DIESEL ENGINE TUNE na NC I)	UP (L	eading to	1,591	8,574,866.328
8			SINE TUNE UP (Leading to	Auto	motive Ser	vicina N	C I)
	1	Feeler gauge	26 tempered steel leaves/blade ranging from 0.015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .0.15, .016, .017, .018, .019, .020, .021, .022,	1	PC	680	y y
	2	Spark Plug Wrench	.023, .024, and .025.  1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	680	
	3	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	680	
	4	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	680	
	5	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	680	

PRO	CUREN	MENT OF STA	RTER TOOLKITS FOR THE PROGRAM (STEP) F			VING FO	R EMPLOYMENT
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE
	6	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	680	
	7	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PÇ	680	
		otal, PERFORN notive Servicin	M GAS ENGINE TUNE UP	(Leadii	ng to	680	3,865,433.480
9			IASSIS COMPONENTS (Le	eading	to Automo	otive Serv	vicina NC II)
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	395	vicing ivo ii)
	2	Coil Spring Compressor	12" Coil Spring Compressor (Silver). For all vehicles equipped with Macpherson Struts or any other coil spring brand, double ended jaws with safety hooks	1	SET	395	
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	395	
	4	Vise Grip	10 inches length, Stainless Steel. Jaws: straight, flat, square, Adjustable screw	1	PC	395	
	Sub-to	•		COMF	PONENTS	395	3,054,224.530
10			OMPONENTS (Leading to	Auton	notive Serv	ricing NC	: II)
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	834	
	·						

		,	PROGRAM (STEP) F			NA	TOTAL
NO.	NO.	ITEM	AGENCY SPECS	QTY		NO. OF PAX	TOTAL AGENCY ESTIMATE
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	834	
·	3	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	834	tu e
	4	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET	834	
	5	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	834	
	6	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	834	
	7	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	834	
	Auton	notive Servicin				834	5,783,562.318
11	SERVI	ICE AUTOMOT	TIVE ELECTRICAL COMP	ONENT	S (Leading	g to Auto	motive Servicin
	1	Battery Load Tester	100-Amp, 6V and 12V batteries, shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a topmounted rocker switch.	1	PC	1,243	
	2	Electricians/ Electrical Plier	Overall length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	1,243	
	3	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	1,243	

PRO	CURE	MENT OF STAI	RTER TOOLKITS FOR THE PROGRAM (STEP) F			NING FOI	R EMPLOYMENT
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	ÜNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	1,243	
	Sub-to	•	/ICE AUTOMOTIVE ding to Automotive Service		CTRICAL CII)	1,243	5,140,972.177
12	SERV	ICE POWER T	RAIN COMPONENTS (Lea	ading t	o Automot	ive Servi	cing NC II)
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	220	
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	220	
	3	Vise Grip	10 inches length, Stainless Steel. Jaws: straight, flat, square, Adjustable screw	1	PC	220	
	4	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	220	
-	5	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	220	
	6	Torque Wrench	Beam/needle type, 0- 150 ft-lb (0-20 m-kg) capacity, 1/2 drive	1	PC	220	
	7	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	220	
	8	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	220	
		otal, SERVICE omotive Servi	POWER TRAIN COMPON	IENTS	(Leading	220	1,671,841.820

PRO	CURE	MENT OF STAI	RTER TOOLKITS FOR THI PROGRAM (STEP) F			NING FO	R EMPLOYMENT
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE
13	Service NC II)	e Motorcycle/	cle/Small	Engine Servicing			
,	1	Manual Impact Driver	1 pc 1/2" Drive Impact Driver,1 pc 8 mm long bit holder,1 pc 36 mm long, 8 mm slotted bit,1 pc 36 mm long, 10 mm slotted bit,1 pc 36 mm long, PH2 bit,1 pc 36 mm long, PH3 bit	₹.	SET	2,353	
	2	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	2,353	
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	2,353	
-	4	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	2,353	
	5	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	2,353	
	6	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET	2,353	
	7	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	2,353	
			lotorcycle/Small Engine S Engine Servicing NC II)	ystem	(Leading	2,353	19,796,346.661

PRO	CURE	MENT OF STAI	RTER TOOLKITS FOR THE PROGRAM (STEP) F			ING FO	R EMPLOYMENT
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY		NO. OF PAX	TOTAL AGENCY ESTIMATE
14	Service	e Electrical Sy	ystem (Leading to Motorc	ycle/Si	mall Engin	e Servici	ng NC II)
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	ŲNIT	439	
	2	Electricians/ Electrical Plier	Overall length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	439	
	3	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	439	
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	439	
	5	Battery Load Tester	100-Amp, 6V and 12V batteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a topmounted rocker switch.	1	PC	439	
		cycle/Small Er	ngine Servicing NC II)	(Lead		439	3,355,500.451
15			e/Small Engine (Leading to	o Moto			e Servicing NC II)
		Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	639	

PRO	CURE	MENT OF STA	RTER TOOLKITS FOR TH PROGRAM (STEP) F			NING FO	REMPLOYMENT
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY		NO. OF PAX	TOTAL AGENCY ESTIMATE
	2	Manual Impact Driver	1 pc 1/2" Drive Impact Driver,1 pc 8 mm long bit holder,1 pc 36 mm long, 8 mm slotted bit,1 pc 36 mm long, 10 mm slotted bit,1 pc 36 mm long, PH2 bit,1 pc 36 mm long, PH3 bit	1	SET	639	
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	639	
	4	Feeler gauge	26 tempered steel leaves/blade ranging from 0.015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .0.15, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.	1	PC	639	
	5	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	639	
	6	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	639	

	1 mm = =	( → ) → x =	PROGRAM (STEP) F			NO	TATAL
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	ŲNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE
	7	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET	639	
	8	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	639	
	9	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	639	
	Motor	cycle/Small Er	l Motorcycle/Small Engi ngine Servicing NC II)	ne (Le	ading to	639	6,118,653.762
16	<del></del>	ENTRY NC II					
	1	Cross Cut Saw	Crosscut saw; 8 points per inch; 18 in. length / 450 mm; hardwood handle	1	PC	1,565	
	2	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	1,565	
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	1,565	
	4	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	1,565	
	5	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	1,565	
	6	Sledge Hammer	Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With Wooden Handle	1	PC	1,565	

PRO	CURE	MENT OF STA	RTER TOOLKITS FOR THI PROGRAM (STEP) F			NING FOR	REMPLOYMENT
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE
	7	Chalk Line Reel	Includes Chalk Reel and 4 Oz. Bottle Blue Chalk; High Impact Abs Case On-Board Hook Storage, Stainless-Steel Hook, Sliding Door For Easy Filling, Folding Crank Handle	1	PC	1,565	
	8	Wood Chisel	Forged steel blade; 3/4: blade width; plastic handle	1	PC	1,565	
	9	Try Square	Size: 8"x12", Thickness 1.8-2mm, Material: Spring Steel, Handle Material: Aluminum Alloy, Metric & English Graduations	1	PC	1,565	
	10	Ripping Bar	Overall Length: 17", Overall Width: 5/8", Thickness: 5/8", Dia.: 5/8", Material: High Carbon Steel, Color: Black and Yellow	1	PC	1,565	
	11	Plumb Bob	Hexagonal/Conical shape, Machined Steel, 8 ounce	1	PC	1,565	
	Sub-to	otal, CARPENT	TRY NC II			1,565	11,386,400.075
17		<del>,</del>	n and Maintenance NC II				
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	3,106	
	2	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	3,106	

LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	ÜNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	3,106	
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PÇ	3,106	
	5	Electricians/ Electrical Plier	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	3,106	
	6	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	3,106	
			Installation and Maintena	nce NC	C II	3,106	21,391,127.604
18	MASO	NRY NC I		·····			
	1	Pointing Trowel	Steel 3" x 7", wooden handle	1	PC	415	
	2	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	415	·
	3	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	415	
	4	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1 .	PC	415	
	5	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	415	
	6	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	415	
	7	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	415	
	Sub-to	otal, MASONR				415	1,966,363.790

FRC	CUKEN	MENT OF STAI	RTER TOOLKITS FOR TH PROGRAM (STEP) F			VIING FUI	Z EIVIFLU I IVIEN I
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE
19			TE/MASONRY SURFACE				)
	1	Pointing Trowel	Steel 3" x 7", wooden handle_	1	PÇ	340	
	2	Concrete/ce ment Finishing Trowel	Length (In.) 11, Width (In.) 4-1/2, High Carbon Steel Blade, Wooden Handle	1	PC	340	
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	340	
	4	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle		PC	340	
	5	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	340	
	6	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	340	
	7	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	340	
	8	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	340	
		ING TO MASC	NRY NC II)		SURFACE	340	1,752,463.360
20			BALUSTERS AND HAND				NC II)
	1	Pointing Trowel	Steel 3" x 7", Wooden handle	1	PC	15	
	2	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru- zero end	1	PC	15	
	3	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	15	
	4	Rubber Mallet	16 oz, Wooden Handle	1	PC	15	

PRC	CURE	MENT OF STAI	RTER TOOLKITS FOR TH PROGRAM (STEP) F			NING FOR	
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE
	5	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	15	
	6	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	15	
	7	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	15	
24	(LEAD	otal, INSTALL DING TO MASO ITTING NC II	PRE-CAST BALUSTERS DNRY NC II)	AND H	ANDRAIL	15	69,114.180
21	1	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PÇ	895	
	2	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	895	
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru- zero end	1	PC	895	
	4	File	Half-round, 8", tapered width and thickness, bastard teeth spacing, Plastic handle is slip resistant	1	PC	895	
	5	Adjustable Wrench	12"/ 304.8 mm length, heavy duty chrome vanadium steel, max. Jaw capacity 43.2 mm, head width, 3/4" / 19.1 mm	1	PC	895	
	6	Adjustable Combination Square	stainless steel blade, high visibility die cast handle with brass hardware, 12 tn. Length of blade	1	PC	895	

PRO	CURE	MENT OF STA	RTER TOOLKITS FOR THE PROGRAM (STEP) F			ING FO	REMPLOYMENT
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE
	7	C - Clamp	Heavy duty, Machine ground anvils, steel sliding pin handles, bright plated steel swivel, 8" opening	1	PC	895	
	8	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	895	
	Sub-to	tal, PIPEFITT	NG NC II			895	6,131,484.795
22			E PLUMBING INSTALLAT	ION A	ND REPAIR		
		ng to Plumbin					
	1	Pipe Wrench	14" Straight cast iron handle; max jaw opening: 65mm (2.55")	1	PC	440	
	2	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	440	
	3	PVC Pipe Cutter	PVC pipe cutter; steel handle 1/2"- 2"	1	PC	440	
	4	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru- zero end	1	PC	440	
	5	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	440	
	AND PLUM	RÉPAIR MA BING NC II)		INSTA (LEAD	i i	440	2,375,423.600
23		TRUCTION PA		<del></del>			
	1	Steel Brush	Hardened steel brush, wooden handle	1	PC	157	
	2	Paint Brush, 1"	Soft Bristle, 1", long bristle, wooden handle, stainless steel ferrules	2	PC	157	
	3	Paint Brush, 2"	Soft Bristle, 2", long bristle, wooden handle, stainless steel ferrules	2	PC	157	
	4	Paint Brush, 3"	Soft Bristle, 3", long bristle, wooden handle, stainless steel ferrules	2	PC	157	

TO.	ITEM	ITEM	PROGRAM (STEP) F AGENCY SPECS	QTY	UNIT	NO.	TOTAL
10.	NO.					OF PAX	AGENCY ESTIMATE
	5	Paint Brush, 4"	Soft Bristle, 4", long bristle, wooden handle, stainless steel ferrules	2	PC	157	
	6	Spray Gun, Gravity Feed Type		1	PC	157	
	7	Air Hose	HVLP air hose, 1/4" dia. X 6 meters length, 150 psi	1	SET	157	
	8	Scraper	Hardened, tempered and polished steel blade; plastic handle; blade width: 2 inches; full tang blade	1	PC	157	
	9	Putty Knife	Hardened, tempered and polished steel blade; plastic handle; blade width: 3 inches; full tang blade	1	PC	157	
	10	Industrial Safety Goggles	Plastic, Clear, Elastic Strap, Ventilated	1	PC	157	
	11	Paint Roller, 4"	Paint Roller pure polyester with handle, size: 4"	1	PC	157	
	12	Paint Roller, 7"	Paint Roller pure polyester with handle size: 7"	1	PC	157	
	13	Paint Roller, 9"	Paint Roller pure polyester with handle, size: 9"	1	PC	157	
	14	Paint Roller Pan/Tray	Plastic, size: 9"	1	PC	157	
			ICTION PAINTING NC II			157	652,573.012
24		ETTING NC II	D			1 400	
	1	Tile Cutter	Pen type, carbide tip, manual 8" length	1	PC	1,134	
	2	Nipper, End Cutter	End nipper Plier 8"	1	PC	1,134	
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	1,134	
	4	Rubber Mallet	16 oz, Wooden Handle	1	PC	1,134	

PRO	PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR FY 2017									
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE			
	5	Notched Trowel	Notched Trowel; carbon steel; Wooden/ Plastic handle	1	PC	1,134				
	6	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	1,134				
	7	Plier	Forged carbon steel, length 8 inches, machined jaws	1	PC	1,134				
	8	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	1,134				
	Sub-to	otal, TILE SET	TING NC II			1,134	5,172,481.314			
25	RAC S	SERVICING (De	om/RAC) NC II	<del> </del>	· · · · · · · · · · · · · · · · · · ·	d				
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	314				
	2	Mechanical Manifold Gauge Set	2 valves, number of hoses 3, gauge high side pressure 0-500 PSIG, Gauge low side pressure 30 ln. Hg. to 250 PSIG, for use with R-22, R-134a refrigerants, 1/4 in. vacuum port size, hose length 36", 2500 PSI burst.	1	SET	314				

PRO	PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR FY 2017										
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY		NO. OF PAX	TOTAL AGENCY ESTIMATE				
	3	Flaring tool set	Flares and swages. Screw-type feed. Two bars included cover 9 sizes. Swivel-type swaging adapters and flaring cone hardened steel, chrome finished. Slip-on forged steel yoke. Includes tool case. Flares 1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" O.D. Includes 5 swage adapters for 7 tube sizes: 3/16", 1/4", 5/16",	1	SET	314					
	Sub to	tal BAC SED	3/8", 1/2", 5/8", 3/4" O.D. VICING (Dom/RAC) NC II		·	314	3,550,953.780				
26			ARC WELDING (SMAW) N	CI		314	3,330,333.760				
	1	Portable Welding Machine	Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground.	1	PC	9,795					
	2	Welding Mask	Flip Front Welding Helmet, impact-resistant polypropylene material, adjustable fit, 4 1/2" x 2" view area with lens	1	PC	9,795					
		······	METAL ARC WELDING		<del></del>	9,795	114,859,382.760				
27	Assen NC II)	ndie Electronic	es Products (Leading to E	ectron	iic Product	s Assem	bly and Servicing				
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	666					
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	666					

PRO	PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR FY 2017									
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE			
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	666				
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	666				
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm,5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	666				
	6	Desoldering Pump/ Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	666				
	Sub-to	otal, Assemb	le Electronics Product	•	ading to	666	4,316,292.720			
28			Assembly and Servicing Electronic Products and		ne (l padir	na to Fle	ctronic Products			
20		nbly and Servi	cing NC II)			ig to Lie	ctrome rroducts			
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	1,336				
	2	Soldering   Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	1,336				
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	1,336				
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	1,336				

PRO	CURE	MENT OF STA	RTER TOOLKITS FOR TH PROGRAM (STEP) F			NING FO	REMPLOYMENT
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	1,336	
	6	Desoldering Pump/ Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	1,336	
	Syste	•	Consumer Electronic to Electronic Products		1	1,336	8,658,509.120
29			Electronic Modules, Prod and Servicing NC II)	ucts a	nd System	ıs (Leadi	ng to Electronic
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	285	
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	285	
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	285	
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	285	

LOT NO.	NO.	ITEM	PROGRAM (STEP) F AGENCY SPECS	QTY	UNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm,5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	285	
	6	Desoldering Pump/ Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	285	
	and S Service	ystems (Leadi ing NC II)	Industrial Electronic Moding to Electronic Products			285	1,847,062.200
30	<del> </del>		G (FINISHING) NC II	,	····		
	1	Air Compressor	Air Compressor (1/4 hp, standard operating pressure: 5kg/cm, 36 liters. tank capacity, single piston, 220v, 60hz, single phase/ belt-drive)	1	PC	170	
	2	Air Hose	HVLP air hose, 1/4" dia. X 6 meters length, 150 psi	1	SET	170	
	3	Gravity Feed Type	HVLP spray gun with a 1.5 mm fluid tip, 400 ml Aluminum cup, air inlet 1/4"	1	PC	170	
31		o <i>tal, FURNITUI</i> SMAKING NC	RE MAKING (FINISHING) I	NC II		170	1,720,797.460
	1	Ordinary Sewing machine	operated by foot pedal with mini electric motor (50/60 HZ;70-150Watt, 220 V) automatic bobbin winder, variable stitch length control, numbered tension dial with drop feed, wooden table with drawers and cast iron stand	1	UNIT	3,367	

PRO	PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR FY 2017									
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE			
	2	Drafting Tools	Tailors square, aluminum 24" L x 1 1/2" W, L-shape ruler; Hip curve, aluminum 24" L x 1 1/2 " W curve ruler	1	SET	3,367				
	3	Cutting Shears	8" length, stainless steel cutting blade, plastic handle used for cutting fabrics	1	PC	3,367				
	4	French Curve	made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges	1	PC	3,367				
	5	Sewing Kit	a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure 60" (150cm) L, 4 to 5" L paper scissors (plastic handle), spools of asstd. colors of sewing threads and other notions	1	PC	3,367				
	Sub-to	otal, DRESSM				3,367	33,448,963.184			
32		RING NC II				···.				
	1	Ordinary Sewing machine	operated by foot pedal with mini electric motor (50/60 HZ;70-150 Watt; 220 V) automatic bobbin winder, variable stitch length control, numbered tension dial with drop feed, wooden table with drawers and cast iron stand	1	UNIT	257				
	2	Drafting Tools	Tailors square, aluminum 24" L x 1 1/2" W, L-shape ruler Hip curve, aluminum 24" L x 1 1/2" W curve ruler	1	SET	257				
	3	Cutting Shears	8" length, stainless steel cutting blade, plastic handle used for cutting fabrics	1	PC	257				

PRO	PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR FY 2017									
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	ÜNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE			
	4	French Curve	made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges	1	PÇ	257				
	5	Sewing Kit	a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure 60" (150cm) L, 4 to 5" L paper scissors (plastic handle), spools of asstd. colors of sewing threads and other notions	1	PC	257				
33		otal, TAILORIN	IG NC II MASSAGE) NC II			257	2,553,128.464			
33	1	Face Towel	100 % cotton, 12" X 12",	1	PC	8,548	<u> </u>			
			white			i				
	2	Bath Towel	100 % cotton, 27" X 54", white	1	PC	8,548				
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	8,548				
	4	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	8,548				
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	8,548				
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	8,548				
	7	Aromatic Oil	100 ml.	1	BOTTLE	8,548				
	8	Virgin Coconut Oil	250 ml.	1	BOTTLE	8,548				
	9	Powder	Baby powder, 200 g	1	BOTTLE	8,548				
	10	Mentholated Oil	100 ml.	1	BOTTLE	8,548				
	11	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	8,548				
24			ELLNESS MASSAGE) NC		<u> </u>	8,548	27,298,610.716			
34	PERFO 1	ORM MANICUI Cuticle Nipper	RE AND PEDICURE (Lead Stainless steel, 3.5"	ing to	PC	3,520				

PRO	CURE	MENT OF STAI	RTER TOOLKITS FOR TH PROGRAM (STEP) F	E SPE	CIAL TRAIN 2017	NING FOR	REMPLOYMENT
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	ÚNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE
	2	Cuticle Pusher	stainless steel, 5"	1	PC	3,520	
	3	Foot Nail Cutter	stainless steel, 3" long	1	PC	3,520	
	4	Hand Nail Cutter	stainless steel, 2.5" long	1	PC	3,520	
	5	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	3,520	
	6	Nail Brush	Plastic, soft bristle	1	PC	3,520	
	7	Emery Board	80/100 coarse, 8" Long	1	PC	3,520	
	8	Orange Woodstick	1.77mm, smooth woodstick	3	PCS	3,520	
	9	Cotton Balls	150 balls	1	PACK	3,520	
	10	Cuticle Remover	120 ml bottle	1	BOTTLE	3,520	
	11	Nail Polish Remover	120 ml bottle	1	BOTTLE	3,520	
	12	Antiseptic (Merthiolate)	25 ml bottle	1	BOTTLE	3,520	
	13	Colored Nail Polish	15ml bottle, preferably touch of tan	1	BOTTLE	3,520	· · · · · · · · · · · · · · · · · · ·
	14	Colored Nail Polish	15ml bottle, white	1	BOTTLE	3,520	
	15	Colorless Nail Polish	15ml bottle, with glitters	1	BOTTLE	3,520	
	16	Colorless Nail Polish	15ml bottle	1	BOTTLE	3,520	
	17	Low Stool	hard plastic, round	1	PC	3,520	
	18	Face Towel	100 % cotton, 12" X 12", white	1	PC	3,520	
	Beaut	y Care NC II)	MANICURE AND PEDIC			3,520	5,690,981.120
35	PERF		PA (Leading to Beauty Car	re NC I			
	1	Handspa Machine	Thermostatically- controlled heating unit, 220v, 60hz	1	PC	75	
	2	Paraffin Wax		1	вох	75	
	3	Clingwrap	clear, transparent, 150 sq. ft (36.6m x 38 cm)	1	ROLL	75	
	Sub-to	otal, PERFORI	I HAND SPA (Leading to	Beauty	Care NC	75	218,894.850
36	PERF	ORM BODY MA	ASSAGE (Leading to Beau	ıty Car	e NC II)		
	1	Face Towel	100 % cotton, 12" X 12", white	1	PC	1,269	



PRC	CURE	MENT OF STA	RTER TOOLKITS FOR TH PROGRAM (STEP) F	E SPE	CIAL TRAIN 2017	ING FO	REMPLOYMENT
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE
	2	Bath Towel	100 % cotton, 27" X 54", white		PC	1,269	
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	вох	1,269	
	4	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	1,269	
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	1,269	
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	1,269	
	7	Aromatic Oil	100 ml.	1	BOTTLE	1,269	<del></del>
	8	Virgin Coconut Oil	250 ml.	1	BOTTLE	1,269	
	9	Powder	Baby powder, 200 g	1	BOTTLE	1,269	
	10	Mentholated Oil	100 ml.	1	BOTTLE	1,269	
	11	Storage Box	with lid lock, carry handle, 14" x 10" x 8"		PC	1,269	
	Care I	VC II)	M BODY MASSAGE (Leadi			1,269	4,052,636.523
37			CRUB (Leading to Beauty			<del></del>	·
	1	Face Mask	disposable earloop face mask, 50 pcs per box	1	вох	25	
	2	Head Band	3"x 23" cotton fabric with snap tape	1	PC	25	
	3	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	25	
	4	Bath Towel	100 % cotton, 27" X 54", white	1	PC	25	
	5	Scrubbing Gloves	Exfoliating bath and shower gloves, elasticized wrist (regular size, nylon)	1	PAIR	25	
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	25	
	7	Whitening Soap	135 grams, papaya	1	PC	25	

PRO	CURE	MENT OF STAI	RTER TOOLKITS FOR TH PROGRAM (STEP) F			NING FO	R EMPLOYMENT
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY		NO. OF PAX	TOTAL AGENCY ESTIMATE
	8	Scrubbing Products	milk salt, 350 grams	1	PACK	25	
	9	Face Towel	100 % cotton, 12" X 12", white	1	PC	25	
	NC II)		M BODY SCRUB (Leading			25	53,471.300
38	PERF		TREATMENT (Leading to	Beauty			
	1	Acne Gel	plastic tube, 25ml	1	PC	487	
	2	Astringent	125 ml, deep cleansing, hypoallergenic	1	BOTTLE	487	
	3	Bleaching Cream	50 grams, tube, hypoallergenic	1	TUBE	487	
	4	Cleansing Cream	60 ml., hypoallergenic	1	BOTTLE	487	
	5	Face Mask	disposable earloop face mask, 50 pcs per box	1	вох	487	
	6	Facial Brush	wooden handle, soft bristle	1	PC	487	
	7	Facial Cream	50 ml, dermatologically tested	1	PÇ	487	
	8	Facial Scrub Cream	50ml, dermatologically tested	1	TUBE	487	
	9	Moisturizer	50 ml, plastic container, hypoallergenic	1	PC	487	
	10	Pricking Tools	stainless steel, dual end, pointed and round	1	PC	487	
	11	Skin Toner	100 ml, dermatologically tested	1	BOTTLE	487	
	12	Sun Block Cream	50 ml. SPF 40 (hypoallergenic)	1	TUBE	487	
	13	Face Towel	100 % cotton, 12" X 12", white	1	PC	487	
	14	Cotton Balls	150 balls	1	PACK	487	
		otal, PERFOR y Care NC II)	RM FACIAL TREATMEN	T (Le	ading to	487	1,467,933.906
39	PERF	ORM FOOT SP	A (Leading to Beauty Car	e NC II	<u>)                                    </u>		
	1	Footspa Machine	220V 1800-2000W 60Hz, with bubbles and vibrator	1	UNIT	498	
	2	Callus Remover	Stainless Steel, 7"	1	PC	498	
	3	Scrubbing Gloves	Exfoliating bath and shower gloves, elasticized wrist (regular size, nylon)	1	PAIR	498	
	4	Foot File	Wooden, 9.5"	1	PC	498	
L	5	Foot Blush	100ml, spray type	11	BOTTLE	498	

PRC	CURE	MENT OF STA	RTER TOOLKITS FOR TH PROGRAM (STEP) F			NING FO	REMPLOYMENT
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY		NO. OF PAX	TOTAL AGENCY ESTIMATE
	6	Foot Soak	150ml, Liquid	1	BOTTLE	498	
	7	Foot Scrub	150ml, cream	1	TUBE	498	
	8	Foot Lotion	150ml, scented	1	BOTTLE	498	
	9	Foot Brush	plastic handle, plastic bristle	1	PC	498	
	Sub-to	otal, PERFORI	M FOOT SPA (Leading to	Beauty	/ Care NC	498	1,806,339.624
40	PERF	ORM FACIAL I	MAKE-UP (Leading to Bea	auty Ca	re NC II)	<del> </del>	<u> </u>
	1	Astringent	125 ml, deep cleansing, hypoallergenic	1	BOTTLE	527	
	2	Blusher	pink and bronze shade, 4grams each		PC	527	
	3	Eye Brow Pencil	black, 4"	1	PC	527	
	4	Eye Brow Pencil	brown, 4"	1	PC	527	
	5	Eye Liner Pencil	black, 4"	1	PC	527	
<u> </u>	6	Eye Liner Pencil	brown, 4"	1	PC	527	
	7	Eye Shadow	8 palette, earth colors, matte finish	1	PC	527	
	8	Eyebrow Tweezer	stainless steel, scissor type	1	PC	527	
	9	Eyelash Curler	stainless steel, scissor type	1	PC	527	
	10	Face Mask	disposable earloop face mask, 50 pcs per box	1	вох	527	
:	11	Make-Up Sponge	round, powder puff sponge	1	PC	527	
	12	Foundation	Liquid, 30 ml, natural shade	1	BOTTLE	527	
	13	Head Band	3"x 23" cotton fabric with snap tape	1	PC	527	
	14	Lipstick	matte finish, red	1	PC	527	
	15	Lipstick	matte finish, coral pink	1	PC	527	
	16	Make Up Brush Set	wooden handle, soft bristle, set of 5pcs (lip brush, angle eye brush, powder brush, eye shadow brush, angle blusher brush)	1	SET	527	
	17	Mascara	black, water proof, 7g	1	PC	527	
	18	Pressed Powder	natural shade, matte finish	1	PC	527	
	19	Cotton Balls	150 balls	1	PACK	527	

PRC	CURE	MENT OF STA	RTER TOOLKITS FOR TH PROGRAM (STEP) F			NING FO	REMPLOYMENT
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE
	20	Concealer	20ml with UVA/UVB protection		PC	527	
	Care I	VC II)	M FACIAL MAKE-UP (Le				2,294,404.116
41	PERF	<del></del>	LORING/BLEACHING SE				ressing NC II)
	1	Colorants	Paste form, brown (light, medium and dark) at 100 grams each	3	TUBE	418	
	2	Colorants	Paste form, blonde (light, medium and dark) at 100 grams each		TUBE	418	
	3	Mixing Bowl	Plastic, 6 cm height, diameter 13.5 cm, color black.	1	PC	418	
	4	Applicator Brush	Plastic, black, with comb and tail	1	PC	418	
	5	Frosting Cap with Hook	Reusable hair color highlighting cap hat with metal hook	1	PC	418	
	6	Bleaching Powder	30g (sachet)	3	PC	418	
	7	Hand Gloves	washable, medium size, preferably black	1	PAIR	418	
	8	Protective Cape	Water proof, nylon, black	1	PC	418	
	9	Oxidizing Solution	set of 3, 6%, 9% and 12%, at 100 ml each bottle	1	SET	418	
	10	Face Mask	disposable earloop face mask, 50 pcs per box	1	вох	418	
		ICES (Leading	to Hairdressing NC II)		EACHING	418	1,038,564.890
42	PERF		RMING/STRAIGHTENING	(Leadir			NC II)
	1	Hair Straightening Iron	220V, 60hz, adjustable heat control	1	PC	320	
	2	Hair Straightening Product	straightening solution and neutralizing cream, at 500ml each	1	SET	320	
	3	Mixing Bowl	Plastic, 6 cm height, diameter 13.5 cm, color black.	1	PC	320	
	4	Hair Perming Product	cold wave lotion & neutralizer at 500 ml each	1	SET	320	
	5	Curling Rods		2	DOZ	320	
	6	Curling Rods		2	DOZ	320	
	7	Curling Rods	16mm size	2	DOZ	320	

PRC	CURE	MENT OF STAI	RTER TOOLKITS FOR TH PROGRAM (STEP) F	E SPEC	CIAL TRAIL 2017	NING FOR	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	ŲNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE
	8	Applicator Brush	Plastic, black, with comb and tail	1	PC	320	
	9	Bottle Applicator	Plastic, transparent, 100 ml capacity	1	PC	320	
	10	Shower Cap	Thick plastic, preferably black, free size	1	PACK	320	
	11	Protective Cape	Water proof, nylon, black	1	PC	320	
	12	Face Mask	disposable earloop face mask, 50 pcs per box	1	ВОХ	320	
	13	Hand Gloves	washable, medium size, preferably black	1	PAIR	320	
		otal, PERFO ing to Hairdres		TRAIG	HTENING	320	1,610,590.720
43	PERF	ORM HAIR CU	TTING SERVICES (Leadin	g to H	airdressing	NC II)	
	1	Hair Blower	220V, 1800W, 60 Hz, hot and cold blower function	1	UNIT	1,516	
	2	Cutting Scissors	6" stainless steel with tight regulator screw	1	PC	1,516	
	3	Thinning Scissors	5" Single notched, 23 teeth, stainless steel	1	PC	1,516	
	4	Apron	black with 3 pockets	1	PC	1,516	· · · · · · · · · · · · · · · · · · ·
	5	Protective Cape	Water proof, nylon, black	1	PC	1,516	
	6	Neck brush	Wood handle, app. 10 cm x 6.7cm	1	PC	1,516	
	7	Talcum Powder	250g	1	BOTTLE	1,516	
		otal, PERFORI essing NC II)	M HAIR CUTTING SERVIC	CES (L	eading to	1,516	6,408,767.204
44	BREA	D MAKING (Le	ading to Bread and Pastr	y Prod	uction NC	ll)	
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz	1	PC	4,477	

H

PRO	CURE	MENT OF STA	RTER TOOLKITS FOR TH PROGRAM (STEP) F			NING FO	R EMPLOYMENT
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	4,477	
·	3	Measuring Urn	Transparent glass, 1 cup capacity, measurements are clearly mark in ounce, quarts and millilitres	1	PC	4,477	
	4	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	4,477	
45	Produ	ction NC II)	MAKING (Leading to Br		_	4,477	33,280,164.522
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz	1	PC	1,671	
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	1,671	
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	1,671	
	4	Muffin Pan	6 holes, 3oz capacity per holes, non-stick	1	PC	1,671	
		otal, PASTRY ction NC II)	MAKING (Leading to Br	ead an	d Pastry	1,671	12,075,514.920

PRO	CUREN	MENT OF STA	RTER TOOLKITS FOR TH PROGRAM (STEP) F	E SPEC	CIAL TRAIN 2017	NING FOR	
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE
46	CAKE	MAKING (Lea	ding to Bread and Pastry	Produ	ction NC I		
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating	1	PC	2,576	
			Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz				
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)		SET	2,576	
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	2,576	
	4	Muffin Pan	6 holes, 3oz capacity per holes, non-stick	1	PC	2,576	
		otal, CAKE M ction NC II)	AKING (Leading to Bro	ead an	d Pastry	2,576	18,615,515.520
47		<del></del>	OK HOT MEALS (Leading	to Coo	kery NC II)		
	1	Frying Pan	10" diameter by 2" high teflon, non-stick, riveted handle	1	PC	4,146	
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	4,146	
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	4,146	
	4	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	4,146	
	5	Chopping Board	$\frac{1}{2}$ " x 12" x 18"; made of polyethylene material	1	PC	4,146	
	6	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	4,146	
	7	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	4,146	

PRO	CURE	MENT OF STA	RTER TOOLKITS FOR TH PROGRAM (STEP) F			NING FO	R EMPLOYMENT
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	ÜNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE
	8	Strainer	8" diameter, single fine mesh, flat wooden handle		PC	4,146	
	)	otal, PREPAR ery NC II)	E AND COOK HOT MEA	LS (L	eading to	4,146	22,813,103.802
48			EALS (Leading to Cooker	y NC II	)	L <del></del>	J
	1	Frying Pan	10" diameter by 2" high teflon, non-stick, riveted handle	1	PC	1,259	
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	1,259	
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	1,259	
	4	Chopping Board	½ " x 12" x 18"; made of polyethylene material	1	PC	1,259	
	5	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	1,259	
	6	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	1,259	
	7	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	1,259	
	Sub-to	otal, PREPARE	COLD MEALS (Leading t	o Cook	(ery NC II)	1,259	6,384,281.985
49	PROC	ESS FOOD BY	SALTING, CURING AND	SMOKI	NG (Leadii	ng to Foo	od Processing NC
	1	Food Processor	2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments	1	unit	1,429	
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	1,429	
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	1,429	
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	1,429	
	5	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	1,429	

PRO	CURE	MENT OF STAI	RTER TOOLKITS FOR TH PROGRAM (STEP) F			NING FO	REMPLOYMENT	
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE	
	6	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray		UNIT	1,429		
	SMOK	(ING (Leading	S FOOD BY SALTING, to Food Processing NC II	)			10,522,725.871	
50	PROC	ESS FOODS E	BY FERMENTATION AND	PICKLI	NG (Leadi	ng to Foo	od Processing NC	
	1	Food Processor	2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments	1	unit	630		
	2	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	630		
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	630		
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	630		
	5	Casserole	Stainless; 6L capacity; with two grip handle, with cover	1	PC	630		
	6	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	630		
	7	Colander	5 qts capacity, stainless steel, with two grip handles	1	PC	630		
	PICKL	ING (Leading	SS FOODS BY FERME to Food Processing NC II	<i>l)</i>		630	6,102,836.460 ocessing NC II)	
51	PROC	ESS FOODS E	BY SUGAR CONCENTRAT	ION (L	eading to	Food Pr		
	1	Blender	2 speed, 1.5liter capacity, glass jar with stainless steel blades	1	unit	566		
	2	Candy Thermometer	8" long, measures temperatures from 100 to 400 degrees F; glass, pen-type adjustable clip secures thermometer to pan	1	PC	566		
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	566		

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMEN PROGRAM (STEP) FOR FY 2017							
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)		SET	566	
	5	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	566	
	6	Casserole	Stainless; 6L capacity; with two grip handle, with cover	1	PC	566	
	7	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	566	
			, ,	1	PC	566	
	9	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	1	UNIT	566	
			S FOODS BY SUGAR CO	NCEN	TRATION	566	4,167,962.872
52	SERV		R ELECTRONIC PRODUC	TS AN	DSYSTEM	S (ASSE	MBLY OF SOLAR
	1 VOM (Multite		Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	138	
	2	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	138	

N 

PRO	CUREN	MENT OF STAF	RTER TOOLKITS FOR THI PROGRAM (STEP) F			VING FO	REMPLOYMENT
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY		NO. OF PAX	TOTAL AGENCY ESTIMATE
	3	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	138	
	4	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	138	
		Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder		SET	138	
	Sub-total, SERVICE CONSUMER ELECTRONIC PRODUCTS AND SYSTEMS (ASSEMBLY OF SOLAR NIGHTLIGHT AND POST LAMP)						880,916.652
	TOTA					67,704	451,201,906.461

# Section VIII. Bidding Forms

# TABLE OF CONTENTS

BID FORM	432
CONTRACT AGREEMENT FORM	436
OMNIBUS SWORN STATEMENT	438
BANK GUARANTEE FORM FOR ADVANCE PAYMENT	441
BID SECURING DECLARATION FORM	442

#### Bid Form

Date: Invitation to Bid <sup>2</sup> Nº:	

To: [name and address of Procuring Entity]

Gentlemen and/or Ladies:

Having examined the Bidding Documents including Bid Bulletin Numbers [insert numbers], the receipt of which is hereby duly acknowledged, we, the undersigned, offer to [supply/deliver/perform] [description of the Goods] in conformity with the said Bidding Documents for the sum of [total Bid amount in words and figures] or such other sums as may be ascertained in accordance with the Schedule of Prices attached herewith and made part of this Bid.

We undertake, if our Bid is accepted, to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements.

If our Bid is accepted, we undertake to provide a performance security in the form, amounts, and within the times specified in the Bidding Documents.

We agree to abide by this Bid for the Bid Validity Period specified in <u>BDS</u> provision for ITB Clause 18.2 and it shall remain binding upon us and may be accepted at any time before the expiration of that period.

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:<sup>3</sup>

Name and address of agent	Amount and Currency	Purpose of Commission or gratuity	
(if none, state "Non	e")		_

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

<sup>&</sup>lt;sup>2</sup> If ADB, JICA and WB funded projects, use IFB.

<sup>&</sup>lt;sup>3</sup> Applicable only if the Funding Source is the ADB, JICA or WB.

We certify/confirm that we comply with the eligibility requirements as per ITB Clause 5 of the Bidding Documents.

We likewise certify/confirm that the undersigned, [for sole proprietorships, insert: as the owner and sole proprietor or authorized representative of <u>Name of Bidder</u>, has the full power and authority to participate, submit the bid, and to sign and execute the ensuing contract, on the latter's behalf for the <u>Name of Project</u> of the <u>Name of the Procuring Entity</u>] [for partnerships, corporations, cooperatives, or joint ventures, insert: is granted full power and authority by the <u>Name of Bidder</u>, to participate, submit the bid, and to sign and execute the ensuing contract on the latter's behalf for <u>Name of Project</u> of the <u>Name of the Procuring Entity</u>].

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Dated this	day of	20	
		*	
[signature]	[in the	e capacity of]	
Duly authorized to sign Bid	for and on behalf o	f	_

## For Goods Offered From Abroad

Ν	ame of Bi	dder		. O.	Invitation to Bid <sup>4</sup> Number of			
-					''			
1	2	3	4	5	6	7	8	9
Item	Description	Country of origin	Quantity	Unit price CIF port of entry (specify port) or CIP named place (specify border point or place of destination)	Total CIF or CIP price per item (col. 4 x 5)	Unit Price Delivered Duty Unpaid (DDU)	Unit price Delivered Duty Paid (DDP)	Total Price delivered DDP (col 4 x 8)
						<del>.</del>		
, , , , , , , , , , , , , , , , , , ,	ion of the T			Tio.	the conse	situ of		_
-	<i>ignature]</i> uly author	rized to	sign Bid	for and on beha	the capac		,	·

<sup>&</sup>lt;sup>4</sup> If ADB, JICA and WB funded projects, use IFB.

## For Goods Offered From Within the Philippines

Name of Bidder \_\_\_\_\_\_. Invitation to Bid<sup>5</sup> Number \_\_\_\_\_. Page

1	2	3	4	5	6	7	8	9	10
em	Description	Country of origin	Quantity	Unit price EXW per item	Transportatio n and Insurance and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Fina Destination (col 9) x (col 4
	[signature				[in the	capacity	of]	<del></del>	

<sup>&</sup>lt;sup>5</sup> If ADB, JICA and WB funded projects, use IFB.

### **Contract Agreement Form**

THIS AGREEMENT made the	day of	20	between
[name of PROCURING ENTITY] of the P		inafter called "	the Entity") of
the one part and [name of Supplier] of [cit	y and country of	Supplier] (her-	einafter called
"the Supplier") of the other part:			

WHEREAS the Entity invited Bids for certain goods and ancillary services, viz., [brief description of goods and services] and has accepted a Bid by the Supplier for the supply of those goods and services in the sum of [contract price in words and figures] (hereinafter called "the Contract Price").

#### NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

- 1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.
- 2. The following documents shall be deemed to form and be read and construed as part of this Agreement, viz.:
  - (a) the Supplier's Bid, including the Technical and Financial Proposals, and all other documents/statements submitted (e.g. bidder's response to clarifications on the bid), including corrections to the bid resulting from the Procuring Entity's bid evaluation;
  - (b) the Schedule of Requirements;
  - (c) the Technical Specifications;
  - (d) the General Conditions of Contract;
  - (e) the Special Conditions of Contract;
  - (f) the Performance Security; and
  - (g) the Entity's Notice of Award.
- 3. In consideration of the payments to be made by the Entity to the Supplier as hereinafter mentioned, the Supplier hereby covenants with the Entity to provide the goods and services and to remedy defects therein in conformity in all respects with the provisions of the Contract
- 4. The Entity hereby covenants to pay the Supplier in consideration of the provision of the goods and services and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the contract at the time and in the manner prescribed by the contract.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of the Republic of the Philippines on the day and year first above written.

#### **Omnibus Sworn Statement**

REPUBLIC OF THE PHILIPPINES	s ·	,
CITY/MUNICIPALITY OF	) S.S.	

#### AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

#### 1. Select one, delete the other:

If a sole proprietorship: I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

If a partnership, corporation, cooperative, or joint venture: I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

#### 2. Select one, delete the other:

If a sole proprietorship: As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

If a partnership, corporation, cooperative, or joint venture: I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board;
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;

5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

#### 6. Select one, delete the rest:

If a sole proprietorship: The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

If a partnership or cooperative: None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

If a corporation or joint venture: None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. [Name of Bidder] is aware of and has undertaken the following responsibilities as a Bidder:
  - a) Carefully examine all of the Bidding Documents;
  - b) Acknowledge all conditions, local or otherwise, affecting the implementation of the Contract;
  - c) Made an estimate of the facilities available and needed for the contract to be bid, if any; and
  - d) Inquire or secure Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- 9. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.

	IN WITNESS WHEREOF, I have hereunto se	et my hand	this	day of	, 20	
at_	, Philippines.	•				

Signatory	Bidder's	Representative/Authorized
oignatory		
SUBSCRIBED AND SWORN to [place of execution], Philippines. Affiant/sidentified by me through competent evid on Notarial Practice (A.M. No. 02-8-13-type of government identification card appearing thereon, with no issued on at	s is/are personally dence of identity a -SC). Affiant/s exh used], with his/her	known to me and was/were s defined in the 2004 Rules hibited to me his/her [insert photograph and signature
Witness my hand and seal this	day of [month] [	[year].
	NAME OF NOTA Serial No.	
	Notary Public for Roll of Attorneys PTR No	until No [date issued], [place
issued]		[date issued], [place issued]
Doc. No Page No Book No Series of		

<sup>\*</sup> This form will not apply for WB funded projects.

### Bank Guarantee Form for Advance Payment

To: [name and address of PROCURING ENTITY] [name of Contract]

Gentlemen and/or Ladies:

In accordance with the payment provision included in the Special Conditions of Contract, which amends Clause 10 of the General Conditions of Contract to provide for advance payment, [name and address of Supplier] (hereinafter called the "Supplier") shall deposit with the PROCURING ENTITY a bank guarantee to guarantee its proper and faithful performance under the said Clause of the Contract in an amount of [amount of guarantee in figures and words].

We, the [bank or financial institution], as instructed by the Supplier, agree unconditionally and irrevocably to guarantee as primary obligator and not as surety merely, the payment to the PROCURING ENTITY on its first demand without whatsoever right of objection on our part and without its first claim to the Supplier, in the amount not exceeding [amount of guarantee in figures and words].

We further agree that no change or addition to or other modification of the terms of the Contract to be performed thereunder or of any of the Contract documents which may be made between the PROCURING ENTITY and the Supplier, shall in any way release us from any liability under this guarantee, and we hereby waive notice of any such change, addition, or modification.

This guarantee shall remain valid and in full effect from the date of the advance payment received by the Supplier under the Contract until [date].

Signature and seal of the Guarantors

Yours truly,

To an of houle or financial inc	4:4:4:a = 7	<del></del>	
[name of bank or financial ins	шинопј		
[address]			
[date]			

#### BID SECURING DECLARATION FORM

REPUBLIC OF THE PHILIPPINES) CITY OF	_) S.S.
Y	X

# BID SECURING DECLARATION Invitation to Bid: [Insert Reference number]

To: [Insert name and address of the Procuring Entity]

I/We<sup>6</sup>, the undersigned, declare that:

- 1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid-Securing Declaration.
- 2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA 9184; without prejudice to other legal action the government may undertake.
- 3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
  - (a) Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
  - (b) I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right;
  - (c) I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

<sup>&</sup>lt;sup>6</sup> Select one and delete the other. Adopt the same instruction for similar terms throughout the document.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this \_\_\_\_ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER'S AUTHORIZED REPRESENTATIVE]
[Insert Signatory's Legal Capacity]
Affiant

SUBSCRIBED AND SWORN to before me this day of [month] [year] at [place of execution], Philippines. Affiant/s is/are personally known to me and was/were identified by me through competent evidence of identity as defined in the 2004 Rules on Notarial Practice (A.M. No. 02-8-13-SC). Affiant/s exhibited to me his/her [insert type of government identification card used], with his/her photograph and signature appearing thereon, with no and his/her Community Tax Certificate No issued on at		
Witness my hand and seal this	day of [month] [year].	
	NAME OF NOTARY PUBLIC Serial No. of Commission	
issued]	Notary Public for until Roll of Attorneys No [date issued], [place	
	IBP No [date issued], [place issued]	
Doc. No Page No Book No Series of		

