TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
16	Autom	otive Body Painting/F	inishing NC I			
	1	Spray Gun	<ul><li>400 cc cup/minimum of 50 psi operation pressure</li><li>180-250 paint width</li></ul>	1	set	75
	2	Allen Wrench	<ul> <li>22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"</li> <li>1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm</li> <li>Long arm series</li> <li>Chrome Vanadium steel</li> </ul>	1	set	75
	3	Car Polisher/		1	. pc	75
	3	Buffing Tool	<ul><li>Variable Speed Control</li><li>220 volts</li></ul>	•	. μς	/3
16	Subto		Painting/Finishing NC I	L		75
17	<del></del>	notive Body Painting/F				,,,
	1	Socket wrench	<ul> <li>1 x 1/4-Inch (6.3 mm) Ratchet Wrench</li> <li>10 pcs 10 mm-24 mm Common Sockets</li> <li>1 pc Extension Rod</li> </ul>	1	set	75
	2	Combination Wrench Set	<ul> <li>16 pcs</li> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> <li>Lobular box end design</li> </ul>	1	set	75
17			Painting/Finishing NC I			75
20	1	notive Servicing NC I	-	T - 2 - 1	<del></del>	T = ==================================
	1	Socket wrench	<ul> <li>1 x 1/4-Inch (6.3 mm) Ratchet Wrench</li> <li>10 pcs 10 mm-24 mm Common Sockets</li> <li>1 pc Extension Rod</li> </ul>	1	set	225

of 1 g

TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	2	Spark Plug Wrench	<ul> <li>1 pc T-Handle Universal Joint</li> <li>2 pcs Spark Plug Socket Wrench (16 and 21 mm)</li> </ul>	1	set	225
	3	Feeler Gauge	<ul> <li>25 tempered steel blades</li> <li>Gauge measures: 0.0015" (0.038 mm) to 0.035" (0.889 mm)</li> <li>Blade length: 80 mm</li> <li>Chrome plated</li> <li>Blade is laser etched with Inches and Millimeters</li> </ul>	1	set	225
	4	Hydrometer	<ul> <li>Material: Glass and rubber</li> <li>Testing range: 1.100 - 1.300</li> <li>Specific Gravity (SG)</li> <li>Based at 77 °F temperature</li> </ul>	1	рс	225
	5	Vernier Caliper	<ul> <li>Stainless steel</li> <li>Dual reading scales on Vernier (English reading on top and Metric reading at bottom)</li> <li>Carbide tipped jaw type</li> <li>(6 inches) 150 mm</li> <li>Least Count = 0.05 mm</li> </ul>	1	рс	225
	6	Screwdriver Set	<ul> <li>Philips &amp; Standard</li> <li>6 pcs. per set</li> <li>plastic handle</li> <li>Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)</li> <li>Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)</li> </ul>	1	set	225
	7	Ball Peen Hammer	<ul> <li>jacketed graphite head, polished face</li> <li>12 ounce (340 grams), wooden handle</li> </ul>	1	рс	225
20	Subto	tal, Automotive Servic	cing NC I	<u> </u>		225

p, 7 gb

#### PROCUREMENT OF STARTER TOOLKITS FOR THE **IMPLEMENTATION OF REPUBLIC ACT 10931** OR UNIVERSAL ACCESS TO QUALITY TERTIARY EDUCATION ACT (UAQTEA) FOR CY 2018 TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road, South

Superhighway, Taquiq City

LOT	ITEM	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF
NO. 21	NO.	otive Servicing NC II		<u> </u>		PAX
	1	Battery Tester	<ul> <li>Suitable for 6 V &amp; 12 V Batteries</li> <li>Up to 1000 CCA (SAE)</li> <li>12 V Charging/Start System</li> <li>Shock-resistant ventilated cover</li> <li>Color-coded copper-plated clamps</li> </ul>	1	рс	275
	2	Soldering Gun	<ul> <li>Power: 130W</li> <li>Two optional pre-heat (High/Low)</li> <li>Tips: 4 mm x 65 mm</li> <li>Voltage: AC 220V</li> <li>Pre-heat time: 5-10 minutes</li> <li>Power cable: 1 meter</li> <li>Plug type: Type A</li> <li>Material: ABS Plastic</li> </ul>	1	рс	275
	3	Multi-Tester	<ul> <li>Analog</li> <li>DCV Range: 0.1 V to 1,000 V</li> <li>ACV Range: 10 V to 750 V</li> <li>Internal Battery: R6 (IEC) or UM-3 1.5V x 2</li> <li>Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm</li> <li>Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g</li> <li>Resistance: X1 to X1k</li> </ul>	1	unit	275
21		tal, Automotive Servic				275
26		cycle/Small Engine Se		1 4 1		075
	1	T-Wrench	4 pcs forged steel with sizes 8- 10-12 and 14 mm	1	set	275
	2	Spark Plug Wrench	<ul> <li>1 pc T-Handle Universal Joint</li> <li>2 pcs Spark Plug Socket</li> <li>Wrench (16 and 21 mm)</li> </ul>	1	set	275

TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road, South
Superhighway, Taguig City

	17	3	Superhighway, Taguig City			NO 05
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	3	Screwdriver Set	<ul> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li> <li>Philips Blade Tip: 1 x 100 mm, 2 x 150 mm</li> <li>Plastic and Rubberized handle</li> <li>Chrome Vanadium</li> <li>Shank: 6"</li> </ul>	1	set	275
	4	Allen Wrench	• 22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"	1	set	275
			1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm  • Long arm series			
		0 - 1 - 1	Chrome Vanadium steel			075
	5	Socket wrench	<ul> <li>1 x 1/4-Inch (6.3 mm) Ratchet Wrench</li> <li>10 pcs 10 mm-24 mm Common Sockets</li> <li>1 pc Extension Rod</li> </ul>	1	set	275
26	Subto	tal. Motorcycle/Small I	Engine Servicing NC II	L		275
27		ntry NC II	<u> </u>			
	1	Crow Bar	<ul><li>914.4 mm (36") long</li><li>forged high steel carbon</li></ul>	1	рс	225
	2	Pull-Push Rule	<ul> <li>Blade length 8m/26ft</li> <li>Blade width 1"</li> <li>High impact ABS case with durable rubber</li> <li>Corrosion resistant tru-zero end</li> </ul>	1	рс	225
	3	Steel Square	<ul> <li>Carpenter's framing square; 2" x 16" x 24"</li> <li>Steel</li> <li>Double graduation inches/cm</li> </ul>	1	рс	225

TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	4	Try Square	<ul> <li>Size: 8" x 12"</li> <li>Thickness: 1.8-2 mm</li> <li>Material: Spring Steel</li> <li>Handle Material: Aluminum Alloy</li> <li>Metric and English Graduations</li> </ul>	1	рс	225
The state of the s	5	Spirit Level Bar	<ul><li>High impact plastic</li><li>Magnetic</li><li>3 vials, 24" length</li></ul>	1	рс	225
	6	Cross Cut Saw	<ul> <li>60 cm (24 inches) long</li> <li>Hard Plastic Handle</li> <li>8 points per inch</li> <li>Hard steel blade</li> </ul>	1	рс	225
	7	Drill	<ul> <li>Hand Drill</li> <li>Voltage: 220 V/60 Hz</li> <li>Continuous power input: 350 Watts</li> <li>No load speed: 0-3,000 rpm</li> <li>Dimension (L x W x H): 23 cm x 6.8 cm x 16.4 cm</li> </ul>	1	unit	225
	8	Chalk Line Reel	• 100 ft. heavy duty die cast body	1	рс	225
27	Subto	tal, Carpentry NC II				225
38	Masor	nry NC I				
	1	Chalk Line Reel	100 ft. heavy duty die cast body	1	рс	150
	2	Claw Bar	<ul> <li>19 mm diameter x 90 cm long</li> <li>Forged high-carbon tempered steel</li> </ul>	1	рс	150
	3	Claw Hammer	<ul> <li>453.6 grams (16 oz.)</li> <li>Forged steel</li> <li>Hardened and tempered steel head</li> <li>Smooth face</li> <li>Fiberglass handle</li> </ul>	1	рс	150
	4	Handsaw	<ul> <li>20"/500mm Cross Cut Hand Saw</li> <li>Machine set teeth</li> <li>resharpenable with traditional hardwood handle for comfort</li> </ul>	1	рс	150

257 Tap 5 m g/

TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road, South

LOT	ITEM		Superhighway, Taguig City	OTY	1127	NO. OF
NO.	NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	PAX
	5	Pull-Push Rule	<ul> <li>Blade length 8m/26ft</li> <li>Blade width 1"</li> <li>High impact ABS case with durable rubber</li> <li>Corrosion resistant tru-zero end</li> </ul>	1	рс	150
	6	Shovel	<ul> <li>Heavy gauge</li> <li>tempered steel blade digging shovel</li> <li>39.5" long</li> <li>With strong Poly D-grip</li> <li>Hardwood handle</li> </ul>	1	рс	150
A COMMAND AND A COMMAND A COMMAND AND A COMMAND AND A COMMAND AND A COMMAND AND A COMM	7	Sledge Hammer	<ul><li>4 lbs. forged steel head sledge</li><li>15 inches long</li><li>fiberglass handle</li></ul>	1	рс	150
	8	Spirit Level Bar	<ul><li>High impact plastic</li><li>Magnetic</li><li>3 vials, 24" length</li></ul>	1	рс	150
	9	Straight Edge	6 mm thick x 54 mm wide x 900 mm long     aluminum	1	рс	150
and the state of t	10	Try Square	<ul><li>12" length</li><li>Hard alloy steel</li><li>With Metric/English system graduation</li></ul>	1	рс	150
38		tal, Masonry NC I				150
39	Mason 1	ry NC II Claw Bar	10 mm diameter ( 00 cm less	4		225
	·		<ul> <li>19 mm diameter x 90 cm long</li> <li>Forged high-carbon tempered steel</li> </ul>	1	pc	
	2	Claw Hammer	<ul> <li>453.6 grams (16 oz.)</li> <li>Forged steel</li> <li>Hardened and tempered steel head</li> <li>Smooth face</li> <li>Fiberglass handle</li> </ul>	1	рс	225

#### PROCUREMENT OF STARTER TOOLKITS FOR THE **IMPLEMENTATION OF REPUBLIC ACT 10931** OR UNIVERSAL ACCESS TO QUALITY TERTIARY EDUCATION ACT (UAQTEA) FOR CY 2018 TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road, South

Superhighway, Taguig City

LOT NO.	NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	3	Hacksaw	<ul> <li>Heavy duty hacksaw with 12" bi-metal hacksaw blade</li> <li>High Speed 24 TPI</li> <li>Strong box section steel, rugged, professional industrial hacksaw</li> <li>Rubberized handle frame</li> </ul>	1	рс	225
The state of the s	4	Hacksaw Blade	<ul> <li>High Speed 24 TPI</li> <li>304.8 mm (12") long bi-metal</li> <li>Heavy duty steel hacksaw blade</li> </ul>	1	рс	225
	5	Handsaw	<ul> <li>20"/500mm Cross Cut Hand Saw</li> <li>Machine set teeth</li> <li>resharpenable with traditional hardwood handle for comfort</li> </ul>	1	рс	225
	6	Paint Brush	<ul> <li>50.8 mm (2")</li> <li>Pure bristle with comfort grip</li> <li>Made of Solid Round Tapered (SRT) polyester filaments</li> </ul>	1	рс	225
	7	Paint Brush	<ul> <li>101.6 mm (4")</li> <li>Pure bristle with comfort grip</li> <li>Made of Solid Round Tapered (SRT) polyester filaments</li> </ul>	1	рс	225
	8	Pull-Push Rule	<ul> <li>Blade length 8m/26ft</li> <li>Blade width 1"</li> <li>High impact ABS case with durable rubber</li> <li>Corrosion resistant tru-zero end</li> </ul>	1	рс	225
	9	Shovel	<ul> <li>Heavy gauge</li> <li>tempered steel blade digging shovel</li> <li>39.5" long</li> <li>With strong Poly D-grip</li> <li>Hardwood handle</li> </ul>	1	рс	225
	10	Spirit Level Bar	<ul><li>High impact plastic</li><li>Magnetic</li><li>3 vials, 24" length</li></ul>	1	рс	225

TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road, South Superhighway, Taquiq City

LOT	ITEM		Superhighway, Taguig City	:		NO. OF
NO.	NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	PAX
	11	Steel (Bucket/ Bricklaying) Pointing Trowel	<ul> <li>10" solid forged steel blade</li> <li>Precision tapered</li> <li>Soft duragrip and hard end handle</li> </ul>	1	рс	225
	12	Steel Float/ Plastering Trowel	<ul> <li>0.7 mm min. thick x 280 mm x 125 mm</li> <li>High carbon Steel</li> <li>Solid forged steel with soft handle</li> </ul>	1	рс	225
	13	Steel Square	<ul> <li>Carpenter's framing square; 2" x 16" x 24"</li> <li>Steel</li> <li>Double graduation inches/cm</li> </ul>	1	рс	225
39		tal, Masonry NC II				225
42		Ding NC I	40111			105
	1	Pipe Wrench	<ul> <li>10" length</li> <li>drop forged alloy steel</li> <li>capacity 2" or 50 mm</li> <li>1.2 kg cast iron housing and I beam handle</li> </ul>	1	рс	125
	2	Pipe Wrench	<ul> <li>12" length</li> <li>Drop forged Alloy Steel</li> <li>capacity 2" or 50 mm</li> <li>1.6 kg cast iron housing and I beam handle</li> </ul>	1	рс	125
	3	Pipe Cutter	<ul><li>Heavy duty</li><li>max. cap. 1/8" to 2"</li><li>steel handle</li></ul>	1	pc	125
	4	Pull-Push Rule	<ul> <li>Blade length 8m/26ft</li> <li>Blade width 1"</li> <li>High impact ABS case with durable rubber</li> <li>Corrosion resistant tru-zero end</li> </ul>	1	pc	125

260

7 gr

TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road, South

		S	uperhighway, Taguig City			<u> </u>
LOT NO.	NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	5	Pipe Vise	<ul> <li>capacity 2"</li> <li>material: steel</li> <li>swivel base with dual locking nuts</li> <li>360 degrees turn</li> </ul>	1	рс	125
42		tal, Plumbing NC I				125
43	Plumb	ing NC II				
**************************************	1	Combination Plier	<ul> <li>7-Inch Dyna Grip</li> <li>forged carbon steel</li> <li>heat treated Bi-material</li> <li>soft grip ergonomically designed DynaGrip handle with finger guards</li> </ul>	1	рс	275
	2	Hacksaw Frame with Blade	<ul><li>Adjustable</li><li>24 TPI</li><li>aluminum frame and handle</li></ul>	1	рс	275
	3	Manual Pressure Test	<ul><li>6 mpa</li><li>860 psi max. pressure</li><li>12L capacity</li><li>with brass pump valve</li></ul>	1	рс	275
	4	Adjustable Wrench	<ul> <li>0-50.8 mm (0-2") jaw opening</li> <li>304.8 mm (12") in length</li> <li>alloy steel</li> </ul>	1	рс	275
43		tal, Plumbing NC II				275
49		ical Drafting NC II		<del> </del>	·	
	1	Drawing Board	<ul><li>wooden laminated</li><li>size: 18 inches x 24 inches</li></ul>	1	рс	75
	2	Compass Set	<ul> <li>divider: 14 cm length</li> <li>pencil compass: 14 cm length</li> <li>adjustable compass: 10 cm length</li> <li>compass extender: 9 cm length</li> </ul>	1	set	75

261

TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road, South

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	3	Triangular Scale	<ul> <li>12" Plastic Architectural Scale</li> <li>Scale: 1:100, 1:200, 1:250, 1:300, 1:400, 1:500</li> </ul>	1	рс	75
	4	Technical Pen Set	<ul> <li>3 Rapidograph pens (0.2 mm, 0.3 mm, 0.5 mm)</li> <li>12 hi-polymer HB leads</li> <li>1 mechanical pencil</li> <li>1 ink cartridge</li> <li>1 eraser</li> </ul>	1	set	75
	5	T - Square	<ul><li>Wooden Drafting T-square</li><li>24" length</li><li>clear plastic edges</li></ul>	1	рс	75
	6	Measuring Tools Set	<ul> <li>Ruler: 30 cm long</li> <li>Triangle: 30 x 60 degrees, 13cm long</li> <li>Triangle: 45 X 45 degrees, 13 cm long</li> <li>Protractor: 12 cm long</li> </ul>	1	set	75
49		tal, Technical Drafting				75
51	Comp	uter Systems Servicing		· · · · · · · · · · · · · · · · · · ·		
	1	Crimping Tool	Suitable for:  RJ 45 RJ 11 4P 6P 8P	1	pc	100
	2	Electrician Plier	<ul><li>Overall Length: 238 mm</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	рс	100
	3	Wire Stripper	<ul><li>automatic</li><li>cap. 1.5 mm to 3.5 mm</li></ul>	1	рс	100
	4	Combination Wrench Set	<ul> <li>16 pcs</li> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> <li>Lobular box end design</li> </ul>	1	set	100

262

(m. gp. pv.

TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	5	Allen Wrench	<ul> <li>22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"</li> <li>1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm</li> <li>Long arm series</li> <li>Chrome Vanadium steel</li> </ul>	1	set	100
	6	Screwdrivers Set	<ul> <li>30 in 1 Screwdriver</li> <li>Philips (+) PH00, PH0, PH1, PH2</li> <li>Torx T4, T5, T6, T7, T8, T10, T15, T20</li> <li>Flat (-) 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 3.5 mm, 4.0 mm</li> <li>Hex 1.0, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0</li> <li>Made of Chrome Vanadium</li> <li>Soft TPL Handle</li> </ul>	1	set	100
51	Subto	tal, Computer Systems				100
53		ical Installation and Ma				1
	1	Electrician Plier	<ul><li>Overall Length: 238 mm</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	рс	225
	2	Long Nose Plier	<ul><li>Overall Length: 8"</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	рс	225
	3	Screwdriver Set	<ul> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li> <li>Philips Blade Tip: 1 x 100 mm, 2 x 150 mm</li> <li>Plastic and Rubberized handle</li> <li>Chrome Vanadium</li> <li>Shank: 6"</li> </ul>	1	set	225

TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road, South Superhighway, Taquig City

		S	uperhighway, Taguig City	<del>,</del>		
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	4	Pipe Bender Manual	<ul><li>1/2-3/4 inch bending radius</li><li>ductile high strength iron</li></ul>	1	рс	225
53	Subtot	al. Electrical Installation	on and Maintenance NC II	<u></u>		225
54		cal Installation and Ma	<del></del>			
	1	Multi-Tester	<ul> <li>Analog</li> <li>DCV Range: 0.1 V to 1,000 V</li> <li>ACV Range: 10 V to 750 V</li> <li>Internal Battery: R6 (IEC) or UM-3 1.5V x 2</li> <li>Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm</li> <li>Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g</li> <li>Resistance: X1 to X1k</li> </ul>	1	unit	100
	2	Allen Wrench	<ul> <li>22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"</li> <li>1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm</li> <li>Long arm series</li> <li>Chrome Vanadium steel</li> </ul>	1	set	100
Ţ	3	Wire Stripper	<ul><li>automatic</li><li>cap. 1.5 mm to 3.5 mm</li></ul>	1	рс	100
	4	Combination Wrench Set	<ul> <li>16 pcs</li> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> <li>Lobular box end design</li> </ul>	1	set	100
54	Subto	tal, Electrical Installati	on and Maintenance NC III			100

ju ap

TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road, South Superhighway, Taquiq City

LOT	ITEM	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF
NO. 55	NO.			Q.I.I		PAX
33	1	Multi-Tester	<ul> <li>Analog</li> <li>DCV Range: 0.1 V to 1,000 V</li> <li>ACV Range: 10 V to 750 V</li> <li>Internal Battery: R6 (IEC) or UM-3 1.5V x 2</li> <li>Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm</li> <li>Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g</li> <li>Resistance: X1 to X1k</li> </ul>	1	unit	200
	2	Electrician Plier	<ul> <li>Overall Length: 238 mm</li> <li>Steel Alloy</li> <li>Handle finish: plastic-dipped</li> </ul>	1	рс	200
	3	Long Nose Plier	<ul><li>Overall Length: 8"</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	рс	200
	4	Diagonal Cutting Plier	<ul><li>Overall Length: 8"</li><li>Material: Carbon Steel</li><li>Handle Finish: plastic dipped</li></ul>	1	рс	200
The state of the s	5	Soldering Iron	30 watts, 220 volts/60hz     heat pencil tip	1	рс	200
	6	Allen Wrench	<ul> <li>22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"</li> <li>1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm</li> <li>Long arm series</li> <li>Chrome Vanadium steel</li> </ul>	1	set	200
	7	Wire Stripper	automatic     cap. 1.5 mm to 3.5 mm	1	рс	200

TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	8	Vernier Caliper	<ul> <li>Stainless steel</li> <li>Dual reading scales on Vernier (English reading on top and Metric reading at bottom)</li> <li>Carbide tipped jaw type</li> <li>(6 inches) 150 mm</li> <li>Least Count = 0.05 mm</li> </ul>	1	рс	200
	9	Screwdriver Set	<ul> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li> <li>Philips Blade Tip: 1 x 100 mm, 2 x 150 mm</li> <li>Plastic and Rubberized handle</li> <li>Chrome Vanadium</li> <li>Shank: 6"</li> </ul>	1	set	200
55	Subto	tal, Electronics Prod	ucts Assembly and Servicing NC II	!		200
57	Mecha	tronics Servicing No	CII			
	. 1	Crimping Tool	<ul><li>Heavy duty ratchet with heavy plastic handles</li><li>Hardened steel jaws</li></ul>		рc	25
	2	Diagonal Cutting Plier	<ul> <li>Overall Length: 8"</li> <li>Material: Carbon Steel</li> <li>Handle Finish: plastic dipped</li> </ul>	1	рс	25
of the National Community of the National Co	3	Electrician Plier	<ul><li>Overall Length: 238 mm</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	pc	25
	4	Screwdriver Set	<ul> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li> <li>Philips Blade Tip: 1 x 100 mm, 2 x 150 mm</li> <li>Plastic and Rubberized handle</li> <li>Chrome Vanadium</li> <li>Shank: 6"</li> </ul>	1	set	25

in an of

TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road, South Superhighway, Taquiq City

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	5	Multi-Tester	<ul> <li>Analog</li> <li>DCV Range: 0.1 V to 1,000 V</li> <li>ACV Range: 10 V to 750 V</li> <li>Internal Battery: R6 (IEC) or UM-3 1.5V x 2</li> <li>Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm</li> <li>Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g</li> <li>Resistance: X1 to X1k</li> </ul>	1	unit	25
	6	Allen Wrench	<ul> <li>22 pc Hex Key Set:</li> <li>0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"</li> <li>1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm</li> <li>Long arm series</li> <li>Chrome Vanadium steel</li> </ul>	1	set	25
	7	Adjustable Wrench	<ul> <li>0-50.8 mm (0-2") jaw opening</li> <li>203.2 mm (8") in length</li> <li>Alloy steel</li> </ul>	1	pc	25
57	<del></del>	tal, Mechatronics Serv				25
58		combination Wrongh	T	1 4		150
	1	Combination Wrench Set	<ul> <li>16 pcs</li> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> <li>Lobular box end design</li> </ul>	1	set	130

Man X

TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

LOT	ITEM		upernignway, raguig City			NO. OF
NO.	NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	PAX
	2	Screwdrivers Set	<ul> <li>30 in 1 Screwdriver</li> <li>Philips (+) PH00, PH0, PH1, PH2</li> <li>Torx T4, T5, T6, T7, T8, T10, T15, T20</li> <li>Flat (-) 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 3.5 mm, 4.0 mm</li> <li>Hex 1.0, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0</li> <li>Made of Chrome Vanadium</li> <li>Soft TPL Handle</li> </ul>	1	set	150
	3	Soldering Iron	<ul><li>30 watts, 220 volts/60hz</li><li>heat pencil tip</li></ul>	1	рс	150
	4	Long Nose Plier	<ul><li>Overall Length: 8"</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	рс	150
	5	Wire Stripper	<ul><li>automatic</li><li>cap. 1.5 mm to 3.5 mm</li></ul>	1	рс	150
	6	Desoldering Pump/Solder Sucker	<ul><li>anodized aluminum housing</li><li>high suction</li><li>strong and lightweight</li></ul>	1	рс	150
	7	Allen Wrench	<ul> <li>22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"</li> <li>1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm</li> <li>Long arm series</li> <li>Chrome Vanadium steel</li> </ul>	1	set	150
58		tal, Mechatronics Serv				150
60		making NC II		T ,		075
	1	Cutting Shears	<ul><li>8" length</li><li>stainless steel blade</li><li>plastic handle</li></ul>	1	pc	675
	2	Meter stick/ Yardstick	<ul><li>1 meter (metric and English)</li><li>yellow plastic</li></ul>	1	рс	675
	3	Scissors	<ul><li>6" length</li><li>plastic handle for paper</li></ul>	1	рс	675

Ti,

TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road, South

LOT	ITEM		Superhighway, Taguig City			NO. OF
NO.	NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	PAX
	4	Screwdriver Set	<ul> <li>precision 6 pieces per set</li> <li>plastic handle</li> <li>0 P, 1 P, 1.4 mm, 2.0 mm. 2.4 mm, 3.0 mm slotted</li> </ul>	1	set	675
	5	Spray Bottle	<ul><li>spray plastic clear empty bottle</li><li>500 ml</li><li>hand trigger</li></ul>	1	рс	675
	6	Tape Measure	<ul><li>plastic</li><li>60" length (English and metric)</li></ul>	1	рс	675
	7	Tracing Wheel	<ul><li>serrated metal wheel</li><li>plastic handle</li></ul>	1	pc	675
	8	Ruler with Grid	<ul><li>18" length</li><li>transparent</li><li>red lines with grid</li></ul>	1	рс	675
	9	French Curve	<ul><li>12" length</li><li>aluminum</li><li>for neckline and armhole drawing</li></ul>	1	рс	675
	10	Hip Curve	<ul><li>24" length</li><li>aluminum</li></ul>	1	pc	675
	11	Tailor's L square	<ul><li>24" x 14" length</li><li>aluminum</li></ul>	1	рс	675
	12	Screwdriver Set	<ul> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li> <li>Philips Blade Tip: 1 x 100 mm, 2 x 150 mm</li> <li>Plastic and Rubberized handle</li> <li>Chrome Vanadium</li> </ul>	1	set	675
			Shank: 6"			
	13	Flat iron	<ul> <li>electric flat iron</li> <li>any color</li> <li>dry iron</li> <li>220 volts</li> <li>aluminum sole plate</li> </ul>	1	unit	675

7 gr

TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	14	Calculator	<ul> <li>12 digits display</li> <li>front panel metal coating</li> <li>battery power</li> <li>big display</li> <li>memory functions up to 4 decimal support</li> <li>high quality plastic construction and keys</li> <li>off key</li> <li>double zero with rounding function support</li> <li>dimension: 192mm x 147mm x 42mm</li> </ul>	1	unit	675
60		tal, Dressmaking NC				675
61	1	ng NC II Cutting Shears	<ul><li>8" length</li><li>stainless steel blade</li><li>plastic handle</li></ul>	1	рс	75
	2	Pinking Shears	<ul> <li>8" length</li> <li>stainless steel blade</li> <li>plastic handle</li> </ul>	1	рс	75
	3	Ruler with Grid	<ul><li>18" length</li><li>transparent</li><li>red lines with grid</li></ul>	1	рс	75
The state of the s	4	French Curve	<ul><li>12" length</li><li>aluminum</li><li>for neckline and armhole drawing</li></ul>	1	рс	75
	5	Hip Curve	<ul><li>24" length</li><li>aluminum</li></ul>	1	рс	75
	6	Tailor's L Square	<ul><li>24" x 14" length</li><li>aluminum</li></ul>	1	рс	75
	7	Steam Flat Iron	<ul> <li>Electric flat iron with spray</li> <li>220 V/60 Hz</li> <li>1,100 - 1,310 watts</li> <li>with 5 selector</li> </ul>	1	unit	75
61	Subto	tal, Tailoring NC II				75

270

ape j

TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
63	RAC S	ervicing (DOMRAC) N	C II			
	1	Flaring Tool	<ul> <li>Flaring with swaging tools set</li> <li>Screw type feed</li> <li>Two bars cover 9 sizes</li> <li>Swivel type swaging adapters and Flaring cone hardened steel, chromed finished</li> <li>Slip on forge steel yoke includes: - Flares 1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" OD</li> <li>Five (5) swage adapter for tubes sizes: 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" OD</li> </ul>	1	set	75
	2	Tube Cutter	<ul> <li>Heavy duty</li> <li>For 1/8 inch to 1 1/8 inches pipe</li> <li>Weight: 0.16 ounces.</li> <li>Dimension: 6.8 x 3.3 x 1.3 inches</li> <li>Materials: High strength zinc alloy</li> <li>with spare cutter wheel on the knob</li> </ul>	1	рс	75
	3	Long Nose Plier	<ul><li>Overall Length: 8"</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	рс	75
	4	Combination Wrench Set	<ul> <li>16 pcs</li> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> <li>Lobular box end design</li> </ul>	1	set	75
63	Subto	tal, RAC Servicing (DC	MRAC) NC II	<del></del>		75

TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
65	Caregi	ving NC II				
	1	Sphygmomanometer	<ul> <li>Aneroid</li> <li>Handheld</li> <li>Large gauge in metal casing, 0-300 mm Hg, anti-slip finish, shockproof</li> <li>Inflatable cuff, adult (25.4-40.6 cm length), nylon strap locking system</li> <li>Thick rubber bladder</li> <li>Durable flexible rubber tubing</li> <li>Leatherette zippered carrying case</li> </ul>	1	рс	225
	2	Stethoscope	<ul> <li>Double diaphragm (Fetal/ adult)</li> <li>44 mm membrane</li> <li>stainless steel</li> <li>Soft sealing earpieces</li> <li>Flexible resilient rubber tubing</li> <li>Non chill rim</li> </ul>	1	рс	225
65		tal, Caregiving NC II				225
66	Health	Care Services NC II				
	1	Sphygmomanometer	<ul> <li>Aneroid</li> <li>Handheld</li> <li>Large gauge in metal casing, 0-300 mm Hg, anti-slip finish, shockproof</li> <li>Inflatable cuff, adult (25.4-40.6 cm length), nylon strap locking system</li> <li>Thick rubber bladder</li> <li>Durable flexible rubber tubing</li> <li>Leatherette zippered carrying case</li> </ul>	1	рс	75
	2	Stethoscope	<ul> <li>Double diaphragm (Fetal/ adult)</li> <li>44 mm membrane</li> <li>stainless steel</li> <li>Soft sealing earpieces</li> <li>Flexible resilient rubber tubing</li> <li>Non chill rim</li> </ul>	1	рс	75
1	+	tal, Health Care Servic	<del></del>			75

272

Tap W

TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

LOT NO.	ITEM NO.	ITEM	uperhighway, Taguig City  AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
67		Wellness Massage) NC	: II			FAX
	1	Sphygmomanometer	<ul> <li>Aneroid</li> <li>Handheld</li> <li>Large gauge in metal casing, 0-300 mm Hg, anti-slip finish, shockproof</li> <li>Inflatable cuff, adult (25.4-40.6 cm length), nylon strap locking system</li> <li>Thick rubber bladder</li> <li>Durable flexible rubber tubing</li> <li>Leatherette zippered carrying case</li> </ul>	1	рс	225
	2	Stethoscope	<ul> <li>Double diaphragm (Fetal/ adult)</li> <li>44 mm membrane</li> <li>stainless steel</li> <li>Soft sealing earpieces</li> <li>Flexible resilient rubber tubing</li> <li>Non chill rim</li> </ul>	1	рс	225
67	<del>+</del>	tal, Hilot (Wellness Ma	ssage) NC II			225
68	1	ge Therapy NC II Sphygmomanometer	<ul> <li>Aneroid</li> <li>Handheld</li> <li>Large gauge in metal casing, 0-300 mm Hg, anti-slip finish, shockproof</li> <li>Inflatable cuff, adult (25.4-40.6 cm length), nylon strap locking system</li> <li>Thick rubber bladder</li> <li>Durable flexible rubber tubing</li> <li>Leatherette zippered carrying case</li> </ul>	1	рс	375
60	2 Subta	Stethoscope	<ul> <li>Double diaphragm (Fetal/ adult)</li> <li>44 mm membrane</li> <li>stainless steel</li> <li>Soft sealing earpieces</li> <li>Flexible resilient rubber tubing</li> <li>Non chill rim</li> </ul>	1	рс	375
68	orang	tal, Massage Therapy I	NC II			375

273

of ap

TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

LOT	ITEM	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF
NO. 70	NO.	mation NC III	<u> </u>			PAX
	1	Digitizing Pen and Tablet	<ul> <li>connectivity: wired</li> <li>orientation: left and right handed</li> <li>Interface: USB</li> <li>movement resolution: 2540 lpi</li> <li>performance: 133 points per second</li> <li>active area: 6" x 3.7"</li> <li>compatible OS: Windows 7/8/10, Apple Mac OS x 10.6.8</li> <li>movement detection technology: electromagnetic</li> <li>connector type: 4 pin usb</li> </ul>	1	set	50
70		tal, 3D Animation NC I				50
72		Programming NC III	Ţ	<del></del>	· .	
	1	Digitizing Pen and Tablet	<ul> <li>connectivity: wired</li> <li>orientation: left and right handed</li> <li>Interface: USB</li> <li>movement resolution: 2540 lpi</li> <li>performance: 133 points per second</li> <li>active area: 6" x 3.7"</li> <li>compatible OS: Windows 7/8/10, Apple Mac OS x 10.6.8</li> <li>movement detection technology: electromagnetic</li> <li>connector type: 4 pin usb</li> </ul>	1	set	25
72	Subto	tal, Game Programmir	g NC III			25
75	CNCL	athe Machine Operation				
	1	Outside Micrometer Caliper	<ul> <li>Satin-chrome finished frame</li> <li>Range: 0-25 mm</li> <li>Least Count=0.01 mm</li> </ul>	1	рс	75
THE REAL PROPERTY AND ADDRESS OF THE PARTY ADDRESS OF THE PARTY AND ADD	2	Allen Wrench Keys	<ul> <li>Steel with black oxide coating</li> <li>Durable plastic molded holders</li> <li>Labeled holders</li> <li>9 pcs./Set 1.5 mm to 10 mm</li> </ul>	1	set	75

1 an av

#### PROCUREMENT OF STARTER TOOLKITS FOR THE **IMPLEMENTATION OF REPUBLIC ACT 10931** OR UNIVERSAL ACCESS TO QUALITY TERTIARY EDUCATION ACT (UAQTEA) FOR CY 2018 TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road, South

Superhighway, Taguig City

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	3	Letter and Number Punch	<ul><li>Hardened Steel</li><li>36pcs</li><li>4 mm height (letter and number)</li></ul>	1	set	75
	4	Digital Vernier Caliper	<ul> <li>Digital Model</li> <li>LCD Display</li> <li>Parallax free Vernier scale type</li> <li>(6 inches) 150 mm long</li> </ul>	1	рс	75
	5	Combination Square	<ul> <li>Stainless Steel</li> <li>(12 inches) 300 mm</li> <li>Combination Square Set (Blade and Handle)</li> </ul>	1	set	75
	6	Screw Pitch Gauge	<ul><li>4 to 56 TPI (Teeth per inch)</li><li>Range: 0.5 mm to 6 mm</li><li>28 Leaves</li></ul>	1	set	75
75		tal, CNC Lathe Machin			···	75
81	Gas M	etal Arc Welding (GMA Hard Hat		1 1		100
		naiu nat	<ul> <li>yellow ball-cap style hard hat</li> <li>6 point ratchet type headgear</li> <li>2 point chin strap and V-rib on top</li> <li>polyethylene material</li> </ul>		рс	100
	2	Safety Goggles	<ul><li>Plastic</li><li>Clear</li><li>Elastic Strap</li></ul>	1	рс	100
	3	Vise Grip	<ul> <li>10"</li> <li>chrome plated insulated handle</li> <li>flat jaw</li> <li>adjustment 0" to 1 5/8"</li> </ul>	1	рс	100
	4	Try Square	<ul> <li>Size: 8" x 12"</li> <li>Thickness: 1.8-2 mm</li> <li>Material: Spring Steel</li> <li>Handle Material: Aluminum Alloy</li> <li>Metric and English Graduations</li> </ul>	1	рс	100
	5	Chisel	<ul><li>cold</li><li>3/4 in X 6-7/8 in</li><li>forged steel</li></ul>	1	рс	100

TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	6	File	<ul><li>round</li><li>bastard cut</li><li>300 mm long</li><li>plastic handle</li></ul>	1	рс	100
	7	Auto-Darkening Welding Helmet	<ul> <li>Adjustable Shade</li> <li>Lens size 3-7/8 in. x 1-1/2 in.</li> </ul>	1	рс	100
81	Subto	tal, Gas Metal Arc We	Iding (GMAW) NC II			100
88		ed Metal Arc Welding				
	1	Welding Gloves	<ul><li>leather</li><li>heat resistant</li><li>long</li></ul>	1	pair	275
	2	Chipping Hammer	300 mm long     wood handle	1	рс	275
	3	Vise Grip	<ul> <li>10"</li> <li>chrome plated insulated handle</li> <li>flat jaw</li> <li>adjustment 0" to 1 5/8"</li> </ul>	1	рс	275
	4	Safety Goggles	<ul><li>Plastic</li><li>Clear</li><li>Elastic Strap</li></ul>	1	рс	275
	5	Oxy-acetylene Goggles	<ul> <li>Swivel type</li> <li>Rigid 50 mm dual cup</li> <li>Elastic headband</li> <li>Number-5 shade shields against brightness</li> </ul>	1	рс	275
	6	Try Square	<ul> <li>Size: 8" x 12"</li> <li>Thickness: 1.8-2 mm</li> <li>Material: Spring Steel</li> <li>Handle Material: Aluminum Alloy</li> <li>Metric and English Graduations</li> </ul>	1	рс	275
	7	Welding Mask	<ul> <li>Flip Front Welding Helmet</li> <li>impact-resistant polypropylene material</li> <li>adjustable fit</li> <li>4 1/2" x 2" view area with lens #11</li> </ul>	1	рс	275

276

ge j

TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

LOT	ITEM		Superhighway, Taguig City	1		NO. OF
NO.	NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	PAX
	8	Angle Grinder	<ul><li>Portable</li><li>4" capacity</li><li>220 Volts/60 Hz</li></ul>	1	unit	275
88			Welding (SMAW) NC I			275
89		ed Metal Arc Welding				
	1	Welding Jacket	<ul><li>leather</li><li>heat resistant</li></ul>	1	pc	575
	2	Ball Peen Hammer	<ul><li>Forged hard steel</li><li>jacketed graphite</li><li>16 oz./ 1 lb</li></ul>	1	pc	575
	3	Steel Square	<ul> <li>Carpenter's framing square; 2" x 16" x 24"</li> <li>Steel</li> <li>Double graduation inches/cm</li> </ul>	1	рс	575
	4	Chisel ·	<ul><li>cold</li><li>3/4 in X 6-7/8 in</li><li>forged steel</li></ul>	1	рс	575
	5	Hard Hat	<ul> <li>yellow ball-cap style hard hat</li> <li>6 point ratchet type headgear</li> <li>2 point chin strap and V-rib on top</li> <li>polyethylene material</li> </ul>	1	рс	575
	6	Auto-Darkening Welding Helmet	<ul><li>Adjustable Shade</li><li>Lens size 3-7/8 in. x 1-1/2 in.</li></ul>	1	рс	575
89			Welding (SMAW) NC II			575
91	1	Processing NC II Food Tongs	<ul><li>stainless steel</li><li>12 inches long</li><li>with wide shell head with locking</li></ul>	1	рс	450
	2	Paring Knife	<ul> <li>high carbon stainless steel</li> <li>size: 3.5-inch blade length</li> <li>sharp cutting edge</li> <li>full tang handled</li> </ul>	1	рс	450
	3	Chef's Knife	<ul> <li>high-carbon stainless steel</li> <li>sharp cutting edge</li> <li>size: 8-inches blade length</li> <li>riveted handle</li> </ul>	1	рс	450

277

1 or of

TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	4	Measuring Spoon	<ul><li>stainless steel</li><li>4 pieces per set (1 tbsp, 1 tsp, 1/2 tsp and 1/4 tsp)</li></ul>	1	set	450
	5	Measuring Cup	<ul> <li>Stainless steel</li> <li>4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup)</li> </ul>	1	set	450
	6	Mixing bowl	<ul><li>Stainless steel</li><li>8" diameter</li><li>5 quart capacity</li></ul>	1	рс	450
	7	Colander	<ul><li>Stainless steel</li><li>Medium Size</li><li>8 quarts capacity with base</li></ul>	1	рс	450
	8	Honing Bar	<ul><li>stainless steel</li><li>10-inch length</li></ul>	1	pc	450
	9	Saucepan	<ul><li>material: stainless</li><li>capacity: 1.5 liter</li><li>with lid cover</li></ul>	1	рс	450
	10	Casserole	<ul> <li>Stainless steel with lid cover and handle both sides</li> <li>Dimension: 20 cm</li> </ul>	1	рс	450
91	Subto	tal, Food Processing N	IC II			450
92	Beaut	y Care NC II				
	1	Hair Blower	<ul> <li>Thermostat Adjustment</li> <li>Wattage: 1,800 watts</li> <li>Folding handle</li> <li>Voltage: 220 V 60 Hz</li> </ul>	1	unit	375
	2	Haircutting Scissor	<ul><li>Materials: Stainless steel</li><li>Sharp cutting edge</li><li>Size: 19.05 cm long</li></ul>	1	рс	375
	3	Protective Cape	<ul><li>Water Proof</li><li>Nylon</li><li>Black</li></ul>	1	рс	375
	4	Hair Straightener Flat Iron	<ul> <li>Material: Ceramics</li> <li>Temperature setting High (220°C) Low (180°C)</li> <li>Voltage: 220 V 50 Hz</li> <li>Dimension: 37 x 16 x 6 cm</li> </ul>	1	unit	375
92	Subto	tal, Beauty Care NC II				375

Tap of

TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road, South Superhighway, Taquig City

LOT	ITEM	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF
NO.	NO.			QII	UNII	PAX
93	Beauty 1	Care Services (Nail C Cuticle Nail Pusher	are) NC II  Material: Stainless steel	1 1	рс	75
TO THE COMMENT OF THE	'	Catiole Hall Facility	<ul> <li>Two end with two different tools</li> <li>Dimension: 10.6 cm x 0.63 cm</li> </ul>		PG	
	2	Cuticle Nipper	<ul> <li>Material: stainless steel tip</li> <li>handed grip</li> <li>ultra fine, surgical quality</li> <li>size: 1/2 jaw single spring</li> <li>Dimension: 10.16 cm x 0.94 cm x 0.07 cm</li> </ul>	1	рс	75
	3	Finger Nail Bowl	<ul> <li>5-finger mold</li> <li>Plastic</li> <li>Dimension: 17.5 cm x 12.4 cm x 4.8 cm</li> </ul>	1	рс	75
	4	Hand Nail Cutter	<ul> <li>Stainless Steel</li> <li>double side swing out nail file</li> <li>Ergonomic Design</li> <li>Dimension: 5.08 cm x 0.6 cm</li> </ul>	1	рс	75
	5	Nail File	<ul> <li>plastic handle</li> <li>double sided abrasive</li> <li>Dimension: 1 cm x 5 cm x 0.8 cm</li> </ul>	1	рс	75
	6	Nail Buffer	<ul> <li>Durable sand paper, soft sponge</li> <li>Dimension: 9 cm x 3.6 cm x 2.6 cm</li> </ul>	1	pc	75
	7	Foot File	<ul> <li>Hard skin remover</li> <li>Wooden handle with double sided foot rasp</li> <li>Dimension: 26.0 cm x 6.0 cm x 1.4 cm</li> </ul>	1	рс	75
	8	Cuticle Scissor	<ul> <li>Stainless Steel</li> <li>Extra fine point</li> <li>Dimension: 1.7 cm x 7.62 cm x 0.89 cm</li> </ul>	1	рс	75

2/9

7 grg/

TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road, South Superhighway, Taquiq City

LOT	ITEM	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF
NO.	NO.		AGENCY SPECIFICATIONS	<u> </u>	UNII	PAX
The second secon	9	Callous Remover	<ul> <li>Plastic handle</li> <li>Stainless blade</li> <li>Extra blade</li> <li>Dimension: 14.9 cm x 2.6 cm</li> </ul>	1	рс	75
	10	Pumice Stone	<ul> <li>100% volcanic stone</li> <li>excellent for scrubbing dry</li> <li>Anti- bacterial for removing dead skin</li> <li>Dimension: 10 cm x 7 cm x 2 cm</li> </ul>	1	рс	75
	11	Manicure Nail brush	<ul> <li>plastic nail brush</li> <li>soft nylon brush</li> <li>Dimension: 6.35 cm x 3.93 cm x 1.57 cm</li> </ul>	1	рс	75
	12	Foot spa Machine	<ul> <li>foot detox machine</li> <li>With heater adjustment, bubble massage</li> <li>depth: 14 cm</li> <li>width: 38 cm</li> <li>length: 40 cm</li> <li>220-240 V/50 Hz</li> </ul>	1	unit	75
	13	Hand spa Machine	<ul> <li>Thermostatically - controlled heating unit</li> <li>length: 24 cm</li> <li>width: 17.5 cm</li> <li>depth: 9 cm</li> <li>220-240 V/50 Hz</li> </ul>	1	unit	75
93		tal, Beauty Care Servi	ces (Nail Care) NC II			75
94	<u> </u>	eeping NC III		1 . !		
	1	Calculator	<ul> <li>Scientific Calculator</li> <li>STAT DATA Editor</li> <li>240 functions</li> <li>12 digit x two-line display</li> <li>3 x 5 inches dimension</li> <li>Hard Slide Case</li> </ul>	1	unit	75
	2	Stapler	<ul> <li>with built-in staple wire remover #35</li> <li>weight: 0.085 kg</li> <li>dimension: 11 cm x 3 cm x 5 cm</li> <li>Staples 24 sheets</li> </ul>	1	рс	75

1 ap a

280

TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
NO.	3	Pencil Sharpener	<ul> <li>table mounted</li> <li>manually operated</li> <li>with pen crumbs visible container</li> <li>pencil lock hole</li> </ul>	1	unit	75
	4	Stainless Ruler	<ul> <li>Stainless Steel</li> <li>Double sided ruler cm/inches</li> <li>Conversion table on the back side</li> <li>laser engraved lines</li> <li>30 cm</li> </ul>	1	рс	75
	5	Flash drive	<ul><li>Capacity: 64 GB</li><li>Compatibility: USB 3.0</li></ul>	1	рс	75
	6	A4 Paper Pockets File Folder	<ul><li>Material: Paper board</li><li>Stainless Steel Clip</li><li>Size: 22.5 cm x 31 cm</li></ul>	1	рс	75
	7	Puncher	<ul> <li>two hole punch</li> <li>Dimension: 15 cm (L) x 8.5 cm (W) x 11.5 cm (H)</li> <li>punches up to 20 sheets</li> <li>with sliding ruler</li> </ul>	1	рс	75
	8	Accordion File Organizer	<ul> <li>Polypropylene</li> <li>Expandable pockets with tab flap and cord closure</li> <li>Long size, 8.5 x 13 inches</li> </ul>	1	рс	75
94		tal, Bookkeeping NC II				75
96	1	ressing NC II Haircutting Scissor	<ul><li>Materials: Stainless steel</li><li>Sharp cutting edge</li><li>Size: 19.05 cm long</li></ul>	1	рс	300
	2	Hair Blower	<ul> <li>Thermostat Adjustment</li> <li>Wattage: 1,800 watts</li> <li>Folding handle</li> <li>Voltage: 220 V 60 Hz</li> </ul>	1	unit	300

281

TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road, South Superhighway, Taquiq City

		3	uperhighway, Taguig City			NO 05
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	3	Hair Straightener Flat Iron	<ul> <li>Material: Ceramics</li> <li>Temperature setting High (220°C) Low (180°C)</li> <li>Voltage: 220 V 50 Hz</li> <li>Dimension: 37 x 16 x 6 cm</li> </ul>	1	unit	300
96	Subtot	tal, Bookkeeping NC III				300
99	Barista					
	1	French Press/Coffee Plunger	<ul><li>350 ml capacity</li><li>6.8 x 17 cm glass French press</li><li>plastic black handle</li></ul>	1	рс	200
	2	Whip Cream Dispenser	<ul> <li>500 ml capacity dispenser with nozzles and brush</li> <li>aluminum body</li> </ul>	1	рс	200
	3	Steaming Pitcher	<ul> <li>350 ml capacity</li> <li>approximate size: 9 x 6.5 x 9 cm</li> <li>stainless steel</li> <li>approximate weight: 178 g</li> </ul>	1	рс	200
	4	Coffee Thermometer	<ul> <li>Stainless steel dial pointer thermometer with a measuring range of 10°C - 110°C</li> <li>Measures 12.5 L x 4.2 D cm, color silver</li> </ul>	1	рс	200
	5	Cocktail Shaker	<ul> <li>350 ml capacity</li> <li>stainless steel</li> <li>Size (cm): 25 in L x 5 in W x 16 in H</li> </ul>	1	рс	200
99	Subto	tal, Barista NC II				200
100	Barter	nding NC II				
	1	Cocktail Shaker	<ul> <li>350 ml capacity</li> <li>stainless steel</li> <li>Size (cm): 25 in L x 5 in W x 16 in H</li> </ul>	1	рс	200
	2	Paring Knife	<ul> <li>high carbon stainless steel</li> <li>size: 3.5-inch blade length</li> <li>sharp cutting edge</li> <li>full tang handled</li> </ul>	1	рс	200
	3	Corkscrew	<ul> <li>measures 12 x 2.2 x 1.1 cm</li> <li>stainless steel metal corkscrew/bottle opener</li> </ul>	1	рс	200

7 agr gr

ACT (UAQTEA) FOR CY 2018

TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road, South Superhighway, Taquiq City

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	4	Blender/ Osterizer	<ul> <li>8 speed with pulse</li> <li>500 watts, 220 volts, 60 hertz</li> <li>stainless steel, ice crusher blade</li> <li>glass jar with cover</li> </ul>	1	unit	200
	5	Flair Bottle	<ul> <li>measures: 29 cm bottom diameter, 7.5 cm diameter, 3.2 cm</li> <li>yellow color</li> <li>hard plastic</li> </ul>	1	рс	200
NATIONAL STREET, Land on the parameter state of	6	Ice Pick	<ul> <li>measures: 21.5 cm long</li> <li>stainless steel pick with wooden handle 9 cm long</li> </ul>	1	рс	200
100	<del></del>	tal, Bartending NC II				200
101	Bread 1	and Pastry Production		1 1	<u> </u>	225
		Spatula	<ul> <li>Stainless steel straight blade</li> <li>Plastic handle</li> <li>3 cm blade width</li> <li>25.4 cm blade length</li> <li>12.7 cm handle length</li> <li>Round edges</li> </ul>		рс	220
	2	Decorating tips	<ul> <li>Stainless steel</li> <li>7-piece cake decorating tip set (Closed Star, Open Star, French, Round, Plain, Leaf, Petal)</li> <li>3 cm height</li> <li>Opening range: 1.27 cm</li> </ul>	1	set	225
	3	Flour sifter	Stainless steel mesh flour strainer     12" diameter	1	рс	225
	4	Measuring cup	<ul> <li>Stainless steel</li> <li>4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup)</li> </ul>	1	set	225
	5	Mixing bowl	<ul><li>Stainless steel</li><li>8" diameter</li><li>5 quart capacity</li></ul>	1	рс	225

7 gr g6

TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	6	Piping bags	<ul> <li>12 inches</li> <li>lightweight</li> <li>reusable</li> <li>flexible polyester</li> <li>coated, can be boiled</li> <li>dishwasher safe</li> </ul>	1	рс	225
	7	Wire whisk	<ul> <li>Stainless steel</li> <li>12 inches</li> <li>balloon style</li> <li>handle length: 4 cm</li> </ul>	1	рс	225
	8	Bread knife	<ul> <li>Length: 8"</li> <li>serrated edge</li> <li>stain-free</li> <li>high-carbon steel blade</li> <li>polypropylene</li> <li>straight handle</li> </ul>	1	рс	225
AND THE PROPERTY OF THE PROPER	9	Digital Weighing Scale	<ul> <li>LCD display</li> <li>Measure in pounds (lbs), ounces (oz) and grams (g)</li> <li>Battery operated</li> <li>Capacity: 5 kilograms</li> </ul>	1	unit	225
	10	Muffin pan	<ul><li>12 holes</li><li>3 oz. capacity per hole</li><li>aluminum</li></ul>	1	рс	225
	11	Cheese Grater	<ul> <li>Stainless steel</li> <li>Box grater with handle</li> <li>20.9 x 8.5 x 6.1 cm</li> <li>Small and large holes</li> </ul>	1	рс	225
	12	Chef's Knife	<ul> <li>high-carbon stainless steel</li> <li>sharp cutting edge</li> <li>size: 8-inches blade length</li> <li>riveted handle</li> </ul>	1	рс	225
101		tal, Bread and Pastry	Production NC II			225
103	1	Chef's Knife	<ul> <li>high-carbon stainless steel</li> <li>sharp cutting edge</li> <li>size: 8-inches blade length</li> <li>riveted handle</li> </ul>	1	рс	50

TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	2	Food Tongs	<ul><li>stainless steel</li><li>12 inches long</li><li>with wide shell head with locking</li></ul>	1	рс	50
	3	Digital Weighing Scale	<ul> <li>LCD display</li> <li>Measure in pounds (lbs), ounces (oz) and grams (g)</li> <li>Battery operated</li> <li>Capacity: 5 kilograms</li> </ul>	1	unit	50
	4	Honing Bar	<ul><li>stainless steel</li><li>10-inch length</li></ul>	1	рс	50
	5	Measuring Cup	<ul> <li>Stainless steel</li> <li>4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup)</li> </ul>	1	set	50
	6	Measuring Spoon	<ul> <li>stainless steel</li> <li>4 pieces per set (1 tbsp, 1 tsp, 1/2 tsp and 1/4 tsp)</li> </ul>	1	set	50
And the state of t	7	Saucepan	<ul><li>material: stainless</li><li>capacity: 1.5 liter</li><li>with lid cover</li></ul>	1	рс	50
	8	Casserole	<ul> <li>Stainless steel with lid cover and handle both sides</li> <li>Dimension: 20 cm</li> </ul>	1	pc	50
103		tal, Cookery NC II				50
104	Food a	and Beverage Service Corkscrew	measures 12 x 2.2 x 1.1 cm     stainless steel metal corkscrew/bottle opener	1	рс	450
	2	Linen/Skirting Cloth	<ul><li>10 yards (double width) skirting cloth</li><li>satin (any color)</li></ul>	1	рс	450
	3	Tablet	<ul> <li>Processor: 1.3 gHz</li> <li>OS: Android 6.0</li> <li>Memory: 1GB RAM</li> <li>Storage: 8GB ROM</li> <li>Display: screen 7" (177.8 mm)</li> <li>With SIM slot</li> </ul>	1	unit	450
104	Subto	tal, Food and Beverag	e Services NC II			450

\_

Tr ap gr

TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

LOT	ITEM	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF
NO. 106	NO.	Office Services NC II	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			PAX
100	1	Calculator	<ul> <li>12 digits display</li> <li>front panel metal coating</li> <li>battery power</li> <li>big display</li> <li>memory functions up to 4 decimal support</li> <li>high quality plastic construction and keys</li> <li>off key</li> <li>double zero with rounding function support</li> <li>dimension: 192mm x 147mm x 42mm</li> </ul>	1	unit	75
	2	Flash drive	<ul><li>Capacity: 64 GB</li><li>Compatibility: USB 3.0</li></ul>	1	рс	75
	3	Portable Amplifier	<ul> <li>Power Output: 30 W</li> <li>Mode: USB/MP3/FM</li> <li>Charger Voltage: 10V 450 mA</li> <li>AC/DC</li> <li>with headset and lapel microphone</li> </ul>	1	unit	75
	4	Fake Bills Detector	<ul> <li>Voltage: 220V 50Hz-60Hz</li> <li>Product size: approx. 183 x 82 x 90mm/7.2 x 3.22 x 3.54"</li> <li>Fluorescent UV blue lamp 4w</li> <li>On/Off Button</li> </ul>	1	unit	75
	5	Stapler	<ul> <li>with built-in staple wire remover #35</li> <li>weight: 0.085 kg</li> <li>dimension: 11 cm x 3 cm x 5 cm</li> <li>Staples 24 sheets</li> </ul>	1	рс	75
	6	A4 Paper Pockets File Folder	<ul> <li>Material: Paper board</li> <li>Stainless Steel Clip</li> <li>Size: 22.5 cm x 31 cm</li> </ul>	1	рс	75

286

TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road, South
Superhighway, Taguig City

			Superhighway, Taguig City	·		
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	7	Accordion File Organizer	<ul> <li>Polypropylene</li> <li>Expandable pockets with tab flap and cord closure</li> <li>Long size, 8.5 x 13 inches</li> </ul>	1	рс	75
106		tal, Front Office Servi	ces NC II	· · · · · · · · · · · · · · · · · · ·		75
107	House	keeping NC II				
	1	Flashlight	<ul> <li>6000 Lumen 5 modes (high, low, red safety flasher, rescue beacon and OFF) Led Flashlight</li> <li>With digital smart single charger with 1 pc 18650 4200 mAh 3.7 V battery with case</li> <li>With stun gun</li> </ul>	1	рс	225
	2	Steam Flat Iron	<ul> <li>Electric flat iron with spray</li> <li>220 V/60 Hz</li> <li>1,100 - 1,310 watts</li> <li>with 5 selector</li> </ul>	1	unit	225
	3	Vacuum Cleaner	<ul> <li>Wet and dry vacuum cleaner</li> <li>220 volts, 50-60Hz, 1,100 watts</li> <li>Tank size: 4 liters</li> <li>With complete accessories</li> </ul>	1	unit	225
107	Subto	tal, Housekeeping NC	D	1		225
109	<del></del>	Services NC II				
	1	Tablet	<ul> <li>Processor: 1.3 gHz</li> <li>OS: Android 6.0</li> <li>Memory: 1GB RAM</li> <li>Storage: 8GB ROM</li> <li>Display: screen 7" (177.8 mm)</li> <li>With SIM slot</li> </ul>	1	unit	75
	2	Flash drive	Capacity: 64 GB     Compatibility: USB 3.0	1	рс	75
109		tal, Travel Services N				75
	TOTA	<u></u>				8,400

*287* 

The are gr

TESDA-Region I – Quezon Avenue, Catbangen, City of San Fernando, La Union NO. OF LOT ITEM ITEM **AGENCY SPECIFICATIONS** QTY UNIT PAX NO. NO. Agricultural Crops Production NC II 2 Knapsack Sprayer 75 Semi-automatic sprayer 1 pc • 16 liter capacity Stainless Steel 2 Shovel 75 Rectangular shovel 1 рс • 1 m handle length • 170 mm blade tip width • 220 mm blade tip length • 1,300 q • wooden handle Y grip 75 3 Hole Digger • 6 inches length 1 рС • 6.5 inches width • 60 inches height • 48 inches fiberglass handle • soft-cushion grip • double bolt through head attachment 75 4 Pruning Shear 1 · Chrome-plated blade finish рс straight blade • 80 mm cutting capacity • 8 inch user hand size 75 2 Subtotal, Agricultural Crops Production NC II Agricultural Crops Production NC III Knapsack Sprayer • Semi-automatic sprayer 1 25 1 рс • 16 liter capacity • Stainless Steel 2 Shovel 25 • Rectangular shovel 1 рс • 1 m handle length • 170 mm blade tip width • 220 mm blade tip length • 1,300 g wooden handle Y grip 25 3 Hedge Shear heavy duty hedge shear 1 рс • carbon steel blades wooden handle · corrosion resistant cold-forged steel blade premium edges • 8.5 inches blade length • 0.375 inches cutting capacity • 22 inches overall length • 0.82 kg weight

TESDA-Region I - Quezon Avenue, Catbangen, City of San Fernando, La Union NO. OF LOT **ITEM AGENCY SPECIFICATIONS** QTY UNIT ITEM PAX NO. NO. 4 Hole Digger 25 • 6 inches length рС • 6.5 inches width • 60 inches height • 48 inches fiberglass handle soft-cushion grip · double bolt through head attachment 3 Subtotal, Agricultural Crops Production NC III 25 Animal Production (Poultry-Chicken) NC II 75 10 liters capacity рс • Plastic • 320 mm Height • 350 mm Diameter • 677 grams weight 2 75 Knapsack Sprayer 1 • Semi-automatic sprayer pc • 16 liter capacity • Stainless Steel 75 3 Semen Storage Box 1 • plastic cooler/jug рс • handy grip design • 1.9L capacity wide mouth top 75 4 Reusable Veterinary Fiberglass hypodermic 1 рс Syringe adjustable syringe with engraved volume indication on barrel • 10 ml capacity 5 Brooder/ Heater 45 cm diameter aluminum 1 75 set Lamp reflector; socket is insulated porcelain, flexible heavy gauge SJT cord with molded-on plug Subtotal, Animal Production (Poultry-Chicken) NC II 75 5 7 Animal Production (Swine) NC II 75 Reusable Veterinary • Fiberglass hypodermic рс Syringe adjustable syringe with engraved volume indication on barrel • 10 ml capacity 75 Ear Notcher • Small V-shape blade; stainless рс • Stainless 5.5" long, straight 1 75 3 Forcep рс kelly forcep

1 p;

1	TESE		Avenue, Catbangen, City of San F	ernando	o, La Uni	on
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	4	Semen Storage Box	<ul><li>plastic cooler/jug</li><li>handy grip design</li><li>1.9L capacity</li><li>wide mouth top</li></ul>	1	рс	75
	5	Knapsack Sprayer	<ul><li>Semi-automatic sprayer</li><li>16 liter capacity</li><li>Stainless Steel</li></ul>	1	рс	75
	6	Calculator	<ul> <li>Scientific Calculator</li> <li>STAT DATA Editor</li> <li>240 functions</li> <li>12 digit x two-line display</li> <li>3 x 5 inches dimension</li> <li>Hard Slide Case</li> </ul>	1	unit	75
7		tal, Animal Production	(Swine) NC II			75
8	Aquac 1	pH meter	Ph range from 0-14	1 1	unit	225
			<ul> <li>large multi-level LCD which displays both pH and temperature readings simultaneously</li> <li>An exposed temperature sensor allows for rapid automatic temperature compensated pH measurements</li> <li>Temperature can be set to display in °C or °F</li> <li>The LCD screen has stability and calibration tag indicators</li> <li>The battery percent level is displayed at start up alerting the user to the remaining battery power that is available.</li> </ul>			
	2	Scoop net	<ul> <li>net material: nylon</li> <li>size detail: <ul> <li>handle length: 2.7 cm/10.63 inch</li> <li>net size: 20 x 18 cm / 7.87 x 7.07 inch</li> <li>net depth: 20 cm / 7.87 inch</li> <li>total length: 47 cm / 18.50 inch</li> </ul> </li> </ul>	1	pc	225

TESDA-Region I – Quezon Avenue, Catbangen, City of San Fernando, La Union NO. OF LOT ITEM ITEM AGENCY SPECIFICATIONS QTY UNIT PAX NO. NO. 3 1 225 Drawing instruments • compass with 0.5 mm pencil set lead, used for drawing circle or circular, made from stainless steel, durable and easy to carry • geometry tools, special suitable for school teaching use • size 11.5 cm x 2 cm x 0.6 cm • package included: transparent box + silver metal compass stand tall + lead refill Calculator Scientific Calculator 1 unit 225 STAT DATA Editor • 240 functions • 12 digit x two-line display • 3 x 5 inches dimension • Hard Slide Case Subtotal, Aquaculture NC II 225 8 **Automotive Servicing NC I** 20 475 Socket wrench • 1 x 1/4-Inch (6.3 mm) Ratchet 1 set Wrench • 10 pcs 10 mm-24 mm Common Sockets • 1 pc Extension Rod 475 2 Spark Plug Wrench 1 • 1 pc T-Handle Universal Joint set • 2 pcs Spark Plug Socket Wrench (16 and 21 mm) 475 3 Feeler Gauge • 25 tempered steel blades 1 set • Gauge measures: 0.0015" (0.038 mm) to 0.035" (0.889 mm) • Blade length: 80 mm • Chrome plated • Blade is laser etched with Inches and Millimeters

7 p 3

TESDA-Region I - Quezon Avenue, Catbangen, City of San Fernando, La Union LOT ITEM NO. OF **AGENCY SPECIFICATIONS** ITEM QTY UNIT NO. NO. PAX 4 Hydrometer • Material: Glass and rubber 475 рс • Testing range: 1.100 - 1.300 Specific Gravity (SG) • Based at 77 °F temperature 5 Vernier Caliper Stainless steel 475 рс • Dual reading scales on Vernier (English reading on top and Metric reading at bottom) Carbide tipped jaw type • (6 inches) 150 mm • Least Count = 0.05 mm Screwdriver Set Philips & Standard 475 set • 6 pcs. per set • plastic handle • Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) • Philips Blade Tip: 1/8 in x 3 in  $(3 \text{ mm } \times 75 \text{ mm}), 3/16 \text{ in } \times 4.3$ in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) 7 Ball Peen Hammer • jacketed graphite head. 1 475 рс polished face • 12 ounce (340 grams), wooden handle Subtotal, Automotive Servicing NC I 20 475 21 Automotive Servicing NC II **Battery Tester** 300 Suitable for 6 V & 12 V рС **Batteries** • Up to 1000 CCA (SAE) • 12 V Charging/Start System Shock-resistant ventilated cover Color-coded copper-plated clamps

TESDA-Region I - Quezon Avenue, Catbangen, City of San Fernando, La Union LOT ITEM NO. OF ITEM **AGENCY SPECIFICATIONS** QTY UNIT NO. NO. PAX 2 Soldering Gun 300 Power: 130W рС • Two optional pre-heat (High/Low) • Tips: 4 mm x 65 mm Voltage: AC 220V • Pre-heat time: 5-10 minutes • Power cable: 1 meter Plug type: Type A · Material: ABS Plastic 3 Multi-Tester 300 1 Analog unit • DCV Range: 0.1 V to 1,000 V ACV Range: 10 V to 750 V • Internal Battery: R6 (IEC) or UM-3 1.5V x 2 • Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm • Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g • Resistance: X1 to X1k 21 Subtotal, Automotive Servicing NC II 300 Motorcycle/Small Engine Servicing NC II 26 T-Wrench • 4 pcs forged steel with sizes 8-1 set 125 10-12 and 14 mm 2 Spark Plug Wrench 125 • 1 pc T-Handle Universal Joint set • 2 pcs Spark Plug Socket Wrench (16 and 21 mm) 3 Screwdriver Set • 4 pieces per set set 125 • Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm • Philips Blade Tip: 1 x 100 mm, 2 x 150 mm • Plastic and Rubberized handle Chrome Vanadium • Shank: 6"



1	TESD	A-Region I – Quezon	Avenue, Catbangen, City of San Fe	ernande	o, La Uni	on
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	4	Allen Wrench	<ul> <li>22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"</li> <li>1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm</li> <li>Long arm series</li> <li>Chrome Vanadium steel</li> </ul>	1	set	125
	5	Socket wrench	<ul> <li>1 x 1/4-Inch (6.3 mm) Ratchet Wrench</li> <li>10 pcs 10 mm-24 mm Common Sockets</li> <li>1 pc Extension Rod</li> </ul>	1	set	125
26	<del></del>		Engine Servicing NC II			125
27	Carpe	ntry NC II				100
	1	Crow Bar	<ul><li>914.4 mm (36") long</li><li>forged high steel carbon</li></ul>	1	рс	100
	2	Pull-Push Rule	<ul> <li>Blade length 8m/26ft</li> <li>Blade width 1"</li> <li>High impact ABS case with durable rubber</li> <li>Corrosion resistant tru-zero end</li> </ul>	1	pc	100
	3	Steel Square	<ul> <li>Carpenter's framing square; 2" x 16" x 24"</li> <li>Steel</li> <li>Double graduation inches/cm</li> </ul>	1	рс	100
	4	Try Square	<ul> <li>Size: 8" x 12"</li> <li>Thickness: 1.8-2 mm</li> <li>Material: Spring Steel</li> <li>Handle Material: Aluminum Alloy</li> <li>Metric and English Graduations</li> </ul>	1	рс	100
	5	Spirit Level Bar	<ul><li>High impact plastic</li><li>Magnetic</li><li>3 vials, 24" length</li></ul>	1	pc	100



	TESD		Avenue, Catbangen, City of San Fe	ernande	o, La Uni	on
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	6	Cross Cut Saw	<ul> <li>60 cm (24 inches) long</li> <li>Hard Plastic Handle</li> <li>8 points per inch</li> <li>Hard steel blade</li> </ul>	1	рс	100
	7	Drill	<ul> <li>Hand Drill</li> <li>Voltage: 220 V/60 Hz</li> <li>Continuous power input: 350 Watts</li> <li>No load speed: 0-3,000 rpm</li> <li>Dimension (L x W x H): 23 cm x 6.8 cm x 16.4 cm</li> </ul>	1	unit	100
	8	Chalk Line Reel	100 ft. heavy duty die cast body	1	рс	100
27	Subtot	tal, Carpentry NC II				100
29	Heavy		[HEO] (Backhoe Loader) NC II			7.5
	1	Combination Wrench Set	<ul> <li>16 pcs</li> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> <li>Lobular box end design</li> </ul>	1	set	75
	2	Screwdriver Set	<ul> <li>Philips &amp; Standard</li> <li>6 pcs. per set</li> <li>plastic handle</li> <li>Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)</li> <li>Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)</li> </ul>	1	set	75

7 /4 5

TESDA-Region I - Quezon Avenue, Catbangen, City of San Fernando, La Union LOT ITEM NO. OF ITEM AGENCY SPECIFICATIONS QTY UNIT NO. NO. PAX 3 Pipe Wrench • 355.6 mm (14") 1 75 DC • Heavy duty forged alloy steel • Pipe capacity: 2 inches • Cast-iron housing and I-beam handle with full floating forged hook jaw • featuring self-cleaning threads • With replaceable hook and heel iaw 75 Mechanical plier • 8 inches length рС insulated handle 5 Grease Gun 1 75 • Capacity: 80 cc рс • Loading way: 80 cc • Working pressure: 1,400 psi • Burst pressure: 4,000 psi • Short stroke "lever action" for easy use 6 Tire Gauge 1 75 • Heavy Duty Condor type рС • 160 psi. pressure capacity Subtotal, Heavy Equipment Operation [HEO] (Backhoe Loader) NC II 29 75 32 Heavy Equipment Operation [HEO] (Hydraulic Excavator) NC II Combination Wrench 25 • 16 pcs set Set • sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm • Drop forged alloy steel construction • Lobular box end design

7/4 i

#### PROCUREMENT OF STARTER TOOLKITS FOR THE **IMPLEMENTATION OF REPUBLIC ACT 10931** OR UNIVERSAL ACCESS TO QUALITY TERTIARY EDUCATION ACT (UAQTEA) FOR CY 2018 TESDA-Region I – Quezon Avenue, Catbangen, City of San Fernando, La Union

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	2	Screwdriver Set	<ul><li>Philips &amp; Standard</li><li>6 pcs. per set</li><li>plastic handle</li></ul>	1	set	25
			<ul> <li>Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)</li> </ul>			
			• Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)			
	3	Pipe Wrench	<ul> <li>355.6 mm (14")</li> <li>Heavy duty forged alloy steel</li> <li>Pipe capacity: 2 inches</li> <li>Cast-iron housing and I-beam handle with full floating forged hook jaw</li> <li>featuring self-cleaning threads</li> <li>With replaceable hook and heel jaw</li> </ul>	1	pc	25
	4	Mechanical plier	<ul><li>8 inches length</li><li>insulated handle</li></ul>	1	рс	25
	5	Vise Grip	<ul><li>7" straight jaw</li><li>Hard steel</li></ul>	1	рс	25
	6	Long Nose Plier	<ul><li>Overall Length: 8"</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	рс	25
The state of the s	7	Grease Gun	<ul> <li>Capacity: 80 cc</li> <li>Loading way: 80 cc</li> <li>Working pressure: 1,400 psi</li> <li>Burst pressure: 4,000 psi</li> <li>Short stroke "lever action" for easy use</li> </ul>	1	рс	25
32	Subto	tal, Heavy Equipmen	t Operation [HEO] (Hydraulic Excav	ator) N	CII	25

TESDA-Region I - Quezon Avenue, Catbangen, City of San Fernando, La Union LOT ITEM NO. OF **AGENCY SPECIFICATIONS** QTY UNIT ITEM PAX NO. NO. Heavy Equipment Operation [HEO] (Motor Grader) NC II 33 75 Combination Wrench set • 16 pcs Set • sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm Drop forged alloy steel construction Lobular box end design 75 2 Screwdriver Set • Philips & Standard set • 6 pcs. per set • plastic handle • Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) • Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) 75 Pipe Wrench • 355.6 mm (14") рС Heavy duty forged alloy steel • Pipe capacity: 2 inches • Cast-iron housing and I-beam handle with full floating forged hook jaw featuring self-cleaning threads • With replaceable hook and heel 1 75 4 Mechanical plier • 8 inches length рС • insulated handle 75 5 Grease Gun • Capacity: 80 cc рс • Loading way: 80 cc • Working pressure: 1,400 psi • Burst pressure: 4,000 psi • Short stroke "lever action" for easy use

298

7 3 pa gr gr

TESDA-Region I - Quezon Avenue, Catbangen, City of San Fernando, La Union LOT NO. OF ITEM QTY **AGENCY SPECIFICATIONS** UNIT ITEM NO. NO. PAX 6 Tire Gauge 75 Heavy Duty Condor type рС • 160 psi, pressure capacity Subtotal, Heavy Equipment Operation [HEO] (Motor Grader) NC II 75 33 37 Heavy Equipment Operation [HEO] (Wheel Loader) NC II 25 Combination Wrench • 16 pcs set Set • sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm. 27 mm. 30 mm and 32 mm Drop forged alloy steel construction · Lobular box end design 2 Screwdriver Set 25 • Philips & Standard set • 6 pcs. per set • plastic handle • Flat Blade Tip: 1/8 in x 3 in (3 mm  $\times$  75 mm), 3/16 in  $\times$  4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) • Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) 25 3 Pipe Wrench 1 • 355.6 mm (14") рС Heavy duty forged alloy steel • Pipe capacity: 2 inches • Cast-iron housing and I-beam handle with full floating forged hook jaw featuring self-cleaning threads • With replaceable hook and heel 25 Mechanical plier 8 inches length 1 pc · insulated handle

Map gr

TESDA-Region I - Quezon Avenue, Catbangen, City of San Fernando, La Union NO. OF LOT ITEM **AGENCY SPECIFICATIONS** QTY UNIT ITEM PAX NO. NO. 5 Grease Gun 1 25 • Capacity: 80 cc рс • Loading way: 80 cc • Working pressure: 1,400 psi • Burst pressure: 4,000 psi • Short stroke "lever action" for easy use 25 6 Tire Gauge Heavy Duty Condor type рс • 160 psi. pressure capacity 25 Subtotal, Heavy Equipment Operation [HEO] (Wheel Loader) NC II 37 Masonry NC I 38 Chalk Line Reel 50 • 100 ft. heavy duty die cast body рс 2 Claw Bar 1 50 • 19 mm diameter x 90 cm long рс • Forged high-carbon tempered steel Claw Hammer • 453.6 grams (16 oz.) 50 рс Forged steel • Hardened and tempered steel head · Smooth face • Fiberglass handle 4 Handsaw 20"/500mm Cross Cut Hand 1 50 рс Saw • Machine set teeth • resharpenable with traditional hardwood handle for comfort 5 Pull-Push Rule 1 • Blade length 8m/26ft рс 50 • Blade width 1" • High impact ABS case with durable rubber • Corrosion resistant tru-zero end Shovel 50 Heavy gauge рс • tempered steel blade digging shovel • 39.5" long • With strong Poly D-grip • Hardwood handle Sledge Hammer • 4 lbs. forged steel head sledge 50 рс • 15 inches long • fiberglass handle

300

7 is

TESDA-Region I – Quezon Avenue, Catbangen, City of San Fernando, La Union

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	8	Spirit Level Bar	<ul><li>High impact plastic</li><li>Magnetic</li><li>3 vials, 24" length</li></ul>	1	pc	50
	9	Straight Edge	<ul> <li>6 mm thick x 54 mm wide x 900 mm long</li> <li>aluminum</li> </ul>	1	рс	50
	10	Try Square	<ul><li>12" length</li><li>Hard alloy steel</li><li>With Metric/English system graduation</li></ul>	1	рс	50
38		tal, Masonry NC I				50
39	Masor 1	nry NC II Claw Bar	10	1		100
	•		<ul> <li>19 mm diameter x 90 cm long</li> <li>Forged high-carbon tempered steel</li> </ul>	1	pc	100
	2	Claw Hammer	<ul> <li>453.6 grams (16 oz.)</li> <li>Forged steel</li> <li>Hardened and tempered steel head</li> <li>Smooth face</li> <li>Fiberglass handle</li> </ul>	1	pc	100
	3	Hacksaw	<ul> <li>Heavy duty hacksaw with 12" bi-metal hacksaw blade</li> <li>High Speed 24 TPI</li> <li>Strong box section steel, rugged, professional industrial hacksaw</li> <li>Rubberized handle frame</li> </ul>	1	pc	100
	4	Hacksaw Blade	<ul> <li>High Speed 24 TPI</li> <li>304.8 mm (12") long bi-metal</li> <li>Heavy duty steel hacksaw blade</li> </ul>	1	рс	100
	5	Handsaw	<ul> <li>20"/500mm Cross Cut Hand Saw</li> <li>Machine set teeth</li> <li>resharpenable with traditional hardwood handle for comfort</li> </ul>	1	рс	100
	6	Paint Brush	<ul> <li>50.8 mm (2")</li> <li>Pure bristle with comfort grip</li> <li>Made of Solid Round Tapered (SRT) polyester filaments</li> </ul>	1	рс	100

301

7 is as gr

TESDA-Region I - Quezon Avenue, Catbangen, City of San Fernando, La Union LOT ITEM NO. OF ITEM **AGENCY SPECIFICATIONS** QTY UNIT NO. NO. PAX 7 Paint Brush • 101.6 mm (4") 1 100 рс • Pure bristle with comfort grip Made of Solid Round Tapered (SRT) polyester filaments 8 Pull-Push Rule • Blade length 8m/26ft 1 100 рс • Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end 9 Shovel 1 100 Heavy gauge рс • tempered steel blade digging shovel • 39.5" long • With strong Poly D-grip Hardwood handle 10 Spirit Level Bar High impact plastic 1 100 рС Magnetic • 3 vials, 24" length Steel (Bucket/ 11 1 100 • 10" solid forged steel blade рС Bricklaying) Pointing Precision tapered Trowel • Soft duragrip and hard end handle Steel Float/ 12 100 • 0.7 mm min. thick x 280 mm x рС Plastering Trowel 125 mm • High carbon Steel • Solid forged steel with soft handle 13 Steel Square 100 • Carpenter's framing square; 2" рС x 16" x 24" Steel • Double graduation inches/cm Subtotal, Masonry NC II 39 100 Computer Systems Servicing NC II 51 Crimping Tool Suitable for: 275 1 рС • RJ 45 • RJ 11 4P • 6P • 8P

302

p ap gr

TESDA-Region I - Quezon Avenue, Catbangen, City of San Fernando, La Union LOT ITEM NO. OF **AGENCY SPECIFICATIONS** ITEM QTY UNIT NO. NO. PAX 2 Electrician Plier • Overall Length: 238 mm 1 275 рс Steel Alloy • Handle finish: plastic-dipped 3 Wire Stripper 1 automatic 275 рс • cap. 1.5 mm to 3.5 mm 4 Combination Wrench 1 275 • 16 pcs set Set • sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm Drop forged alloy steel construction Lobular box end design 5 Allen Wrench 1 • 22 pc Hex Key Set: 275 set 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm · Long arm series Chrome Vanadium steel 6 Screwdrivers Set 1 • 30 in 1 Screwdriver set 275 • Philips (+) PH00, PH0, PH1, PH2 • Torx T4, T5, T6, T7, T8, T10, T15, T20 • Flat (-) 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 3.5 mm, 4.0 mm • Hex 1.0, 1.3, 1.5, 2.0, 2.5, 3.0, Made of Chrome Vanadium • Soft TPL Handle 51 Subtotal, Computer Systems Servicing NC II 275 53 Electrical Installation and Maintenance NC II Electrician Plier 375 • Overall Length: 238 mm 1 рС Steel Alloy · Handle finish: plastic-dipped

TESDA-Region I - Quezon Avenue, Catbangen, City of San Fernando, La Union LOT NO. OF ITEM ITEM **AGENCY SPECIFICATIONS** QTY UNIT PAX NO. NO. 2 Long Nose Plier 375 • Overall Length: 8" рс Steel Alloy • Handle finish: plastic-dipped 375 3 Screwdriver Set 1 set • 4 pieces per set • Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm • Philips Blade Tip: 1 x 100 mm, 2 x 150 mm Plastic and Rubberized handle Chrome Vanadium • Shank: 6" 375 Pipe Bender Manual 1 4 • 1/2-3/4 inch bending radius рс · ductile high strength iron Subtotal, Electrical Installation and Maintenance NC II 375 53 Electrical Installation and Maintenance NC III 54 50 Multi-Tester 1 unit 1 Analog • DCV Range: 0.1 V to 1,000 V ACV Range: 10 V to 750 V • Internal Battery: R6 (IEC) or UM-3 1.5V x 2 • Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm • Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g • Resistance: X1 to X1k 50 2 Allen Wrench • 22 pc Hex Key Set: set 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm • Long arm series • Chrome Vanadium steel

TESDA-Region I – Quezon Avenue, Catbangen, City of San Fernando, La Union

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	3	Wire Stripper	<ul><li>automatic</li><li>cap. 1.5 mm to 3.5 mm</li></ul>	1	рс	50
	4	Combination Wrench Set	<ul> <li>16 pcs</li> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> <li>Lobular box end design</li> </ul>	1	set	50
54			on and Maintenance NC III			50
55	1	Multi-Tester	<ul> <li>Analog</li> <li>DCV Range: 0.1 V to 1,000 V</li> <li>ACV Range: 10 V to 750 V</li> <li>Internal Battery: R6 (IEC) or UM-3 1.5V x 2</li> <li>Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm</li> <li>Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g</li> <li>Resistance: X1 to X1k</li> </ul>	1	unit	300
	2	Electrician Plier	<ul><li>Overall Length: 238 mm</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	рс	300
	3	Long Nose Plier	<ul><li>Overall Length: 8"</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	рс	300
	4	Diagonal Cutting Plier	<ul><li>Overall Length: 8"</li><li>Material: Carbon Steel</li><li>Handle Finish: plastic dipped</li></ul>	1	рс	300
	5	Soldering Iron	<ul><li>30 watts, 220 volts/60hz</li><li>heat pencil tip</li></ul>	1	рс	300

#### PROCUREMENT OF STARTER TOOLKITS FOR THE **IMPLEMENTATION OF REPUBLIC ACT 10931** OR UNIVERSAL ACCESS TO QUALITY TERTIARY EDUCATION ACT (UAQTEA) FOR CY 2018 TESDA-Region I – Quezon Avenue, Catbangen, City of San Fernando, La Union

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	6	Allen Wrench	<ul> <li>22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"</li> <li>1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm</li> <li>Long arm series</li> </ul>	1	set	300
			<ul> <li>Chrome Vanadium steel</li> </ul>			
	7	Wire Stripper	• automatic	1	рс	300
	9	Vernier Caliper Screwdriver Set	<ul> <li>cap. 1.5 mm to 3.5 mm</li> <li>Stainless steel</li> <li>Dual reading scales on Vernier (English reading on top and Metric reading at bottom)</li> <li>Carbide tipped jaw type</li> <li>(6 inches) 150 mm</li> <li>Least Count = 0.05 mm</li> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li> </ul>	1	pc	300
			<ul> <li>Philips Blade Tip: 1 x 100 mm, 2 x 150 mm</li> <li>Plastic and Rubberized handle</li> <li>Chrome Vanadium</li> <li>Shank: 6"</li> </ul>			
55			cts Assembly and Servicing NC II			300
60		making NC II				,
	1	Cutting Shears	<ul><li>8" length</li><li>stainless steel blade</li><li>plastic handle</li></ul>	1	pc	175
	2	Meter stick/Yardstick	1 meter (metric and English)     yellow plastic	1	рс	175
	3	Scissors	6" length     plastic handle for paper	1	рс	175

TESDA-Region I - Quezon Avenue, Catbangen, City of San Fernando, La Union LOT ITEM NO. OF ITEM AGENCY SPECIFICATIONS QTY UNIT NO. NO. PAX 4 Screwdriver Set 1 175 • precision 6 pieces per set set plastic handle • 0 P. 1 P. 1.4 mm, 2.0 mm, 2.4 mm, 3.0 mm slotted 5 Spray Bottle 175 • spray plastic clear empty bottle 1 рС • 500 ml hand trigger 6 Tape Measure 1 175 plastic рс • 60" length (English and metric) 7 Tracing Wheel · serrated metal wheel 1 175 рС • plastic handle 8 Ruler with Grid 175 • 18" length 1 рС transparent • red lines with grid French Curve 175 • 12" length 1 рс • aluminum • for neckline and armhole drawing 10 Hip Curve 1 175 • 24" length рс aluminum 11 Tailor's L square • 24" x 14" length 1 175 рС • aluminum 12 Screwdriver Set 175 • 4 pieces per set 1 set • Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm • Philips Blade Tip: 1 x 100 mm, 2 x 150 mm • Plastic and Rubberized handle • Chrome Vanadium • Shank: 6" 13 Flat iron 175 electric flat iron unit any color dry iron 220 volts • aluminum sole plate

TESDA-Region I – Quezon Avenue, Catbangen, City of San Fernando, La Union LOT ITEM NO. OF **AGENCY SPECIFICATIONS ITEM** QTY UNIT NO. NO. PAX 14 Calculator 175 • 12 digits display unit · front panel metal coating battery power big display • memory functions up to 4 decimal support • high quality plastic construction and keys off key • double zero with rounding function support • dimension: 192mm x 147mm x 42mm 60 Subtotal, Dressmaking NC II 175 62 RAC Servicing (PACU/CRE) NC III Gauge Manifold 1 150 2 valves set • Three (3) hoses gauge • High side gauge pressure: 0-750 psig • Low side gauge pressure: 30 in Hg vacuum-500 psig • For refrigerant R-410a/R-404a • 1/4 in. vacuum port size • Hose length: 36 inches • 2,500 psig burst 2 Multi-Tester 1 150 Analog unit • DCV Range: 0.1 V to 1,000 V • ACV Range: 10 V to 750 V • Internal Battery: R6 (IEC) or UM-3 1.5V x 2 • Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm • Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g • Resistance: X1 to X1k Subtotal, RAC Servicing (PACU/CRE) NC III 62 150

7 gr g8

TESDA-Region I – Quezon Avenue, Catbangen, City of San Fernando, La Union

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
63	RAC S	ervicing (DOMRAC) No	CII			
	1	Flaring Tool	<ul> <li>Flaring with swaging tools set</li> <li>Screw type feed</li> <li>Two bars cover 9 sizes</li> <li>Swivel type swaging adapters and Flaring cone hardened steel, chromed finished</li> <li>Slip on forge steel yoke includes: - Flares 1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" OD</li> <li>Five (5) swage adapter for tubes sizes: 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" OD</li> </ul>	1	set	100
	2	Tube Cutter	<ul> <li>Heavy duty</li> <li>For 1/8 inch to 1 1/8 inches pipe</li> <li>Weight: 0.16 ounces.</li> <li>Dimension: 6.8 x 3.3 x 1.3 inches</li> <li>Materials: High strength zinc alloy</li> <li>with spare cutter wheel on the knob</li> </ul>	1	рс	100
	3	Long Nose Plier	<ul><li>Overall Length: 8"</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	рс	100
	4	Combination Wrench Set	<ul> <li>16 pcs</li> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> <li>Lobular box end design</li> </ul>	1	set	100
63	Subtot	tal, RAC Servicing (DC	MRAC) NC II			100

	TESD		Avenue, Catbangen, City of San Fe	rnando	o, La Uni	on
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
65	Caregi	ving NC II				
	1	Sphygmomanometer	<ul> <li>Aneroid</li> <li>Handheld</li> <li>Large gauge in metal casing, 0-300 mm Hg, anti-slip finish, shockproof</li> <li>Inflatable cuff, adult (25.4-40.6 cm length), nylon strap locking system</li> <li>Thick rubber bladder</li> <li>Durable flexible rubber tubing</li> <li>Leatherette zippered carrying case</li> </ul>	1	рс	75
	2	Stethoscope	<ul> <li>Double diaphragm (Fetal/ adult)</li> <li>44 mm membrane</li> <li>stainless steel</li> <li>Soft sealing earpieces</li> <li>Flexible resilient rubber tubing</li> <li>Non chill rim</li> </ul>	1	рс	75
65		tal, Caregiving NC II				75
66	1	Care Services NC II		1 4		75
	1	Sphygmomanometer	<ul> <li>Aneroid</li> <li>Handheld</li> <li>Large gauge in metal casing, 0-300 mm Hg, anti-slip finish, shockproof</li> <li>Inflatable cuff, adult (25.4-40.6 cm length), nylon strap locking system</li> <li>Thick rubber bladder</li> <li>Durable flexible rubber tubing</li> <li>Leatherette zippered carrying case</li> </ul>		рс	75
	2	Stethoscope	<ul> <li>Double diaphragm (Fetal/ adult)</li> <li>44 mm membrane</li> <li>stainless steel</li> <li>Soft sealing earpieces</li> <li>Flexible resilient rubber tubing</li> <li>Non chill rim</li> </ul>	1	pc	75
66	Subto	tal, Health Care Servic	es NC II	1		75

TESDA-Region I - Quezon Avenue, Catbangen, City of San Fernando, La Union NO. OF LOT **ITEM** QTY : ITEM AGENCY SPECIFICATIONS UNIT NO. NO. PAX 68 Massage Therapy NC II Sphygmomanometer 25 Aneroid рс Handheld • Large gauge in metal casing, 0-300 mm Hg, anti-slip finish, shockproof • Inflatable cuff, adult (25.4-40.6 cm length), nylon strap locking system • Thick rubber bladder • Durable flexible rubber tubing • Leatherette zippered carrying case 2 Stethoscope 1 25 • Double diaphragm (Fetal/ adult) рс • 44 mm membrane · stainless steel • Soft sealing earpieces • Flexible resilient rubber tubing Non chill rim 68 Subtotal, Massage Therapy NC II 25 81 Gas Metal Arc Welding (GMAW) NC II Hard Hat 50 yellow ball-cap style hard hat 1 рС • 6 point ratchet type headgear • 2 point chin strap and V-rib on polyethylene material 2 Safety Goggles 1 Plastic рс 50 • Clear Elastic Strap 3 Vise Grip 1 50 • 10" рс chrome plated insulated handle • flat jaw • adjustment 0" to 1 5/8" Try Square • Size: 8" x 12" 1 50 4 рс • Thickness: 1.8-2 mm • Material: Spring Steel • Handle Material: Aluminum Alloy Metric and English Graduations

#### PROCUREMENT OF STARTER TOOLKITS FOR THE **IMPLEMENTATION OF REPUBLIC ACT 10931** OR UNIVERSAL ACCESS TO QUALITY TERTIARY EDUCATION ACT (UAQTEA) FOR CY 2018 TESDA-Region I – Quezon Avenue, Catbangen, City of San Fernando, La Union

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	5	Chisel	<ul><li>cold</li><li>3/4 in X 6-7/8 in</li><li>forged steel</li></ul>	1	рс	50
	6	File	<ul><li>round</li><li>bastard cut</li><li>300 mm long</li><li>plastic handle</li></ul>	1	рс	50
	7	Auto-Darkening Welding Helmet	<ul><li>Adjustable Shade</li><li>Lens size 3-7/8 in. x 1-1/2 in.</li></ul>	1	рс	50
81	Subto	tal, Gas Metal Arc Wel	ding (GMAW) NC II			50
83	Gas T	ungsten Arc Welding (	· · · · · · · · · · · · · · · · · · ·	<del>,</del>		
The same street are set assumed.	1	Welding Jacket	<ul><li>leather</li><li>heat resistant</li></ul>	1	pc	50
The state of the s	2	File	<ul><li>half round</li><li>300 mm long</li><li>plastic handle</li></ul>	1	рс	50
	3	Angle Grinder	<ul><li>Portable</li><li>4" capacity</li><li>220 Volts/60 Hz</li></ul>	1	unit	50
The state of the s	4	Welding Gloves	<ul><li>leather</li><li>heat resistant</li><li>long</li></ul>	1	pair	50
	5	Chipping Hammer	300 mm long     wood handle	1	рс	50
	6	Vise Grip	<ul> <li>10"</li> <li>chrome plated insulated handle</li> <li>flat jaw</li> <li>adjustment 0" to 1 5/8"</li> </ul>	1	рс	50
	7	Welding Mask	<ul> <li>Flip Front Welding Helmet</li> <li>impact-resistant polypropylene material</li> <li>adjustable fit</li> <li>4 1/2" x 2" view area with lens #11</li> </ul>	1	рс	50
83	Subto	tal, Gas Tungsten Arc	Welding (GTAW) NC II			50
85		ning NC I				<del></del>
The Modern and Commission of C	1	Adjustable wrench	<ul> <li>Alloy steel</li> <li>0-2 inches (0-50.8 mm) jaw opening</li> <li>10 inches (254 mm) length</li> </ul>	1	рс	25

TESDA-Region I – Quezon Avenue, Catbangen, City of San Fernando, La Union NO. OF LOT ITEM **AGENCY SPECIFICATIONS** QTY UNIT ITEM PAX NO. NO. 25 2 Hacksaw Frame with Tubular metal frame set Blade • 90° adjustable blade angle • 12 inches fixed blade length 1 25 3 Screwdriver Set • 4 pieces per set set • Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm • Philips Blade Tip: 1 x 100 mm, 2 x 150 mm Plastic and Rubberized handle Chrome Vanadium • Shank: 6" 25 • Stainless steel Vernier Caliper рс • Dual reading scales on Vernier (English reading on top and Metric reading at bottom) Carbide tipped jaw type • (6 inches) 150 mm • Least Count = 0.05 mm Combination Wrench 25 5 set • 16 pcs Set • sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm Drop forged alloy steel construction • Lobular box end design 25 6 Allen Wrench Keys Steel with black oxide coating 1 set • Durable plastic molded holders Labeled holders • 9 pcs./Set 1.5 mm to 10 mm 25 1 Combination Square 7 • Stainless Steel set • (12 inches) 300 mm • Combination Square Set (Blade and Handle) 25 Subtotal, Machining NC I

1 gr jr

TESDA-Region I - Quezon Avenue, Catbangen, City of San Fernando, La Union LOT ITEM NO. OF ITEM **AGENCY SPECIFICATIONS** QTY UNIT NO. NO. PAX Shielded Metal Arc Welding (SMAW) NC I 88 Welding Gloves leather pair 150 heat resistant long 2 Chipping Hammer 1 150 • 300 mm long рС wood handle 3 Vise Grip • 10" 1 150 рС • chrome plated insulated handle flat jaw • adjustment 0" to 1 5/8" Safety Goggles 1 Plastic 150 рС Clear • Elastic Strap 5 Oxy-acetylene 1 150 Swivel type рс Goggles • Rigid 50 mm dual cup • Elastic headband • Number-5 shade shields against brightness Try Square • Size: 8" x 12" 1 150 рс • Thickness: 1.8-2 mm • Material: Spring Steel • Handle Material: Aluminum Alloy • Metric and English Graduations 7 Welding Mask 1 • Flip Front Welding Helmet 150 рс • impact-resistant polypropylene. material • adjustable fit • 4 1/2" x 2" view area with lens 8 Angle Grinder 1 Portable 150 unit 4" capacity • 220 Volts/60 Hz Subtotal, Shielded Metal Arc Welding (SMAW) NC I 88 150 89 Shielded Metal Arc Welding (SMAW) NC II Welding Jacket 1 leather 1 900 рС heat resistant 2 Ball Peen Hammer 1 900 Forged hard steel рС • jacketed graphite • 16 oz./ 1 lb

7 gp ;

#### PROCUREMENT OF STARTER TOOLKITS FOR THE **IMPLEMENTATION OF REPUBLIC ACT 10931** OR UNIVERSAL ACCESS TO QUALITY TERTIARY EDUCATION ACT (UAQTEA) FOR CY 2018 TESDA-Region I – Quezon Avenue, Cathangen, City of San Fernando, La Union

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	3	Steel Square	<ul> <li>Carpenter's framing square; 2" x 16" x 24"</li> <li>Steel</li> <li>Double graduation inches/cm</li> </ul>	1	рс	900
	4	Chisel	<ul> <li>cold</li> <li>3/4 in X 6-7/8 in</li> <li>forged steel</li> </ul>	1	рс	900
	5	Hard Hat	<ul> <li>yellow ball-cap style hard hat</li> <li>6 point ratchet type headgear</li> <li>2 point chin strap and V-rib on top</li> <li>polyethylene material</li> </ul>	1	рс	900
	6	Auto-Darkening Welding Helmet	<ul><li>Adjustable Shade</li><li>Lens size 3-7/8 in. x 1-1/2 in.</li></ul>	1	рс	900
89		<del></del>	c Welding (SMAW) NC II			900
91	<del> </del>	Processing NC II				
	1	Food Tongs	<ul> <li>stainless steel</li> <li>12 inches long</li> <li>with wide shell head with locking</li> </ul>	1	рс	275
	2	Paring Knife	<ul> <li>high carbon stainless steel</li> <li>size: 3.5-inch blade length</li> <li>sharp cutting edge</li> <li>full tang handled</li> </ul>	1	рс	275
	3	Chef's Knife	<ul> <li>high-carbon stainless steel</li> <li>sharp cutting edge</li> <li>size: 8-inches blade length</li> <li>riveted handle</li> </ul>	1	рс	275
	4	Measuring Spoon	<ul> <li>stainless steel</li> <li>4 pieces per set (1 tbsp, 1 tsp, 1/2 tsp and 1/4 tsp)</li> </ul>	1	set	275
	5	Measuring Cup	<ul> <li>Stainless steel</li> <li>4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup)</li> </ul>	1	set	275
	6	Mixing bowl	<ul><li>Stainless steel</li><li>8" diameter</li><li>5 quart capacity</li></ul>	1	рс	275
	7	Colander	<ul> <li>Stainless steel</li> <li>Medium Size</li> <li>8 quarts capacity with base</li> </ul>	1	рс	275

TESDA-Region I - Quezon Avenue, Catbangen, City of San Fernando, La Union LOT ITEM NO. OF ITEM **AGENCY SPECIFICATIONS** QTY UNIT NO. NO. PAX 8 Honing Bar 1 275 • stainless steel рс • 10-inch length 9 Saucepan 275 • material: stainless 1 рс • capacity: 1.5 liter with lid cover 10 Casserole • Stainless steel with lid cover 1 рс 275 and handle both sides • Dimension: 20 cm 91 Subtotal, Food Processing NC II 275 92 Beauty Care NC II Hair Blower 50 • Thermostat Adjustment 1 unit • Wattage: 1,800 watts Folding handle • Voltage: 220 V 60 Hz Haircutting Scissor • Materials: Stainless steel 1 50 рс • Sharp cutting edge • Size: 19.05 cm long 3 Protective Cape Water Proof 1 50 рс Nylon Black 4 Hair Straightener Flat Material: Ceramics 1 unit 50 Iron • Temperature setting High (220°C) Low (180°C) • Voltage: 220 V 50 Hz • Dimension: 37 x 16 x 6 cm Subtotal, Beauty Care NC II 92 50 96 Hairdressing NC II Haircutting Scissor 125 • Materials: Stainless steel 1 рс Sharp cutting edge • Size: 19.05 cm long 2 Hair Blower 1 • Thermostat Adjustment 125 unit • Wattage: 1,800 watts • Folding handle • Voltage: 220 V 60 Hz 3 Hair Straightener Flat 1 • Material: Ceramics 125 unit Iron • Temperature setting High (220°C) Low (180°C) • Voltage: 220 V 50 Hz • Dimension: 37 x 16 x 6 cm

96

Subtotal, Hairdressing NC II

7 an gr

TESDA-Region I - Quezon Avenue, Catbangen, City of San Fernando, La Union NO. OF LOT ITEM UNIT ITEM **AGENCY SPECIFICATIONS** QTY PAX NO. NO. Barista NC II 99 50 1 1 French Press/Coffee • 350 ml capacity рс Plunger • 6.8 x 17 cm glass French press • plastic black handle 50 1 • 500 ml capacity dispenser with 2 Whip Cream рс nozzles and brush Dispenser aluminum body 50 1 3 Steaming Pitcher • 350 ml capacity рс • approximate size: 9 x 6.5 x 9 stainless steel • approximate weight: 178 g Coffee Thermometer Stainless steel dial pointer 1 50 рс 4 thermometer with a measuring range of 10°C - 110°C • Measures 12.5 L x 4.2 D cm, color silver 50 Cocktail Shaker • 350 ml capacity рс 5 stainless steel • Size (cm): 25 in L x 5 in W x 16 in H Subtotal, Barista NC II 50 100 Bartending NC II 75 1 Cocktail Shaker • 350 ml capacity рс 1 stainless steel • Size (cm): 25 in L x 5 in W x 16 75 1 2 Paring Knife • high carbon stainless steel рс • size: 3.5-inch blade length • sharp cutting edge • full tang handled 75 • measures 12 x 2.2 x 1.1 cm 1 рс 3 Corkscrew stainless steel metal corkscrew/bottle opener 75 unit 4 Blender/ • 8 speed with pulse Osterizer • 500 watts, 220 volts, 60 hertz • stainless steel, ice crusher blade • glass jar with cover

TESDA-Region I - Quezon Avenue, Catbangen, City of San Fernando, La Union NO. OF LOT ITEM **AGENCY SPECIFICATIONS** QTY UNIT ITEM PAX NO. NO. 75 1 5 Flair Bottle • measures: 29 cm bottom рс diameter, 7.5 cm diameter, 3.2 yellow color • hard plastic 1 75 Ice Pick 6 • measures: 21.5 cm long рс • stainless steel pick with wooden handle 9 cm long 75 Subtotal, Bartending NC II 100 Bread and Pastry Production NC II 101 775 Spatula • Stainless steel straight blade рС Plastic handle • 3 cm blade width • 25.4 cm blade length • 12.7 cm handle length • Round edges 775 1 Stainless steel set Decorating tips • 7-piece cake decorating tip set (Closed Star, Open Star, French, Round, Plain, Leaf, Petal) • 3 cm height • Opening range: 1.27 cm 775 1 Flour sifter 3 • Stainless steel mesh flour рс strainer • 12" diameter 775 1 set 4 Measuring cup Stainless steel • 4 pieces per set (1 cup, 1/2 cup. 1/3 cup. 1/4 cup) 775 1 5 Mixing bowl Stainless steel рс • 8" diameter • 5 quart capacity 775 1 Piping bags 6 • 12 inches рС lightweight • reusable • flexible polyester · coated, can be boiled • dishwasher safe

7 as gr

TESDA-Region I - Quezon Avenue, Catbangen, City of San Fernando, La Union NO. OF LOT ITEM **ITEM** AGENCY SPECIFICATIONS QTY UNIT PAX NO. NO. 7 775 Wire whisk 1 Stainless steel рс • 12 inches balloon style • handle length: 4 cm 775 8 Bread knife • Length: 8" 1 рс serrated edge • stain-free • high-carbon steel blade • polypropylene • straight handle 1 775 9 Digital Weighing unit • LCD display Scale • Measure in pounds (lbs), ounces (oz) and grams (g) Battery operated • Capacity: 5 kilograms 775 10 Muffin pan • 12 holes рс • 3 oz. capacity per hole aluminum 775 Cheese Grater 1 11 • Stainless steel рс • Box grater with handle • 20.9 x 8.5 x 6.1 cm • Small and large holes 775 12 Chef's Knife • high-carbon stainless steel рс sharp cutting edge • size: 8-inches blade length riveted handle 775 Subtotal, Bread and Pastry Production NC II 101 Commercial Cooking NC III 102 Carving Knife 50 1 • high carbon stainless steel 1 рс • sharp cutting edge • 8-inch blade length • with riveted handle 2 Chef's Knife high carbon stainless steel 1 рс 50 • sharp cutting edge • 10-inch blade length 50 3 Knife Bag • 8-knife pockets рс Nylon fabric • with zipper PVC backing

7 in gr

	TESE	A-Region I – Quezon	Avenue, Catbangen, City of San F	ernande	o, La Uni	on
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	4	Paring Knife	<ul> <li>high carbon stainless steel</li> <li>size: 3.5-inch blade length</li> <li>sharp cutting edge</li> <li>full tang handled</li> </ul>	1	рс	50
102	+	tal, Commercial Cook				50
103	Cooke	ry NC II				
Transfer transfer to the control of	1	Chef's Knife	<ul> <li>high-carbon stainless steel</li> <li>sharp cutting edge</li> <li>size: 8-inches blade length</li> <li>riveted handle</li> </ul>	1	pc	475
	2	Food Tongs	<ul><li>stainless steel</li><li>12 inches long</li><li>with wide shell head with locking</li></ul>	1	рс	475
	3	Digital Weighing Scale	<ul> <li>LCD display</li> <li>Measure in pounds (lbs), ounces (oz) and grams (g)</li> <li>Battery operated</li> <li>Capacity: 5 kilograms</li> </ul>	1	unit	475
	4	Honing Bar	<ul><li>stainless steel</li><li>10-inch length</li></ul>	1	рс	475
The state of the s	5	Measuring Cup	<ul> <li>Stainless steel</li> <li>4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup)</li> </ul>	1	set	475
	6	Measuring Spoon	<ul> <li>stainless steel</li> <li>4 pieces per set (1 tbsp, 1 tsp, 1/2 tsp and 1/4 tsp)</li> </ul>	1	set	475
	7	Saucepan	<ul><li>material: stainless</li><li>capacity: 1.5 liter</li><li>with lid cover</li></ul>	1	pc	475
	8	Casserole	<ul> <li>Stainless steel with lid cover and handle both sides</li> <li>Dimension: 20 cm</li> </ul>	1	pc	475
103		tal, Cookery NC II				475
104	Food a	and Beverage Service	s NC II			
	1	Corkscrew	<ul> <li>measures 12 x 2.2 x 1.1 cm</li> <li>stainless steel metal corkscrew/bottle opener</li> </ul>	1	рс	550
	2	Linen/Skirting Cloth	<ul><li>10 yards (double width) skirting cloth</li><li>satin (any color)</li></ul>	1	pc	550



	TESDA-Region I – Quezon Avenue, Catbangen, City of San Fernando, La Union						
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX	
	3	Tablet	<ul> <li>Processor: 1.3 gHz</li> <li>OS: Android 6.0</li> <li>Memory: 1GB RAM</li> <li>Storage: 8GB ROM</li> <li>Display: screen 7" (177.8 mm)</li> <li>With SIM slot</li> </ul>	1	unit	550	
104		tal, Food and Beverag	e Services NC II			550	
106	Front Office Services NC II						
	1	Calculator	<ul> <li>12 digits display</li> <li>front panel metal coating</li> <li>battery power</li> <li>big display</li> <li>memory functions up to 4 decimal support</li> <li>high quality plastic construction and keys</li> <li>off key</li> <li>double zero with rounding function support</li> <li>dimension: 192mm x 147mm x 42mm</li> </ul>	1	unit	125	
	2	Flash drive	<ul><li>Capacity: 64 GB</li><li>Compatibility: USB 3.0</li></ul>	1	рс	125	
	3	Portable Amplifier	<ul> <li>Power Output: 30 W</li> <li>Mode: USB/MP3/FM</li> <li>Charger Voltage: 10V 450 mA</li> <li>AC/DC</li> <li>with headset and lapel microphone</li> </ul>	1	unit	125	
	4	Fake Bills Detector	<ul> <li>Voltage: 220V 50Hz-60Hz</li> <li>Product size: approx. 183 x 82 x 90mm/7.2 x 3.22 x 3.54"</li> <li>Fluorescent UV blue lamp 4w</li> <li>On/Off Button</li> </ul>	1	unit	125	
	5	Stapler	<ul> <li>with built-in staple wire remover #35</li> <li>weight: 0.085 kg</li> <li>dimension: 11 cm x 3 cm x 5 cm</li> <li>Staples 24 sheets</li> </ul>	1	рс	125	

	TESD	A-Region I – Quezon	Avenue, Catbangen, City of San Fe	ernand	o, La Uni	on
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	6	A4 Paper Pockets File Folder	<ul> <li>Material: Paper board</li> <li>Stainless Steel Clip</li> <li>Size: 22.5 cm x 31 cm</li> </ul>	1	рс	125
	7	Accordion File Organizer	<ul> <li>Polypropylene</li> <li>Expandable pockets with tab flap and cord closure</li> <li>Long size, 8.5 x 13 inches</li> </ul>	1	рс	125
106	Subtot	al, Front Office Service				125
107	Housekeeping NC II					
	2	Flashlight Steam Flat Iron	<ul> <li>6000 Lumen 5 modes (high, low, red safety flasher, rescue beacon and OFF) Led Flashlight</li> <li>With digital smart single charger with 1 pc 18650 4200 mAh 3.7 V battery with case</li> <li>With stun gun</li> </ul>	1	pc	350
			<ul> <li>220 V/60 Hz</li> <li>1,100 - 1,310 watts</li> <li>with 5 selector</li> </ul>			
	3	Vacuum Cleaner	<ul> <li>Wet and dry vacuum cleaner</li> <li>220 volts, 50-60Hz, 1,100 watts</li> <li>Tank size: 4 liters</li> <li>With complete accessories</li> </ul>	1	unit	350
107		tal, Housekeeping NC	il .			350
108		keeping NC III				
	1	Long Nose Plier	<ul><li>Overall Length: 8"</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	рс	50
	2	Electrician Plier	<ul><li>Overall Length: 238 mm</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	pc	50
	3	Pull-Push Rule	<ul> <li>Blade length 8m/26ft</li> <li>Blade width 1"</li> <li>High impact ABS case with durable rubber</li> <li>Corrosion resistant tru-zero end</li> </ul>	1	pc	50

TESDA-Region I - Quezon Avenue, Catbangen, City of San Fernando, La Union NO. OF LOT ITEM QTY UNIT ITEM AGENCY SPECIFICATIONS PAX NO. NO. 4 Tablet 1 50 • Processor: 1.3 gHz unit • OS: Android 6.0 • Memory: 1GB RAM • Storage: 8GB ROM • Display: screen 7" (177.8 mm) With SIM slot Screwdriver Set 50 • 4 pieces per set set • Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm • Philips Blade Tip: 1 x 100 mm, 2 x 150 mm • Plastic and Rubberized handle • Chrome Vanadium • Shank: 6" 50 108 | Subtotal, Housekeeping NC III

**TOTAL** 


7 an gs

7,550

TESDA-Region II – TESDA Regional Office II, Carig, Norte, Tuguegarao City

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
1		ultural Crops Product	ion NC I			FAA
	1	Knapsack Sprayer	<ul><li>Semi-automatic sprayer</li><li>16 liter capacity</li><li>Stainless Steel</li></ul>	1	рс	100
	2	Sprinkler	<ul> <li>7.6 liter plastic watering container</li> <li>high-density polyethylene shock resistant material</li> <li>13 1/2 inches (342.9 mm) height</li> </ul>	1	pc	100
	3	Calculator	<ul> <li>Scientific Calculator</li> <li>STAT DATA Editor</li> <li>240 functions</li> <li>12 digit x two-line display</li> <li>3 x 5 inches dimension</li> <li>Hard Slide Case</li> </ul>	1	unit	100
	4	Shovei	<ul> <li>Rectangular shovel</li> <li>1 m handle length</li> <li>170 mm blade tip width</li> <li>220 mm blade tip length</li> <li>1,300 g</li> <li>wooden handle Y grip</li> </ul>	1	pc	100
	5	Rake	<ul> <li>metal garden rake</li> <li>14 teeth</li> <li>1.06 meters long aluminum handle</li> </ul>	1	рс	100
	6	Pick Mattock	<ul> <li>steel head</li> <li>3.4 kg. weight</li> <li>36 inches long</li> <li>wooden handle</li> </ul>	1	рс	100
1		tal, Agricultural Crop				100
3	Agric	ultural Crops Product	tion NC III	-		
And and an artist and a second	1	Knapsack Sprayer	<ul><li>Semi-automatic sprayer</li><li>16 liter capacity</li><li>Stainless Steel</li></ul>	1	рс	75
	2	Shovel	<ul> <li>Rectangular shovel</li> <li>1 m handle length</li> <li>170 mm blade tip width</li> <li>220 mm blade tip length</li> <li>1,300 g</li> <li>wooden handle Y grip</li> </ul>	1	рс	75

TESDA-Region II - TESDA Regional Office II, Carig, Norte, Tuguegarao City NO. OF LOT ITEM AGENCY SPECIFICATIONS QTY UNIT ITEM PAX NO. NO. 1 Hedge Shear heavy duty hedge shear рс • carbon steel blades wooden handle · corrosion resistant cold-forged steel blade premium edges • 8.5 inches blade length • 0.375 inches cutting capacity • 22 inches overall length • 0.82 kg weight 75 4 Hole Digger • 6 inches length рс • 6.5 inches width • 60 inches height • 48 inches fiberglass handle • soft-cushion grip · double bolt through head attachment 75 3 Subtotal, Agricultural Crops Production NC III Horticulture NC III 10 75 1 Hedge Shear heavy duty hedge shear рс • carbon steel blades wooden handle corrosion resistant cold-forged steel blade premium edges • 8.5 inches blade length • 0.375 inches cutting capacity • 22 inches overall length • 0.82 kg weight 75 2 1 Rake • metal garden rake рС • 14 teeth • 1.06 meters long aluminum handle 75 3 Pruning Saw • 13 inches curved steel рс • turbo cut pull action blade • rugged razor tooth blade • Non-slip pistol grip handle • 12 feet overall length



TESDA-Region II – TESDA Regional Office II, Carig, Norte, Tuguegarao City NO. OF LOT ITEM AGENCY SPECIFICATIONS QTY **UNIT** ITEM NO. NO. PAX 1 Hole Digger • 6 inches length рс • 6.5 inches width • 60 inches height • 48 inches fiberglass handle • soft-cushion grip • double bolt through head attachment 75 5 Pruning Shear • Chrome-plated blade finish рс straight blade • 80 mm cutting capacity • 8 inch user hand size 75 1 6 Sprinkler рс • 7.6 liter plastic watering container • high-density polyethylene shock resistant material • 13 1/2 inches (342.9 mm) height 75 Subtotal, Horticulture NC III 10 20 **Automotive Servicing NC I** 575 1 Socket wrench • 1 x 1/4-Inch (6.3 mm) Ratchet set Wrench • 10 pcs 10 mm-24 mm Common Sockets • 1 pc Extension Rod 575 2 Spark Plug Wrench • 1 pc T-Handle Universal Joint 1 set • 2 pcs Spark Plug Socket Wrench (16 and 21 mm) 575 1 3 Feeler Gauge • 25 tempered steel blades set • Gauge measures: 0.0015" (0.038 mm) to 0.035" (0.889 mm) • Blade length: 80 mm Chrome plated • Blade is laser etched with Inches and Millimeters 575 1 Hydrometer • Material: Glass and rubber рс • Testing range: 1.100 - 1.300 Specific Gravity (SG) • Based at 77 °F temperature

of age

TESDA-Region II - TESDA Regional Office II, Carig, Norte, Tuguegarao City NO. OF LOT ITEM QTY UNIT AGENCY SPECIFICATIONS ITEM PAX NO. NO. 1 575 Vernier Caliper • Stainless steel рс • Dual reading scales on Vernier (English reading on top and Metric reading at bottom) • Carbide tipped jaw type • (6 inches) 150 mm • Least Count = 0.05 mm 575 1 6 Screwdriver Set • Philips & Standard set • 6 pcs. per set • plastic handle • Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) • Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) 575 рс 7 Ball Peen Hammer • jacketed graphite head, polished face • 12 ounce (340 grams), wooden handle 575 Subtotal, Automotive Servicing NC I 20 **Automotive Servicing NC II** 21 400 Battery Tester • Suitable for 6 V & 12 V рс **Batteries** • Up to 1000 CCA (SAE) • 12 V Charging/Start System Shock-resistant ventilated cover • Color-coded copper-plated clamps

	TES		A Regional Office II, Carig, Norte,	Tugueg	arao Cit	у
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	2	Soldering Gun	<ul> <li>Power: 130W</li> <li>Two optional pre-heat (High/Low)</li> <li>Tips: 4 mm x 65 mm</li> <li>Voltage: AC 220V</li> <li>Pre-heat time: 5-10 minutes</li> <li>Power cable: 1 meter</li> <li>Plug type: Type A</li> <li>Material: ABS Plastic</li> </ul>	1	pc	400
	3	Multi-Tester	<ul> <li>Analog</li> <li>DCV Range: 0.1 V to 1,000 V</li> <li>ACV Range: 10 V to 750 V</li> <li>Internal Battery: R6 (IEC) or UM-3 1.5V x 2</li> <li>Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm</li> <li>Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g</li> <li>Resistance: X1 to X1k</li> </ul>	1	unit	400
21		tal, Automotive Service	ing NC II			400
22	1	Piston Ring Compressor	<ul> <li>Material: Strong Spring Steel</li> <li>Capacity: Fits 3 Inch to 7 in Pistons (76.2 mm-177.8 mm)</li> <li>Height: (3 Inch.) 76.2 mm</li> <li>Designed With Double Friction Brake Adjustment and Hardened Tool Ratchet</li> <li>1/4 In. Square Drive Adjuster</li> </ul>	1	set	50
	2	Valve Lifter / Spring Compressor	<ul> <li>Length: 11"</li> <li>All steel sturdy construction with hardened jaws</li> <li>Light weight C-type lifter works as a one hand tool</li> </ul>	1	set	50

gr 1 gz

TESDA-Region II - TESDA Regional Office II, Carig, Norte, Tuguegarao City NO. OF LOT ITEM **AGENCY SPECIFICATIONS** QTY UNIT ITEM PAX NO. NO. 1 set Gauge Manifold • 2 valves • Three (3) hoses • high side gauge pressure: 0-500 psiq • low side gauge pressure: 30 in Hg vacuum-250 psig • For refrigerants R-22 and R134-a • 1/4 in vacuum port • Hose length: 36 inches • 2,500 psig burst 50 • Handle Material: Aluminum 1 Oil Filter Remover рс 4 (Filter Wrench) • Wrench Shaft Length: 14.6 cm/5.7" • Chain Total Length: 44.5 cm/17.5" • Maximum Usable Length: 38.5 • For removing all oil filters up to 60-120 mm diameter 50 Subtotal, Automotive Servicing NC III 22 Driving (Passenger Bus/Straight Truck) NC III 23 75 1 рс 1 Floor Jack • 3 tons • Minimum Height: 130 mm Maximum Lift Height: 300 mm 75 1 Heavy Duty Condor type 2 Tire Gauge рС 160 psi. pressure capacity 75 • Philips & Standard 1 set Screwdriver Set • 6 pcs. per set • plastic handle • Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) • Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) 75 Subtotal, Driving (Passenger Bus/Straight Truck) NC III

gy of grig

TESDA-Region II - TESDA Regional Office II, Carig, Norte, Tuguegarao City NO. OF LOT ITEM AGENCY SPECIFICATIONS QTY UNIT ITEM PAX NO. NO. 24 Driving NC II Socket wrench • 1 x 1/4-Inch (6.3 mm) Ratchet 1 set 1,325 Wrench • 10 pcs 10 mm-24 mm Common Sockets • 1 pc Extension Rod 2 Vise Grip 1 1.325 • 7" straight jaw рс Hard steel 3 Tire Inflator 1 1.325 • 12 volts set • 300 psi Subtotal, Driving NC II 1,325 24 Motorcycle/Small Engine Servicing NC II 26 225 1 T-Wrench • 4 pcs forged steel with sizes 8-1 set 10-12 and 14 mm 225 2 Spark Plug Wrench • 1 pc T-Handle Universal Joint 1 set • 2 pcs Spark Plug Socket Wrench (16 and 21 mm) 225 1 3 Screwdriver Set • 4 pieces per set set • Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm • Philips Blade Tip: 1 x 100 mm, 2 x 150 mm • Plastic and Rubberized handle Chrome Vanadium • Shank: 6" Allen Wrench 1 225 4 set • 22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm · Long arm series • Chrome Vanadium steel

g/ 7 gz

TESDA-Region II - TESDA Regional Office II, Carig, Norte, Tuguegarao City NO. OF LOT ITEM AGENCY SPECIFICATIONS QTY ITEM UNIT NO. NO. PAX 5 Socket wrench • 1 x 1/4-Inch (6.3 mm) Ratchet 1 set 225 Wrench • 10 pcs 10 mm-24 mm Common Sockets • 1 pc Extension Rod Subtotal, Motorcycle/Small Engine Servicing NC II 225 26 27 Carpentry NC II 425 Crow Bar 1 • 914.4 mm (36") long рс • forged high steel carbon 425 Pull-Push Rule 1 2 • Blade length 8m/26ft рс • Blade width 1" • High impact ABS case with durable rubber • Corrosion resistant tru-zero end 425 3 Steel Square • Carpenter's framing square; 2" рс x 16" x 24" Steel • Double graduation inches/cm Try Square Size: 8" x 12" 425 pc • Thickness: 1.8-2 mm · Material: Spring Steel • Handle Material: Aluminum Alloy Metric and English Graduations 425 5 Spirit Level Bar High impact plastic 1 рс Magnetic • 3 vials, 24" length 1 425 6 Cross Cut Saw • 60 cm (24 inches) long pc. • Hard Plastic Handle • 8 points per inch • Hard steel blade 425 7 Drill Hand Drill unit • Voltage: 220 V/60 Hz • Continuous power input: 350 • No load speed: 0-3,000 rpm • Dimension (L x W x H): 23 cm x 6.8 cm x 16.4 cm Chalk Line Reel 425 • 100 ft. heavy duty die cast body рс 27 Subtotal, Carpentry NC II 425

gr. 1 gr

	TESDA-Region II – TESDA Regional Office II, Carig, Norte, Tuguegarao City					
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
29	Heavy	Equipment Operation	[HEO] (Backhoe Loader) NC II			
		Combination Wrench Set	<ul> <li>16 pcs</li> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> <li>Lobular box end design</li> </ul>	1	set	100
	2	Screwdriver Set	<ul> <li>Philips &amp; Standard</li> <li>6 pcs. per set</li> <li>plastic handle</li> <li>Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)</li> <li>Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5</li> </ul>	1	set	100
	3	Pipe Wrench	<ul> <li>in (6 mm x 150 mm)</li> <li>355.6 mm (14")</li> <li>Heavy duty forged alloy steel</li> <li>Pipe capacity: 2 inches</li> <li>Cast-iron housing and I-beam handle with full floating forged hook jaw</li> <li>featuring self-cleaning threads</li> <li>With replaceable hook and heel jaw</li> </ul>	1	рс	100
	4	Mechanical plier	<ul><li>8 inches length</li><li>insulated handle</li></ul>	1	рс	100
	5	Grease Gun	<ul> <li>Capacity: 80 cc</li> <li>Loading way: 80 cc</li> <li>Working pressure: 1,400 psi</li> <li>Burst pressure: 4,000 psi</li> <li>Short stroke "lever action" for easy use</li> </ul>	1	pc	100

gy 7 an;

TESDA-Region II – TESDA Regional Office II, Carig, Norte, Tuguegarao City NO. OF LOT ITEM ITEM AGENCY SPECIFICATIONS QTY UNIT NO. NO. PAX Tire Gauge 100 6 • Heavy Duty Condor type pg • 160 psi. pressure capacity 29 Subtotal, Heavy Equipment Operation [HEO] (Backhoe Loader) NC II 100 Heavy Equipment Operation [HEO] (Wheel Loader) NC II 37 Combination Wrench 75 • 16 pcs set Set • sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm Drop forged alloy steel construction • Lobular box end design Screwdriver Set 75 • Philips & Standard set • 6 pcs. per set • plastic handle • Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) • Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) 1 75 Pipe Wrench • 355.6 mm (14") рс Heavy duty forged alloy steel • Pipe capacity: 2 inches • Cast-iron housing and I-beam handle with full floating forged hook jaw featuring self-cleaning threads • With replaceable hook and heel iaw 75 Mechanical plier • 8 inches length рс insulated handle

r 1 gr;

TESDA-Region II - TESDA Regional Office II, Carig, Norte, Tuguegarao City LOT !TEM NO. OF ITEM UNIT AGENCY SPECIFICATIONS QTY NO. NO. PAX 5 Grease Gun • Capacity: 80 cc pc • Loading way: 80 cc • Working pressure: 1,400 psi • Burst pressure: 4,000 psi • Short stroke "lever action" for easv use Tire Gauge Heavy Duty Condor type 75 6 1 рс • 160 psi. pressure capacity 37 Subtotal, Heavy Equipment Operation [HEO] (Wheel Loader) NC II 75 Masonry NC II Claw Bar • 19 mm diameter x 90 cm long 350 рс Forged high-carbon tempered steel Claw Hammer 350 • 453.6 grams (16 oz.) рс Forged steel • Hardened and tempered steel head · Smooth face • Fiberglass handle 3 Hacksaw • Heavy duty hacksaw with 12" 1 350 рс bi-metal hacksaw blade • High Speed 24 TPI • Strong box section steel, rugged, professional industrial hacksaw • Rubberized handle frame Hacksaw Blade 1 350 High Speed 24 TPI рс • 304.8 mm (12") long bi-metal • Heavy duty steel hacksaw blade 350 20"/500mm Cross Cut Hand 1 5 Handsaw рс Saw · Machine set teeth • resharpenable with traditional hardwood handle for comfort 350 6 Paint Brush 1 • 50.8 mm (2") рс • Pure bristle with comfort grip Made of Solid Round Tapered (SRT) polyester filaments

#### PROCUREMENT OF STARTER TOOLKITS FOR THE **IMPLEMENTATION OF REPUBLIC ACT 10931** OR UNIVERSAL ACCESS TO QUALITY TERTIARY EDUCATION ACT (UAQTEA) FOR CY 2018 TESDA-Region II – TESDA Regional Office II, Carig, Norte, Tuguegarao City

LOT		DUA-Region II – 1550/	A Regional Office II, Carig, Norte, 1	ugueg	jarao Cit	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	7	Paint Brush	<ul> <li>101.6 mm (4")</li> <li>Pure bristle with comfort grip</li> <li>Made of Solid Round Tapered (SRT) polyester filaments</li> </ul>	1	рс	350
	8	Pull-Push Rule	<ul> <li>Blade length 8m/26ft</li> <li>Blade width 1"</li> <li>High impact ABS case with durable rubber</li> <li>Corrosion resistant tru-zero end</li> </ul>	1	рс	350
	9	Shovel	<ul> <li>Heavy gauge</li> <li>tempered steel blade digging shovel</li> <li>39.5" long</li> <li>With strong Poly D-grip</li> <li>Hardwood handle</li> </ul>	1	рс	350
	10	Spirit Level Bar	<ul><li>High impact plastic</li><li>Magnetic</li><li>3 vials, 24" length</li></ul>	1	рс	350
	11	Steel (Bucket/ Bricklaying) Pointing Trowel	<ul> <li>10" solid forged steel blade</li> <li>Precision tapered</li> <li>Soft duragrip and hard end handle</li> </ul>	1	рс	350
	12	Steel Float/ Plastering Trowel	<ul> <li>0.7 mm min. thick x 280 mm x 125 mm</li> <li>High carbon Steel</li> <li>Solid forged steel with soft handle</li> </ul>	1	рс	350
	13	Steel Square	<ul> <li>Carpenter's framing square; 2" x 16" x 24"</li> <li>Steel</li> <li>Double graduation inches/cm</li> </ul>	1	рс	350
39		tal, Masonry NC II				350
43		oing NC II		T		005
	1	Combination Plier	<ul> <li>7-Inch Dyna Grip</li> <li>forged carbon steel</li> <li>heat treated Bi-material</li> <li>soft grip ergonomically designed DynaGrip handle with finger guards</li> </ul>	1	pc	225

335

TESDA-Region II - TESDA Regional Office II, Carig, Norte, Tuguegarao City NO. OF LOT ITEM **AGENCY SPECIFICATIONS** QTY UNIT ITEM PAX NO. NO. Hacksaw Frame with 1 225 Adjustable pc Blade • 24 TPI • aluminum frame and handle 3 Manual Pressure 225 рс • 6 mpa Test • 860 psi max. pressure • 12L capacity • with brass pump valve Adjustable Wrench 225 • 0-50.8 mm (0-2") jaw opening рС • 304.8 mm (12") in length alloy steel 225 43 Subtotal, Plumbing NC II Technical Drafting NC II 49 75 Drawing Board 1 wooden laminated pc • size: 18 inches x 24 inches 75 2 Compass Set • divider: 14 cm length 1 set • pencil compass: 14 cm length • adjustable compass: 10 cm length • compass extender: 9 cm length 1 75 3 Triangular Scale • 12" Plastic Architectural Scale рС • Scale: 1:100, 1:200, 1:250, 1:300, 1:400, 1:500 75 set Technical Pen Set • 3 Rapidograph pens (0.2 mm, 4 0.3 mm, 0.5 mm) • 12 hi-polymer HB leads • 1 mechanical pencil • 1 ink cartridge • 1 eraser 1 75 • Wooden Drafting T-square 5 T - Square рс • 24" length • clear plastic edges 75 1 • Ruler: 30 cm long set 6 Measuring Tools Set • Triangle: 30 x 60 degrees, 13cm long • Triangle: 45 X 45 degrees, 13 cm long • Protractor: 12 cm long 75 49 Subtotal, Technical Drafting NC II

1 gz

TESDA-Region II – TESDA Regional Office II, Carig, Norte, Tuguegarao City NO. OF LOT ITEM ITEM AGENCY SPECIFICATIONS QTY UNIT NO. NO. PAX Tile Setting NC II 50 100 Angle Grinder 1 unit Portable • 4" capacity • 220 Volts/60 Hz 100 2 Spirit Level Bar High impact plastic 1 рс Magnetic • 3 vials, 24" length 1 3 Mechanical plier • 8 inches length 100 рс • insulated handle 100 Pull-Push Rule 1 4 • Blade length 8m/26ft рС • Blade width 1" • High impact ABS case with durable rubber • Corrosion resistant tru-zero end 100 5 Steel Square • Carpenter's framing square; 2" 1 рс x 16" x 24" Steel • Double graduation inches/cm 100 1 6 Try Square • Size: 8" x 12" рС • Thickness: 1.8-2 mm • Material: Spring Steel • Handle Material: Aluminum Alloy • Metric and English Graduations 100 Rubber Mallet 1 7 • 16 oz (453.6 grams) рс Wooden Handle 100 8 Steel (Bucket/ • 10" solid forged steel blade 1 рС Bricklaying) Pointing · Precision tapered Trowel • Soft duragrip and hard end handle 50 Subtotal, Tile Setting NC II 100 Computer Systems Servicing NC II 51 375 Crimping Tool Suitable for: рс • RJ 45 • RJ 11 4P 6P • 8P



	TESDA-Region II – TESDA Regional Office II, Carig, Norte, Tuguegarao City						
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX	
	2	Electrician Plier	<ul><li>Overall Length: 238 mm</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	рс	375	
	3	Wire Stripper	automatic     cap. 1.5 mm to 3.5 mm	1	рс	375	
	4	Combination Wrench Set	<ul> <li>16 pcs</li> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> <li>Lobular box end design</li> </ul>	1	set	375	
	5	Allen Wrench	<ul> <li>22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"</li> <li>1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm</li> <li>Long arm series</li> <li>Chrome Vanadium steel</li> </ul>	1	set	375	
	6	Screwdrivers Set	<ul> <li>30 in 1 Screwdriver</li> <li>Philips (+) PH00, PH0, PH1, PH2</li> <li>Torx T4, T5, T6, T7, T8, T10, T15, T20</li> <li>Flat (-) 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 3.5 mm, 4.0 mm</li> <li>Hex 1.0, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0</li> <li>Made of Chrome Vanadium</li> <li>Soft TPL Handle</li> </ul>	1	set	375	
51	Subto	tal, Computer System	s Servicing NC II		<u> </u>	375	

1 gv 3

TESDA-Region II - TESDA Regional Office II, Carig, Norte, Tuguegarao City NO. OF LOT ITEM **AGENCY SPECIFICATIONS** QTY UNIT **ITEM** PAX NO. NO. Consumer Electronics Servicing NC III 52 25 1 unit Multi-Tester Analog DCV Range: 0.1 V to 1,000 V • ACV Range: 10 V to 750 V • Internal Battery: R6 (IEC) or UM-3 1.5V x 2 • Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm • Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g • Resistance: X1 to X1k 25 1 2 Electrician Plier • Overail Length: 238 mm рс • Steel Alloy • Handle finish: plastic-dipped 25 1 Long Nose Plier • Overall Length: 8" рс 3 Steel Alloy • Handle finish: plastic-dipped 25 • Overall Length: 8" 1 рс **Diagonal Cutting** Plier Material: Carbon Steel • Handle Finish: plastic dipped 25 1 • 30 watts, 220 volts/60hz 5 Soldering Iron рС • heat pencil tip 25 1 Wire Stripper рс 6 automatic • cap. 1.5 mm to 3.5 mm 1 25 7 Allen Wrench • 22 pc Hex Key Set: set 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm Long arm series • Chrome Vanadium steel

TESDA-Region II - TESDA Regional Office II, Carig, Norte, Tuguegarao City NO. OF LOT ITEM ITEM **AGENCY SPECIFICATIONS** QTY UNIT NO. NO. PAX Screwdriver Set set • 4 pieces per set • Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm • Philips Blade Tip: 1 x 100 mm, 2 x 150 mm Plastic and Rubberized handle Chrome Vanadium • Shank: 6" 25 Vernier Caliper Stainless steel рС • Dual reading scales on Vernier (English reading on top and Metric reading at bottom) Carbide tipped jaw type • (6 inches) 150 mm • Least Count = 0.05 mm 52 Subtotal, Consumer Electronics Servicing NC III 25 53 Electrical Installation and Maintenance NC II Electrician Plier 500 • Overall Length: 238 mm 1 рс • Steel Alloy • Handle finish: plastic-dipped 500 2 Long Nose Plier • Overall Length: 8" 1 рС Steel Alloy • Handle finish: plastic-dipped 500 3 Screwdriver Set 1 set • 4 pieces per set • Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm • Philips Blade Tip: 1 x 100 mm, 2 x 150 mm Plastic and Rubberized handle Chrome Vanadium • Shank: 6" 500 Pipe Bender Manual 1 4 • 1/2-3/4 inch bending radius рс • ductile high strength iron 500 Subtotal, Electrical Installation and Maintenance NC II 53

1 on

TESDA-Region II - TESDA Regional Office II, Carig, Norte, Tuguegarao City NO. OF LOT ITEM **AGENCY SPECIFICATIONS** QTY **UNIT** ITEM PAX NO. NO. Electronics Products Assembly and Servicing NC II 55 450 Multi-Tester 1 Analog unit • DCV Range: 0.1 V to 1,000 V • ACV Range: 10 V to 750 V • Internal Battery: R6 (IEC) or UM-3 1.5V x 2 • Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm • Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g • Resistance: X1 to X1k 1 450 2 Electrician Plier • Overall Length: 238 mm рс Steel Alloy • Handle finish: plastic-dipped 450 1 3 Long Nose Plier • Overall Length: 8" рс • Steel Alloy • Handle finish: plastic-dipped 1 450 Diagonal Cutting • Overall Length: 8" рс 4 Plier • Material: Carbon Steel • Handle Finish: plastic dipped 450 1 Soldering Iron • 30 watts, 220 volts/60hz рС 5 · heat pencil tip 450 Allen Wrench 1 6 • 22 pc Hex Key Set: set 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm Long arm series • Chrome Vanadium steel 450 1 7 Wire Stripper automatic рС • cap. 1.5 mm to 3.5 mm



TESDA-Region II - TESDA Regional Office II, Carig, Norte, Tuguegarao City NO. OF LOT ITEM **AGENCY SPECIFICATIONS** QTY UNIT ITEM PAX NO. NO. 1 Vernier Caliper 450 8 Stainless steel рс • Dual reading scales on Vernier (English reading on top and Metric reading at bottom) • Carbide tipped jaw type • (6 inches) 150 mm • Least Count = 0.05 mm 450 9 Screwdriver Set • 4 pieces per set 1 set • Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm • Philips Blade Tip: 1 x 100 mm, 2 x 150 mm Plastic and Rubberized handle Chrome Vanadium • Shank: 6" Subtotal, Electronics Products Assembly and Servicing NC II 450 55 Dressmaking NC II 60 550 **Cutting Shears** 1 1 • 8" length рс • stainless steel blade • plastic handle 550 2 Meter stick/ Yardstick • 1 meter (metric and English) рс yellow plastic 3 • 6" length 1 550 Scissors pc • plastic handle for paper • precision 6 pieces per set 550 1 4 Screwdriver Set set • plastic handle • 0 P, 1 P, 1.4 mm, 2.0 mm. 2.4 mm, 3.0 mm slotted 550 Spray Bottle 1 5 • spray plastic clear empty bottle рС • 500 ml hand trigger 550 Tape Measure 6 • plastic рс • 60" length (English and metric) 550 7 Tracing Wheel serrated metal wheel рс plastic handle

• 18" length

transparent

• red lines with grid

8

Ruler with Grid

342

рс

550



ACT (UAQTEA) FOR CY 2018 TESDA-Region II - TESDA Regional Office II, Carig, Norte, Tuguegarao City NO. OF LOT ITEM QTY UNIT **AGENCY SPECIFICATIONS** ITEM PAX NO. NO. French Curve 550 • 12" length рс aluminum • for neckline and armhole drawing 1 550 10 Hip Curve • 24" length рс aluminum 550 • 24" x 14" length 11 Tailor's L square рс • aluminum 550 12 Screwdriver Set • 4 pieces per set 1 set • Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm • Philips Blade Tip: 1 x 100 mm, 2 x 150 mm • Plastic and Rubberized handle • Chrome Vanadium • Shank: 6" 550 1 unit 13 Flat iron electric flat iron • any color dry iron 220 volts • aluminum sole plate 550 14 Calculator • 12 digits display unit • front panel metal coating battery power • big display • memory functions up to 4 decimal support • high quality plastic construction and keys off key · double zero with rounding function support • dimension: 192mm x 147mm x 42mm

Subtotal, Dressmaking NC II

60

1 Lass

550

TESDA-Region II - TESDA Regional Office II, Carig, Norte, Tuguegarao City NO. OF LOT ITEM AGENCY SPECIFICATIONS QTY UNIT ITEM NO. NO. PAX Tailoring NC II 61 375 1 **Cutting Shears** • 8" length рС • stainless steel blade • plastic handle 375 2 Pinking Shears • 8" length рС • stainless steel blade plastic handle 1 375 Ruler with Grid • 18" length рС transparent • red lines with grid 375 1 French Curve • 12" length рс aluminum • for neckline and armhole drawing • 24" length 1 375 5 Hip Curve рс • aluminum 1 375 Tailor's L Square • 24" x 14" length рс 6 • aluminum 1 375 7 Steam Flat Iron unit • Electric flat iron with spray • 220 V/60 Hz • 1,100 - 1,310 watts • with 5 selector 375 Subtotal, Tailoring NC II 61 RAC Servicing (PACU/CRE) NC III 62 75 Gauge Manifold • 2 valves set • Three (3) hoses gauge • High side gauge pressure: 0-750 psiq • Low side gauge pressure: 30 in Hg vacuum-500 psig • For refrigerant R-410a/R-404a • 1/4 in. vacuum port size • Hose length: 36 inches • 2,500 psig burst

344

1 ap

TESDA-Region II - TESDA Regional Office II, Carig, Norte, Tuguegarao City NO. OF LOT ITEM QTY UNIT ITEM **AGENCY SPECIFICATIONS** PAX NO. NO. 75 Multi-Tester Analog unit DCV Range: 0.1 V to 1,000 V ACV Range: 10 V to 750 V • Internal Battery: R6 (IEC) or UM-3 1.5V x 2 • Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm • Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g • Resistance: X1 to X1k 75 Subtotal, RAC Servicing (PACU/CRE) NC III 62 RAC Servicing (DOMRAC) NC II 63 Flaring Tool • Flaring with swaging tools set 1 300 set • Screw type feed • Two bars cover 9 sizes Swivel type swaging adapters and Flaring cone hardened steel, chromed finished • Slip on forge steel yoke includes: - Flares 1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" • Five (5) swage adapter for tubes sizes: 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" OD 300 1 2 **Tube Cutter**  Heavy duty рс • For 1/8 inch to 1 1/8 inches pipe • Weight: 0.16 ounces. • Dimension: 6.8 x 3.3 x 1.3 inches • Materials: High strength zinc · with spare cutter wheel on the knob

TESDA-Region II - TESDA Regional Office II, Carig, Norte, Tuguegarao City NO. OF LOT ITEM ITEM **AGENCY SPECIFICATIONS** QTY UNIT PAX NO. NO. Long Nose Plier 1 300 • Overall Length: 8" 3 рс • Steel Alloy • Handle finish: plastic-dipped 1 300 Combination Wrench • 16 pcs set Set • sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm • Drop forged alloy steel construction • Lobular box end design 300 63 Subtotal, RAC Servicing (DOMRAC) NC II 64 Transport RAC Servicing NC II Gauge Manifold 1 set 75 • 2 valves • Three (3) hoses gauge • High side gauge pressure: 0-500 psiq • Low side gauge pressure: 30 in Hg vacuum-250 psig • For refrigerant R-22a/R-134a • 1/4 in. vacuum port size • Hose length: 36 inches • 2,500 psig burst 75 Combination Wrench 1 2 • 16 pcs set Set • sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm • Drop forged alloy steel construction • Lobular box end design Subtotal, Transport RAC Servicing NC II 75 64

It gi

#### PROCUREMENT OF STARTER TOOLKITS FOR THE **IMPLEMENTATION OF REPUBLIC ACT 10931** OR UNIVERSAL ACCESS TO QUALITY TERTIARY EDUCATION ACT (UAQTEA) FOR CY 2018 TESDA-Region II – TESDA Regional Office II, Carig, Norte, Tuguegarao City

LOT	ITEM	ITEM	A Regional Office II, Carig, Norte, I		UNIT	NO. OF
NO. 65	NO.	iving NC II				PAX
00	1	Sphygmomanometer	<ul> <li>Aneroid</li> <li>Handheld</li> <li>Large gauge in metal casing, 0-300 mm Hg, anti-slip finish, shockproof</li> <li>Inflatable cuff, adult (25.4-40.6 cm length), nylon strap locking system</li> <li>Thick rubber bladder</li> <li>Durable flexible rubber tubing</li> <li>Leatherette zippered carrying case</li> </ul>	1	рс	175
	2	Stethoscope	<ul> <li>Double diaphragm (Fetal/ adult)</li> <li>44 mm membrane</li> <li>stainless steel</li> <li>Soft sealing earpieces</li> <li>Flexible resilient rubber tubing</li> <li>Non chill rim</li> </ul>	1	рс	175
65	Subto	tal, Caregiving NC II	TVOIT CHIII TIIT			175
66	Health	Care Services NC II				
	1	Sphygmomanometer	<ul> <li>Aneroid</li> <li>Handheld</li> <li>Large gauge in metal casing, 0-300 mm Hg, anti-slip finish, shockproof</li> <li>Inflatable cuff, adult (25.4-40.6 cm length), nylon strap locking system</li> <li>Thick rubber bladder</li> <li>Durable flexible rubber tubing</li> <li>Leatherette zippered carrying case</li> </ul>	1	рс	75
	2	Stethoscope	<ul> <li>Double diaphragm (Fetal/ adult)</li> <li>44 mm membrane</li> <li>stainless steel</li> <li>Soft sealing earpieces</li> <li>Flexible resilient rubber tubing</li> <li>Non chill rim</li> </ul>	1	рс	75
66	Subto	tal, Health Care Service	ces NC II		!	75

TESDA-Region II - TESDA Regional Office II, Carig, Norte, Tuguegarao City LOT ITEM NO. OF AGENCY SPECIFICATIONS ITEM QTY UNIT NO. NO. PAX 68 Massage Therapy NC II Sphygmomanometer 50 Aneroid 1 рс Handheld • Large gauge in metal casing, 0-300 mm Hg, anti-slip finish, shockproof • Inflatable cuff, adult (25.4-40.6 cm length), nylon strap locking system • Thick rubber bladder • Durable flexible rubber tubing · Leatherette zippered carrying case 2 Stethoscope 50 • Double diaphragm (Fetal/ adult) рс • 44 mm membrane stainless steel Soft sealing earpieces • Flexible resilient rubber tubing Non chill rim 68 Subtotal, Massage Therapy NC II 50 81 Gas Metal Arc Welding (GMAW) NC II Hard Hat 125 yellow ball-cap style hard hat рс • 6 point ratchet type headgear • 2 point chin strap and V-rib on • polyethylene material 2 Safety Goggles Plastic 1 125 рс Clear Elastic Strap 3 Vise Grip 125 • 10" 1 рс • chrome plated insulated handle • flat jaw • adjustment 0" to 1 5/8" Try Square 125 • Size: 8" x 12" рс • Thickness: 1.8-2 mm · Material: Spring Steel • Handle Material: Aluminum Alloy Metric and English Graduations

1 p

348

TESDA-Region II - TESDA Regional Office II, Carig, Norte, Tuguegarao City LOT ITEM NO. OF ITEM **AGENCY SPECIFICATIONS** QTY UNIT NO. NO. PAX Chisel cold рс 125 • 3/4 in X 6-7/8 in forged steel 6 File round рс 125 bastard cut • 300 mm long plastic handle Auto-Darkening Adjustable Shade 1 125 рс Welding Helmet • Lens size 3-7/8 in. x 1-1/2 in. Subtotal, Gas Metal Arc Welding (GMAW) NC II 81 125 Agricultural Crops Production NC I 86 **Outside Micrometer** · Satin-chrome finished frame 1 150 рс Caliper • Range: 0-25 mm • Least Count=0.01 mm 2 Vernier Caliper Stainless steel 1 150 рс • Dual reading scales on Vernier (English reading on top and Metric reading at bottom) Carbide tipped jaw type • (6 inches) 150 mm • Least Count = 0.02 mm 3 Letter and Number Hardened Steel 1 150 set Punch • 36pcs • 4 mm height (letter and number) Digital Vernier Digital Model 1 150 рс Caliper • LCD Display • Parallax free Vernier scale type • (6 inches) 150 mm long 86 Subtotal, Agricultural Crops Production NC I 150 Shielded Metal Arc Welding (SMAW) NC | 88 Welding Gloves 250 leather 1 pair • heat resistant long 2 Chipping Hammer 1 250 • 300 mm long рс wood handle 3 Vise Grip • 10" 1 250 рс • chrome plated insulated handle flat jaw • adjustment 0" to 1 5/8"

1 in an in

TESDA-Region II - TESDA Regional Office II, Carig, Norte, Tuguegarao City LOT NO. OF ITEM ITEM **AGENCY SPECIFICATIONS** QTY UNIT NO. NO. PAX 1 4 Safety Goggles Plastic pc 250 • Clear • Elastic Strap 250 5 Oxy-acetylene Swivel type рс Gogales • Rigid 50 mm dual cup • Elastic headband • Number-5 shade shields against brightness 250 6 Try Square • Size: 8" x 12" 1 рС • Thickness: 1.8-2 mm • Material: Spring Steel Handle Material: Aluminum Metric and English Graduations 250 7 Welding Mask • Flip Front Welding Helmet 1 рС • impact-resistant polypropylene material • adjustable fit • 4 1/2" x 2" view area with lens #11 8 Angle Grinder Portable 1 250 unit • 4" capacity • 220 Volts/60 Hz 88 Subtotal, Shielded Metal Arc Welding (SMAW) NC I 250 Shielded Metal Arc Welding (SMAW) NC II 89 725 Welding Jacket 1 1 leather рс heat resistant 2 Ball Peen Hammer 725 Forged hard steel 1 рс • jacketed graphite • 16 oz./ 1 lb 725 3 Steel Square • Carpenter's framing square; 2" 1 рс x 16" x 24" Steel • Double graduation inches/cm 725 4 Chisel 1 cold рс • 3/4 in X 6-7/8 in • forged steel

1 gr

LOT	ITEM		DA Regional Office II, Carig, Norte,	ıugueg	jarao Cit	
NO.	NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	5	Hard Hat	<ul> <li>yellow ball-cap style hard hat</li> <li>6 point ratchet type headgear</li> <li>2 point chin strap and V-rib on top</li> <li>polyethylene material</li> </ul>	1	рс	725
	6	Auto-Darkening Welding Helmet	<ul> <li>Adjustable Shade</li> <li>Lens size 3-7/8 in. x 1-1/2 in.</li> </ul>	1	рс	725
89	Subto	tal, Shielded Metal Ar	c Welding (SMAW) NC II	·		725
91	Food	Processing NC II				
	1	Food Tongs	<ul><li>stainless steel</li><li>12 inches long</li><li>with wide shell head with locking</li></ul>	1	рс	75
	2	Paring Knife	<ul> <li>high carbon stainless steel</li> <li>size: 3.5-inch blade length</li> <li>sharp cutting edge</li> <li>full tang handled</li> </ul>	1	рс	75
	3	Chef's Knife	<ul> <li>high-carbon stainless steel</li> <li>sharp cutting edge</li> <li>size: 8-inches blade length</li> <li>riveted handle</li> </ul>	1	рс	75
	4	Measuring Spoon	<ul> <li>stainless steel</li> <li>4 pieces per set (1 tbsp, 1 tsp, 1/2 tsp and 1/4 tsp)</li> </ul>	1	set	75
	5	Measuring Cup	<ul> <li>Stainless steel</li> <li>4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup)</li> </ul>	1	set	75
	6	Mixing bowl	<ul><li>Stainless steel</li><li>8" diameter</li><li>5 quart capacity</li></ul>	1	рс	75
	7	Colander	<ul><li>Stainless steel</li><li>Medium Size</li><li>8 quarts capacity with base</li></ul>	1	рс	75
	8	Honing Bar	<ul><li>stainless steel</li><li>10-inch length</li></ul>	1	рс	75
	9	Saucepan	<ul><li>material: stainless</li><li>capacity: 1.5 liter</li><li>with lid cover</li></ul>	1	рс	75

1 as

	TES	SDA-Region II – TESDA	Regional Office II, Carig, Norte,	Гugueg	arao Cit	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	10	Casserole	<ul><li>Stainless steel with lid cover and handle both sides</li><li>Dimension: 20 cm</li></ul>	1	рс	75
91	Subto	tal, Food Processing N	IC II	İ		75
92	Beaut	y Care NC II				
	1	Hair Blower	<ul><li>Thermostat Adjustment</li><li>Wattage: 1,800 watts</li><li>Folding handle</li><li>Voltage: 220 V 60 Hz</li></ul>	1	unit	100
	2	Haircutting Scissor	<ul><li>Materials: Stainless steel</li><li>Sharp cutting edge</li><li>Size: 19.05 cm long</li></ul>	1	рс	100
	3	Protective Cape	Water Proof     Nylon     Black	1	рс	100
	4	Hair Straightener Flat Iron	<ul> <li>Material: Ceramics</li> <li>Temperature setting High (220°C) Low (180°C)</li> <li>Voltage: 220 V 50 Hz</li> <li>Dimension: 37 x 16 x 6 cm</li> </ul>	1	unit	100
92	Subto	tal, Beauty Care NC II				100
93	Beaut	y Care Services (Nail C	Care) NC II			
	1	Cuticle Nail Pusher	<ul> <li>Material: Stainless steel</li> <li>Two end with two different tools</li> <li>Dimension: 10.6 cm x 0.63 cm</li> </ul>	1	рс	400
	2	Cuticle Nipper	<ul> <li>Material: stainless steel tip</li> <li>handed grip</li> <li>ultra fine, surgical quality</li> <li>size: 1/2 jaw single spring</li> <li>Dimension: 10.16 cm x 0.94 cm x 0.07 cm</li> </ul>	1	рс	400
	3	Finger Nail Bowl	<ul> <li>5-finger mold</li> <li>Plastic</li> <li>Dimension: 17.5 cm x 12.4 cm x 4.8 cm</li> </ul>	1	рс	400
	4	Hand Nail Cutter	<ul> <li>Stainless Steel</li> <li>double side swing out nail file</li> <li>Ergonomic Design</li> <li>Dimension: 5.08 cm x 0.6 cm</li> </ul>	1	рс	400



TESDA-Region II – TESDA Regional Office II, Carig, Norte, Tuguegarao City LOT ITEM NO. OF ITEM AGENCY SPECIFICATIONS QTY UNIT NO. NO. PAX Nail File 5 400 • plastic handle рс · double sided abrasive • Dimension: 1 cm x 5 cm x 0.8 6 Nail Buffer 1 400 • Durable sand paper, soft рс sponge • Dimension: 9 cm x 3.6 cm x 2.6 cm Foot File 400 Hard skin remover рс Wooden handle with double sided foot rasp • Dimension: 26.0 cm x 6.0 cm x 1.4 cm 8 Cuticle Scissor 1 400 Stainless Steel рс • Extra fine point • Dimension: 1.7 cm x 7.62 cm x 0.89 cm Callous Remover • Plastic handle 1 400 рс • Stainless blade Extra blade • Dimension: 14.9 cm x 2.6 cm 10 Pumice Stone 400 • 100% volcanic stone рс excellent for scrubbing dry · Anti- bacterial for removing dead skin • Dimension: 10 cm x 7 cm x 2 cm 11 Manicure Nail brush 400 plastic nail brush рс • soft nylon brush • Dimension: 6.35 cm x 3.93 cm x 1.57 cm 12 Foot spa Machine 400 • foot detox machine unit • With heater adjustment, bubble massage • depth: 14 cm • width: 38 cm • length: 40 cm • 220-240 V/50 Hz

1 gr

353

TESDA-Region II – TESDA Regional Office II, Carig, Norte, Tuguegarao City NO. OF LOT ITEM **AGENCY SPECIFICATIONS** ITEM QTY UNIT NO. NO. PAX Hand spa Machine 400 13 • Thermostatically-controlled unit heating unit • length: 24 cm • width: 17.5 cm • depth: 9 cm • 220-240 V/50 Hz 400 93 Subtotal, Beauty Care Services (Nail Care) NC II Bookkeeping NC III 94 175 Calculator • Scientific Calculator unit STAT DATA Editor 240 functions • 12 digit x two-line display • 3 x 5 inches dimension • Hard Slide Case 2 175 Stapler • with built-in staple wire remover 1 рс #35 • weight: 0.085 kg • dimension: 11 cm x 3 cm x 5 • Staples 24 sheets 3 Pencil Sharpener 1 unit 175 table mounted · manually operated • with pen crumbs visible container pencil lock hole 175 4 Stainless Ruler • Stainless Steel рс • Double sided ruler cm/inches Conversion table on the back side laser engraved lines • 30 cm 5 Flash drive • Capacity: 64 GB 1 175 рс • Compatibility: USB 3.0 6 A4 Paper Pockets 1 175 · Material: Paper board рС File Folder • Stainless Steel Clip • Size: 22.5 cm x 31 cm 1 175 Puncher • two hole punch рс • Dimension: 15 cm (L) x 8.5 cm (W) x 11.5 cm (H) • punches up to 20 sheets with sliding ruler

7 age j

TESDA-Region II - TESDA Regional Office II, Carig, Norte, Tuguegarao City NO. OF LOT ITEM ITEM **AGENCY SPECIFICATIONS** QTY UNIT NO. NO. PAX Accordion File 1 175 8 Polypropylene рс Organizer • Expandable pockets with tab flap and cord closure • Long size, 8.5 x 13 inches 94 Subtotal, Bookkeeping NC III 175 Domestic Work NC II 95 Knives 50 • Set of 6 (stainless steel blade 1 set with plastic black handle) Set includes: - 8" long, Chef's knife - 8" long, serrated knife - 8" long, slicing knife - 5" long, utility knife - 3.5" long, paring knife - stainless steel block box Vacuum Cleaner • Wet and dry vacuum cleaner 1 50 unit • 220 volts, 50-60Hz, 1,100 watts • Tank size: 4 liters • With complete accessories Steam Flat Iron 3 1 50 • Electric flat iron with spray unit 220 V/60 Hz • 1,100 - 1,310 watts • with 5 selector 95 Subtotal, Domestic Work NC II 50 96 Hairdressing NC II Haircutting Scissor • Materials: Stainless steel 1 100 рс Sharp cutting edge • Size: 19.05 cm long Hair Blower 1 100 • Thermostat Adjustment unit • Wattage: 1,800 watts • Folding handle • Voltage: 220 V 60 Hz 3 1 100 Hair Straightener Flat • Material: Ceramics unit Iron Temperature setting High (220°C) Low (180°C) Voltage: 220 V 50 Hz • Dimension: 37 x 16 x 6 cm 96 Subtotal, Hairdressing NC II 100

of an

TESDA-Region II - TESDA Regional Office II, Carig, Norte, Tuguegarao City LOT ITEM NO. OF ITEM AGENCY SPECIFICATIONS QTY UNIT NO. NO. PAX 100 Bartending NC II Cocktail Shaker 175 1 • 350 ml capacity рС stainless steel • Size (cm): 25 in L x 5 in W x 16 in H Paring Knife 175 high carbon stainless steel рС • size: 3.5-inch blade length • sharp cutting edge full tang handled 3 175 Corkscrew • measures 12 x 2.2 x 1.1 cm рс stainless steel metal. corkscrew/bottle opener Blender/ 4 1 175 • 8 speed with pulse unit Osterizer 500 watts, 220 volts, 60 hertz • stainless steel, ice crusher blade • glass jar with cover 5 Flair Bottle • measures: 29 cm bottom 1 175 рС diameter, 7.5 cm diameter, 3.2 cm vellow color hard plastic Ice Pick • measures: 21.5 cm long 1 рС 175 • stainless steel pick with wooden handle 9 cm long 100 Subtotal, Bartending NC II 175 101 Bread and Pastry Production NC II 1,125 Spatula • Stainless steel straight blade 1 рс Plastic handle • 3 cm blade width • 25.4 cm blade length • 12.7 cm handle length Round edges 2 Decorating tips 1 1,125 • Stainless steel set • 7-piece cake decorating tip set (Closed Star, Open Star, French, Round, Plain, Leaf, Petal) • 3 cm height • Opening range: 1.27 cm

H an

TESDA-Region II – TESDA Regional Office II, Carig, Norte, Tuguegarao City LOT ITEM NO. OF ITEM **AGENCY SPECIFICATIONS** QTY UNIT NO. NO. PAX Flour sifter · Stainless steel mesh flour 1,125 рс strainer • 12" diameter 4 Measuring cup 1,125 • Stainless steel 1 set • 4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup) 5 Stainless steel Mixing bowl 1 1,125 pc • 8" diameter • 5 quart capacity 6 Piping bags 1.125 • 12 inches рс lightweight • reusable • flexible polyester • coated, can be boiled • dishwasher safe 7 1,125 Wire whisk Stainless steel pc • 12 inches • balloon style • handle length: 4 cm 1,125 Bread knife • Length: 8" рс serrated edge stain-free • high-carbon steel blade polypropylene · straight handle 1,125 1 Digital Weighing LCD display unit Scale Measure in pounds (lbs). ounces (oz) and grams (g) Battery operated • Capacity: 5 kilograms Muffin pan 1,125 10 1 • 12 holes рс • 3 oz. capacity per hole • aluminum 1.125 11 Cheese Grater 1 Stainless steel рС • Box grater with handle • 20.9 x 8.5 x 6.1 cm • Small and large holes

of ap is

TESDA-Region II – TESDA Regional Office II, Carig, Norte, Tuguegarao City LOT ITEM NO. OF **ITEM AGENCY SPECIFICATIONS** QTY UNIT NO. NO. PAX 12 Chef's Knife high-carbon stainless steel рС 1,125 sharp cutting edge • size: 8-inches blade length riveted handle 101 Subtotal, Bread and Pastry Production NC II 1,125 102 Commercial Cooking NC III Carving Knife • high carbon stainless steel 250 рс · sharp cutting edge • 8-inch blade length · with riveted handle 2 Chef's Knife · high carbon stainless steel 1 250 рс · sharp cutting edge • 10-inch blade length 3 Knife Bag 1 • 8-knife pockets 250 рс Nylon fabric with zipper PVC backing Paring Knife • high carbon stainless steel 1 250 рс • size: 3.5-inch blade length • sharp cutting edge • full tang handled Subtotal, Commercial Cooking NC III 102 250 Cookery NC II 103 Chef's Knife • high-carbon stainless steel 1 600 рС · sharp cutting edge • size: 8-inches blade length riveted handle Food Tongs stainless steel 1 600 рС • 12 inches long · with wide shell head with locking 3 Digital Weighing LCD display 1 unit 600 Scale • Measure in pounds (lbs), ounces (oz) and grams (g) · Battery operated • Capacity: 5 kilograms 4 Honing Bar • stainless steel 1 600 рс • 10-inch length

> gy 7 r- agr

TESDA-Region II - TESDA Regional Office II, Carig, Norte, Tuguegarao City LOT ITEM NO. OF ITEM **AGENCY SPECIFICATIONS** QTY UNIT NO. NO. PAX Measuring Cup Stainless steel 1 600 set • 4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup) 6 Measuring Spoon stainless steel 1 set 600 • 4 pieces per set (1 tbsp, 1 tsp, 1/2 tsp and 1/4 tsp) 7 Saucepan 1 600 · material: stainless рс • capacity: 1.5 liter with lid cover 8 Casserole Stainless steel with lid cover 1 600 pc and handle both sides • Dimension: 20 cm 103 Subtotal, Cookery NC II 600 104 Food and Beverage Services NC II Corkscrew • measures 12 x 2.2 x 1.1 cm 1 750 рс stainless steel metal corkscrew/bottle opener Linen/Skirting Cloth 750 • 10 yards (double width) skirting 1 рс cloth • satin (any color) 3 Tablet • Processor: 1.3 qHz 1 750 unit • OS: Android 6.0 Memory: 1GB RAM • Storage: 8GB ROM • Display: screen 7" (177.8 mm) With SIM slot 104 Subtotal, Food and Beverage Services NC II 750 106 Front Office Services NC II Calculator 1 225 • 12 digits display unit • front panel metal coating battery power big display • memory functions up to 4 decimal support • high quality plastic construction and keys off key double zero with rounding function support • dimension: 192mm x 147mm x 42mm

359

The same

ACT (UAQTEA) FOR CY 2018

	TES	·	A Regional Office II, Carig, Norte,	Гugueg	arao Cit	у
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	2	Flash drive	<ul><li>Capacity: 64 GB</li><li>Compatibility: USB 3.0</li></ul>	1	рс	225
	3	Portable Amplifier	<ul> <li>Power Output: 30 W</li> <li>Mode: USB/MP3/FM</li> <li>Charger Voltage: 10V 450 mA</li> <li>AC/DC</li> <li>with headset and lapel microphone</li> </ul>	1	unit	225
	4	Fake Bills Detector	<ul> <li>Voltage: 220V 50Hz-60Hz</li> <li>Product size: approx. 183 x 82 x 90mm/7.2 x 3.22 x 3.54"</li> <li>Fluorescent UV blue lamp 4w</li> <li>On/Off Button</li> </ul>	1	unit	225
	5	Stapler	<ul> <li>with built-in staple wire remover #35</li> <li>weight: 0.085 kg</li> <li>dimension: 11 cm x 3 cm x 5 cm</li> <li>Staples 24 sheets</li> </ul>	1	рс	225
	6	A4 Paper Pockets File Folder	<ul> <li>Material: Paper board</li> <li>Stainless Steel Clip</li> <li>Size: 22.5 cm x 31 cm</li> </ul>	1	рс	225
	7	Accordion File Organizer	<ul> <li>Polypropylene</li> <li>Expandable pockets with tab flap and cord closure</li> <li>Long size, 8.5 x 13 inches</li> </ul>	1	рс	225
106 107		tal, Front Office Service ekeeping NC II	ces NC II			225
	1	Flashlight	<ul> <li>6000 Lumen 5 modes (high, low, red safety flasher, rescue beacon and OFF) Led Flashlight</li> <li>With digital smart single charger with 1 pc 18650 4200 mAh 3.7 V battery with case</li> <li>With stun gun</li> </ul>	1	рс	450

360

TESDA-Region II - TESDA Regional Office II, Carig, Norte, Tuguegarao City NO. OF LOT ITEM ITEM AGENCY SPECIFICATIONS QTY **UNIT** PAX NO. NO. Steam Flat Iron 1 450 2 • Electric flat iron with spray unit • 220 V/60 Hz • 1.100 - 1.310 watts with 5 selector 3 Vacuum Cleaner Wet and dry vacuum cleaner 1 unit 450 • 220 volts, 50-60Hz, 1,100 watts • Tank size: 4 liters • With complete accessories Subtotal, Housekeeping NC II 450 107 108 Housekeeping NC III 275 Long Nose Plier Overall Length: 8" 1 рс Steel Alloy • Handle finish: plastic-dipped Electrician Plier 1 275 2 • Overall Length: 238 mm рс Steel Alloy · Handle finish: plastic-dipped Pull-Push Rule 275 • Blade length 8m/26ft 1 DC • Blade width 1" • High impact ABS case with durable rubber • Corrosion resistant tru-zero end Tablet 1 275 • Processor: 1.3 gHz unit • OS: Android 6.0 • Memory: 1GB RAM • Storage: 8GB ROM • Display: screen 7" (177.8 mm) With SIM slot 5 1 275 Screwdriver Set • 4 pieces per set set • Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm • Philips Blade Tip: 1 x 100 mm, 2 x 150 mm Plastic and Rubberized handle Chrome Vanadium • Shank: 6" 108 Subtotal, Housekeeping NC III 275 13,275 TOTAL

H agri

	TESD.		I Training Center, RSDC Tabang,	Guiguir	nto, Bula	can
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
2	Agricu	ultural Crops Production	on NC II			
	1	Knapsack Sprayer	<ul><li>Semi-automatic sprayer</li><li>16 liter capacity</li><li>Stainless Steel</li></ul>	1	рс	200
	2	Shovel	<ul> <li>Rectangular shovel</li> <li>1 m handle length</li> <li>170 mm blade tip width</li> <li>220 mm blade tip length</li> <li>1,300 g</li> <li>wooden handle Y grip</li> </ul>	1	рс	200
	3	Hole Digger	<ul> <li>6 inches length</li> <li>6.5 inches width</li> <li>60 inches height</li> <li>48 inches fiberglass handle</li> <li>soft-cushion grip</li> <li>double bolt through head attachment</li> </ul>	1	рс	200
	4	Pruning Shear	<ul> <li>Chrome-plated blade finish straight blade</li> <li>80 mm cutting capacity</li> <li>8 inch user hand size</li> </ul>	1	рс	200
2	Subto	tal, Agricultural Crops	Production NC II	- <del></del>		200
5		al Production (Poultry-				
	1	Pail	<ul> <li>10 liters capacity</li> <li>Plastic</li> <li>320 mm Height</li> <li>350 mm Diameter</li> <li>677 grams weight</li> </ul>	1	рс	175
	2	Knapsack Sprayer	<ul><li>Semi-automatic sprayer</li><li>16 liter capacity</li><li>Stainless Steel</li></ul>	1	рс	175
	3	Semen Storage Box	<ul><li>plastic cooler/jug</li><li>handy grip design</li><li>1.9L capacity</li><li>wide mouth top</li></ul>	1	рс	175
	4	Reusable Veterinary Syringe	<ul> <li>Fiberglass hypodermic adjustable syringe with engraved volume indication on barrel</li> <li>10 ml capacity</li> </ul>	1	рс	175

7 ag

TESDA-Region III - Regional Training Center, RSDC Tabang, Guiguinto, Bulacan LOT NO. OF ITEM ITEM **AGENCY SPECIFICATIONS** QTY **UNIT** NO. NO. PAX Brooder/ Heater 1 5 175 • 45 cm diameter aluminum set Lamp reflector; socket is insulated porcelain, flexible heavy gauge SJT cord with molded-on plug Subtotal, Animal Production (Poultry-Chicken) NC II 175 5 6 Animal Production (Ruminants) NC II 150 Reusable Veterinary • Fiberglass hypodermic рс Syringe adjustable syringe with engraved volume indication on barrel • 10 ml capacity 2 Knapsack Sprayer • Semi-automatic sprayer 1 150 рС • 16 liter capacity • Stainless Steel 3 Calculator 1 150 · Scientific Calculator unit STAT DATA Editor • 240 functions • 12 digit x two-line display • 3 x 5 inches dimension • Hard Slide Case 150 Shovel Rectangular shovel 1 рС • 1 m handle length • 170 mm blade tip width • 220 mm blade tip length • 1,300 g • wooden handle Y grip 150 Ear Notcher • Small V-shape blade; stainless рс Subtotal, Animal Production (Ruminants) NC II 150 6 Animal Production (Swine) NC II 275 Reusable Veterinary • Fiberglass hypodermic рс Syringe adjustable syringe with engraved volume indication on barrel • 10 ml capacity 2 Ear Notcher • Small V-shape blade; stainless 275 1 рС 3 1 275 Forcep • Stainless 5.5" long, straight рС kelly forcep 275 4 Semen Storage Box plastic cooler/jug 1 рС · handy grip design • 1.9L capacity • wide mouth top

po áp.

TESDA-Region III - Regional Training Center, RSDC Tabang, Guiguinto, Bulacan NO. OF LOT ITEM ITEM **AGENCY SPECIFICATIONS** QTY **UNIT** NO. NO. PAX Knapsack Sprayer 1 5 275 • Semi-automatic sprayer рс • 16 liter capacity • Stainless Steel 6 Calculator 1 275 · Scientific Calculator unit • STAT DATA Editor • 240 functions • 12 digit x two-line display • 3 x 5 inches dimension • Hard Slide Case 7 Subtotal, Animal Production (Swine) NC II 275 8 Aquaculture NC II pH meter 75 • Ph range from 0-14 unit • large multi-level LCD which displays both pH and temperature readings simultaneously • An exposed temperature sensor allows for rapid automatic temperature compensated pH measurements • Temperature can be set to display in °C or °F • The LCD screen has stability and calibration tag indicators • The battery percent level is displayed at start up alerting the user to the remaining battery power that is available. 2 Scoop net net material: nylon 1 75 рс • size detail: - handle length: 2.7 cm/10.63 inch - net size: 20 x 18 cm / 7.87 x 7.07 inch - net depth: 20 cm / 7.87 inch - total length: 47 cm / 18.50 inch

gr gr j

TESDA-Region III - Regional Training Center, RSDC Tabang, Guiguinto, Bulacan NO. OF LOT ITEM **AGENCY SPECIFICATIONS** QTY UNIT ITEM PAX NO. NO. 3 Drawing instruments 75 set • compass with 0.5 mm pencil lead, used for drawing circle or circular, made from stainless steel, durable and easy to carry • geometry tools, special suitable for school teaching use • size 11.5 cm x 2 cm x 0.6 cm • package included: transparent box + silver metal compass stand tall + lead refill 75 4 Calculator Scientific Calculator unit STAT DATA Editor • 240 functions • 12 digit x two-line display • 3 x 5 inches dimension Hard Slide Case Subtotal, Aquaculture NC II 75 8 Rice Machinery Operations NC II 14 Vise grip • 7" straight jaw 1 150 og Hard steel 2 150 **Pliers**  Nickel Plated Pliers 1 рС • Long nose combination · Side cut pliers • 8 inches product size • 300 grams weight 150 Drill Hand Drill unit • Voltage: 220 V/60 Hz • Continuous power input: 350 Watts • No load speed: 0-3,000 rpm • Dimension (L x W x H): 23 cm x 6.8 cm x 16.4 cm 150 Grinder unit • Angle grinder • Powerful 670 Watts input • Maximum safety - come with Burst Proof Guards and 2 motion switch • 220 Volts/60 Hz

Subtotal, Rice Machinery Operations NC II

14

gy gr;

TESDA-Region III - Regional Training Center, RSDC Tabang, Guiguinto, Bulacan LOT ITEM NO. OF ITEM **AGENCY SPECIFICATIONS** UNIT QTY NO. NO. PAX 20 **Automotive Servicing NC I** Socket wrench • 1 x 1/4-Inch (6.3 mm) Ratchet 1 set 525 Wrench • 10 pcs 10 mm-24 mm Common Sockets • 1 pc Extension Rod 2 525 Spark Plug Wrench • 1 pc T-Handle Universal Joint 1 set • 2 pcs Spark Plug Socket Wrench (16 and 21 mm) 525 3 Feeler Gauge 1 • 25 tempered steel blades set • Gauge measures: 0.0015" (0.038 mm) to 0.035" (0.889 mm) • Blade length: 80 mm Chrome plated • Blade is laser etched with Inches and Millimeters 4 1 525 Hydrometer · Material: Glass and rubber DC • Testing range: 1.100 - 1.300 Specific Gravity (SG) • Based at 77 °F temperature 5 Vernier Caliper Stainless steel 525 рс • Dual reading scales on Vernier (English reading on top and Metric reading at bottom) Carbide tipped jaw type • (6 inches) 150 mm • Least Count = 0.05 mm 6 525 Screwdriver Set • Philips & Standard set • 6 pcs. per set • plastic handle • Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) • Philips Blade Tip: 1/8 in x 3 in  $(3 \text{ mm } \times 75 \text{ mm})$ ,  $3/16 \text{ in } \times 4.3$ in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)

98 an 3

TESDA-Region III - Regional Training Center, RSDC Tabang, Guiguinto, Bulacan NO. OF LOT ITEM ITEM **AGENCY SPECIFICATIONS** QTY UNIT NO. NO. PAX Ball Peen Hammer 1 525 • jacketed graphite head, od polished face • 12 ounce (340 grams), wooden handle 20 Subtotal, Automotive Servicing NC I 525 21 **Automotive Servicing NC II** Battery Tester 1 400 Suitable for 6 V & 12 V pg **Batteries** • Up to 1000 CCA (SAE) • 12 V Charging/Start System Shock-resistant ventilated cover • Color-coded copper-plated clamps 2 400 Soldering Gun Power: 130W рс • Two optional pre-heat (High/Low) • Tips: 4 mm x 65 mm Voltage: AC 220V • Pre-heat time: 5-10 minutes • Power cable: 1 meter Plug type: Type A • Material: ABS Plastic Multi-Tester 400 Analog unit • DCV Range: 0.1 V to 1,000 V ACV Range: 10 V to 750 V • Internal Battery: R6 (IEC) or UM-3 1.5V x 2 • Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm • Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g • Resistance: X1 to X1k 21 Subtotal, Automotive Servicing NC II 400 Driving NC II 24 Socket wrench 25 • 1 x 1/4-Inch (6.3 mm) Ratchet 1 set Wrench • 10 pcs 10 mm-24 mm Common Sockets • 1 pc Extension Rod

gy 7,- gz j

	TESDA-Region III – Regional Training Center, RSDC Tabang, Guiguinto, Bulacan						
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX	
	2	Vise Grip	<ul><li>7" straight jaw</li><li>Hard steel</li></ul>	1	рс	25	
	3	Tire Inflator	<ul><li>12 volts</li><li>300 psi</li></ul>	1	set	25	
24	Subto	tal, Driving NC II				25	
26	Motor	cycle/Small Engine Se	ervicing NC II				
	1	T-Wrench	<ul> <li>4 pcs forged steel with sizes 8- 10-12 and 14 mm</li> </ul>	1	set	75	
	2	Spark Plug Wrench	<ul> <li>1 pc T-Handle Universal Joint</li> <li>2 pcs Spark Plug Socket Wrench (16 and 21 mm)</li> </ul>	1	set	75	
	3	Screwdriver Set	<ul> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li> <li>Philips Blade Tip: 1 x 100 mm, 2 x 150 mm</li> <li>Plastic and Rubberized handle</li> <li>Chrome Vanadium</li> <li>Shank: 6"</li> </ul>	1	set	75	
	4	Allen Wrench	<ul> <li>22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"</li> <li>1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm</li> <li>Long arm series</li> <li>Chrome Vanadium steel</li> </ul>	1	set		
	5	Socket wrench	<ul> <li>1 x 1/4-Inch (6.3 mm) Ratchet Wrench</li> <li>10 pcs 10 mm-24 mm Common Sockets</li> <li>1 pc Extension Rod</li> </ul>	1	set	75	
26	Subto	tal, Motorcycle/Small	Engine Servicing NC II			75	

gy Tax;

(UAQTEA) FOR CY 2018

	TESDA-Region III – Regional Training Center, RSDC Tabang, Guiguinto, Bulacan						
LOT NO.	NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX	
41	Pipefi	tting NC II				i	
	1	Pull-Push Rule	<ul> <li>Blade length 8m/26ft</li> <li>Blade width 1"</li> <li>High impact ABS case with durable rubber</li> <li>Corrosion resistant tru-zero end</li> </ul>	1	рс	175	
	2	File	<ul><li>half round</li><li>300 mm long</li><li>plastic handle</li></ul>	1	рс	175	
	3	Welding Gloves	<ul><li>leather</li><li>heat resistant</li><li>long</li></ul>	1	pair	175	
	4	Mechanical plier	<ul><li>8 inches length</li><li>insulated handle</li></ul>	1	рс	175	
	5	Steel Square	<ul> <li>Carpenter's framing square; 2" x 16" x 24"</li> <li>Steel</li> <li>Double graduation inches/cm</li> </ul>	1	рс	175	
	6	Claw Hammer	<ul> <li>Forged high-carbon steel head</li> <li>Smooth face</li> <li>12 oz</li> <li>Wooden Handle</li> </ul>	1	рс	175	
	7	Ball Peen Hammer	<ul> <li>jacketed graphite head, polished face</li> <li>12 ounce (340 grams), wooden handle</li> </ul>	1	рс	175	
	8	Hacksaw	<ul> <li>Heavy duty hacksaw with 12" bi-metal hacksaw blade</li> <li>High Speed 24 TPI</li> <li>Strong box section steel, rugged, professional industrial hacksaw</li> <li>Rubberized handle frame</li> </ul>	1	рс	175	
	9	Try Square	<ul> <li>Size: 8" x 12"</li> <li>Thickness: 1.8-2 mm</li> <li>Material: Spring Steel</li> <li>Handle Material: Aluminum Alloy</li> <li>Metric and English Graduations</li> </ul>	1	рс	175	

#### PROCUREMENT OF STARTER TOOLKITS FOR THE **IMPLEMENTATION OF REPUBLIC ACT 10931** OR UNIVERSAL ACCESS TO QUALITY TERTIARY EDUCATION ACT (UAQTEA) FOR CY 2018 TESDA-Region III – Regional Training Center, RSDC Tabang, Guiguinto, Bulacan

	TESDA-Region III – Regional Training Center, RSDC Tabang, Guiguinto, Bulacan					
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	10	Combination Plier	<ul> <li>7-Inch Dyna Grip</li> <li>forged carbon steel</li> <li>heat treated Bi-material</li> <li>soft grip ergonomically designed DynaGrip handle with finger guards</li> </ul>	1	рс	175
	11	Screwdriver Set	<ul> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li> <li>Philips Blade Tip: 1 x 100 mm, 2 x 150 mm</li> <li>Plastic and Rubberized handle</li> <li>Chrome Vanadium</li> </ul>	1	set	175
	12	Spirit Level Bar	<ul><li>Shank: 6"</li><li>High impact plastic</li><li>Magnetic</li><li>3 vials, 24" length</li></ul>	1	рс	175
	13	Hard Hat	<ul> <li>V-rib, yellow cap styles hard hat</li> <li>6 point ratchet headgear</li> <li>2 point chin strap and V-rib on top</li> <li>polyethylene material</li> </ul>	1	рс	175
41	Subto	tal, Pipefitting NC II	polyethylene material	<del></del>		175
48		old Erection NC II			-	
	-1	Wrench	<ul> <li>17 X 19 mm Double Spud Ratchet Wrench</li> <li>Drop Forged metal Steel</li> </ul>	1	рс	250
	2	Combination Wrench	<ul> <li>17mm x 17mm (box &amp; open)</li> <li>drop forged metal steel</li> <li>6 inches long</li> </ul>	1	set	250
	3	Spirit Level Bar	<ul><li>High impact plastic</li><li>Magnetic</li><li>3 vials, 24" length</li></ul>	1	рс	250
	4	Safety Vest	<ul> <li>high visibility mesh safety vest with silver stripe</li> </ul>	1	рс	250
	5	Safety Harness	Double lanyard with shock absorber	1	рс	250

	TESD		I Training Center, RSDC Tabang,	Guiguir	ito, Bula	can
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	6	Hard Hat	<ul> <li>V-rib, yellow cap styles hard hat</li> <li>6 point ratchet headgear</li> <li>2 point chin strap and V-rib on top</li> <li>polyethylene material</li> </ul>	1	рс	250
	7	Safety Goggles	<ul><li>Clear polycarbonate</li><li>Woven elastic strap</li><li>Adjustable</li></ul>	1	рс	250
	8	Ball Peen Hammer	<ul> <li>jacketed graphite head, polished face</li> <li>12 ounce (340 grams), wooden handle</li> </ul>	1	рс	250
48		tal, Scaffold Erection I	NC II			250
49		ical Drafting NC II		, , ,	-	105
	1	Drawing Board	<ul><li>wooden laminated</li><li>size: 18 inches x 24 inches</li></ul>	1 ,	рс	125
	2	Compass Set	<ul> <li>divider: 14 cm length</li> <li>pencil compass: 14 cm length</li> <li>adjustable compass: 10 cm length</li> <li>compass extender: 9 cm length</li> </ul>	1	set	125
	3	Triangular Scale	<ul> <li>12" Plastic Architectural Scale</li> <li>Scale: 1:100, 1:200, 1:250, 1:300, 1:400, 1:500</li> </ul>	1	рс	125
	4	Technical Pen Set	<ul> <li>3 Rapidograph pens (0.2 mm, 0.3 mm, 0.5 mm)</li> <li>12 hi-polymer HB leads</li> <li>1 mechanical pencil</li> <li>1 ink cartridge</li> <li>1 eraser</li> </ul>	1	set	125
	5	T - Square	<ul><li>Wooden Drafting T-square</li><li>24" length</li><li>clear plastic edges</li></ul>	1	рс	125
	6	Measuring Tools Set	<ul> <li>Ruler: 30 cm long</li> <li>Triangle: 30 x 60 degrees, 13cm long</li> <li>Triangle: 45 X 45 degrees, 13 cm long</li> <li>Protractor: 12 cm long</li> </ul>	1	set	125
49	Subto	tal, Technical Drafting	NC II			125

7 W 32

TESDA-Region III - Regional Training Center, RSDC Tabang, Guiguinto, Bulacan LOT ITEM NO. OF QTY UNIT ITEM **AGENCY SPECIFICATIONS** NO. NO. PAX 51 Computer Systems Servicing NC II 225 Crimping Tool Suitable for: рС RJ 45 • RJ 11 4P 6P • 8P 2 225 Electrician Plier • Overail Length: 238 mm рС • Steel Alloy • Handle finish: plastic-dipped 3 225 Wire Stripper automatic рС • cap. 1.5 mm to 3.5 mm Combination Wrench 225 set • 16 pcs Set • sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm • Drop forged alloy steel construction • Lobular box end design 5 Allen Wrench • 22 pc Hex Key Set: 225 set 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm Long arm series • Chrome Vanadium steel

		A-Region III – Regiona	I Training Center, RSDC Tabang,	Guiguir	nto, Bula	
LOT NO.	NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	6	Screwdrivers Set	<ul> <li>30 in 1 Screwdriver</li> <li>Philips (+) PH00, PH0, PH1, PH2</li> <li>Torx T4, T5, T6, T7, T8, T10, T15, T20</li> <li>Flat (-) 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 3.5 mm, 4.0 mm</li> <li>Hex 1.0, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0</li> <li>Made of Chrome Vanadium</li> <li>Soft TPL Handle</li> </ul>	1	set	225
51		tal, Computer System	s Servicing NC II			225
52	Const	umer Electronics Serv	icing NC III			
	1	Multi-Tester	<ul> <li>Analog</li> <li>DCV Range: 0.1 V to 1,000 V</li> <li>ACV Range: 10 V to 750 V</li> <li>Internal Battery: R6 (IEC) or UM-3 1.5V x 2</li> <li>Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm</li> <li>Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g</li> <li>Resistance: X1 to X1k</li> </ul>	1	unit	25
	2	Electrician Plier	<ul> <li>Overall Length: 238 mm</li> <li>Steel Allo</li> <li>Handle finish: plastic-dipped</li> </ul>	1	рс	25
	3	Long Nose Plier	<ul><li>Overall Length: 8"</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	рс	25
	4	Diagonal Cutting Plier	<ul><li>Overall Length: 8"</li><li>Material: Carbon Steel</li><li>Handle Finish: plastic dipped</li></ul>	1	рс	25
	5	Soldering Iron	<ul><li>30 watts, 220 volts/60hz</li><li>heat pencil tip</li></ul>	1	рс	25
	6	Wire Stripper	automatic     cap. 1.5 mm to 3.5 mm	1	рс	25

TESDA-Region III - Regional Training Center, RSDC Tabang, Guiguinto, Bulacan LOT ITEM NO. OF ITEM **AGENCY SPECIFICATIONS** QTY UNIT NO. NO. PAX Allen Wrench • 22 pc Hex Key Set: set 25 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm • Long arm series • Chrome Vanadium steel 8 Screwdriver Set 1 25 • 4 pieces per set set • Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm • Philips Blade Tip: 1 x 100 mm, 2 x 150 mm Plastic and Rubberized handle Chrome Vanadium • Shank: 6" 9 Vernier Caliper 1 25 Stainless steel рС • Dual reading scales on Vernier (English reading on top and Metric reading at bottom) Carbide tipped jaw type • (6 inches) 150 mm • Least Count = 0.05 mm 52 25 Subtotal, Consumer Electronics Servicing NC III Electrical Installation and Maintenance NC II 53 Electrician Plier • Overall Length: 238 mm 1 1,000 рС Steel Allov • Handle finish: plastic-dipped 2 1,000 Long Nose Plier 1 • Overall Length: 8" рС • Steel Allov • Handle finish: plastic-dipped

TESDA-Region III - Regional Training Center, RSDC Tabang, Guiguinto, Bulacan NO. OF LOT ITEM ITEM **AGENCY SPECIFICATIONS** QTY UNIT NO. NO. PAX Screwdriver Set 1,000 3 • 4 pieces per set set • Flat Blade Tip: 6.5 x 150 mm. 5 x 100 mm • Philips Blade Tip: 1 x 100 mm, 2 x 150 mm Plastic and Rubberized handle Chrome Vanadium • Shank: 6" Pipe Bender Manual 1,000 1 • 1/2-3/4 inch bending radius рС • ductile high strength iron Subtotal, Electrical Installation and Maintenance NC II 1,000 53 Electrical Installation and Maintenance NC III 54 Multi-Tester 1 225 unit Analog DCV Range: 0.1 V to 1,000 V ACV Range: 10 V to 750 V • Internal Battery: R6 (IEC) or UM-3 1.5V x 2 • Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm • Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g • Resistance: X1 to X1k Allen Wrench 225 • 22 pc Hex Key Set: set 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm Long arm series • Chrome Vanadium steel 225 3 Wire Stripper automatic рС • cap. 1.5 mm to 3.5 mm

of Top

TESDA-Region III - Regional Training Center, RSDC Tabang, Guiquinto, Bulacan LOT ITEM NO. OF ITEM **AGENCY SPECIFICATIONS** QTY UNIT NO. PAX NO. Combination Wrench set 225 • 16 pcs • sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm • Drop forged alloy steel construction • Lobular box end design Subtotal, Electrical Installation and Maintenance NC III 225 54 Electronics Products Assembly and Servicing NC II 55 Multi-Tester 275 1 unit Analog DCV Range: 0.1 V to 1,000 V ACV Range: 10 V to 750 V • Internal Battery: R6 (IEC) or UM-3 1.5V x 2 • Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm • Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g • Resistance: X1 to X1k 2 Electrician Plier 275 · Overall Length: 238 mm 1 рс Steel Alloy • Handle finish: plastic-dipped 3 Long Nose Plier 1 275 • Overall Length: 8" рс • Steel Allov • Handle finish: plastic-dipped Diagonal Cutting Overall Length: 8" 275 рс Plier • Material: Carbon Steel • Handle Finish: plastic dipped Soldering Iron 275 • 30 watts, 220 volts/60hz 1 рс heat pencil tip

TESDA-Region III - Regional Training Center, RSDC Tabang, Guiquinto, Bulacan NO. OF LOT ITEM UNIT ITEM AGENCY SPECIFICATIONS QTY NO. NO. PAX Allen Wrench 6 • 22 pc Hex Key Set: set 275 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm. 10.0 mm • Long arm series • Chrome Vanadium steel 275 Wire Stripper automatic рс • cap. 1.5 mm to 3.5 mm 1 275 8 Vernier Caliper Stainless steel рс • Dual reading scales on Vernier (English reading on top and Metric reading at bottom) Carbide tipped iaw type • (6 inches) 150 mm • Least Count = 0.05 mm 275 9 Screwdriver Set • 4 pieces per set set • Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm • Philips Blade Tip: 1 x 100 mm, 2 x 150 mm Plastic and Rubberized handle Chrome Vanadium • Shank: 6" Subtotal, Electronics Products Assembly and Servicing NC II 275 55 Instrumentation and Control Servicing NC II 56 75 Crimping Tool Heavy duty ratchet with heavy 1 рс plastic handles · Hardened steel jaws 2 Diagonal Cutting 1 75 Overall Length: 8" рс Plier Material: Carbon Steel • Handle Finish: plastic dipped Electrician Plier 75 3 • Overall Length: 238 mm 1 pc • Steel Alloy • Handle finish: plastic-dipped

gy 7 m gz n

	TESD		Training Center, RSDC Tabang, G	Guiguir	nto, Bula	can
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	4	Screwdriver Set	<ul> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li> <li>Philips Blade Tip: 1 x 100 mm, 2 x 150 mm</li> <li>Plastic and Rubberized handle</li> <li>Chrome Vanadium</li> <li>Shank: 6"</li> </ul>	1	set	75
	5	Soldering Iron	30 watts, 220 volts/60hz     heat pencil tip	1	рс	75
	6	Multi-Tester	<ul> <li>Analog</li> <li>DCV Range: 0.1 V to 1,000 V</li> <li>ACV Range: 10 V to 750 V</li> <li>Internal Battery: R6 (IEC) or UM-3 1.5V x 2</li> <li>Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm</li> <li>Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g</li> <li>Resistance: X1 to X1k</li> </ul>	1	unit	75
	/	Wire Stripper	<ul><li>automatic</li><li>cap. 1.5 mm to 3.5 mm</li></ul>	1	рс	/5
	8	Adjustable Wrench	<ul> <li>0-50.8 mm (0-2") jaw opening</li> <li>203.2 mm (8") in length</li> <li>Alloy steel</li> </ul>	1	pc	75
56			nd Control Servicing NC II			75
60	Dress 1	making NC II Cutting Shears	<ul><li>8" length</li><li>stainless steel blade</li><li>plastic handle</li></ul>	1	рс	500
	2	Meter stick/ Yardstick	1 meter (metric and English)     yellow plastic	1	рс	500
	3	Scissors	6" length     plastic handle for paper	1	рс	500
	4	Screwdriver Set	<ul> <li>precision 6 pieces per set</li> <li>plastic handle</li> <li>0 P, 1 P, 1.4 mm, 2.0 mm. 2.4 mm, 3.0 mm slotted</li> </ul>	1	set	500

TESDA-Region III - Regional Training Center, RSDC Tabang, Guiguinto, Bulacan LOT NO. OF ITEM **AGENCY SPECIFICATIONS** ITEM QTY UNIT NO. NO. PAX Spray Bottle 5 500 • spray plastic clear empty bottle рс • 500 ml hand trigger Tape Measure 500 6 1 • plastic рс • 60" length (English and metric) 7 Tracing Wheel 1 500 serrated metal wheel рс • plastic handle Ruler with Grid 1 8 500 • 18" length рС transparent · red lines with grid French Curve 1 500 12" length рс aluminum • for neckline and armhole drawing 10 Hip Curve 1 500 • 24" length рс aluminum Tailor's L square 1 500 11 • 24" x 14" length рс aluminum Screwdriver Set 500 12 1 • 4 pieces per set set • Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm • Philips Blade Tip: 1 x 100 mm, 2 x 150 mm • Plastic and Rubberized handle Chrome Vanadium • Shank: 6" 13 Flat iron electric flat iron 1 500 unit • any color dry iron 220 volts • aluminum sole plate

			al Training Center, RSDC Tabang,	Guiguir	nto, Bula	can
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	14	Calculator	<ul> <li>12 digits display</li> <li>front panel metal coating</li> <li>battery power</li> <li>big display</li> <li>memory functions up to 4 decimal support</li> <li>high quality plastic construction and keys</li> <li>off key</li> <li>double zero with rounding function support</li> <li>dimension: 192mm x 147mm x 42mm</li> </ul>	1	unit	500
60 61		tal, Dressmaking NC	II			500
01	1	ng NC II Cutting Shears	<ul><li>8" length</li><li>stainless steel blade</li><li>plastic handle</li></ul>	1	рс	75
	2	Pinking Shears	<ul><li>8" length</li><li>stainless steel blade</li><li>plastic handle</li></ul>	1	рс	75
	3	Ruler with Grid	<ul><li>18" length</li><li>transparent</li><li>red lines with grid</li></ul>	1	рс	75
	4	French Curve	<ul><li>12" length</li><li>aluminum</li><li>for neckline and armhole drawing</li></ul>	1	рс	75
	5	Hip Curve	<ul><li>24" length</li><li>aluminum</li></ul>	1	рс	75
	6	Tailor's L Square	<ul><li>24" x 14" length</li><li>aluminum</li></ul>	1	рс	75
	7	Steam Flat Iron	<ul> <li>Electric flat iron with spray</li> <li>220 V/60 Hz</li> <li>1,100 - 1,310 watts</li> <li>with 5 selector</li> </ul>	1	unit	75
61	Subto	tal, Tailoring NC II		!		75

	TESD		I Training Center, RSDC Tabang, (	Guiguir	nto, Bula	can
LOT NO.	NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
62	RACS	Servicing (PACU/CRE)	NC III			
	1	Gauge Manifold	<ul> <li>2 valves</li> <li>Three (3) hoses gauge</li> <li>High side gauge pressure: 0-750 psig</li> <li>Low side gauge pressure: 30 in Hg vacuum-500 psig</li> <li>For refrigerant R-410a/R-404a</li> <li>1/4 in. vacuum port size</li> <li>Hose length: 36 inches</li> <li>2,500 psig burst</li> </ul>	1	set	75
	2	Multi-Tester	<ul> <li>Analog</li> <li>DCV Range: 0.1 V to 1,000 V</li> <li>ACV Range: 10 V to 750 V</li> <li>Internal Battery: R6 (IEC) or UM-3 1.5V x 2</li> <li>Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm</li> <li>Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g</li> <li>Resistance: X1 to X1k</li> </ul>	1	unit	75
62		tal, RAC Servicing (PA				75
63		Servicing (DOMRAC) N		,		1
	1	Flaring Tool	<ul> <li>Flaring with swaging tools set</li> <li>Screw type feed</li> <li>Two bars cover 9 sizes</li> <li>Swivel type swaging adapters and Flaring cone hardened steel, chromed finished</li> <li>Slip on forge steel yoke includes: - Flares 1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" OD</li> <li>Five (5) swage adapter for tubes sizes: 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" OD</li> </ul>	1	set	125

98 gr.

	TESDA-Region III – Regional Training Center, RSDC Tabang, Guiguinto, Bulacan							
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX		
	2	Tube Cutter	<ul> <li>Heavy duty</li> <li>For 1/8 inch to 1 1/8 inches pipe</li> <li>Weight: 0.16 ounces.</li> <li>Dimension: 6.8 x 3.3 x 1.3 inches</li> <li>Materials: High strength zinc alloy</li> <li>with spare cutter wheel on the knob</li> </ul>	1	рс	125		
	3	Long Nose Plier	<ul><li>Overall Length: 8"</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	рс	125		
	4	Combination Wrench Set	<ul> <li>16 pcs</li> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> <li>Lobular box end design</li> </ul>	1	set	125		
63 67		tal, RAC Servicing (DC Wellness Massage) NO				125		
	1	Sphygmomanometer	<ul> <li>Aneroid</li> <li>Handheld</li> <li>Large gauge in metal casing, 0-300 mm Hg, anti-slip finish, shockproof</li> <li>Inflatable cuff, adult (25.4-40.6 cm length), nylon strap locking system</li> <li>Thick rubber bladder</li> <li>Durable flexible rubber tubing</li> <li>Leatherette zippered carrying case</li> </ul>	1	рс	150		

of gen

LOT	ITEM	A-Region III – Regiona	l Training Center, RSDC Tabang, (	uiguir	ito, Bula		
NO.	NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX	
	2	Stethoscope	<ul> <li>Double diaphragm (Fetal/ adult)</li> <li>44 mm membrane</li> <li>stainless steel</li> <li>Soft sealing earpieces</li> <li>Flexible resilient rubber tubing</li> <li>Non chill rim</li> </ul>	1	pc	150	
67	Subto	tal, Hilot (Wellness Ma	<del>i</del>	<u> </u>		150	
68	Massage Therapy NC II						
	1	Sphygmomanometer	<ul> <li>Aneroid</li> <li>Handheld</li> <li>Large gauge in metal casing, 0-300 mm Hg, anti-slip finish, shockproof</li> <li>Inflatable cuff, adult (25.4-40.6 cm length), nylon strap locking system</li> <li>Thick rubber bladder</li> <li>Durable flexible rubber tubing</li> <li>Leatherette zippered carrying case</li> </ul>	1	pc	275	
	2	Stethoscope	<ul> <li>Double diaphragm (Fetal/ adult)</li> <li>44 mm membrane</li> <li>stainless steel</li> <li>Soft sealing earpieces</li> <li>Flexible resilient rubber tubing</li> <li>Non chill rim</li> </ul>		pc	275	
68	Subto	tal, Massage Therapy	NC II	<u>i</u>		275	
71		ct Center Services NC					
	1	Tablet	<ul> <li>Processor: 1.3 gHz</li> <li>OS: Android 6.0</li> <li>Memory: 1GB RAM</li> <li>Storage: 8GB ROM</li> <li>Display: screen 7" (177.8 mm)</li> <li>With SIM slot</li> </ul>	1	unit	75	
	2	Headphone with Mic	<ul> <li>with noise cancelling microphone</li> <li>connection: usb type</li> </ul>	1	unit	75	
71	Subto	tal, Contact Center Se	rvices NC II	1		75	

gd 3 n

TESDA-Region III - Regional Training Center, RSDC Tabang, Guiguinto, Bulacan LOT NO. OF ITEM ITEM **AGENCY SPECIFICATIONS** QTY UNIT NO. NO. PAX Visual Graphic Design NC III 74 Digitizing Pen and 1 75 set connectivity: wired Tablet orientation: left and right handed • Interface: USB • movement resolution: 2540 lpi • performance: 133 points per second active area: 6" x 3.7" • compatible OS: Windows 7/8/10, Apple Mac OS x 10.6.8 • movement detection technology: electromagnetic • connector type: 4 pin usb 74 Subtotal, Visual Graphic Design NC III 75 81 Gas Metal Arc Welding (GMAW) NC II Hard Hat 1 150 yellow ball-cap style hard hat рс • 6 point ratchet type headgear • 2 point chin strap and V-rib on top polyethylene material 2 Safety Goggles 1 150 Plastic рС Clear Elastic Strap 3 Vise Grip 150 1 • 10" рС • chrome plated insulated handle flat jaw • adjustment 0" to 1 5/8" 4 Try Square • Size: 8" x 12" 1 150 рс • Thickness: 1.8-2 mm · Material: Spring Steel • Handle Material: Aluminum Metric and English Graduations Chisel 150 5 1 cold рс • 3/4 in X 6-7/8 in forged steel 6 File 1 150 • round рс bastard cut • 300 mm long • plastic handle

1 2 and 1

	TESD		Training Center, RSDC Tabang, (	Guiguir	nto, Bula	can
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	7	Auto-Darkening Welding Helmet	<ul><li>Adjustable Shade</li><li>Lens size 3-7/8 in. x 1-1/2 in.</li></ul>	1	рс	150
81	Subto	tal, Gas Metal Arc Wel	ding (GMAW) NC II			150
83	Gas T	ungsten Arc Welding (	GTAW) NC II	, , , , , , , , , , , , , , , , , , , ,		
	1	Welding Jacket	<ul><li>leather</li><li>heat resistant</li></ul>	1	рс	75
	2	File	<ul><li>half round</li><li>300 mm long</li><li>plastic handle</li></ul>	1	рс	75
	3	Angle Grinder	<ul><li>Portable</li><li>4" capacity</li><li>220 Volts/60 Hz</li></ul>	1	unit	75
	4	Welding Gloves	<ul><li>leather</li><li>heat resistant</li><li>long</li></ul>	1	pair	75
	5	Chipping Hammer	300 mm long     wood handle	1	pc	75
	6	Vise Grip	<ul> <li>10"</li> <li>chrome plated insulated handle</li> <li>flat jaw</li> <li>adjustment 0" to 1 5/8"</li> </ul>	1	рс	75
	7	Welding Mask	<ul> <li>Flip Front Welding Helmet</li> <li>impact-resistant polypropylene material</li> <li>adjustable fit</li> <li>4 1/2" x 2" view area with lens #11</li> </ul>	1	рс	75
83			Welding (GTAW) NC II		-	75
85		ining NC I		1 .		
	1	Adjustable wrench	<ul> <li>Alloy steel</li> <li>0-2 inches (0-50.8 mm) jaw opening</li> <li>10 inches (254 mm) length</li> </ul>	1	pc	50
	2	Hacksaw Frame with Blade	<ul> <li>Tubular metal frame</li> <li>90° adjustable blade angle</li> <li>12 inches fixed blade length</li> </ul>	1	set	50

gy 7 a

#### PROCUREMENT OF STARTER TOOLKITS FOR THE **IMPLEMENTATION OF REPUBLIC ACT 10931** OR UNIVERSAL ACCESS TO QUALITY TERTIARY EDUCATION ACT (UAQTEA) FOR CY 2018 Carter PSDC Tahang, Guiguinto, Bulacan

	TESDA-Region III – Regional Training Center, RSDC Tabang, Guiguinto, Bulacan						
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX	
	3	Screwdriver Set	<ul> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li> <li>Philips Blade Tip: 1 x 100 mm, 2 x 150 mm</li> <li>Plastic and Rubberized handle</li> <li>Chrome Vanadium</li> <li>Shank: 6"</li> </ul>	1	set	50	
	4	Vernier Caliper	<ul> <li>Stainless steel</li> <li>Dual reading scales on Vernier (English reading on top and Metric reading at bottom)</li> <li>Carbide tipped jaw type</li> <li>(6 inches) 150 mm</li> <li>Least Count = 0.05 mm</li> </ul>	1	рс	50	
	5	Combination Wrench Set	<ul> <li>16 pcs</li> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> <li>Lobular box end design</li> </ul>	1	set	50	
	6	Allen Wrench Keys	<ul> <li>Steel with black oxide coating</li> <li>Durable plastic molded holders</li> <li>Labeled holders</li> <li>9 pcs./Set 1.5 mm to 10 mm</li> </ul>	1	set	50	
	7	Combination Square	<ul> <li>Stainless Steel</li> <li>(12 inches) 300 mm</li> <li>Combination Square Set (Blade and Handle)</li> </ul>	1	set	50	
85							
86		ining NC II			1	7-	
	1	Outside Micrometer Caliper	<ul> <li>Satin-chrome finished frame</li> <li>Range: 0-25 mm</li> <li>Least Count=0.01 mm</li> </ul>	1	pc	75	

	TESDA-Region III – Regional Training Center, RSDC Tabang, Guiguinto, Bulacan							
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX		
	2	Vernier Caliper	<ul> <li>Stainless steel</li> <li>Dual reading scales on Vernier (English reading on top and Metric reading at bottom)</li> <li>Carbide tipped jaw type</li> <li>(6 inches) 150 mm</li> <li>Least Count = 0.02 mm</li> </ul>	1	рс	75		
	3	Letter and Number Punch	<ul><li>Hardened Steel</li><li>36pcs</li><li>4 mm height (letter and number)</li></ul>	1	set	75		
	4	Digital Vernier Caliper	<ul> <li>Digital Model</li> <li>LCD Display</li> <li>Parallax free Vernier scale type</li> <li>(6 inches) 150 mm long</li> </ul>	1	рс	75		
86 88		tal, Machining NC II	/CM AVAIL NO I			75		
88	1	led Metal Arc Welding Welding Gloves	leather     heat resistant     long	1	pair	1,050		
	2	Chipping Hammer	300 mm long     wood handle	1	рс	1,050		
	3	Vise Grip	<ul> <li>10"</li> <li>chrome plated insulated handle</li> <li>flat jaw</li> <li>adjustment 0" to 1 5/8"</li> </ul>	1	pc	1,050		
	4	Safety Goggles	Plastic     Clear     Elastic Strap	1	рc	1,050		
	5	Oxy-acetylene Goggles	<ul> <li>Swivel type</li> <li>Rigid 50 mm dual cup</li> <li>Elastic headband</li> <li>Number-5 shade shields against brightness</li> </ul>	1	рс	1,050		
	6	Try Square	<ul> <li>Size: 8" x 12"</li> <li>Thickness: 1.8-2 mm</li> <li>Material: Spring Steel</li> <li>Handle Material: Aluminum Alloy</li> <li>Metric and English Graduations</li> </ul>	1	рс	1,050		

gy 7 ans

	TESD		al Training Center, RSDC Tabang,	Guiguir	nto, Bula	can
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	7	Welding Mask	<ul> <li>Flip Front Welding Helmet</li> <li>impact-resistant polypropylene material</li> <li>adjustable fit</li> <li>4 1/2" x 2" view area with lens #11</li> </ul>	1	рс	1,050
	8	Angle Grinder	<ul><li>Portable</li><li>4" capacity</li><li>220 Volts/60 Hz</li></ul>	1	unit	1,050
88	Subto	tal, Shielded Metal Ar	c Welding (SMAW) NC I			1,050
89	Shield	led Metal Arc Welding	(SMAW) NC II			
	1	Welding Jacket	<ul><li>leather</li><li>heat resistant</li></ul>	1	рс	1,325
	2	Ball Peen Hammer	<ul><li>Forged hard steel</li><li>jacketed graphite</li><li>16 oz./ 1 lb</li></ul>	1	рс	1,325
	3	Steel Square	<ul> <li>Carpenter's framing square; 2" x 16" x 24"</li> <li>Steel</li> <li>Double graduation inches/cm</li> </ul>	1	рс	1,325
	4	Chisel	<ul><li>cold</li><li>3/4 in X 6-7/8 in</li><li>forged steel</li></ul>	1	pc	1,325
	5	Hard Hat	<ul> <li>yellow ball-cap style hard hat</li> <li>6 point-ratchet type headgear</li> </ul>	1	рс	1,325
			<ul> <li>2 point chin strap and V-rib on top</li> <li>polyethylene material</li> </ul>			
	6	Auto-Darkening Welding Helmet	<ul> <li>Adjustable Shade</li> <li>Lens size 3-7/8 in. x 1-1/2 in.</li> </ul>	1	pc	1,325
89	Subto	tal, Shielded Metal Ar	c Welding (SMAW) NC II			1,325
90	Shield	led Metal Arc Welding	(SMAW) NC III			
	1	Angle Grinder	<ul><li>Portable</li><li>4" capacity</li><li>220 Volts/60 Hz</li></ul>	1	unit	25
	2	Auto-Darkening Welding Helmet	<ul> <li>Adjustable Shade</li> <li>Lens size 3-7/8 in. x 1-1/2 in.</li> </ul>	1	рс	25
90	Subto	tal, Shielded Metal Ar	c Welding (SMAW) NC III			25

gy 7 ~ gs.

TESDA-Region III - Regional Training Center, RSDC Tabang, Guiguinto, Bulacan LOT ITEM NO. OF ITEM **AGENCY SPECIFICATIONS** UNIT QTY NO. NO. PAX Food Processing NC II 91 Food Tongs 300 1 stainless steel рс • 12 inches long • with wide shell head with locking Paring Knife 300 high carbon stainless steel 1 рс • size: 3.5-inch blade length sharp cutting edge · full tang handled 3 Chef's Knife 300 1 • high-carbon stainless steel рС · sharp cutting edge • size: 8-inches blade length riveted handle 4 Measuring Spoon 300 1 · stainless steel set • 4 pieces per set (1 tbsp, 1 tsp, 1/2 tsp and 1/4 tsp) Measuring Cup 5 1 300 Stainless steel set • 4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup) 6 Mixing bowl Stainless steel 1 300 od • 8" diameter • 5 quart capacity Colander Stainless steel 1 300 рС Medium-Size • 8 quarts capacity with base 8 Honing Bar 1 300 stainless steel рс • 10-inch length 9 1 300 Saucepan • material: stainless рс · capacity: 1.5 liter with lid cover 10 300 Casserole Stainless steel with lid cover 1 рС and handle both sides • Dimension: 20 cm 91 Subtotal, Food Processing NC II 300 92 **Beauty Care NC II** Hair Blower 225 1 • Thermostat Adjustment unit • Wattage: 1,800 watts Folding handle Voltage: 220 V 60 Hz

of The app is

	TESD		Training Center, RSDC Tabang, (	Guiguir	nto, Bula	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	2	Haircutting Scissor	<ul><li>Materials: Stainless steel</li><li>Sharp cutting edge</li><li>Size: 19.05 cm long</li></ul>	1	рс	225
	3	Protective Cape	<ul><li>Water Proof</li><li>Nylon</li><li>Black</li></ul>	1	рс	225
	4	Hair Straightener Flat Iron	<ul> <li>Material: Ceramics</li> <li>Temperature setting High (220°C) Low (180°C)</li> <li>Voltage: 220 V 50 Hz</li> <li>Dimension: 37 x 16 x 6 cm</li> </ul>	1	unit	225
92	Subto	tal, Beauty Care NC II				225
94	Bookk	keeping NC III				
	1	Calculator	<ul> <li>Scientific Calculator</li> <li>STAT DATA Editor</li> <li>240 functions</li> <li>12 digit x two-line display</li> <li>3 x 5 inches dimension</li> <li>Hard Slide Case</li> </ul>		unit	225
	2	Stapler	<ul> <li>with built-in staple wire remover #35</li> <li>weight: 0.085 kg</li> <li>dimension: 11 cm x 3 cm x 5 cm</li> <li>Staples 24 sheets</li> </ul>	1	рс	225
	3	Pencil Sharpener	<ul> <li>table mounted</li> <li>manually operated</li> <li>with pen crumbs visible container</li> <li>pencil lock hole</li> </ul>	1	unit	225
	4	Stainless Ruler	<ul> <li>Stainless Steel</li> <li>Double sided ruler cm/inches</li> <li>Conversion table on the back side</li> <li>laser engraved lines</li> <li>30 cm</li> </ul>	1	рс	225
	5	Flash drive	<ul><li>Capacity: 64 GB</li><li>Compatibility: USB 3.0</li></ul>	1	pc	225

TESDA-Region III - Regional Training Center, RSDC Tabang, Guiguinto, Bulacan NO. OF LOT ITEM ITEM **AGENCY SPECIFICATIONS** QTY UNIT NO. NO. PAX A4 Paper Pockets • Material: Paper board 1 225 рС File Folder • Stainless Steel Clip • Size: 22.5 cm x 31 cm Puncher 225 two hole punch рс • Dimension: 15 cm (L) x 8.5 cm (W) x 11.5 cm (H) • punches up to 20 sheets with sliding ruler 8 Accordion File 225 Polypropylene 1 рс Organizer • Expandable pockets with tab flap and cord closure • Long size, 8.5 x 13 inches 94 Subtotal, Bookkeeping NC III 225 Hairdressing NC II 96 Haircutting Scissor 350 1 • Materials: Stainless steel рс • Sharp cutting edge • Size: 19.05 cm long 350 Hair Blower • Thermostat Adjustment 1 unit • Wattage: 1,800 watts Folding handle • Voltage: 220 V 60 Hz 3 350 Hair Straightener Flat · Material: Ceramics unit Iron • Temperature setting High (220°C) Low (180°C) • Voltage: 220 V 50 Hz • Dimension: 37 x 16 x 6 cm 96 Subtotal, Hairdressing NC II 350 Bartending NC II 100 Cocktail Shaker • 350 ml capacity 1 450 рС stainless steel • Size (cm): 25 in L x 5 in W x 16 Paring Knife 2 • high carbon stainless steel 1 450 pc • size: 3.5-inch blade length · sharp cutting edge • full tang handled 3 450 Corkscrew • measures 12 x 2.2 x 1.1 cm 1 рс • stainless steel metal corkscrew/bottle opener

of an

TESDA-Region III - Regional Training Center, RSDC Tabang, Guiguinto, Bulacan LOT ITEM NO. OF UNIT ITEM AGENCY SPECIFICATIONS QTY NO. NO. PAX Blender/ 4 450 • 8 speed with pulse unit Osterizer • 500 watts, 220 volts, 60 hertz • stainless steel, ice crusher blade glass iar with cover 5 Flair Bottle 450 • measures: 29 cm bottom рС diameter, 7.5 cm diameter, 3.2 cm yellow color hard plastic Ice Pick 450 6 • measures: 21.5 cm long рС • stainless steel pick with wooden handle 9 cm long Subtotal, Bartending NC II 450 100 101 Bread and Pastry Production NC II 550 Spatula • Stainless steel straight blade od Plastic handle • 3 cm blade width • 25.4 cm blade length • 12.7 cm handle length • Round edges 550 2 Decorating tips Stainless steel set • 7-piece cake decorating tip set (Closed Star, Open Star, French, Round, Plain, Leaf, Petal) • 3 cm height • Opening range: 1.27 cm 3 Flour sifter 1 550 · Stainless steel mesh flour рс strainer • 12" diameter 550 4 Measuring cup 1 Stainless steel set • 4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup) Mixing bowl 550 Stainless steel рс • 8" diameter • 5 quart capacity

> 392 gr gr

#### PROCUREMENT OF STARTER TOOLKITS FOR THE **IMPLEMENTATION OF REPUBLIC ACT 10931** OR UNIVERSAL ACCESS TO QUALITY TERTIARY EDUCATION ACT (UAQTEA) FOR CY 2018 TESDA-Region III – Regional Training Center, RSDC Tabang, Guiguinto, Bulacan

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	6	Piping bags	<ul> <li>12 inches</li> <li>lightweight</li> <li>reusable</li> <li>flexible polyester</li> <li>coated, can be boiled</li> <li>dishwasher safe</li> </ul>	1	рс	550
	7	Wire whisk	<ul> <li>Stainless steel</li> <li>12 inches</li> <li>balloon style</li> <li>handle length: 4 cm</li> </ul>	1	рс	550
	8	Bread knife	<ul> <li>Length: 8"</li> <li>serrated edge</li> <li>stain-free</li> <li>high-carbon steel blade</li> <li>polypropylene</li> <li>straight handle</li> </ul>	1	рс	550
	9	Digital Weighing Scale	<ul> <li>LCD display</li> <li>Measure in pounds (lbs), ounces (oz) and grams (g)</li> <li>Battery operated</li> <li>Capacity: 5 kilograms</li> </ul>	1	unit	550
	10	Muffin pan	<ul><li>12 holes</li><li>3 oz. capacity per hole</li><li>aluminum</li></ul>	1	рс	550
	11	Cheese Grater	<ul> <li>Stainless steel</li> <li>Box grater with handle</li> <li>20.9 x 8.5 x 6.1 cm</li> <li>Small and large holes</li> </ul>	1	рс	550
	12	Chef's Knife	<ul> <li>high-carbon stainless steel</li> <li>sharp cutting edge</li> <li>size: 8-inches blade length</li> <li>riveted handle</li> </ul>	1	рс	550
101		tal, Bread and Pastry	Production NC II	<u> </u>	<u> </u>	550
103	1	Chef's Knife	<ul> <li>high-carbon stainless steel</li> <li>sharp cutting edge</li> <li>size: 8-inches blade length</li> <li>riveted handle</li> </ul>	1	рс	550

(UAQTEA) FOR CY 2018

- Regional Training Center, RSDC Tabang, Guiguinto, Bulacan

		A-Region III – Regiona	al Training Center, RSDC Tabang,	Guiguir	nto, Bula	can
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	2	Food Tongs	<ul><li>stainless steel</li><li>12 inches long</li><li>with wide shell head with locking</li></ul>	1	рс	550
	3	Digital Weighing Scale	<ul> <li>LCD display</li> <li>Measure in pounds (lbs), ounces (oz) and grams (g)</li> <li>Battery operated</li> <li>Capacity: 5 kilograms</li> </ul>	1	unit	550
	4	Honing Bar	<ul><li>stainless steel</li><li>10-inch length</li></ul>	1	рс	550
	5	Measuring Cup	<ul> <li>Stainless steel</li> <li>4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup)</li> </ul>	1	set	550
	6	Measuring Spoon	<ul> <li>stainless steel</li> <li>4 pieces per set (1 tbsp, 1 tsp, 1/2 tsp and 1/4 tsp)</li> </ul>	1	set	550
	7	Saucepan	<ul><li>material: stainless</li><li>capacity: 1.5 liter</li><li>with lid cover</li></ul>	1	рс	550
	8	Casserole	<ul> <li>Stainless steel with lid cover and handle both sides</li> <li>Dimension: 20 cm</li> </ul>	1	рс	550
100					<u> </u>	550
103	+	tal, Cookery NC II	o NC II			550
104	F000	and Beverage Service Corkscrew	<del></del>	1	20	650
		Corkscrew	<ul> <li>measures 12 x 2.2 x 1.1 cm</li> <li>stainless steel metal corkscrew/bottle opener</li> </ul>		<b>-</b> 96	
	2	Linen/Skirting Cloth	<ul><li>10 yards (double width) skirting cloth</li><li>satin (any color)</li></ul>	1	рс	650
	3	Tablet	<ul> <li>Processor: 1.3 gHz</li> <li>OS: Android 6.0</li> <li>Memory: 1GB RAM</li> <li>Storage: 8GB ROM</li> <li>Display: screen 7" (177.8 mm)</li> <li>With SIM slot</li> </ul>	1	unit	650
104	Subto	tal, Food and Beverag	e Services NC II			650

7 gg 1 j

TESDA-Region III - Regional Training Center, RSDC Tabang, Guiguinto, Bulacan LOT ITEM NO. OF **AGENCY SPECIFICATIONS** ITEM UNIT QTY NO. NO. PAX 106 Front Office Services NC II Calculator 75 unit • 12 digits display · front panel metal coating battery power big display • memory functions up to 4 decimal support • high quality plastic construction and keys off key · double zero with rounding function support • dimension: 192mm x 147mm x 42mm 75 2 Flash drive • Capacity: 64 GB 1 рс • Compatibility: USB 3.0 Portable Amplifier 75 • Power Output: 30 W unit Mode: USB/MP3/FM • Charger Voltage: 10V 450 mA AC/DC with headset and lapel microphone Fake Bills Detector 75 4 Voltage: 220V 50Hz-60Hz unit • Product size: approx. 183 x 82 x 90mm/7.2 x 3.22 x 3.54" • Fluorescent UV blue lamp 4w On/Off Button 75-5 • with built-in staple wire remover Stapler DC #35 weight: 0.085 kg • dimension: 11 cm x 3 cm x 5 • Staples 24 sheets A4 Paper Pockets 75 6 • Material: Paper board рс File Folder · Stainless Steel Clip • Size: 22.5 cm x 31 cm 7 Accordion File 75 Polypropylene рС Organizer • Expandable pockets with tab flap and cord closure • Long size, 8.5 x 13 inches 106 Subtotal, Front Office Services NC II 75

N an

# PROCUREMENT OF STARTER TOOLKITS FOR THE IMPLEMENTATION OF REPUBLIC ACT 10931 OR UNIVERSAL ACCESS TO QUALITY TERTIARY EDUCATION ACT (UAQTEA) FOR CY 2018 TEXAS Parient We Regional Training Center, PSDC Tabang, Guiguinto, Bulaçan

İ	TESDA-Region III – Regional Training Center, RSDC Tabang, Guiguinto, Bulacan							
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX		
107	House	keeping NC II						
	1	Flashlight	<ul> <li>6000 Lumen 5 modes (high, low, red safety flasher, rescue beacon and OFF) Led Flashlight</li> <li>With digital smart single charger with 1 pc 18650 4200 mAh 3.7 V battery with case</li> <li>With stun gun</li> </ul>	1	рс	525		
The state of the s	2	Steam Flat Iron	<ul> <li>Electric flat iron with spray</li> <li>220 V/60 Hz</li> <li>1,100 - 1,310 watts</li> <li>with 5 selector</li> </ul>	1	unit	525		
	3	Vacuum Cleaner	<ul> <li>Wet and dry vacuum cleaner</li> <li>220 volts, 50-60Hz, 1,100 watts</li> <li>Tank size: 4 liters</li> <li>With complete accessories</li> </ul>	1	unit	525		
107	Subto	tal, Housekeeping NC	11			525		
	TOTAL							

396

y gr

TESDA-Region IV-A (CALABARZON) – Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
1	Agricu	ıltural Crops Producti	on NC I			
	1	Knapsack Sprayer	<ul><li>Semi-automatic sprayer</li><li>16 liter capacity</li><li>Stainless Steel</li></ul>	1	рс	75
	2	Sprinkler	<ul> <li>7.6 liter plastic watering container</li> <li>high-density polyethylene shock resistant material</li> <li>13 1/2 inches (342.9 mm) height</li> </ul>	1	pc	75
	3	Calculator	<ul> <li>Scientific Calculator</li> <li>STAT DATA Editor</li> <li>240 functions</li> <li>12 digit x two-line display</li> <li>3 x 5 inches dimension</li> <li>Hard Slide Case</li> </ul>	1	unit	75
	4	Shovel	<ul> <li>Rectangular shovel</li> <li>1 m handle length</li> <li>170 mm blade tip width</li> <li>220 mm blade tip length</li> <li>1,300 g</li> <li>wooden handle Y grip</li> </ul>	1	рс	75
	5	Rake	<ul> <li>metal garden rake</li> <li>14 teeth</li> <li>1.06 meters long aluminum handle</li> </ul>	1	рс	75
	6	Pick Mattock	<ul><li>steel head</li><li>3.4 kg. weight</li><li>36 inches long</li><li>wooden handle</li></ul>	1	рс	75
1	Subto	tal, Agricultural Crop	s Production NC I		· · · · · · · · · · · · · · · · · · ·	75
3		ultural Crops Product				
	1	Knapsack Sprayer	<ul><li>Semi-automatic sprayer</li><li>16 liter capacity</li><li>Stainless Steel</li></ul>	1	рс	125
L		<u> </u>			L	1

397 gr A

TESDA-Region IV-A (CALABARZON) - Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

LOT ITEM NO. OF UNIT ITEM **AGENCY SPECIFICATIONS** QTY NO. NO. PAX 2 Shovel 125 Rectangular shovel 1 рс • 1 m handle length • 170 mm blade tip width • 220 mm blade tip length • 1,300 a wooden handle Y grip 125 3 Hedge Shear · heavy duty hedge shear рС • carbon steel blades wooden handle · corrosion resistant coldforged steel blade premium edges • 8.5 inches blade length • 0.375 inches cutting capacity • 22 inches overall length • 0.82 kg weight 125 Hole Digger 1 4 • 6 inches length рс • 6.5 inches width • 60 inches height • 48 inches fiberglass handle soft-cushion grip · double bolt through head attachment 125 Subtotal, Agricultural Crops Production NC III 3 5 Animal Production (Poultry-Chicken) NC II 50

	Pall	<ul> <li>10 liters capacity</li> <li>Plastic</li> <li>320 mm Height</li> <li>350 mm Diameter</li> <li>677 grams weight</li> </ul>		рс	50
2	Knapsack Sprayer	<ul><li>Semi-automatic sprayer</li><li>16 liter capacity</li><li>Stainless Steel</li></ul>	1	рс	50

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	3	Semen Storage Box	<ul><li>plastic cooler/jug</li><li>handy grip design</li><li>1.9L capacity</li><li>wide mouth top</li></ul>	1	рс	50
	4	Reusable Veterinary Syringe	<ul> <li>Fiberglass hypodermic adjustable syringe with engraved volume indication on barrel</li> <li>10 ml capacity</li> </ul>	1	рс	50
	5	Brooder/ Heater Lamp	45 cm diameter aluminum reflector; socket is insulated porcelain, flexible heavy gauge SJT cord with molded-on plug	1	set	50
5			(Poultry-Chicken) NC II			50
7	Anima	I Production (Swine)				
	1	Reusable Veterinary Syringe	<ul> <li>Fiberglass hypodermic adjustable syringe with engraved volume indication on barrel</li> <li>10 ml capacity</li> </ul>	1	рс	50
	2	Ear Notcher	Small V-shape blade; stainless	1	рс	50
	3	Forcep	Stainless 5.5" long, straight kelly forcep	1	рс	50
	4	Semen Storage Box	<ul> <li>plastic cooler/jug</li> <li>handy grip design</li> <li>1.9L capacity</li> <li>wide mouth top</li> </ul>	1	рс	50
	5	Knapsack Sprayer	<ul><li>Semi-automatic sprayer</li><li>16 liter capacity</li><li>Stainless Steel</li></ul>	1	рс	50

TESDA-Region IV-A (CALABARZON) – Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

LOT	ITEM	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF
NO.	<b>NO.</b> 6	Calculator	<ul> <li>Scientific Calculator</li> <li>STAT DATA Editor</li> <li>240 functions</li> <li>12 digit x two-line display</li> <li>3 x 5 inches dimension</li> <li>Hard Slide Case</li> </ul>	1	unit	<b>PAX</b> 50
7		tal, Animal Productio	n (Swine) NC II			50
8	Aquad	ulture NC II			,	
		pH meter	<ul> <li>Ph range from 0-14</li> <li>large multi-level LCD which displays both pH and temperature readings simultaneously</li> <li>An exposed temperature sensor allows for rapid automatic temperature compensated pH measurements</li> <li>Temperature can be set to display in °C or °F</li> <li>The LCD screen has stability and calibration tag indicators</li> <li>The battery percent level is displayed at start up alerting the user to the remaining battery power that is available.</li> </ul>	1	unit	25
	2	Scoop net	<ul> <li>net material: nylon</li> <li>size detail: <ul> <li>handle length: 2.7</li> <li>cm/10.63 inch</li> <li>net size: 20 x 18 cm / 7.87</li> <li>x 7.07 inch</li> <li>net depth: 20 cm / 7.87</li> <li>inch</li> <li>total length: 47 cm / 18.50</li> <li>inch</li> </ul> </li> </ul>	1	рс	25

TESDA-Region IV-A (CALABARZON) – Gate 2, TESDA Complex, East Service Road,

South Su	perhigh	way, Ta	iguig City	

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	3	Drawing instruments	<ul> <li>compass with 0.5 mm pencil lead, used for drawing circle or circular, made from stainless steel, durable and easy to carry</li> <li>geometry tools, special suitable for school teaching use</li> <li>size 11.5 cm x 2 cm x 0.6 cm</li> <li>package included: transparent box + silver metal compass stand tall + lead refill</li> </ul>	1	set	25
	4	Calculator	<ul> <li>Scientific Calculator</li> <li>STAT DATA Editor</li> <li>240 functions</li> <li>12 digit x two-line display</li> <li>3 x 5 inches dimension</li> <li>Hard Slide Case</li> </ul>	1	unit	25
8		tal, Aquaculture NC II				25
10	<del></del>	ulture NC III			T	FO
	1	Hedge Shear	<ul> <li>heavy duty hedge shear</li> <li>carbon steel blades</li> <li>wooden handle</li> <li>corrosion resistant coldforged steel blade premium edges</li> <li>8.5 inches blade length</li> <li>0.375 inches cutting capacity</li> <li>22 inches overall length</li> <li>0.82 kg weight</li> </ul>	1	рс	50
	2	Rake	<ul><li>metal garden rake</li><li>14 teeth</li><li>1.06 meters long aluminum handle</li></ul>	1	рс	50
	3	Pruning Saw	<ul> <li>13 inches curved steel</li> <li>turbo cut pull action blade</li> <li>rugged razor tooth blade</li> <li>Non-slip pistol grip handle</li> <li>12 feet overall length</li> </ul>	1	pc	50

401 / j

TESDA-Region IV-A (CALABARZON) – Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	4	Hole Digger	<ul> <li>6 inches length</li> <li>6.5 inches width</li> <li>60 inches height</li> <li>48 inches fiberglass handle</li> <li>soft-cushion grip</li> <li>double bolt through head attachment</li> </ul>	1	рс	50
	5	Pruning Shear	<ul> <li>Chrome-plated blade finish straight blade</li> <li>80 mm cutting capacity</li> <li>8 inch user hand size</li> </ul>	1	рc	50
	6	Sprinkler	<ul> <li>7.6 liter plastic watering container</li> <li>high-density polyethylene shock resistant material</li> <li>13 1/2 inches (342.9 mm) height</li> </ul>	1	рс	50
10		tal, Horticulture NC II				50
11	Lands		Maintenance (Softscape) NC II	· · · · · · · · · · · · · · · · · · ·	,	,
	1	Rake	<ul><li>metal garden rake</li><li>14 teeth</li><li>1.06 meters long aluminum handle</li></ul>	1	pc	100
	2	Shovel	<ul> <li>Rectangular shovel</li> <li>1 m handle length</li> <li>170 mm blade tip width</li> <li>220 mm blade tip length</li> <li>1,300 g</li> <li>wooden handle Y grip</li> </ul>	1	рс	100
	3	Hedge Shear	<ul> <li>heavy duty hedge shear</li> <li>carbon steel blades</li> <li>wooden handle</li> <li>corrosion resistant coldforged steel blade premium edges</li> <li>8.5 inches blade length</li> <li>0.375 inches cutting capacity</li> <li>22 inches overall length</li> <li>0.82 kg weight</li> </ul>	1	pc	100

402

TESDA-Region IV-A (CALABARZON) - Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	4	Hole Digger	<ul> <li>6 inches length</li> <li>6.5 inches width</li> <li>60 inches height</li> <li>48 inches fiberglass handle</li> <li>soft-cushion grip</li> <li>double bolt through head attachment</li> </ul>	1	рс	100
	5	Pruning Shear	<ul> <li>Chrome-plated blade finish straight blade</li> <li>80 mm cutting capacity</li> <li>8 inch user hand size</li> </ul>	1	pc	100
	6	Pole Pruner	<ul><li>Fiber Glass Pole</li><li>3kg weight</li><li>16ft long</li><li>15inches Saw length</li></ul>	1	рс	100
11			ation and Maintenance (Softsca	ape) NO		100
12	Organ	ic Agriculture Produc	1	1	T	7.
	1	Knapsack Sprayer	<ul><li>Semi-automatic sprayer</li><li>16 liter capacity</li><li>Stainless Steel</li></ul>	1	рс	75
	2	Shovel	<ul> <li>Rectangular shovel</li> <li>1 m handle length</li> <li>170 mm blade tip width</li> <li>220 mm blade tip length</li> <li>1,300 g</li> <li>wooden handle Y grip</li> </ul>	1	рс	75
	3	Rake	<ul><li>metal garden rake</li><li>14 teeth</li><li>1.06 meters long aluminum handle</li></ul>	1	рс	75
	4	Hole Digger	<ul> <li>6 inches length</li> <li>6.5 inches width</li> <li>60 inches height</li> <li>48 inches fiberglass handle</li> <li>soft-cushion grip</li> <li>double bolt through head attachment</li> </ul>	1	рс	75
12	Subto	tal, Organic Agricultu	re Production NC II			75

403

TESDA-Region IV-A (CALABARZON) – Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
13	Pest N	/lanagement (Vegetab	les) NC II			
	1	Knapsack Sprayer	<ul><li>Semi-automatic sprayer</li><li>16 liter capacity</li><li>Stainless Steel</li></ul>	1	рс	75
	2	Shovel	<ul> <li>Rectangular shovel</li> <li>1 m handle length</li> <li>170 mm blade tip width</li> <li>220 mm blade tip length</li> <li>1,300 g</li> <li>wooden handle Y grip</li> </ul>	1	рс	75
·	3	Rake	<ul><li>metal garden rake</li><li>14 teeth</li><li>1.06 meters long aluminum handle</li></ul>	1	рс	75
	4	Hole Digger	<ul> <li>6 inches length</li> <li>6.5 inches width</li> <li>60 inches height</li> <li>48 inches fiberglass handle</li> <li>soft-cushion grip</li> <li>double bolt through head attachment</li> </ul>	1	рс	75
13	Subto	tal, Pest Management			1	75
20		notive Servicing NC I				
	1	Socket wrench	<ul> <li>1 x 1/4-Inch (6.3 mm) Ratchet Wrench</li> <li>10 pcs 10 mm-24 mm Common Sockets</li> <li>1 pc Extension Rod</li> </ul>	1	set	725
	2	Spark Plug Wrench	<ul> <li>1 pc T-Handle Universal Joint</li> <li>2 pcs Spark Plug Socket Wrench (16 and 21 mm)</li> </ul>	1	set	725
	3	Feeler Gauge	<ul> <li>25 tempered steel blades</li> <li>Gauge measures: 0.0015" (0.038 mm) to 0.035" (0.889 mm)</li> <li>Blade length: 80 mm</li> <li>Chrome plated</li> <li>Blade is laser etched with Inches and Millimeters</li> </ul>	1	set	725

gr 1 j

	T	South S	Superhighway, Taguig City			
LOT NO.	NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	4	Hydrometer	<ul> <li>Material: Glass and rubber</li> <li>Testing range: 1.100 - 1.300</li> <li>Specific Gravity (SG)</li> <li>Based at 77 °F temperature</li> </ul>	1	рс	725
	5	Vernier Caliper	<ul> <li>Stainless steel</li> <li>Dual reading scales on Vernier (English reading on top and Metric reading at bottom)</li> <li>Carbide tipped jaw type</li> <li>(6 inches) 150 mm</li> <li>Least Count = 0.05 mm</li> </ul>	1	рс	725
	7	Screwdriver Set	<ul> <li>Philips &amp; Standard</li> <li>6 pcs. per set</li> <li>plastic handle</li> <li>Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)</li> <li>Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)</li> <li>jacketed graphite head,</li> </ul>	1	set	725 725
	/	Ball Peen Hammer	<ul> <li>jacketed graphite head, polished face</li> <li>12 ounce (340 grams), wooden handle</li> </ul>	1	ρc	725
20	Subto	tal, Automotive Service	ing NC I			725
21		notive Servicing NC II				
	1	Battery Tester	<ul> <li>Suitable for 6 V &amp; 12 V Batteries</li> <li>Up to 1000 CCA (SAE)</li> <li>12 V Charging/Start System</li> <li>Shock-resistant ventilated cover</li> <li>Color-coded copper-plated clamps</li> </ul>	1	рс	325

LOT	ITEM		Supernighway, Taguig City			NO. OF
NO.	NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	PAX
	2	Soldering Gun	<ul> <li>Power: 130W</li> <li>Two optional pre-heat (High/Low)</li> <li>Tips: 4 mm x 65 mm</li> <li>Voltage: AC 220V</li> <li>Pre-heat time: 5-10 minutes</li> <li>Power cable: 1 meter</li> <li>Plug type: Type A</li> <li>Material: ABS Plastic</li> </ul>	1	unit	325
	3	Multi-Tester	<ul> <li>Analog</li> <li>DCV Range: 0.1 V to 1,000 V</li> <li>ACV Range: 10 V to 750 V</li> <li>Internal Battery: R6 (IEC) or UM-3 1.5V x 2</li> <li>Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm</li> <li>Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g</li> <li>Resistance: X1 to X1k</li> </ul>	1	unit	325
21		tal, Automotive Servic	<del></del>			325
22		notive Servicing NC III				
	1	Piston Ring Compressor	<ul> <li>Material: Strong Spring Steel</li> <li>Capacity: Fits 3 Inch to 7 in Pistons (76.2 mm-177.8 mm)</li> <li>Height: (3 Inch.) 76.2 mm</li> <li>Designed With Double Friction Brake Adjustment and Hardened Tool Ratchet</li> <li>1/4 In. Square Drive Adjuster</li> </ul>	1	set	75
	2	Valve Lifter / Spring Compressor	<ul> <li>Length: 11"</li> <li>All steel sturdy construction with hardened jaws</li> <li>Light weight C-type lifter works as a one hand tool</li> </ul>	1	set	75

LOT NO.	ITEM NO.	ITEM	Superhighway, Taguig City  AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	3	Gauge Manifold	<ul> <li>2 valves</li> <li>Three (3) hoses</li> <li>high side gauge pressure: 0-500 psig</li> <li>low side gauge pressure: 30 in Hg vacuum-250 psig</li> <li>For refrigerants R-22 and R134-a</li> <li>1/4 in vacuum port</li> <li>Hose length: 36 inches</li> <li>2,500 psig burst</li> </ul>	1	set	75
	4	Oil Filter Remover (Filter Wrench)	<ul> <li>Handle Material: Aluminum</li> <li>Wrench Shaft Length: 14.6 cm/5.7"</li> <li>Chain Total Length: 44.5 cm/17.5"</li> <li>Maximum Usable Length: 38.5 cm</li> <li>For removing all oil filters up to 60-120 mm diameter</li> </ul>	1	рс	75
22	Subto	tal, Automotive Service			·	75
24	Drivin	g NC II				
	1	Socket wrench	<ul> <li>1 x 1/4-Inch (6.3 mm) Ratchet Wrench</li> <li>10 pcs 10 mm-24 mm Common Sockets</li> <li>1 pc Extension Rod</li> </ul>	1	set	75
	2	Vise Grip	7" straight jaw     Hard steel	1	рс	75
	3	Tire Inflator	<ul><li>12 volts</li><li>300 psi</li></ul>	1	set	75
24		tal, Driving NC II				75
26		cycle/Small Engine Se		T	<del></del>	1.2=
	1	T-Wrench	4 pcs forged steel with sizes     8-10-12 and 14 mm	1	set	125
	2	Spark Plug Wrench	<ul> <li>1 pc T-Handle Universal Joint</li> <li>2 pcs Spark Plug Socket Wrench (16 and 21 mm)</li> </ul>	1	set	125

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	3	Screwdriver Set	<ul> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li> <li>Philips Blade Tip: 1 x 100 mm, 2 x 150 mm</li> <li>Plastic and Rubberized handle</li> </ul>	1	set	125
			Chrome Vanadium     Shank: 6"			1
	4	Allen Wrench	• 22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"  1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm,	1	set	125
			6.0 mm, 8.0 mm, 10.0 mm			
			<ul><li>Long arm series</li><li>Chrome Vanadium steel</li></ul>			
	5	Socket wrench	<ul> <li>1 x 1/4-Inch (6.3 mm) Ratchet Wrench</li> <li>10 pcs 10 mm-24 mm Common Sockets</li> <li>1 pc Extension Rod</li> </ul>	1	set	125
26	Subto	tal, Motorcycle/Smal	I Engine Servicing NC II	l	1	125
27	Carpe	ntry NC II				
	1	Crow Bar	<ul><li>914.4 mm (36") long</li><li>forged high steel carbon</li></ul>	1	рс	125
	2	Pull-Push Rule	<ul> <li>Blade length 8m/26ft</li> <li>Blade width 1"</li> <li>High impact ABS case with durable rubber</li> <li>Corrosion resistant tru-zero end</li> </ul>	1	pc	125
	3	Steel Square	<ul> <li>Carpenter's framing square;</li> <li>2" x 16" x 24"</li> <li>Steel</li> <li>Double graduation inches/cm</li> </ul>	1	pc	125

LOT	ITEM		Superhighway, Taguig City			NO. OF
NO.	NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	PAX
	4	Try Square	<ul> <li>Size: 8" x 12"</li> <li>Thickness: 1.8-2 mm</li> <li>Material: Spring Steel</li> <li>Handle Material: Aluminum Alloy</li> <li>Metric and English Graduations</li> </ul>	1	рс	125
	5	Spirit Level Bar	<ul><li>High impact plastic</li><li>Magnetic</li><li>3 vials, 24" length</li></ul>	1	рс	125
	6	Cross Cut Saw	<ul> <li>60 cm (24 inches) long</li> <li>Hard Plastic Handle</li> <li>8 points per inch</li> <li>Hard steel blade</li> </ul>	1	рс	125
	7	Drill	<ul> <li>Hand Drill</li> <li>Voltage: 220 V/60 Hz</li> <li>Continuous power input: 350 Watts</li> <li>No load speed: 0-3,000 rpm</li> <li>Dimension (L x W x H): 23 cm x 6.8 cm x 16.4 cm</li> </ul>	1	unit	125
	8	Chalk Line Reel	100 ft. heavy duty die cast body	1	рс	125
27		tal, Carpentry NC II				125
28	<del></del>	ruction Painting NC II				
	1	Handsaw	<ul> <li>20"/500mm Cross Cut Hand Saw</li> <li>Machine set teeth</li> <li>resharpenable with traditional hardwood handle for comfort</li> </ul>	1	рс	175
	2	Dust Masks/ Respirator	<ul> <li>Half face reusable respirator Gas mask</li> <li>Head harness cradle suspension</li> <li>Lightweight elastomeric material</li> <li>Twin filter, Bayonet fitting connection filter system</li> </ul>	1	pc	175



LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	3	Safety Goggles	<ul><li>Clear polycarbonate</li><li>Woven elastic strap</li><li>Adjustable</li></ul>	1	рс	175
	4	Pull-Push Rule	<ul> <li>Blade length 8m/26ft</li> <li>Blade width 1"</li> <li>High impact ABS case with durable rubber</li> <li>Corrosion resistant tru-zero end</li> </ul>	1	рс	175
	5	Screwdriver Set	<ul> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li> <li>Philips Blade Tip: 1 x 100 mm, 2 x 150 mm</li> <li>Plastic and Rubberized handle</li> <li>Chrome Vanadium</li> <li>Shank: 6"</li> </ul>	1	set	175
	6	Steel Float/ Plastering Trowel	<ul> <li>0.7 mm min. thick x 280 mm x 125 mm</li> <li>High carbon Steel</li> <li>Solid forged steel with soft handle</li> </ul>	1	рс	175
	7	Spray Gun	<ul> <li>Low Pressure</li> <li>Material: Stainless steel</li> <li>Fluid nozzle: 1 mm</li> <li>Air Pressure Required: 3.0 bar</li> <li>with complete set of wrenches</li> </ul>	1	рс	175
28		tal, Construction Pai	nting NC II		1	175
39	Masor 1	nry NC II Claw Bar	<ul> <li>19 mm minimum diameter x 90 cm long</li> <li>Forged high-carbon tempered steel</li> </ul>	1	рс	50

TESDA-Region IV-A (CALABARZON) – Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

LOT ITEM NO. OF **ITEM** AGENCY SPECIFICATIONS QTY UNIT NO. NO. PAX Claw Hammer 1 50 • 453.6 grams (16 oz.) рс Forged steel Hardened and tempered steel head Smooth face • Fiberglass handle 3 1 50 Hacksaw Heavy duty hacksaw with рс 12" bi-metal hacksaw blade • High Speed 24 TPI • Strong box section steel, rugged, professional industrial hacksaw • Rubberized handle frame Hacksaw Blade 1 50 4 • High Speed 24 TPI pc • 304.8 mm (12") long bimetal Heavy duty steel hacksaw 5 Handsaw • 20"/500mm Cross Cut Hand 1 50 рС Saw Machine set teeth · resharpenable with traditional hardwood handle for comfort 50 6 Paint Brush • 50.8 mm (2") 1 рс • Pure bristle with comfort grip · Made of Solid Round Tapered (SRT) polyester filaments 7 Paint Brush • 101.6 mm (4") 1 50 рс • Pure bristle with comfort grip · Made of Solid Round Tapered (SRT) polyester filaments 50 8 Pull-Push Rule • Blade length 8m/26ft 1 рс • Blade width 1" • High impact ABS case with durable rubber Corrosion resistant tru-zero end

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	9	Shovel	<ul> <li>Heavy gauge</li> <li>tempered steel blade digging shovel</li> <li>39.5" long</li> <li>With strong Poly D-grip</li> <li>Hardwood handle</li> </ul>	1	рс	50
	10	Spirit Level Bar	<ul><li>High impact plastic</li><li>Magnetic</li><li>3 vials, 24" length</li></ul>	1	рс	50
	11	Steel (Bucket/ Bricklaying) Pointing Trowel	<ul><li>10" solid forged steel blade</li><li>Precision tapered</li><li>Soft duragrip and hard end handle</li></ul>	1	рс	50
	12	Steel Float/ Plastering Trowel	<ul> <li>0.7 mm min. thick x 280 mm x 125 mm</li> <li>High carbon Steel</li> <li>Solid forged steel with soft handle</li> </ul>	1	рс	50
	13	Steel Square	<ul> <li>Carpenter's framing square;</li> <li>2" x 16" x 24"</li> <li>Steel</li> <li>Double graduation inches/cm</li> </ul>	1	pc	50
39		tal, Masonry NC II				50
41	1	tting NC II Pull-Push Rule	<ul> <li>Blade length 8m/26ft</li> <li>Blade width 1"</li> <li>High impact ABS case with durable rubber</li> <li>Corrosion resistant tru-zero end</li> </ul>	1	рс	400
	2	File	<ul><li>half round</li><li>300 mm long</li><li>plastic handle</li></ul>	1	рс	400
	3	Welding Gloves	<ul><li>leather</li><li>heat resistant</li><li>long</li></ul>	1	pair	400
	4	Mechanical plier	8 inches length     insulated handle	1	рс	400

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	5	Steel Square	<ul> <li>Carpenter's framing square; 2" x 16" x 24"</li> <li>Steel</li> <li>Double graduation inches/cm</li> </ul>	1	рс	400
	6	Claw Hammer	<ul> <li>Forged high-carbon steel head</li> <li>Smooth face</li> <li>12 oz</li> <li>Wooden Handle</li> </ul>	1	рс	400
	7	Ball Peen Hammer	<ul> <li>jacketed graphite head, polished face</li> <li>12 ounce (340 grams), wooden handle</li> </ul>	1	рс	400
	8	Hacksaw	<ul> <li>Heavy duty hacksaw with 12" bi-metal hacksaw blade</li> <li>High Speed 24 TPI</li> <li>Strong box section steel, rugged, professional industrial hacksaw</li> <li>Rubberized handle frame</li> </ul>	1	рс	400
	9	Try Square	<ul> <li>Size: 8" x 12"</li> <li>Thickness: 1.8-2 mm</li> <li>Material: Spring Steel</li> <li>Handle Material: Aluminum Alloy</li> <li>Metric and English Graduations</li> </ul>	1	рс	400
	10	Combination Plier	<ul> <li>7-Inch Dyna Grip</li> <li>forged carbon steel</li> <li>heat treated Bi-material</li> <li>soft grip ergonomically designed DynaGrip handle with finger guards</li> </ul>	1	рс	400

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
No.	11	Screwdriver Set	<ul> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li> <li>Philips Blade Tip: 1 x 100 mm, 2 x 150 mm</li> <li>Plastic and Rubberized handle</li> </ul>	1	set	400
			Chrome Vanadium     Shank: 6"			
	12	Spirit Level Bar	High impact plastic magnetic     3 vials, 24" length	1 ·	рс	400
	13	Hard Hat	<ul> <li>V-rib, yellow cap styles hard hat</li> <li>6 point ratchet headgear</li> <li>2 point chin strap and V-rib on top</li> <li>polyethylene material</li> </ul>	1	рс	400
41	<del></del>	tal, Pipefitting NC II				400
45	PV Sy	stems Installation NC Digital Clamp Meter	<ul> <li>400A/600A AC/DC (max. current measurement)</li> <li>Data Hold/Range Hold</li> <li>Auto power off</li> <li>Low battery prompt</li> </ul>	1	unit	150
	2	Spirit Level	<ul><li>Aluminum Frame with Magnet</li><li>Size: 12"</li><li>With 3 bubbles</li></ul>	1	рс	150
	3	Hacksaw	<ul> <li>Heavy duty hacksaw with 12" bi-metal hacksaw blade</li> <li>High Speed 24 TPI</li> <li>Strong box section steel, rugged, professional industrial hacksaw</li> <li>Rubberized handle frame</li> </ul>	1	рс	150

TESDA-Region IV-A (CALABARZON) – Gate 2, TESDA Complex, East Service Road,


LOT	ITEM	South	Superhighway, Taguig City	Г		NO OF
NO.	NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	4	Screwdriver Set	<ul> <li>Philips &amp; Standard</li> <li>6 pcs. per set</li> <li>plastic handle</li> <li>Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)</li> <li>Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x</li> </ul>	1	set	150
			4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)			
	5	Allen Wrench	<ul> <li>22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"</li> <li>1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm</li> <li>Long arm series</li> <li>Chrome Vanadium steel</li> </ul>	1	set	150
45	Subto	tal, PV Systems Insta		l		150
51		uter Systems Servici				
	1	Crimping Tool	Suitable for:  RJ 45  RJ 11  4P  6P  8P	1	рс	425
	2	Electrician Plier	<ul><li>Overall Length: 238 mm</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	рс	425
	3	Wire Stripper	<ul><li>automatic</li><li>cap. 1.5 mm to 3.5 mm</li></ul>	1	рс	425

LOT	ITEM	South	Superhighway, Taguig City			NO. OF
NO.	NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	PAX
	4	Combination Wrench Set	<ul> <li>16 pcs</li> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> <li>Lobular box end design</li> </ul>	1	set	425
	5	Allen Wrench	<ul> <li>22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"</li> <li>1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm</li> <li>Long arm series</li> <li>Chrome Vanadium steel</li> </ul>		set	425
	6	Screwdrivers Set	<ul> <li>30 in 1 Screwdriver</li> <li>Philips (+) PH00, PH0, PH1, PH2</li> <li>Torx T4, T5, T6, T7, T8, T10, T15, T20</li> <li>Flat (-) 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 3.5 mm, 4.0 mm</li> <li>Hex 1.0, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0</li> <li>Made of Chrome Vanadium</li> <li>Soft TPL Handle</li> </ul>	1	set	425
51		tal, Computer Systems				425
53		ical Installation and M				
	1	Electrician Plier	<ul><li>Overall Length: 238 mm</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	pc	550
	2	Long Nose Plier	<ul><li>Overall Length: 8"</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	рс	550

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	3	Screwdriver Set	<ul><li>4 pieces per set</li><li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li></ul>	1	set	550
			Philips Blade Tip: 1 x 100 mm, 2 x 150 mm			
			Plastic and Rubberized handle			
			Chrome Vanadium     Shank: 6"			
	4	Pipe Bender Manual	<ul><li>1/2-3/4 inch bending radius</li><li>ductile high strength iron</li></ul>	1	рс	550
53	Subto	tal, Electrical Installat	ion and Maintenance NC II		<u> </u>	550
54	Electr	ical Installation and M	aintenance NC III			
		Multi-Tester	<ul> <li>Analog</li> <li>DCV Range: 0.1 V to 1,000 V</li> <li>ACV Range: 10 V to 750 V</li> <li>Internal Battery: R6 (IEC) or UM-3 1.5V-x 2</li> <li>Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm</li> <li>Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g</li> <li>Resistance: X1 to X1k</li> </ul>	1	unit	200
	2	Allen Wrench	<ul> <li>22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"</li> <li>1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm</li> <li>Long arm series</li> <li>Chrome Vanadium steel</li> </ul>	1	set	200
	3	Wire Stripper	automatic     cap. 1.5 mm to 3.5 mm	1	рс	200

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	4	Combination Wrench Set	<ul> <li>16 pcs</li> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> <li>Lobular box end design</li> </ul>	1	set	200
54			ion and Maintenance NC III			200
55	Electr		nbly and Servicing NC II	1 .		
	1	Multi-Tester	<ul> <li>Analog</li> <li>DCV Range: 0.1 V to 1,000 V</li> <li>ACV Range: 10 V to 750 V</li> <li>Internal Battery: R6 (IEC) or UM-3 1.5V x 2</li> <li>Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm</li> <li>Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g</li> <li>Resistance: X1 to X1k</li> </ul>	1	unit	1,000
	2	Electrician Plier	<ul><li>Overall Length: 238 mm</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	рс	1,000
	3	Long Nose Plier	<ul><li>Overall Length: 8"</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	рс	1,000
	4	Diagonal Cutting Plier	<ul> <li>Overall Length: 8"</li> <li>Material: Carbon Steel</li> <li>Handle Finish: plastic dipped</li> </ul>	1	рс	1,000
	5	Soldering Iron	<ul><li>30 watts, 220 volts/60hz</li><li>heat pencil tip</li></ul>	1	рс	1,000

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	6	Allen Wrench	• 22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"  1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm  • Long arm series	1	set	1,000
	7	Wire Stripper	Chrome Vanadium steel     automatic     cap 1.5 mm to 3.5 mm	1	рс	1,000
	8	Vernier Caliper	<ul> <li>cap. 1.5 mm to 3.5 mm</li> <li>Stainless steel</li> <li>Dual reading scales on Vernier (English reading on top and Metric reading at bottom)</li> <li>Carbide tipped jaw type</li> <li>(6 inches) 150 mm</li> <li>Least Count = 0.05 mm</li> </ul>	1	рс	1,000
	9	Screwdriver Set	<ul> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li> <li>Philips Blade Tip: 1 x 100 mm, 2 x 150 mm</li> <li>Plastic and Rubberized handle</li> <li>Chrome Vanadium</li> <li>Shank: 6"</li> </ul>	1	set	1,000
55			icts Assembly and Servicing NC			1,000
57	Mecna 1	atronics Servicing NC Crimping Tool	Heavy duty ratchet with	1 1	nc	150
		Crimping 1001	<ul> <li>Heavy duty ratchet with heavy plastic handles</li> <li>Hardened steel jaws</li> </ul>	<b> </b>	pc	
	2	Diagonal Cutting Plier	<ul> <li>Overall Length: 8"</li> <li>Material: Carbon Steel</li> <li>Handle Finish: plastic dipped</li> </ul>	1	рс	150



LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	3	Electrician Plier	<ul><li>Overall Length: 238 mm</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	рс	150
	4	Screwdriver Set	<ul> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li> <li>Philips Blade Tip: 1 x 100 mm, 2 x 150 mm</li> <li>Plastic and Rubberized handle</li> <li>Chrome Vanadium</li> <li>Shank: 6"</li> </ul>	1	set	150
	5	Multi-Tester	<ul> <li>Analog</li> <li>DCV Range: 0.1 V to 1,000 V</li> <li>ACV Range: 10 V to 750 V</li> <li>Internal Battery: R6 (IEC) or UM-3 1.5V x 2</li> <li>Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm</li> <li>Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g</li> <li>Resistance: X1 to X1k</li> </ul>	1	unit	150
	6	Allen Wrench	<ul> <li>22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"</li> <li>1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm</li> <li>Long arm series</li> <li>Chrome Vanadium steel</li> </ul>	1	set	. 150
	7	Adjustable Wrench	<ul> <li>0-50.8 mm (0-2") jaw opening</li> <li>203.2 mm (8") in length</li> <li>alloy steel</li> </ul>	1	рс	150
57	Subto	tal, Mechatronics Ser		1		150

ACT (UAQTEA) FOR CY 2018

TESDA-Region IV-A (CALABARZON) – Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

LOT	ITEM ACENOX OFFICIENT ON UNIT NO. OF						
NO.	NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	PAX	
58	Mecha	atronics Servicing NC	III				
	1	Combination Wrench Set	<ul> <li>16 pcs</li> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> <li>Lobular box end design</li> </ul>	1	set	200	
	2	Screwdrivers Set	<ul> <li>30 in 1 Screwdriver</li> <li>Philips (+) PH00, PH0, PH1, PH2</li> <li>Torx T4, T5, T6, T7, T8, T10, T15, T20</li> <li>Flat (-) 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 3.5 mm, 4.0 mm</li> <li>Hex 1.0, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0</li> <li>Made of Chrome Vanadium</li> <li>Soft TPL Handle</li> </ul>	1	set	200	
	3	Soldering Iron	30 watts, 220 volts/60hz     heat pencil tip	1	рс	200	
	4	Long Nose Plier	<ul><li>Overall Length: 8"</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	рс	200	
	5	Wire Stripper	automatic     cap. 1.5 mm to 3.5 mm	1	рс	200	
	6	Desoldering Pump/Solder Sucker	<ul> <li>anodized aluminum housing</li> <li>high suction</li> <li>strong and lightweight</li> </ul>	1	рс	200	

TESDA-Region IV-A (CALABARZON) – Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

LOT ITEM NO. OF ITEM **AGENCY SPECIFICATIONS** QTY UNIT NO. PAX NO. Allen Wrench 1 200 • 22 pc Hex Key Set: set 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm Long arm series • Chrome Vanadium steel Subtotal, Mechatronics Servicing NC III 200 58 Dressmaking NC II 60 Cutting Shears 700 • 8" length рС stainless steel blade plastic handle 700 2 Meter stick/ Yardstick 1 • 1 meter (metric and English) рс yellow plastic 3 Scissors 1 700 • 6" length рс • plastic handle for paper 700 Screwdriver Set 1 4 • precision 6 pieces per set set • plastic handle • 0 P. 1 P. 1.4 mm, 2.0 mm. 2.4 mm, 3.0 mm slotted 5 Spray Bottle 1 700 • spray plastic clear empty рс bottle • 500 ml hand trigger 700 Tape Measure 1 6 plastic рс • 60" length (English and metric) 7 Tracing Wheel 1 700 · serrated metal wheel рс plastic handle Ruler with Grid 700 8 1 • 18" length рс transparent • red lines with grid 1 700 9 French Curve • 12" length рс • aluminum • for neckline and armhole drawing 700 10 Hip Curve 1 • 24" length рс aluminum



LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	11	Tailor's L square	<ul><li>24" x 14" length</li><li>aluminum</li></ul>	1	рс	700
	12	Screwdriver Set	<ul> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li> <li>Philips Blade Tip: 1 x 100 mm, 2 x 150 mm</li> <li>Plastic and Rubberized handle</li> <li>Chrome Vanadium</li> <li>Shank: 6"</li> </ul>	1	set	700
	13	Flat iron	<ul> <li>electric flat iron</li> <li>any color</li> <li>dry iron</li> <li>220 volts</li> <li>aluminum sole plate</li> </ul>	1	unit	700
	14	Calculator	<ul> <li>12 digits display</li> <li>front panel metal coating</li> <li>battery power</li> <li>big display</li> <li>memory functions up to 4 decimal support</li> <li>high quality plastic construction and keys</li> <li>off key</li> <li>double zero with rounding function support</li> <li>dimension: 192mm x 147mm x 42mm</li> </ul>	1	unit	700
60	Subto	tal, Dressmaking NC		1		700

#### PROCUREMENT OF STARTER TOOLKITS FOR THE **IMPLEMENTATION OF REPUBLIC ACT 10931** OR UNIVERSAL ACCESS TO QUALITY TERTIARY EDUCATION ACT (UAQTEA) FOR CY 2018 TESDA-Region IV-A (CALABARZON) – Gate 2, TESDA Complex, East Service Road,

South Superhighway, Taguig City

LOT	ITEM	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF
NO. 63	NO.	Servicing (DOMRAC) N				PAX
	1	Flaring Tool	<ul> <li>Flaring with swaging tools set</li> <li>Screw type feed</li> <li>Two bars cover 9 sizes</li> <li>Swivel type swaging adapters and Flaring cone hardened steel, chromed finished</li> <li>Slip on forge steel yoke includes: - Flares 1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" OD</li> <li>Five (5) swage adapter for tubes sizes: 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" OD</li> </ul>	1	set	375
	2	Tube Cutter	<ul> <li>Heavy duty</li> <li>For 1/8 inch to 1 1/8 inches pipe</li> <li>Weight: 0.16 ounces.</li> <li>Dimension: 6.8 x 3.3 x 1.3 inches</li> <li>Materials: High strength zinc alloy</li> <li>with spare cutter wheel on the knob</li> </ul>	1	рс	375
	3	Long Nose Plier	<ul><li>Overall Length: 8"</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	рс	375
	4	Combination Wrench Set	<ul> <li>16 pcs</li> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> <li>Lobular box end design</li> </ul>	1	set	375
63	Subto	tal, RAC Servicing (DC				375



LOT	South Superhighway, Taguig City					
NO.	NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
65	Careg	iving NC II				
	1	Sphygmomanometer	<ul> <li>Aneroid</li> <li>Handheld</li> <li>Large gauge in metal casing, 0-300 mm Hg, antislip finish, shockproof</li> <li>Inflatable cuff, adult (25.4-40.6 cm length), nylon strap locking system</li> <li>Thick rubber bladder</li> <li>Durable flexible rubber tubing</li> <li>Leatherette zippered carrying case</li> </ul>	1	рс	225
	2	Stethoscope	<ul> <li>Double diaphragm (Fetal/adult)</li> <li>44 mm membrane</li> <li>stainless steel</li> <li>Soft sealing earpieces</li> <li>Flexible resilient rubber tubing</li> <li>Non chill rim</li> </ul>	1	рс	225
65	Subto	tal, Caregiving NC II				225
66	Health	Care Services NC II				100
	1	Sphygmomanometer	<ul> <li>Aneroid</li> <li>Handheld</li> <li>Large gauge in metal casing, 0-300 mm Hg, antislip finish, shockproof</li> <li>Inflatable cuff, adult (25.4-40.6 cm length), nylon strap locking system</li> <li>Thick rubber bladder</li> <li>Durable flexible rubber tubing</li> <li>Leatherette zippered carrying case</li> </ul>	1	рс	175



LOT NO.	ITEM NO.	ITEM	Superhighway, Taguig City  AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	2	Stethoscope	<ul> <li>Double diaphragm (Fetal/adult)</li> <li>44 mm membrane</li> <li>stainless steel</li> <li>Soft sealing earpieces</li> <li>Flexible resilient rubber tubing</li> <li>Non chill rim</li> </ul>	1	рс	175
66	Subto	tal, Health Care Servic	ces NC II			175
67	Hilot (	(Wellness Massage) N	CII			
	1	Sphygmomanometer	<ul> <li>Aneroid</li> <li>Handheld</li> <li>Large gauge in metal casing, 0-300 mm Hg, antislip finish, shockproof</li> <li>Inflatable cuff, adult (25.4-40.6 cm length), nylon strap locking system</li> <li>Thick rubber bladder</li> <li>Durable flexible rubber tubing</li> <li>Leatherette zippered carrying case</li> </ul>	1	рс	550
	2	Stethoscope	<ul> <li>Double diaphragm (Fetal/adult)</li> <li>44 mm membrane</li> <li>stainless steel</li> <li>Soft sealing earpieces</li> <li>Flexible resilient rubber tubing</li> <li>Non chill rim</li> </ul>	1	рс	550
67	Subto	tal, Hilot (Wellness Ma	assage) NC II	1	L	550



TESDA-Region IV-A (CALABARZON) – Gate 2, TESDA Complex, East Service Road,

	T	South	Superhighway, Taguig City	1		
LOT NO.	NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
68	Massa	ige Therapy NC II		,		
	1	Sphygmomanometer	<ul> <li>Aneroid</li> <li>Handheld</li> <li>Large gauge in metal casing, 0-300 mm Hg, antislip finish, shockproof</li> <li>Inflatable cuff, adult (25.4-40.6 cm length), nylon strap locking system</li> <li>Thick rubber bladder</li> <li>Durable flexible rubber tubing</li> <li>Leatherette zippered carrying case</li> </ul>	1	рс	175
	2	Stethoscope	<ul> <li>Double diaphragm (Fetal/adult)</li> <li>44 mm membrane</li> <li>stainless steel</li> <li>Soft sealing earpieces</li> <li>Flexible resilient rubber tubing</li> <li>Non chill rim</li> </ul>	1	рс	175
68	Subto	tal, Massage Therapy				175
71		ct Center Services NC				
	1	Tablet	<ul> <li>Processor: 1.3 gHz</li> <li>OS: Android 6.0</li> <li>Memory: 1GB RAM</li> <li>Storage: 8GB ROM</li> <li>Display: screen 7" (177.8 mm)</li> <li>With SIM slot</li> </ul>	1	unit	75
	2	Headphone with Mic	<ul> <li>with noise cancelling microphone</li> <li>connection: usb type</li> </ul>	1	unit	75
71	Subto	tal, Contact Center Se				75
75	CNC L	athe Machine Operati	on NC II			
	1	Outside Micrometer Caliper	<ul> <li>Satin-chrome finished frame</li> <li>Range: 0-25 mm</li> <li>Least Count=0.01 mm</li> </ul>	1	рс	50

1.0-	South Superhighway, Taguig City					
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	2	Allen Wrench Keys	<ul> <li>Steel with black oxide coating</li> <li>Durable plastic molded holders</li> <li>Labeled holders</li> <li>9 pcs./Set 1.5 mm to 10 mm</li> </ul>	1	set	50
	3	Letter and Number Punch	<ul><li>Hardened Steel</li><li>36pcs</li><li>4 mm height (letter and number)</li></ul>	1	set	50
	4	Digital Vernier Caliper	<ul> <li>Digital Model</li> <li>LCD Display</li> <li>Parallax free Vernier scale type</li> <li>(6 inches) 150 mm long</li> </ul>	1	рс	50
	5	Combination Square	<ul> <li>Stainless Steel</li> <li>(12 inches) 300 mm</li> <li>Combination Square Set (Blade and Handle)</li> </ul>	1	set	50
	6	Screw Pitch Gauge	<ul><li>4 to 56 TPI (Teeth per inch)</li><li>Range: 0.5 mm to 6 mm</li><li>28 Leaves</li></ul>	1	set	50
75		tal, CNC Lathe Machir		·····		50
76	CNC	Milling Machine Opera				=-
	1	Outside Micrometer Caliper	<ul><li>Satin-chrome finished frame</li><li>Range: 0-25 mm</li><li>Least Count=0.01 mm</li></ul>	1	рс	50
	2	Allen Wrench Keys	<ul> <li>Steel with black oxide coating</li> <li>Durable plastic molded holders</li> <li>Labeled holders</li> <li>9 pcs./Set 1.5 mm to 10 mm</li> </ul>	1	set	50
	3	Letter and Number Punch	<ul> <li>Hardened Steel</li> <li>36pcs</li> <li>4 mm height (letter and number)</li> </ul>	1	set	50



ACT (UAQTEA) FOR CY 2018

TESDA-Region IV-A (CALABARZON) – Gate 2, TESDA Complex, East Service Road,
South Superhighway, Taguig City

LOT	ITEM		Superhighway, Taguig City			NO. OF
NO.	NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	PAX
	4	Digital Vernier Caliper	<ul> <li>Digital Model</li> <li>LCD Display</li> <li>Parallax free Vernier scale type</li> <li>(6 inches) 150 mm long</li> </ul>	1	рс	50
	5	Combination Square	<ul><li>Stainless Steel</li><li>(12 inches) 300 mm</li><li>Combination Square Set (Blade and Handle)</li></ul>	1	set	50
	6	Screw Pitch Gauge	<ul><li>4 to 56 TPI (Teeth per inch)</li><li>Range: 0.5 mm to 6 mm</li><li>28 Leaves</li></ul>	1	set	50
76		tal, CNC Milling Mach				50
78	Flux-C	ored Arc Welding (FC				
	1	Welding Jacket	leather     heat resistant	1	рс	50
	2	Welding Gloves	<ul><li>leather</li><li>heat resistant</li><li>long</li></ul>	1	pair	50
	3	Safety Goggles	<ul><li>Plastic</li><li>Clear</li><li>Elastic Strap</li></ul>	1	рс	50
	4	Hacksaw Frame	<ul><li>Adjustable</li><li>24 TPI</li><li>aluminum alloy frame and handle</li></ul>	1	рс	50
	5	Chipping Hammer	300 mm long     wood handle	1	рс	50
	6	Try Square	<ul> <li>Size: 8" x 12"</li> <li>Thickness: 1.8-2 mm</li> <li>Material: Spring Steel</li> <li>Handle Material: Aluminum Alloy</li> <li>Metric and English Graduations</li> </ul>	1	рс	50
	7	Welding Mask	<ul> <li>Flip Front Welding Helmet</li> <li>impact-resistant polypropylene material</li> <li>adjustable fit</li> <li>4 1/2" x 2" view area with lens #11</li> </ul>	1	рс	50



TESDA-Region IV-A (CALABARZON) – Gate 2, TESDA Complex, East Service Road,

		South	Superhighway, Taguig City			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
And the control of th	8	Angle Grinder	<ul><li>Portable</li><li>4" capacity</li></ul>	1	unit	50
			• 220 Volts/60 Hz			
78 79		tal, Flux-Cored Arc W				50
79	1	Cored Arc Welding (FO		1		50
	1	File	<ul><li>half round</li><li>300 mm long</li><li>plastic handle</li></ul>	1	рс	50
	2	Ball Peen Hammer	<ul><li>Forged hard steel</li><li>jacketed graphite</li><li>16 oz./ 1 lb</li></ul>	1	рс	50
	3	Vise Grip	<ul> <li>10"</li> <li>chrome plated insulated handle</li> <li>flat jaw</li> <li>adjustment 0" to 1 5/8"</li> </ul>	1	рс	50
	4	Steel Square	<ul> <li>Carpenter's framing square; 2" x 16" x 24"</li> <li>Steel</li> <li>Double graduation inches/cm</li> </ul>	1	рс	50
	5	Auto-Darkening Welding Helmet	<ul><li>Adjustable Shade</li><li>Lens size 3-7/8 in. x 1-1/2 in.</li></ul>	1	pc	50
	6	Chisel	<ul><li>cold</li><li>3/4 in X 6-7/8 in</li><li>forged steel</li></ul>	1	рс	50
79	Subto	tal, Flux-Cored Arc W	elding (FCAW) NC II			50
80	Gas M	letal Arc Welding (GM	IAW) NC I			
	1	Welding Jacket	<ul><li>leather</li><li>heat resistant</li></ul>	1	рс	50
	2	File	<ul><li>half round</li><li>300 mm long</li><li>plastic handle</li></ul>	1	рс	50
	3	Welding Gloves	<ul><li>leather</li><li>heat resistant</li><li>long</li></ul>	1	pair	50
	4	Hacksaw Frame	<ul><li>Adjustable</li><li>24 TPI</li><li>aluminum alloy frame and handle</li></ul>	1	рс	50



LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	5	Chipping Hammer	300 mm long     wood handle	1	рс	50
	6	Safety Goggles	<ul><li>Plastic</li><li>Clear</li><li>Elastic Strap</li></ul>	1	рс	50
	7	Welding Mask	<ul> <li>Flip Front Welding Helmet</li> <li>impact-resistant polypropylene material</li> <li>adjustable fit</li> <li>4 1/2" x 2" view area with lens #11</li> </ul>	1	рс	50
	8	Angle Grinder	<ul><li>Portable</li><li>4" capacity</li><li>220 Volts/60 Hz</li></ul>	1	unit	50
80		tal, Gas Metal Arc We				50
81	Gas M	letal Arc Welding (GM Hard Hat	NC II     yellow ball-cap style hard	1	рс	50
			<ul> <li>hat</li> <li>6 point ratchet type headgear</li> <li>2 point chin strap and V-rib on top</li> <li>polyethylene material</li> </ul>		·	
	2	Safety Goggles	<ul><li>Plastic</li><li>Clear</li><li>Elastic Strap</li></ul>	1	рс	50
	3	Vise Grip	<ul> <li>10"</li> <li>chrome plated insulated handle</li> <li>flat jaw</li> <li>adjustment 0" to 1 5/8"</li> </ul>	1	рс	50
	4	Try Square	<ul> <li>Size: 8" x 12"</li> <li>Thickness: 1.8-2 mm</li> <li>Material: Spring Steel</li> <li>Handle Material: Aluminum Alloy</li> <li>Metric and English Graduations</li> </ul>	1	pc	50
	5	Chisel	<ul><li>cold</li><li>3/4 in X 6-7/8 in</li><li>forged steel</li></ul>	1	рс	50



ACT (UAQTEA) FOR CY 2018

TESDA-Region IV-A (CALABARZON) – Gate 2, TESDA Complex, East Service Road,
South Superhighway, Taguig City

	South Superhighway, Taguig City						
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX	
	6	File	<ul><li>round</li><li>bastard cut</li><li>300 mm long</li><li>plastic handle</li></ul>	1	рс	50	
	7	Auto-Darkening Welding Helmet	<ul><li>Adjustable Shade</li><li>Lens size 3-7/8 in. x 1-1/2 in.</li></ul>	1	рс	50	
81	Subto	tal, Gas Metal Arc We	Iding (GMAW) NC II			50	
83	Gas Tungsten Arc Welding (GTAW) NC II						
	1	Welding Jacket	<ul><li>leather</li><li>heat resistant</li></ul>	1	рс	100	
	2	File	<ul><li>half round</li><li>300 mm long</li><li>plastic handle</li></ul>	1	рс	100	
	3	Angle Grinder	<ul><li>Portable</li><li>4" capacity</li><li>220 Volts/60 Hz</li></ul>	1	unit	100	
	4	Welding Gloves	<ul><li>leather</li><li>heat resistant</li><li>long</li></ul>	1	pair	100	
	5	Chipping Hammer	<ul><li>300 mm long</li><li>wood handle</li></ul>	1	pc	100	
	6	Vise Grip	<ul> <li>10"</li> <li>chrome plated insulated handle</li> <li>flat jaw</li> <li>adjustment 0" to 1 5/8"</li> </ul>	1	рс	100	
	7	Welding Mask	<ul> <li>Flip Front Welding Helmet</li> <li>impact-resistant polypropylene material</li> <li>adjustable fit</li> <li>4 1/2" x 2" view area with lens #11</li> </ul>	1	рс	100	
83			: Welding (GTAW) NC II			100	
85		ning NC I			<del></del>		
	1	Adjustable wrench	<ul> <li>Alloy steel</li> <li>0-2 inches (0-50.8 mm) jaw opening</li> <li>10 inches (254 mm) length</li> </ul>	1	pc	200	

TESDA-Region IV-A (CALABARZON) – Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

LOT	ITEM	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF
NO.	NO. 2	Hacksaw Frame with Blade	<ul> <li>Tubular metal frame</li> <li>90° adjustable blade angle</li> <li>12 inches fixed blade length</li> </ul>	1	set	200
	3	Screwdriver Set	<ul> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li> <li>Philips Blade Tip: 1 x 100 mm, 2 x 150 mm</li> <li>Plastic and Rubberized handle</li> <li>Chrome Vanadium</li> <li>Shank: 6"</li> </ul>	1	set	200
	4	Vernier Caliper	<ul> <li>Stainless steel</li> <li>Dual reading scales on Vernier (English reading on top and Metric reading at bottom)</li> <li>Carbide tipped jaw type</li> <li>(6 inches) 150 mm</li> <li>Least Count = 0.05 mm</li> </ul>	1	рс	200
	5	Combination Wrench Set	<ul> <li>16 pcs</li> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> <li>Lobular box end design</li> </ul>	1	set	200
	6	Allen Wrench Keys	<ul> <li>Steel with black oxide coating</li> <li>Durable plastic molded holders</li> <li>Labeled holders</li> <li>9 pcs./Set 1.5 mm to 10 mm</li> </ul>	1	set	200

#### PROCUREMENT OF STARTER TOOLKITS FOR THE **IMPLEMENTATION OF REPUBLIC ACT 10931** OR UNIVERSAL ACCESS TO QUALITY TERTIARY EDUCATION ACT (UAQTEA) FOR CY 2018 TESDA-Region IV-A (CALABARZON) – Gate 2, TESDA Complex, East Service Road,

South Superhighway. Taguig City

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	7	Combination Square	<ul> <li>Stainless Steel</li> <li>(12 inches) 300 mm</li> <li>Combination Square Set (Blade and Handle)</li> </ul>	1	set	200
85	+	tal, Machining NC I				200
88		led Metal Arc Welding	<u> </u>	·	· · · · · · · · · · · · · · · · · · ·	
	1	Welding Gloves	<ul><li>leather</li><li>heat resistant</li><li>long</li></ul>	1	pair	750
	2	Chipping Hammer	300 mm long     wood handle	1	рс	750
	3	Vise Grip	<ul> <li>10"</li> <li>chrome plated insulated handle</li> <li>flat jaw</li> <li>adjustment 0" to 1 5/8"</li> </ul>	1	рс	750
	4	Safety Goggles	<ul><li>Plastic</li><li>Clear</li><li>Elastic Strap</li></ul>	1	рс	750
	5	Oxy-acetylene Goggles	<ul> <li>Swivel type</li> <li>Rigid 50 mm dual cup</li> <li>Elastic headband</li> <li>Number-5 shade shields against brightness</li> </ul>	1	рс	750
	6	Try Square	<ul> <li>Size: 8" x 12"</li> <li>Thickness: 1.8-2 mm</li> <li>Material: Spring Steel</li> <li>Handle Material: Aluminum Alloy</li> <li>Metric and English Graduations</li> </ul>	1	рс	750
	7	Welding Mask	<ul> <li>Flip Front Welding Helmet</li> <li>impact-resistant polypropylene material</li> <li>adjustable fit</li> <li>4 1/2" x 2" view area with lens #11</li> </ul>	1	рс	750
	8	Angle Grinder	<ul><li>Portable</li><li>4" capacity</li><li>220 Volts/60 Hz</li></ul>	1	unit	750
88	Subto	tal, Shielded Metal Ard	Welding (SMAW) NC I			750

TESDA-Region IV-A (CALABARZON) – Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

LOT NO.	ITEM NO.	ITEM	Superhighway, Taguig City  AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
89	Shield	led Metal Arc Welding	g (SMAW) NC II			
	1	Welding Jacket	<ul><li>leather</li><li>heat resistant</li></ul>	1	рс	500
	2	Ball Peen Hammer	<ul><li>Forged hard steel</li><li>jacketed graphite</li><li>16 oz./ 1 lb</li></ul>	1	рс	500
	3	Steel Square	<ul> <li>Carpenter's framing square; 2" x 16" x 24"</li> <li>Steel</li> <li>Double graduation inches/cm</li> </ul>	1	рс	500
	4	Chisel	<ul><li>cold</li><li>3/4 in X 6-7/8 in</li><li>forged steel</li></ul>	1	pc	500
	5	Hard Hat	<ul> <li>yellow ball-cap style hard hat</li> <li>6 point ratchet type headgear</li> <li>2 point chin strap and V-rib on top</li> <li>polyethylene material</li> </ul>	1	pc	500
	6	Auto-Darkening Welding Helmet	<ul> <li>Adjustable Shade</li> <li>Lens size 3-7/8 in. x 1-1/2 in.</li> </ul>	1	рс	500
89	Subto	tal, Shielded Metal Ar	c Welding (SMAW) NC II			500
90		led Metal Arc Welding				
	1	Angle Grinder	<ul><li>Portable</li><li>4" capacity</li><li>220 Volts/60 Hz</li></ul>	- 1	unit	275
	2	Auto-Darkening Welding Helmet	<ul> <li>Adjustable Shade</li> <li>Lens size 3-7/8 in. x 1-1/2 in.</li> </ul>	1	рс	275
90	Subto	tal, Shielded Metal Ar	c Welding (SMAW) NC III			275
91		Processing NC II				
	1	Food Tongs	<ul><li>stainless steel</li><li>12 inches long</li><li>with wide shell head with locking</li></ul>	1	рс	100

TESDA-Region IV-A (CALABARZON) – Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

LOT	ITENA	South	Superhighway, Taguig City	Ι		
LOT NO.	NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	2	Paring Knife	<ul> <li>high carbon stainless steel</li> <li>size: 3.5-inch blade length</li> <li>sharp cutting edge</li> <li>full tang handled</li> </ul>	1	рс	100
	3	Chef's Knife	<ul> <li>high-carbon stainless steel</li> <li>sharp cutting edge</li> <li>size: 8-inches blade length</li> <li>riveted handle</li> </ul>	1	рс	100
	4	Measuring Spoon	<ul> <li>stainless steel</li> <li>4 pieces per set (1 tbsp, 1 tsp. 1/2 tsp and 1/4 tsp)</li> </ul>	1	set	100
	5	Measuring Cup	<ul> <li>Stainless steel</li> <li>4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup)</li> </ul>	1	set	100
	6	Mixing bowl	<ul><li>Stainless steel</li><li>8" diameter</li><li>5 quart capacity</li></ul>	1	рс	100
	7	Colander	<ul><li>Stainless steel</li><li>Medium Size</li><li>8 quarts capacity with base</li></ul>	1	рс	100
	8	Honing Bar	<ul><li>stainless steel</li><li>10-inch length</li></ul>	1	рс	100
	9	Saucepan	<ul><li>material: stainless</li><li>capacity: 1.5 liter</li><li>with lid cover</li></ul>	1	рс	100
	10	Casserole	<ul> <li>Stainless steel with lid cover and handle both sides</li> <li>Dimension: 20 cm</li> </ul>	1	рс	100
91		tal, Food Processing	NC II			100
92	Beaut 1	y Care NC II Hair Blower	Thermostat Adjustment	1	unit	150
			<ul><li>Wattage: 1,800 watts</li><li>Folding handle</li><li>Voltage: 220 V 60 Hz</li></ul>			
	2	Haircutting Scissor	<ul><li>Materials: Stainless steel</li><li>Sharp cutting edge</li><li>Size: 19.05 cm long</li></ul>	1	рс	150
	3	Protective Cape	<ul><li>Water Proof</li><li>Nylon</li><li>Black</li></ul>	1	рс	150

TESDA-Region IV-A (CALABARZON) – Gate 2, TESDA Complex, East Service Road,

South Superhighway, Taguig City							
LOT NO.	NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX	
	4	Hair Straightener Flat Iron	<ul> <li>Material: Ceramics</li> <li>Temperature setting High (220°C) Low (180°C)</li> <li>Voltage: 220 V 50 Hz</li> <li>Dimension: 37 x 16 x 6 cm</li> </ul>	1	unit	150	
92		tal, Beauty Care NC II				150	
93		y Care Services (Nail (				·	
	1	Cuticle Nail Pusher	<ul> <li>Material: Stainless steel</li> <li>Two end with two different tools</li> <li>Dimension: 10.6 cm x 0.63 cm</li> </ul>	1	рс	150	
	2	Cuticle Nipper	<ul> <li>Material: stainless steel tip</li> <li>handed grip</li> <li>ultra fine, surgical quality</li> <li>size: 1/2 jaw single spring</li> <li>Dimension: 10.16 cm x 0.94 cm x 0.07 cm</li> </ul>	1	рс	150	
	3	Finger Nail Bowl	<ul> <li>5-finger mold</li> <li>Plastic</li> <li>Dimension: 17.5 cm x 12.4 cm x 4.8 cm</li> </ul>	1	рс	150	
	4	Hand Nail Cutter	<ul> <li>Stainless Steel</li> <li>double side swing out nail file</li> <li>Ergonomic Design</li> <li>Dimension: 5.08 cm x 0.6 cm</li> </ul>	1	рс	150	
	5	Nail File	<ul> <li>plastic handle</li> <li>double sided abrasive</li> <li>Dimension: 1 cm x 5 cm x 0.8 cm</li> </ul>	1	рс	150	
	6	Nail Buffer	<ul> <li>Durable sand paper, soft sponge</li> <li>Dimension: 9 cm x 3.6 cm x 2.6 cm</li> </ul>	1	рс	150	
	7	Foot File	<ul> <li>Hard skin remover</li> <li>Wooden handle with double sided foot rasp</li> <li>Dimension: 26.0 cm x 6.0 cm x 1.4 cm</li> </ul>	1	рс	150	



ACT (UAQTEA) FOR CY 2018

TESDA-Region IV-A (CALABARZON) – Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	8	Cuticle Scissor	<ul> <li>Stainless Steel</li> <li>Extra fine point</li> <li>Dimension: 1.7 cm x 7.62 cm x 0.89 cm</li> </ul>	1	рс	150
	9	Callous Remover	<ul> <li>Plastic handle</li> <li>Stainless blade</li> <li>Extra blade</li> <li>Dimension: 14.9 cm x 2.6 cm</li> </ul>	1	рс	150
	10	Pumice Stone	<ul> <li>100% volcanic stone</li> <li>excellent for scrubbing dry</li> <li>Anti- bacterial for removing dead skin</li> <li>Dimension: 10 cm x 7 cm x 2 cm</li> </ul>	1	рс	150
	11	Manicure Nail brush	<ul> <li>plastic nail brush</li> <li>soft nylon brush</li> <li>Dimension: 6.35 cm x 3.93 cm x 1.57 cm</li> </ul>	1	рс	150
	12	Foot spa Machine	<ul> <li>foot detox machine</li> <li>With heater adjustment, bubble massage</li> <li>depth: 14 cm</li> <li>width: 38 cm</li> <li>length: 40 cm</li> <li>220-240 V/50 Hz</li> </ul>	1	unit	150
	13	Hand spa Machine	<ul> <li>Thermostatically - controlled heating unit</li> <li>length: 24 cm</li> <li>width: 17.5 cm</li> <li>depth: 9 cm</li> <li>220-240 V/50 Hz</li> </ul>	1	unit	150
93	Subto	otal, Beauty Care Serv	ices (Nail Care) NC II			150

TESDA-Region IV-A (CALABARZON) – Gate 2, TESDA Complex, East Service Road, South Superhighway, Taquiq City

LOT NO.	NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
94	Bookk	ceeping NC III	· · · · · · · · · · · · · · · · · · ·			
	1	Calculator	<ul> <li>Scientific Calculator</li> <li>STAT DATA Editor</li> <li>240 functions</li> <li>12 digit x two-line display</li> <li>3 inches x 5 inches dimension</li> <li>Hard Slide Case</li> </ul>	1	unit	75
	2	Stapler	<ul> <li>with built-in staple wire remover #35</li> <li>weight: 0.085 kg</li> <li>dimension: 11 cm x 3 cm x 5 cm</li> <li>Staples 24 sheets</li> </ul>	1	рс	75
	3	Pencil Sharpener	<ul> <li>table mounted</li> <li>manually operated</li> <li>with pen crumbs visible container</li> <li>pencil lock hole</li> </ul>	1	unit	75
	4	Stainless Ruler	<ul> <li>Stainless Steel</li> <li>Double sided ruler cm/inches</li> <li>Conversion table on the back side</li> <li>laser engraved lines</li> <li>30 cm</li> </ul>	1	рс	75
	5	Flash drive	<ul><li>Capacity: 64 GB</li><li>Compatibility: USB 3.0</li></ul>	1	рс	75
	6	A4 Paper Pockets File Folder	<ul> <li>Material: Paper board</li> <li>Stainless Steel Clip</li> <li>Size: 22.5 cm x 31 cm</li> </ul>	1	рс	75
	7	Puncher	<ul> <li>two hole punch</li> <li>Dimension: 15 cm (L) x 8.5 cm (W) x 11.5 cm (H)</li> <li>punches up to 20 sheets</li> <li>with sliding ruler</li> </ul>	1	рс	75
	8	Accordion File Organizer	<ul> <li>Polypropylene</li> <li>Expandable pockets with tab flap and cord closure</li> <li>Long size, 8.5 x 13 inches</li> </ul>	1	рс	75
94	Subto	tal, Bookkeeping NC		_A		75

ap 1 on

439

#### PROCUREMENT OF STARTER TOOLKITS FOR THE **IMPLEMENTATION OF REPUBLIC ACT 10931** OR UNIVERSAL ACCESS TO QUALITY TERTIARY EDUCATION ACT (UAQTEA) FOR CY 2018 TESDA-Region IV-A (CALABARZON) – Gate 2, TESDA Complex, East Service Road,

South Superhighway, Taquiq City

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
96		essing NC II	<u> </u>		L	
	1	Haircutting Scissor	<ul><li>Stainless steel</li><li>Sharp cutting edge</li><li>Size: 19.05 cm long</li></ul>	1	рс	125
	2	Hair Blower	<ul> <li>Thermostat Adjustment</li> <li>Wattage: 1,800 watts</li> <li>Folding handle</li> <li>Voltage: 220 V 60 Hz</li> </ul>	1	unit	125
	3	Hair Straightener Flat Iron	<ul> <li>Material: Ceramics</li> <li>Temperature setting High (220°C) Low (180°C)</li> <li>Voltage: 220 V 50 Hz</li> <li>Dimension: 37 cm x 16 cm x 6 cm</li> </ul>	1	unit	125
96	Subto	tal, Hairdressing NC	II			125
100	Barter	nding NC II		1	,	·
	1	Cocktail Shaker	<ul> <li>350 ml capacity</li> <li>stainless steel</li> <li>Size (cm): 25 in L x 5 in W x 16 in H</li> </ul>	1	рс	200
	2	Paring Knife	<ul> <li>high carbon stainless steel</li> <li>size: 3.5-inch blade length</li> <li>sharp cutting edge</li> <li>full tang handled</li> </ul>	1	рс	200
	3	Corkscrew	<ul> <li>measures 12 x 2.2 x 1.1 cm</li> <li>stainless steel metal corkscrew/bottle opener</li> </ul>	1	рс	200
	4	Blender/Osterizer	<ul> <li>8 speed with pulse</li> <li>500 watts, 220 volts, 60 hertz</li> <li>stainless steel, ice crusher blade</li> <li>glass jar with cover</li> </ul>	1	unit	200
	5	Flair Bottle	<ul> <li>measures: 29 cm bottom diameter, 7.5 cm diameter, 3.2 cm</li> <li>yellow color</li> <li>hard plastic</li> </ul>	1	рс	200
	6	Ice Pick	<ul> <li>measures: 21.5 cm long</li> <li>stainless steel pick with wooden handle 9 cm long</li> </ul>	1	рс	200
100	Subto	tal, Bartending NC II				200

440

TESDA-Region IV-A (CALABARZON) – Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
101		and Pastry Producti	on NC II			FAX
	1	Spatula	<ul> <li>Stainless steel straight blade</li> <li>Plastic handle</li> <li>3 cm blade width</li> <li>25.4 cm blade length</li> <li>12.7 cm handle length</li> <li>Round edges</li> </ul>	1	рс	850
	2	Decorating tips	<ul> <li>Stainless steel</li> <li>7-piece cake decorating tip set (Closed Star, Open Star, French, Round, Plain, Leaf, Petal)</li> <li>3 cm height</li> <li>Opening range: 1.27 cm</li> </ul>	1	set	850
	3	Flour sifter	<ul><li>Stainless steel mesh flour strainer</li><li>12" diameter</li></ul>	1	рс	850
	4	Measuring cup	<ul> <li>Stainless steel</li> <li>4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup)</li> </ul>	1	set	850
	5	Mixing bowl	<ul><li>Stainless steel</li><li>8" diameter</li><li>5 quart capacity</li></ul>	1	рс	850
	6	Piping bags	<ul> <li>12 inches</li> <li>lightweight</li> <li>reusable</li> <li>flexible polyester</li> <li>coated, can be boiled</li> <li>dishwasher safe</li> </ul>	1	рс	850
	7	Wire whisk	<ul> <li>Stainless steel</li> <li>12 inches</li> <li>balloon style</li> <li>handle length: 4 cm</li> </ul>	1	рс	850
	8	Bread knife	<ul> <li>Length: 8"</li> <li>serrated edge</li> <li>stain-free</li> <li>high-carbon steel blade</li> <li>polypropylene</li> <li>straight handle</li> </ul>	1	рс	850

TESDA-Region IV-A (CALABARZON) – Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

LOT	ITEM	South	Superhighway, Taguig City	T		NO. OF	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	PAX	
	9	Digital Weighing Scale	<ul> <li>LCD display</li> <li>Measure in pounds (lbs), ounces (oz) and grams (g)</li> <li>Battery operated</li> <li>Capacity: 5 kilograms</li> </ul>	1	unit	850	
	10	Muffin pan	<ul><li>12 holes</li><li>3 oz. capacity per hole</li><li>aluminum</li></ul>	1	pc	850	
	11	Cheese Grater	<ul> <li>Stainless steel</li> <li>Box grater with handle</li> <li>20.9 x 8.5 x 6.1 cm</li> <li>Small and large holes</li> </ul>	1	pc	850	
	12	Chef's Knife	<ul> <li>high-carbon stainless steel</li> <li>sharp cutting edge</li> <li>size: 8-inches blade length</li> <li>riveted handle</li> </ul>	1	рс	850	
101		tal, Bread and Pastry	Production NC II			850	
103	Cookery NC II						
	1	Chef's Knife	<ul> <li>high-carbon stainless steel</li> <li>sharp cutting edge</li> <li>size: 8-inches blade length</li> <li>riveted handle</li> </ul>	1	pc	300	
	2	Food Tongs	<ul> <li>stainless steel</li> <li>12 inches long</li> <li>with wide shell head with locking</li> </ul>	1	рс	300	
	3	Digital Weighing Scale	<ul> <li>LCD display</li> <li>Measure in pounds (lbs), ounces (oz) and grams (g)</li> <li>Battery operated</li> <li>Capacity: 5 kilograms</li> </ul>	1	unit	300	
	4	Honing Bar	<ul><li>stainless steel</li><li>10-inch length</li></ul>	1	рс	300	
	5	Measuring Cup	<ul> <li>Stainless steel</li> <li>4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup)</li> </ul>	1	set	300	
	6	Measuring Spoon	<ul> <li>stainless steel</li> <li>4 pieces per set (1 tbsp, 1 tsp, 1/2 tsp and 1/4 tsp)</li> </ul>	1	set	300	

in T

TESDA-Region IV-A (CALABARZON) – Gate 2, TESDA Complex, East Service Road,

	,	South 9	Superhighway, Taguig City			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	7	Saucepan	<ul><li>material: stainless</li><li>capacity: 1.5 liter</li><li>with lid cover</li></ul>	1	рс	300
	8	Casserole	<ul> <li>Stainless steel with lid cover and handle both sides</li> <li>Dimension: 20 cm</li> </ul>	1	рс	300
103	Subto	tal, Cookery NC II	***	<u> </u>	·	300
104		and Beverage Service	s NC II		-	
	1.	Corkscrew	<ul> <li>measures 12 x 2.2 x 1.1 cm</li> <li>stainless steel metal corkscrew/bottle opener</li> </ul>	1	pc	375
	2	Linen/Skirting Cloth	<ul><li>10 yards (double width) skirting cloth</li><li>satin (any color)</li></ul>	1	рс	375
	3	Tablet	<ul> <li>Processor: 1.3 gHz</li> <li>OS: Android 6.0</li> <li>Memory: 1GB RAM</li> <li>Storage: 8GB ROM</li> <li>Display: screen 7" (177.8 mm)</li> <li>With SIM slot</li> </ul>	1	unit	375
104	Subto	tal, Food and Beverag	e Services NC II	,		375
105		and Beverage Service				1
	1	Knives	<ul> <li>Set of 6 (stainless steel blade with plastic black handle)</li> <li>Set includes: <ul> <li>8" long, chef knife</li> <li>8" long, serrated knife</li> <li>8" long, slicing knife</li> <li>5" long, utility knife</li> <li>3.5" long, paring knife</li> <li>stainless steel block box</li> </ul> </li> </ul>	1	set	25
	2	Frying Pan	<ul> <li>26 cm non-stick pan with bakelite handle</li> <li>aluminum body</li> </ul>	1	рс	25

TESDA-Region IV-A (CALABARZON) – Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	3	Portable Gas Stove	<ul> <li>Portable indoor/outdoor gas stove</li> <li>ceramic enamel-coated drip pan</li> </ul>	1	рс	25
	4	Serving Spoon	<ul><li>stainless steel serving spoon</li><li>8 inches in length</li></ul>	1	рс	25
	5	Serving Fork	<ul><li>4 prong stainless steel serving fork</li><li>8 inches in length</li></ul>	1	рс	25
	6	Carving Knife	<ul> <li>high carbon</li> <li>stainless steel</li> <li>sharp cutting edge</li> <li>8-inch blade length</li> <li>with riveted handle</li> </ul>	1	рс	25
	7	Calculator	<ul> <li>12 digits display</li> <li>front panel metal coating</li> <li>battery power</li> <li>big display</li> <li>memory functions up to 4 decimal support</li> <li>high quality plastic construction and keys</li> <li>off key</li> <li>double zero with rounding function support</li> <li>dimension: 192mm x 147mm x 42mm</li> </ul>	1	unit	25
	8	Accordion File Organizer	<ul> <li>Polypropylene</li> <li>Expandable pockets with tab flap and cord closure</li> <li>Long size, 8.5 x 13 inches</li> </ul>	1	рс	25
105	Subto	otal, Food and Bevera	ge Services NC III	.1.		25



TESDA-Region IV-A (CALABARZON) - Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
106	Front	Office Services NC II				
	1	Calculator	<ul> <li>12 digits display</li> <li>front panel metal coating</li> <li>battery power</li> <li>big display</li> <li>memory functions up to 4 decimal support</li> <li>high quality plastic construction and keys</li> <li>off key</li> <li>double zero with rounding function support</li> <li>dimension: 192mm x 147mm x 42mm</li> </ul>	1	unit	25
	2	Flash drive	<ul><li>Capacity: 64 GB</li><li>Compatibility: USB 3.0</li></ul>	1.	рс	25
	3	Portable Amplifier	<ul> <li>Power Output: 30 W</li> <li>Mode: USB/MP3/FM</li> <li>Charger Voltage: 10V 450 mA</li> <li>AC/DC</li> <li>with headset and lapel microphone</li> </ul>	1	unit	25
	4	Fake Bills Detector	<ul> <li>Voltage: 220V 50Hz-60Hz</li> <li>Product size: approx. 183 x 82 x 90mm/7.2 x 3.22 x 3.54"</li> <li>Fluorescent UV blue lamp 4w</li> <li>On/Off Button</li> </ul>	1	unit	25
	5	Stapler	<ul> <li>with built-in staple wire remover #35</li> <li>weight: 0.085 kg</li> <li>dimension: 11 x 3 x 5 cm</li> <li>Staples 24 sheets</li> </ul>	1	рс	25
	6	A4 Paper Pockets File Folder	<ul><li>Material: Paper board</li><li>Stainless Steel Clip</li><li>Size: 22.5 x 31 cm</li></ul>	1	рс	25

TESDA-Region IV-A (CALABARZON) – Gate 2, TESDA Complex, East Service Road,

	T	South	Superhighway, Taguig City	i -	i	
LOT NO.	NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	7	Accordion File Organizer	<ul> <li>Polypropylene</li> <li>Expandable pockets with tab flap and cord closure</li> <li>Long size, 8.5 x 13 inches</li> </ul>	1	рс	25
106	Subto	tal, Front Office Servi				25
107	House	keeping NC II				
	1	Flashlight	<ul> <li>6000 Lumen 5 modes (high, low, red safety flasher, rescue beacon and OFF)     Led Flashlight</li> <li>With digital smart single</li> </ul>	1	рс	275
			charger with 1 pc 18650 4200 mAh 3.7 V battery with case  • With stun gun			
	2	Steam Flat Iron	<ul> <li>Electric flat iron with spray</li> <li>220 V/60 Hz</li> <li>1,100 - 1,310 watts</li> <li>with 5 selector</li> </ul>	1	unit	275
	3	Vacuum Cleaner	<ul> <li>Wet and dry vacuum cleaner</li> <li>220 volts, 50-60Hz, 1,100 watts</li> <li>Tank size: 4 liters</li> <li>With complete accessories</li> </ul>	1	unit	275
107	Subto	tal, Housekeeping NC		1		275
108	House	ekeeping NC III				
	1	Long Nose Plier	<ul><li>Overall Length: 8"</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	рс	50
	2	Electrician Plier	<ul><li>Overall Length: 238 mm</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	рс	50
	3	Pull-Push Rule	<ul> <li>Blade length 8m/26ft</li> <li>Blade width 1"</li> <li>High impact ABS case with durable rubber</li> <li>Corrosion resistant tru-zero end</li> </ul>	1	рс	50

TESDA-Region IV-A (CALABARZON) – Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

LOT NO.	ITEM NO.	ITEM	Superhighway, Taguig City  AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	4	Tablet	<ul> <li>Processor: 1.3 gHz</li> <li>OS: Android 6.0</li> <li>Memory: 1GB RAM</li> <li>Storage: 8GB ROM</li> <li>Display: screen 7" (177.8 mm)</li> <li>With SIM slot</li> </ul>	1	unit	50
	5	Screwdriver Set	<ul> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li> <li>Philips Blade Tip: 1 x 100 mm, 2 x 150 mm</li> <li>Plastic and Rubberized handle</li> <li>Chrome Vanadium</li> <li>Shank: 6"</li> </ul>	1	set	50
108	Subto	tal, Housekeeping NC			L	50
110	Custo	mer Services NC II				
	1	Extension Cord	<ul> <li>with individual power switch</li> <li>6-gang</li> <li>1.83 meters cord length</li> <li>2500 W 10A 250 V</li> </ul>	1	рс	75
	2	Stapler	<ul> <li>with built-in staple wire remover #35</li> <li>weight: 0.085 kg</li> <li>dimension: 11 x 3 x 5 cm</li> <li>Staples 24 sheets</li> </ul>	1	рс	75
	3	Pencil Sharpener	<ul> <li>table mounted</li> <li>manually operated</li> <li>with pen crumbs visible container</li> <li>pencil lock hole</li> </ul>	1	unit	75
	4	Packaging Tape Dispenser	<ul> <li>hard plastic finish</li> <li>with a hand brake mechanism</li> <li>3 core tapes, tape 2 inches wide</li> <li>1 tape included</li> </ul>	1	рс	75

å Ty

TESDA-Region IV-A (CALABARZON) – Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	5	Portable Amplifier	<ul> <li>Power Output: 30 W</li> <li>Mode: USB/MP3/FM</li> <li>Charger Voltage: 10V 450 mA</li> <li>AC/DC</li> <li>with headset and lapel microphone</li> </ul>	1	unit	75
	6	Flash drive	<ul><li>Capacity: 64 GB</li><li>Compatibility: USB 3.0</li></ul>	1	рс	75
	7	Puncher	<ul> <li>two hole punch</li> <li>Dimension: 15 (L) x 8.5 (W) x 11.5 (H)</li> <li>punches up to 20 sheets</li> <li>with sliding ruler</li> </ul>	1	рс	75
110	Subto	tal, Customer Service	<u> </u>			75
	TOTA	L				12,550


LOT	ITEM	ITEM	g-asa, Bansud, Oriental Mindord AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF
NO.	NO.		AGENCT SPECIFICATIONS	QII	UNIT	PAX
8	Aquad	culture NC II			· · · · · · · · · · · · · · · · · · ·	7-
		pH meter	<ul> <li>Ph range from 0-14</li> <li>large multi-level LCD which displays both pH and temperature readings simultaneously</li> <li>An exposed temperature sensor allows for rapid automatic temperature compensated pH measurements</li> <li>Temperature can be set to display in °C or °F</li> <li>The LCD screen has stability and calibration tag indicators</li> <li>The battery percent level is displayed at start up alerting the user to the remaining battery power that is available.</li> </ul>	1	unit	75
	2	Scoop net	<ul> <li>net material: nylon</li> <li>size detail: <ul> <li>handle length: 2.7 cm/10.63 inch</li> <li>net size: 20 x 18 cm / 7.87 x 7.07 inch</li> <li>net depth: 20 cm / 7.87 inch</li> <li>total length: 47 cm / 18.50 inch</li> </ul> </li> </ul>	1	рс	75
	3	Drawing instruments	<ul> <li>compass with 0.5 mm pencil lead, used for drawing circle or circular, made from stainless steel, durable and easy to carry</li> <li>geometry tools, special suitable for school teaching use</li> <li>size 11.5 cm x 2 cm x 0.6 cm</li> <li>package included: transparent box + silver metal compass stand tall + lead refill</li> </ul>	1	set	75

TESDA-Region IV-B (MIMAROPA) – Simeon Suan Vocational and Technical College (SSVTC), Pag-asa, Bansud, Oriental Mindoro

LOT	(SSVTC), Pag-asa, Bansud, Oriental Mindoro						
LOT NO.	NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX	
	4	Calculator	<ul> <li>Scientific Calculator</li> <li>STAT DATA Editor</li> <li>240 functions</li> <li>12 digit x two-line display</li> <li>3 x 5 inches dimension</li> <li>Hard Slide Case</li> </ul>	1	unit	75	
8	Subto	tal, Aquaculture NC II		'-		75	
20	Auton	notive Servicing NC I					
	1	Socket wrench	<ul> <li>1 x 1/4-Inch (6.3 mm) Ratchet Wrench</li> <li>10 pcs 10 mm-24 mm Common Sockets</li> <li>1 pc Extension Rod</li> </ul>	1	set	100	
	2	Spark Plug Wrench	<ul> <li>1 pc T-Handle Universal Joint</li> <li>2 pcs Spark Plug Socket Wrench (16 and 21 mm)</li> </ul>	1	set	100	
	3	Feeler Gauge	<ul> <li>25 tempered steel blades</li> <li>Gauge measures: 0.0015" (0.038 mm) to 0.035" (0.889 mm)</li> <li>Blade length: 80 mm</li> <li>Chrome plated</li> <li>Blade is laser etched with Inches and Millimeters</li> </ul>	1	set	100	
	4	Hydrometer	<ul> <li>Material: Glass and rubber</li> <li>Testing range: 1.100 - 1.300</li> <li>Specific Gravity (SG)</li> <li>Based at 77 °F temperature</li> </ul>	1	рс	100	
	5	Vernier Caliper	<ul> <li>Stainless steel</li> <li>Dual reading scales on Vernier (English reading on top and Metric reading at bottom)</li> <li>Carbide tipped jaw type</li> <li>(6 inches) 150 mm</li> <li>Least Count = 0.05 mm</li> </ul>	1	рс	100	

450 7 gr , 98

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	6	Screwdriver Set	<ul> <li>Philips &amp; Standard</li> <li>6 pcs. per set</li> <li>plastic handle</li> <li>Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)</li> <li>Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)</li> </ul>	1	set	100
	7	Ball Peen Hammer	<ul> <li>jacketed graphite head, polished face</li> <li>12 ounce (340 grams), wooden handle</li> </ul>	1	рс	100
20		tal, Automotive Service	ing NC I			100
21	Auton 1	notive Servicing NC II	Cuitable for CV 9 40 V	1		100
		Battery Tester	<ul> <li>Suitable for 6 V &amp; 12 V Batteries</li> <li>Up to 1000 CCA (SAE)</li> <li>12 V Charging/Start System</li> <li>Shock-resistant ventilated cover</li> <li>Color-coded copper-plated clamps</li> </ul>	1	pc	100
	2	Soldering Gun	<ul> <li>Power: 130W</li> <li>Two optional pre-heat (High/Low)</li> <li>Tips: 4 mm x 65 mm</li> <li>Voltage: AC 220V</li> <li>Pre-heat time: 5-10 minutes</li> <li>Power cable: 1 meter</li> <li>Plug type: Type A</li> <li>Material: ABS Plastic</li> </ul>	1	рс	100



LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	3	Multi-Tester	<ul> <li>Analog</li> <li>DCV Range: 0.1 V to 1,000 V</li> <li>ACV Range: 10 V to 750 V</li> <li>Internal Battery: R6 (IEC) or UM-3 1.5V x 2</li> <li>Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm</li> <li>Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g</li> <li>Resistance: X1 to X1k</li> </ul>	1	unit	100
21	Subto	tal, Automotive Servic		<u> </u>		100
24		g NC II				
	1	Socket wrench	<ul> <li>1 x 1/4-Inch (6.3 mm) Ratchet Wrench</li> <li>10 pcs 10 mm-24 mm Common Sockets</li> <li>1 pc Extension Rod</li> </ul>	1	set	125
	2	Vise Grip	<ul><li>7" straight jaw</li><li>Hard steel</li></ul>	1	рс	125
	3	Tire Inflator	<ul><li>12 volts</li><li>300 psi</li></ul>	1	set	125
24	Subto	tal, Driving NC II				125
26	Motor	cycle/Small Engine Se	ervicing NC II			
	1	T-Wrench	<ul> <li>4 pcs forged steel with sizes</li> <li>8-10-12 and 14 mm</li> </ul>	1	set	75
	2	Spark Plug Wrench	<ul> <li>1 pc T-Handle Universal Joint</li> <li>2 pcs Spark Plug Socket Wrench (16 and 21 mm)</li> </ul>	1	set	75
	3	Screwdriver Set	<ul> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li> <li>Philips Blade Tip: 1 x 100 mm, 2 x 150 mm</li> <li>Plastic and Rubberized handle</li> <li>Chrome Vanadium</li> <li>Shank: 6"</li> </ul>	1	set	75



LOT NO.	ITEM NO.	ITEM	g-asa, Bansud, Oriental Mindord AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	4	Allen Wrench	<ul> <li>22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"</li> <li>1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm</li> <li>Long arm series</li> <li>Chrome Vanadium steel</li> </ul>	1	set	75
	5	Socket wrench	<ul> <li>1 x 1/4-Inch (6.3 mm) Ratchet Wrench</li> <li>10 pcs 10 mm-24 mm Common Sockets</li> <li>1 pc Extension Rod</li> </ul>	1	set	75
26			Engine Servicing NC II			75
27	Carpe	ntry NC II	1000	1 4		75
	1	Crow Bar	<ul><li>914.4 mm (36") long</li><li>forged high steel carbon</li></ul>	1	рс	75
	2	Pull-Push Rule	<ul> <li>Blade length 8m/26ft</li> <li>Blade width 1"</li> <li>High impact ABS case with durable rubber</li> <li>Corrosion resistant tru-zero end</li> </ul>	1	pc	75
	3	Steel Square	<ul> <li>Carpenter's framing square;</li> <li>2" x 16" x 24"</li> <li>Steel</li> <li>Double graduation inches/cm</li> </ul>	1	pc	75
	4	Try Square	<ul> <li>Size: 8" x 12"</li> <li>Thickness: 1.8-2 mm</li> <li>Material: Spring Steel</li> <li>Handle Material: Aluminum Alloy</li> <li>Metric and English Graduations</li> </ul>	1	pc	75
	5	Spirit Level Bar	<ul><li>High impact plastic</li><li>Magnetic</li><li>3 vials, 24" length</li></ul>	1	рс	75



LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
NO.	6	Cross Cut Saw	<ul> <li>60 cm (24 inches) long</li> <li>Hard Plastic Handle</li> <li>8 points per inch</li> <li>Hard steel blade</li> </ul>	1	рс	75
	7	Drill	<ul> <li>Hand Drill</li> <li>Voltage: 220 V/60 Hz</li> <li>Continuous power input: 350 Watts</li> <li>No load speed: 0-3,000 rpm</li> <li>Dimension (L x W x H): 23 cm x 6.8 cm x 16.4 cm</li> </ul>	1	unit	75
	8	Chalk Line Reel	100 ft. heavy duty die cast body	1	рс	75
27		tal, Carpentry NC II				75
39		nry NC II	10 11 20	1		75
	1	Claw Bar	<ul> <li>19 mm diameter x 90 cm long</li> <li>Forged high-carbon tempered steel</li> </ul>	1	pc	
	2	Claw Hammer	<ul> <li>453.6 grams (16 oz.)</li> <li>Forged steel</li> <li>Hardened and tempered steel head</li> <li>Smooth face</li> <li>Fiberglass handle</li> </ul>	1	pc	75
	3	Hacksaw	<ul> <li>Heavy duty hacksaw with 12" bi-metal hacksaw blade</li> <li>High Speed 24 TPI</li> <li>Strong box section steel, rugged, professional industrial hacksaw</li> <li>Rubberized handle frame</li> </ul>	1	pc	75
	4	Hacksaw Blade	<ul> <li>High Speed 24 TPI</li> <li>304.8 mm (12") long bi-metal</li> <li>Heavy duty steel hacksaw blade</li> </ul>	1	pc	75
	5	Handsaw	<ul> <li>20"/500mm Cross Cut Hand Saw</li> <li>Machine set teeth</li> <li>resharpenable with traditional hardwood handle for comfort</li> </ul>	1	рс	75



TESDA-Region IV-B (MIMAROPA) – Simeon Suan Vocational and Technical College (SSVTC), Pag-asa, Bansud, Oriental Mindoro

LOT NO.	ITEM NO.	ITEM	g-asa, Bansud, Oriental Mindord  AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	6	Paint Brush	<ul> <li>50.8 mm (2")</li> <li>Pure bristle with comfort grip</li> <li>Made of Solid Round Tapered (SRT) polyester filaments</li> </ul>	1	рс	75
	7	Paint Brush	<ul> <li>101.6 mm (4")</li> <li>Pure bristle with comfort grip</li> <li>Made of Solid Round Tapered (SRT) polyester filaments</li> </ul>	1	рс	75
	8	Pull-Push Rule	<ul> <li>Blade length 8m/26ft</li> <li>Blade width 1"</li> <li>High impact ABS case with durable rubber</li> <li>Corrosion resistant tru-zero end</li> </ul>	1	рс	75
	9	Shovel	<ul> <li>Heavy gauge</li> <li>tempered steel blade digging shovel</li> <li>39.5" long</li> <li>With strong Poly D-grip</li> <li>Hardwood handle</li> </ul>	1	рс	75
	10	Spirit Level Bar	<ul><li>High impact plastic</li><li>Magnetic</li><li>3 vials, 24" length</li></ul>	1	рс	75
	11	Steel (Bucket/ Bricklaying) Pointing Trowel	<ul> <li>10" solid forged steel blade</li> <li>Precision tapered</li> <li>Soft duragrip and hard end handle</li> </ul>	1	рс	75
	12	Steel Float/ Plastering Trowel	<ul> <li>0.7 mm min. thick x 280 mm x 125 mm</li> <li>High carbon Steel</li> <li>Solid forged steel with soft handle</li> </ul>	1	рс	75
	13	Steel Square	<ul> <li>Carpenter's framing square;</li> <li>2" x 16" x 24"</li> <li>Steel</li> <li>Double graduation inches/cm</li> </ul>	1	рс	75
39	Subto	tal, Masonry NC II	1			75

n 7 3

NO. 50	3 4	Angle Grinder  Spirit Level Bar  Mechanical plier  Pull-Push Rule	<ul> <li>Portable</li> <li>4" capacity</li> <li>220 Volts/60 Hz</li> <li>High impact plastic</li> <li>Magnetic</li> <li>3 vials, 24" length</li> <li>8 inches length</li> <li>insulated handle</li> <li>Blade length 8m/26ft</li> <li>Blade width 1"</li> <li>High impact ABS case with durable rubber</li> </ul>	1 1 1	pc pc	25 25 25 25
	3 4	Angle Grinder  Spirit Level Bar  Mechanical plier	<ul> <li>4" capacity</li> <li>220 Volts/60 Hz</li> <li>High impact plastic</li> <li>Magnetic</li> <li>3 vials, 24" length</li> <li>8 inches length</li> <li>insulated handle</li> <li>Blade length 8m/26ft</li> <li>Blade width 1"</li> <li>High impact ABS case with</li> </ul>	1	рс	25 25
	3 4	Mechanical plier	<ul> <li>Magnetic</li> <li>3 vials, 24" length</li> <li>8 inches length</li> <li>insulated handle</li> <li>Blade length 8m/26ft</li> <li>Blade width 1"</li> <li>High impact ABS case with</li> </ul>	1	рс	25
	4	,	<ul> <li>insulated handle</li> <li>Blade length 8m/26ft</li> <li>Blade width 1"</li> <li>High impact ABS case with</li> </ul>			
		Pull-Push Rule	<ul><li>Blade width 1"</li><li>High impact ABS case with</li></ul>	1	рс	25
	<del></del>		Corrosion resistant tru-zero end			
	5	Steel Square	<ul> <li>Carpenter's framing square;</li> <li>2" x 16" x 24"</li> <li>Steel</li> <li>Double graduation inches/cm</li> </ul>	1	рс	25
	6	Try Square	<ul> <li>Size: 8" x 12"</li> <li>Thickness: 1.8-2 mm</li> <li>Material: Spring Steel</li> <li>Handle Material: Aluminum Alloy</li> <li>Metric and English Graduations</li> </ul>	1	pc	25
	7	Rubber Mallet	<ul><li>16 oz (453.6 grams)</li><li>Wooden Handle</li></ul>	1	рс	25
	8	Steel (Bucket/ Bricklaying) Pointing Trowel	<ul> <li>10" solid forged steel blade</li> <li>Precision tapered</li> <li>Soft duragrip and hard end handle</li> </ul>	1	pc	25
50	<del></del>	tal, Tile Setting NC II				25
51	Comp	uter Systems Servicin				205
	7	Crimping Tool	Suitable for:  RJ 45 RJ 11 4P 6P 8P	1	pc	225

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	2	Electrician Plier	<ul><li>Overall Length: 238 mm</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	рс	225
	3	Wire Stripper	<ul><li>automatic</li><li>cap. 1.5 mm to 3.5 mm</li></ul>	1	рс	225
		Combination Wrench Set	<ul> <li>16 pcs</li> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> <li>Lobular box end design</li> </ul>	1	set	225
	5	Allen Wrench	<ul> <li>22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"</li> <li>1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm</li> <li>Long arm series</li> <li>Chrome Vanadium steel</li> </ul>	1	set	225
	6	Screwdrivers Set	<ul> <li>30 in 1 Screwdriver</li> <li>Phillips (+) PH00, PH0, PH1, PH2</li> <li>Torx T4, T5, T6, T7, T8, T10, T15, T20</li> <li>Flat (-) 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 3.5 mm, 4.0 mm</li> <li>Hex 1.0, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0</li> <li>Made of Chrome Vanadium</li> <li>Soft TPL Handle</li> </ul>	1	set	225
51	Subto	tal, Computer System	·			225

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
53	Electri	cal Installation and M	aintenance NC II		,	
	1	Electrician Plier	<ul><li>Overall Length: 238 mm</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	pc	375
	2	Long Nose Plier	<ul><li>Overall Length: 8"</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	рс	375
	3	Screwdriver Set	<ul> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li> <li>Philips Blade Tip: 1 x 100 mm, 2 x 150 mm</li> <li>Plastic and Rubberized handle</li> <li>Chrome Vanadium</li> <li>Shank: 6"</li> </ul>	1	set	375
	4	Pipe Bender Manual	<ul><li>1/2-3/4 inch bending radius</li><li>ductile high strength iron</li></ul>	1	рс	375
53	Subto	tal, Electrical Installat	ion and Maintenance NC II		-	375
54	Electr	ical Installation and M	aintenance NC III		• • • • • • • • • • • • • • • • • • • •	
	1	Multi-Tester	<ul> <li>Analog</li> <li>DCV Range: 0.1 V to 1,000 V</li> <li>ACV Range: 10 V to 750 V</li> <li>Internal Battery: R6 (IEC) or UM-3 1.5V x 2</li> <li>Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm</li> <li>Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g</li> <li>Resistance: X1 to X1k</li> </ul>	1	unit	50

LOT	ITEM		g-asa, Bansud, Oriental Mindord		118117	NO. OF
NO.	NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	PAX
	2	Allen Wrench	<ul> <li>22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"</li> <li>1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm</li> <li>Long arm series</li> <li>Chrome Vanadium steel</li> </ul>	1	set	50
	3	Wire Stripper	automatic	1	рс	50
			• cap. 1.5 mm to 3.5 mm			50
	4	Combination Wrench Set	<ul> <li>16 pcs</li> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> <li>Lobular box end design</li> </ul>	1	set	50
54	Subto	tal, Electrical Installat	ion and Maintenance NC III	•		50
55	Electr	onics Products Assen	nbly and Servicing NC II	,		
	1	Multi-Tester	<ul> <li>Analog</li> <li>DCV Range: 0.1 V to 1,000 V</li> <li>ACV Range: 10 V to 750 V</li> <li>Internal Battery: R6 (IEC) or UM-3 1.5V x 2</li> <li>Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm</li> <li>Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g</li> <li>Resistance: X1 to X1k</li> </ul>	1	unit	150
	2	Electrician Plier	<ul><li>Overall Length: 238 mm</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	рс	150
	3	Long Nose Plier	<ul> <li>Overall Length: 8"</li> <li>Steel Alloy</li> <li>Handle finish: plastic-dipped</li> </ul>	1	рс	150

TESDA-Region IV-B (MIMAROPA) – Simeon Suan Vocational and Technical College (SSVTC), Pag-asa, Bansud, Oriental Mindoro

LOT	ITEM	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
NO.	NO. 4	Diagonal Cutting Plier	<ul><li>Overall Length: 8"</li><li>Material: Carbon Steel</li><li>Handle Finish: plastic dipped</li></ul>	1	рс	150
	5	Soldering Iron	<ul><li>30 watts, 220 volts/60hz</li><li>heat pencil tip</li></ul>	1	рс	150
	6	Allen Wrench	• 22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"  1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm	1	set	150
			<ul><li>Long arm series</li><li>Chrome Vanadium steel</li></ul>			
	7	Wire Stripper	automatic     cap. 1.5 mm to 3.5 mm	1	рс	150
	8	Vernier Caliper	<ul> <li>Stainless steel</li> <li>Dual reading scales on Vernier (English reading on top and Metric reading at bottom)</li> <li>Carbide tipped jaw type</li> <li>(6 inches) 150 mm</li> <li>Least Count = 0.05 mm</li> </ul>	1	рс	150
	9	Screwdriver Set	<ul> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li> <li>Philips Blade Tip: 1 x 100 mm, 2 x 150 mm</li> <li>Plastic and Rubberized handle</li> <li>Chrome Vanadium</li> <li>Shank: 6"</li> </ul>	1	set	150
55	Subto	tal, Electronics Produ	cts Assembly and Servicing NC	: 11	1	150
57	Mech	atronics Servicing NC	11			1
	1	Crimping Tool	<ul><li>Heavy duty ratchet with heavy plastic handles</li><li>Hardened steel jaws</li></ul>	1	рс	100

460

an gy:

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	2	Diagonal Cutting Plier	<ul><li>Overall Length: 8"</li><li>Material: Carbon Steel</li><li>Handle Finish: plastic dipped</li></ul>	1	рс	100
	3	Electrician Plier	<ul><li>Overall Length: 238 mm</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	рс	100
	4	Screwdriver Set	<ul> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li> <li>Philips Blade Tip: 1 x 100 mm, 2 x 150 mm</li> </ul>	1	set	100
			<ul> <li>Plastic and Rubberized handle</li> <li>Chrome Vanadium</li> <li>Shank: 6"</li> </ul>			
	5	Multi-Tester	<ul> <li>Analog</li> <li>DCV Range: 0.1 V to 1,000 V</li> <li>ACV Range: 10 V to 750 V</li> <li>Internal Battery: R6 (IEC) or UM-3 1.5V x 2</li> <li>Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm</li> <li>Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g</li> <li>Resistance: X1 to X1k</li> </ul>	1	unit	100
	6	Allen Wrench	<ul> <li>22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"</li> <li>1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm</li> <li>Long arm series</li> <li>Chrome Vanadium steel</li> </ul>	1	set	100

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	7	Adjustable Wrench	<ul> <li>0-50.8 mm (0-2") jaw opening</li> <li>203.2 mm (8") in length</li> <li>Alloy steel</li> </ul>	1	рс	100
57		tal, Mechatronics Serv	vicing NC II			100
60		making NC II		<del></del>		200
	1	Cutting Shears	<ul><li>8" length</li><li>stainless steel blade</li><li>plastic handle</li></ul>	1	рс	200
	2	Meter stick/Yardstick	<ul><li>1 meter (metric and English)</li><li>yellow plastic</li></ul>	1	рс	200
	3	Scissors	<ul><li>6" length</li><li>plastic handle for paper</li></ul>	1	рс	200
	4	Screwdriver Set	<ul> <li>precision 6 pieces per set</li> <li>plastic handle</li> <li>0 P, 1 P, 1.4 mm, 2.0 mm.</li> <li>2.4 mm, 3.0 mm slotted</li> </ul>	1	set	200
	5	Spray Bottle	<ul><li>spray plastic clear empty bottle</li><li>500 ml</li><li>hand trigger</li></ul>	1	рс	200
	6	Tape Measure	<ul><li>plastic</li><li>60" length (English and metric)</li></ul>	1	рс	200
	7	Tracing Wheel	<ul><li>serrated metal wheel</li><li>plastic handle</li></ul>	1	рс	200
	8	Ruler with Grid	<ul><li>18" length</li><li>transparent</li><li>red lines with grid</li></ul>	1	рс	200
	9	French Curve	<ul><li>12" length</li><li>aluminum</li><li>for neckline and armhole drawing</li></ul>	1	рс	200
	10	Hip Curve	24" length     aluminum	1	рс	200
	11	Tailor's L square	<ul><li>24" x 14" length</li><li>Aluminum</li></ul>	1	рс	200

TESDA-Region IV-B (MIMAROPA) – Simeon Suan Vocational and Technical College (SSVTC), Pag-asa, Bansud, Oriental Mindoro


LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	12	Screwdriver Set	<ul> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li> </ul>	1	set	200
And the second s			Philips Blade Tip: 1 x 100 mm, 2 x 150 mm			
			Plastic and Rubberized handle			
			Chrome Vanadium     Shank: 6"			
1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	13	Flat iron	Shank: 6"     electric flat iron     any color	1	unit	200
			<ul><li> dry iron</li><li> 220 volts</li><li> aluminum sole plate</li></ul>			
	14	Calculator	<ul> <li>12 digits display</li> <li>front panel metal coating</li> <li>battery power</li> <li>big display</li> <li>memory functions up to 4 decimal support</li> <li>high quality plastic construction and keys</li> <li>off key</li> <li>double zero with rounding function support</li> <li>dimension: 192mm x 147mm</li> </ul>	1	unit	200
60	Subto	tal, Dressmaking NC I	x 42mm I			200
62	<del></del>	Servicing (PACU/CRE)				
	1	Gauge Manifold	<ul> <li>2 valves</li> <li>Three (3) hoses gauge</li> <li>High side gauge pressure: 0-750 psig</li> <li>Low side gauge pressure: 30 in Hg vacuum-500 psig</li> <li>For refrigerant R-410a/R-404a</li> <li>1/4 in. vacuum port size</li> <li>Hose length: 36 inches</li> <li>2,500 psig burst</li> </ul>	1	set	25

n 7
gr 1

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
NO.	2	Multi-Tester	<ul> <li>Analog</li> <li>DCV Range: 0.1 V to 1,000 V</li> <li>ACV Range: 10 V to 750 V</li> <li>Internal Battery: R6 (IEC) or UM-3 1.5V x 2</li> <li>Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm</li> <li>Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g</li> <li>Resistance: X1 to X1k</li> </ul>	1	unit	25
62	Subto	tal, RAC Servicing (PA	<u> </u>		.l	25
63	+		NC II			
	1	Flaring Tool	<ul> <li>Flaring with swaging tools set</li> <li>Screw type feed</li> <li>Two bars cover 9 sizes</li> <li>Swivel type swaging adapters and Flaring cone hardened steel, chromed finished</li> <li>Slip on forge steel yoke includes: - Flares 1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" OD</li> <li>Five (5) swage adapter for tubes sizes: 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" OD</li> </ul>	1	set	100
	2	Tube Cutter	<ul> <li>Heavy duty</li> <li>For 1/8 inch to 1 1/8 inches pipe</li> <li>Weight: 0.16 ounces.</li> <li>Dimension: 6.8 x 3.3 x 1.3 inches</li> <li>Materials: High strength zinc alloy</li> <li>with spare cutter wheel on the knob</li> </ul>	1	pc	100



LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	3	Long Nose Plier	<ul><li>Overall Length: 8"</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	рс	100
	4	Combination Wrench Set	<ul> <li>16 pcs</li> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> <li>Lobular box end design</li> </ul>	1	set	100
63		tal, RAC Servicing (DC	DMRAC) NC II			100
66	+	Care Services NC II		,		
	1	Sphygmomanometer	<ul> <li>Aneroid</li> <li>Handheld</li> <li>Large gauge in metal casing, 0-300 mm Hg, anti-slip finish, shockproof</li> <li>Inflatable cuff, adult (25.4-40.6 cm length), nylon strap locking system</li> <li>Thick rubber bladder</li> <li>Durable flexible rubber tubing</li> <li>Leatherette zippered carrying case</li> </ul>	1	рс	75
	2	Stethoscope	<ul> <li>Double diaphragm (Fetal/adult)</li> <li>44 mm membrane</li> <li>stainless steel</li> <li>Soft sealing earpieces</li> <li>Flexible resilient rubber tubing</li> <li>Non chill rim</li> </ul>	1	рс	75
66	Subto	tal, Health Care Servic	ces NC II			75



TESDA-Region IV-B (MIMAROPA) – Simeon Suan Vocational and Technical College (SSVTC), Pag-asa, Bansud, Oriental Mindoro

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
67		Wellness Massage) No	C II			
	1	Sphygmomanometer	<ul> <li>Aneroid</li> <li>Handheld</li> <li>Large gauge in metal casing, 0-300 mm Hg, anti-slip finish, shockproof</li> <li>Inflatable cuff, adult (25.4-40.6 cm length), nylon strap locking system</li> <li>Thick rubber bladder</li> <li>Durable flexible rubber tubing</li> <li>Leatherette zippered carrying case</li> </ul>	1	рс	25
	2	Stethoscope	<ul> <li>Double diaphragm (Fetal/adult)</li> <li>44 mm membrane</li> <li>stainless steel</li> <li>Soft sealing earpieces</li> <li>Flexible resilient rubber tubing</li> <li>Non chill rim</li> </ul>	1	рс	25
67	Subto	tal, Hilot (Wellness Ma	assage) NC II			25
68	Massa	age Therapy NC II				
	1	Sphygmomanometer	<ul> <li>Aneroid</li> <li>Handheld</li> <li>Large gauge in metal casing, 0-300 mm Hg, anti-slip finish, shockproof</li> <li>Inflatable cuff, adult (25.4-40.6 cm length), nylon strap locking system</li> <li>Thick rubber bladder</li> <li>Durable flexible rubber tubing</li> <li>Leatherette zippered carrying case</li> </ul>	1	pc	125

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	2	Stethoscope	<ul><li>Double diaphragm (Fetal/ adult)</li><li>44 mm membrane</li></ul>	1	рс	125
			stainless steel			
			<ul> <li>Soft sealing earpieces</li> </ul>			
			Flexible resilient rubber			
			tubing			
	0.14	1-1-88	Non chill rim			125
68		tal, Massage Therapy				125
81	Gas IV	letal Arc Welding (GN		1	nc	150
	1	Hard Hat	yellow ball-cap style hard hat     Graint ratabat type hardgoar	1	рс	130
			<ul><li>6 point ratchet type headgear</li><li>2 point chin strap and V-rib</li></ul>			
			on top			
			polyethylene material			
	2	Safety Goggles	Plastic	1	рс	150
	_		• Clear		•	
			Elastic Strap			
	3	Vise Grip	• 10"	1	рс	150
			chrome plated insulated			
		,	handle			
			• flat jaw			
			adjustment 0" to 1 5/8"			
	4	Try Square	• Size: 8" x 12"	1	pc	150
			Thickness: 1.8-2 mm			
			Material: Spring Steel			
			Handle Material: Aluminum			
			Alloy			
			Metric and English     Craduations			
	5	Chisel	Graduations  • cold	1	рс	150
	)	Criisei	• 3/4 in X 6-7/8 in	'	PC	100
			• forged steel			
	6	File	• round	1	рс	150
			bastard cut	'		
			300 mm long			
			plastic handle			
	7	Auto-Darkening	Adjustable Shade	1	рс	150
		Welding Helmet	• Lens size 3-7/8 in. x 1-1/2 in.			
81	Subto	otal, Gas Metal Arc W	elding (GMAW) NC II			150



LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
83	Gas T	ungsten Arc Welding (	GTAW) NC II			
	1	Welding Jacket	<ul><li>leather</li><li>heat resistant</li></ul>	1	рс	375
	2	File	<ul><li>half round</li><li>300 mm long</li><li>plastic handle</li></ul>	1	рс	375
	3	Angle Grinder	<ul><li>Portable</li><li>4" capacity</li><li>220 Volts/60 Hz</li></ul>	1	unit	375
	4	Welding Gloves	<ul><li>leather</li><li>heat resistant</li><li>long</li></ul>	1	pair	375
	5	Chipping Hammer	<ul><li>300 mm long</li><li>wood handle</li></ul>	1	рс	375
	6	Vise Grip	<ul> <li>10"</li> <li>chrome plated insulated handle</li> <li>flat jaw</li> <li>adjustment 0" to 1 5/8"</li> </ul>	1.	pc	375
	7	Welding Mask	<ul> <li>Flip Front Welding Helmet</li> <li>impact-resistant polypropylene material</li> <li>adjustable fit</li> <li>4 1/2" x 2" view area with lens #11</li> </ul>	1	рс	375
83	Subto	tal, Gas Tungsten Arc	Welding (GTAW) NC II			375
86		ning NC II				
	1	Outside Micrometer Caliper	<ul><li>Satin-chrome finished frame</li><li>Range: 0-25 mm</li><li>Least Count=0.01 mm</li></ul>	1	pc	75
	2	Vernier Caliper	<ul> <li>Stainless steel</li> <li>Dual reading scales on Vernier (English reading on top and Metric reading at bottom)</li> <li>Carbide tipped jaw type</li> <li>(6 inches) 150 mm</li> <li>Least Count = 0.02 mm</li> </ul>	1	рс	75

TESDA-Region IV-B (MIMAROPA) – Simeon Suan Vocational and Technical College (SSVTC), Pag-asa, Bansud, Oriental Mindoro

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	3	Letter and Number Punch	<ul><li>Hardened Steel</li><li>36pcs</li><li>4 mm height (letter and number)</li></ul>	1	set	75
	4	Digital Vernier Caliper	<ul> <li>Digital Model</li> <li>LCD Display</li> <li>Parallax free Vernier scale type</li> <li>(6 inches) 150 mm long</li> </ul>	1	рс	75
86		tal, Machining NC II				75
88	Shield 1	led Metal Arc Welding Welding Gloves	leather     heat resistant     long	1	pair	450
	2	Chipping Hammer	300 mm long     wood handle	1	рс	450
	3	Vise Grip	<ul> <li>10"</li> <li>chrome plated insulated handle</li> <li>flat jaw</li> <li>adjustment 0" to 1 5/8"</li> </ul>	1	рс	450
	4	Safety Goggles	<ul><li>Plastic</li><li>Clear</li><li>Elastic Strap</li></ul>	1	рс	450
	5	Oxy-acetylene Goggles	<ul> <li>Swivel type</li> <li>Rigid 50 mm dual cup</li> <li>Elastic headband</li> <li>Number-5 shade shields against brightness</li> </ul>	1	pc	450
	6	Try Square	<ul> <li>Size: 8" x 12"</li> <li>Thickness: 1.8-2 mm</li> <li>Material: Spring Steel</li> <li>Handle Material: Aluminum Alloy</li> <li>Metric and English Graduations</li> </ul>	1	рс	450

469 /~ 7

LOT	ITEM		g-asa, Bansud, Oriental Mindord			NO. OF
NO.	NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	PAX
	7	Welding Mask	<ul> <li>Flip Front Welding Helmet</li> <li>impact-resistant polypropylene material</li> <li>adjustable fit</li> <li>4 1/2" x 2" view area with lens #11</li> </ul>	1	рс	450
	8	Angle Grinder	<ul><li>Portable</li><li>4" capacity</li><li>220 Volts/60 Hz</li></ul>	1	unit	450
88			: Welding (SMAW) NC I			450
89		led Metal Arc Welding	T	,	,	
	1	Welding Jacket	<ul><li>leather</li><li>heat resistant</li></ul>	1	рс	800
	2	Ball Peen Hammer	<ul><li>Forged hard steel</li><li>jacketed graphite</li><li>16 oz./ 1 lb</li></ul>	1	рс	800
	3	Steel Square	<ul> <li>Carpenter's framing square;</li> <li>2" x 16" x 24"</li> <li>Steel</li> <li>Double graduation inches/cm</li> </ul>	1	рс	800
	4	Chisel	<ul><li>cold</li><li>3/4 in X 6-7/8 in</li><li>forged steel</li></ul>	1	рс	800
	5	Hard Hat	<ul> <li>yellow ball-cap style hard hat</li> <li>6 point ratchet type headgear</li> <li>2 point chin strap and V-rib on top</li> <li>polyethylene material</li> </ul>	1	рс	800
	6	Auto-Darkening	Adjustable Shade	1	рс	800
		Welding Helmet	• Lens size 3-7/8 in. x 1-1/2 in.			
89			Welding (SMAW) NC II			800
91		Processing NC II				
	1	Food Tongs	<ul><li>stainless steel</li><li>12 inches long</li><li>with wide shell head with locking</li></ul>	1	рс	225
	2	Paring Knife	<ul> <li>high carbon stainless steel</li> <li>size: 3.5-inch blade length</li> <li>sharp cutting edge</li> <li>full tang handled</li> </ul>	1	рс	225

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	3	Chef's Knife	<ul> <li>high-carbon stainless steel</li> <li>sharp cutting edge</li> <li>size: 8-inches blade length</li> <li>riveted handle</li> </ul>	1	рс	225
	4	Measuring Spoon	<ul> <li>stainless steel</li> <li>4 pieces per set (1 tbsp, 1 tsp, 1/2 tsp and 1/4 tsp)</li> </ul>	1	set	225
	5	Measuring Cup	<ul> <li>Stainless steel</li> <li>4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup)</li> </ul>	1	set	225
	6	Mixing bowl	<ul><li>Stainless steel</li><li>8" diameter</li><li>5 quart capacity</li></ul>	1	pc	225
	7	Colander	<ul><li>Stainless steel</li><li>Medium Size</li><li>8 quarts capacity with base</li></ul>	1	. pc	225
	8	Honing Bar	<ul><li>stainless steel</li><li>10-inch length</li></ul>	1	рс	225
	9	Saucepan	<ul><li>material: stainless</li><li>capacity: 1.5 liter</li><li>with lid cover</li></ul>	1	рс	225
	10	Casserole	<ul> <li>Stainless steel with lid cover and handle both sides</li> <li>Dimension: 20 cm</li> </ul>	1	рс	225
91	Subto	tal, Food Processing	NC II	!		225
94		keeping NC III				
	1	Calculator	<ul> <li>Scientific Calculator</li> <li>STAT DATA Editor</li> <li>240 functions</li> <li>12 digit x two-line display</li> <li>3 inches x 5 inches dimension</li> <li>Hard Slide Case</li> </ul>	1	unit	100
	2	Stapler	<ul> <li>with built-in staple wire remover #35</li> <li>weight: 0.085 kg</li> <li>dimension: 11 cm x 3 cm x 5 cm</li> <li>Staples 24 sheets</li> </ul>	1	рс	100



TESDA-Region IV-B (MIMAROPA) – Simeon Suan Vocational and Technical College (SSVTC), Pag-asa, Bansud, Oriental Mindoro

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	3	Pencil Sharpener	<ul> <li>table mounted</li> <li>manually operated</li> <li>with pen crumbs visible container</li> <li>pencil lock hole</li> </ul>	1	unit	100
	4	Stainless Ruler	<ul> <li>Stainless Steel</li> <li>Double sided ruler cm/inches</li> <li>Conversion table on the back side</li> <li>laser engraved lines</li> <li>30 cm</li> </ul>	1	рс	100
	5	Flash drive	<ul><li>Capacity: 64 GB</li><li>Compatibility: USB 3.0</li></ul>	1	рс	100
	6	A4 Paper Pockets File Folder	<ul> <li>Material: Paper board</li> <li>Stainless Steel Clip</li> <li>Size: 22.5 cm x 31 cm</li> </ul>	1	рс	100
	7	Puncher	<ul> <li>two hole punch</li> <li>Dimension: 15 cm (L) x 8.5 cm (W) x 11.5 cm (H)</li> <li>punches up to 20 sheets</li> <li>with sliding ruler</li> </ul>	1	рс	100
	8	Accordion File Organizer	<ul> <li>Polypropylene</li> <li>Expandable pockets with tab flap and cord closure</li> <li>Long size, 8.5 x 13 inches</li> </ul>	1	рс	100
94	Subto	tal, Bookkeeping NC				100
100		nding NC II				
	1	Cocktail Shaker	<ul> <li>350 ml capacity</li> <li>stainless steel</li> <li>Size (cm): 25 in L x 5 in W x 16 in H</li> </ul>	1	рс	50
	2	Paring Knife	<ul> <li>high carbon stainless steel</li> <li>size: 3.5-inch blade length</li> <li>sharp cutting edge</li> <li>full tang handled</li> </ul>	1	рс	50
	3	Corkscrew	<ul> <li>measures 12 x 2.2 x 1.1 cm</li> <li>stainless steel metal corkscrew/bottle opener</li> </ul>	1	рс	50

472

in an gri

TESDA-Region IV-B (MIMAROPA) – Simeon Suan Vocational and Technical College (SSVTC), Pag-asa, Bansud, Oriental Mindoro

LOT NO.	ITEM NO.	ITEM	g-asa, Bansud, Oriental Mindord  AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	4	Blender/Osterizer	<ul> <li>8 speed with pulse</li> <li>500 watts, 220 volts, 60 hertz</li> <li>stainless steel, ice crusher blade</li> <li>glass jar with cover</li> </ul>	1	unit	50
	5	Flair Bottle	<ul> <li>measures: 29 cm bottom diameter, 7.5 cm diameter, 3.2 cm</li> <li>yellow color</li> <li>hard plastic</li> </ul>	1	рс	50
	6	Ice Pick	<ul> <li>measures: 21.5 cm long</li> <li>stainless steel pick with wooden handle 9 cm long</li> </ul>	1	рс	50
100		tal, Bartending NC II				50
101		and Pastry Production		1	no	475
	1	Spatula	<ul> <li>Stainless steel straight blade</li> <li>Plastic handle</li> <li>3 cm blade width</li> <li>25.4 cm blade length</li> <li>12.7 cm handle length</li> <li>Round edges</li> </ul>		рс	473
	2	Decorating tips	<ul> <li>Stainless steel</li> <li>7-piece cake decorating tip set (Closed Star, Open Star, French, Round, Plain, Leaf, Petal)</li> <li>3 cm height</li> <li>Opening range: 1.27 cm</li> </ul>	1	set	475
	3	Flour sifter	<ul><li>Stainless steel mesh flour strainer</li><li>12" diameter</li></ul>	1	рс	475
	4	Measuring cup	<ul> <li>Stainless steel</li> <li>4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup)</li> </ul>	1	set	475
	5	Mixing bowl	<ul><li>Stainless steel</li><li>8" diameter</li><li>5 quart capacity</li></ul>	1	pc	475

1

473

as go

TESDA-Region IV-B (MIMAROPA) – Simeon Suan Vocational and Technical College (SSVTC), Pag-asa, Bansud, Oriental Mindoro

LOT	ITEM	ITEM	Pag-asa, Bansud, Oriental Mindoro AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF
NO.	NO.					PAX
	6	Piping bags	<ul> <li>12 inches</li> <li>lightweight</li> <li>reusable</li> <li>flexible polyester</li> <li>coated, can be boiled</li> <li>dishwasher safe</li> </ul>	1	рс	475
	7	Wire whisk	<ul> <li>Stainless steel</li> <li>12 inches</li> <li>balloon style</li> <li>handle length: 4 cm</li> </ul>	1	рс	475
	8	Bread knife	<ul> <li>Length: 8"</li> <li>serrated edge</li> <li>stain-free</li> <li>high-carbon steel blade</li> <li>polypropylene</li> <li>straight handle</li> </ul>	1	рс	475
	9	Digital Weighing Scale	<ul> <li>LCD display</li> <li>Measure in pounds (lbs), ounces (oz) and grams (g)</li> <li>Battery operated</li> <li>Capacity: 5 kilograms</li> </ul>	1	unit	475
	10	Muffin pan	<ul><li>12 holes</li><li>3 oz. capacity per hole</li><li>aluminum</li></ul>	1	рс	475
	11	Cheese Grater	<ul> <li>Stainless steel</li> <li>Box grater with handle</li> <li>20.9 x 8.5 x 6.1 cm</li> <li>Small and large holes</li> </ul>	1	рс	475
	12	Chef's Knife	<ul> <li>high-carbon stainless steel</li> <li>sharp cutting edge</li> <li>size: 8-inches blade length</li> <li>riveted handle</li> </ul>	1	рс	475
101		tal, Bread and Pastr	y Production NC II			475
103		ery NC II		<del></del>	1	
	1	Chef's Knife	<ul> <li>high-carbon stainless steel</li> <li>sharp cutting edge</li> <li>size: 8-inches blade length</li> <li>riveted handle</li> </ul>	1	pc	50

474

TESDA-Region IV-B (MIMAROPA) – Simeon Suan Vocational and Technical College (SSVTC), Pag-asa, Bansud, Oriental Mindoro

NO.   NO.   ITEM   AGENCY SPECIFICATIONS   QIY   UNI   PAX		(SSVTC), Pag-asa, Bansud, Oriental Mindoro							
12 inches long   with wide shell head with locking   with wide shell head with locking   Scale   LCD display   Measure in pounds (lbs), ounces (oz) and grams (g)   Battery operated   Capacity: 5 kilograms   1 pc   50	LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS					
3		2	Food Tongs	<ul><li>12 inches long</li><li>with wide shell head with</li></ul>	1	рс			
10-inch length   5   Measuring Cup   Stainless steel   4 pieces per set (1 cup, 1/2 cup, 1/4 cup)   1   set   50		3	, ,	<ul> <li>Measure in pounds (lbs), ounces (oz) and grams (g)</li> <li>Battery operated</li> </ul>	1	unit			
• 4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup)  6 Measuring Spoon • stainless steel • 4 pieces per set (1 tbsp, 1 tsp, 1/2 tsp and 1/4 tsp)  7 Saucepan • material: stainless • capacity: 1.5 liter • with lid cover  8 Casserole • Stainless steel with lid cover and handle both sides • Dimension: 20 cm  103 Subtotal, Cookery NC II  1 Corkscrew • measures 12 x 2.2 x 1.1 cm • stainless steel metal corkscrew/bottle opener  2 Linen/Skirting Cloth • 10 yards (double width) skirting cloth • satin (any color)  3 Tablet • Processor: 1.3 gHz • OS: Android 6.0 • Memory: 1GB RAM • Storage: 8GB ROM • Display: screen 7" (177.8 mm) • With SIM slot		4	Honing Bar		1	рс			
103   Subtotal, Cookery NC II   Subtotal, Corkscrew   emeasures 12 x 2.2 x 1.1 cm   1 yc   stainless steel metal corkscrew/bottle opener   2   Linen/Skirting Cloth   emeasures 12 x 2.0 x 1.3 gHz   OS: Android 6.0   emeasures 13 gHz   OS: Android 6.0   emeasures 15 gHz   OS: Android 6.0   emeasures 16 gHz   OS: Android 6.0   emeasures 17 gHz   OS: Android 6.0   emeasures 17 gHz   OS: Android 6.0   emeasures 18 gHz   OS: Android 6.0   emeasures 18 gHz   OS: Android 6.0   emeasures 19 gHz   emeasures		5	Measuring Cup	• 4 pieces per set (1 cup, 1/2		set			
e capacity: 1.5 liter e with lid cover  8 Casserole  9 Stainless steel with lid cover and handle both sides e Dimension: 20 cm  103 Subtotal, Cookery NC II  104 Food and Beverage Services NC II  1 Corkscrew  9 measures 12 x 2.2 x 1.1 cm e stainless steel metal corkscrew/bottle opener  2 Linen/Skirting Cloth e satin (any color)  3 Tablet  1 Processor: 1.3 gHz e OS: Android 6.0 e Memory: 1GB RAM e Storage: 8GB ROM e Display: screen 7" (177.8 mm) e With SIM slot		6	Measuring Spoon	• 4 pieces per set (1 tbsp, 1	1	set	-		
and handle both sides Dimension: 20 cm  103 Subtotal, Cookery NC II  104 Food and Beverage Services NC II  1 Corkscrew  • measures 12 x 2.2 x 1.1 cm • stainless steel metal corkscrew/bottle opener  2 Linen/Skirting Cloth • 10 yards (double width) skirting cloth • satin (any color)  3 Tablet  • Processor: 1.3 gHz • OS: Android 6.0 • Memory: 1GB RAM • Storage: 8GB ROM • Display: screen 7" (177.8 mm) • With SIM slot		7	Saucepan	• capacity: 1.5 liter	1	рс			
104 Food and Beverage Services NC II  1 Corkscrew  • measures 12 x 2.2 x 1.1 cm • stainless steel metal corkscrew/bottle opener  2 Linen/Skirting Cloth • 10 yards (double width) skirting cloth • satin (any color)  3 Tablet  • Processor: 1.3 gHz • OS: Android 6.0 • Memory: 1GB RAM • Storage: 8GB ROM • Display: screen 7" (177.8 mm) • With SIM slot		8	Casserole	and handle both sides	1	рс	50		
104 Food and Beverage Services NC II  1 Corkscrew  • measures 12 x 2.2 x 1.1 cm • stainless steel metal corkscrew/bottle opener  2 Linen/Skirting Cloth • 10 yards (double width) skirting cloth • satin (any color)  1 pc 300  3 Tablet  • Processor: 1.3 gHz • OS: Android 6.0 • Memory: 1GB RAM • Storage: 8GB ROM • Display: screen 7" (177.8 mm) • With SIM slot	103	Subto	tal, Cookery NC II				50		
• stainless steel metal corkscrew/bottle opener  2 Linen/Skirting Cloth • 10 yards (double width) skirting cloth satin (any color)  3 Tablet • Processor: 1.3 gHz 1 unit 300 • Memory: 1GB RAM • Storage: 8GB ROM • Display: screen 7" (177.8 mm) • With SIM slot	104			es NC II					
3 Tablet  • Processor: 1.3 gHz • OS: Android 6.0 • Memory: 1GB RAM • Storage: 8GB ROM • Display: screen 7" (177.8 mm) • With SIM slot		1	Corkscrew	stainless steel metal	1	unit	300		
OS: Android 6.0  Memory: 1GB RAM  Storage: 8GB ROM  Display: screen 7" (177.8 mm)  With SIM slot		2	Linen/Skirting Cloth	skirting cloth	1	pc	300		
104 Subtotal, Food and Beverage Services NC II 300		3	Tablet	<ul> <li>OS: Android 6.0</li> <li>Memory: 1GB RAM</li> <li>Storage: 8GB ROM</li> <li>Display: screen 7" (177.8 mm)</li> </ul>	1	unit	300		
	104	Subto	otal, Food and Bevera	ge Services NC II			300		

475

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
106	Front	Office Services NC II				
	1	Calculator	<ul> <li>12 digits display</li> <li>front panel metal coating</li> <li>battery power</li> <li>big display</li> <li>memory functions up to 4 decimal support</li> <li>high quality plastic construction and keys</li> <li>off key</li> <li>double zero with rounding function support</li> <li>dimension: 192mm x 147mm x 42mm</li> </ul>	1	unit	100
	2	Flash drive	<ul><li>Capacity: 64 GB</li><li>Compatibility: USB 3.0</li></ul>	1	рс	100
	3	Portable Amplifier	<ul> <li>Power Output: 30 W</li> <li>Mode: USB/MP3/FM</li> <li>Charger Voltage: 10V 450 mA</li> <li>AC/DC</li> <li>with headset and lapel microphone</li> </ul>	1	unit	100
	4	Fake Bills Detector	<ul> <li>Voltage: 220V 50Hz-60Hz</li> <li>Product size: approx. 183 x 82 x 90mm/7.2 x 3.22 x 3.54"</li> <li>Fluorescent UV blue lamp 4w</li> <li>On/Off Button</li> </ul>	1	unit	100
	5	Stapler	<ul> <li>with built-in staple wire remover #35</li> <li>weight: 0.085 kg</li> <li>dimension: 11 x 3 x 5 cm</li> <li>Staples 24 sheets</li> </ul>	1	рс	100
	6	A4 Paper Pockets File Folder	<ul> <li>Material: Paper board</li> <li>Stainless Steel Clip</li> <li>Size: 22.5 x 31 cm</li> </ul>	1	pc	100

TESDA-Region IV-B (MIMAROPA) – Simeon Suan Vocational and Technical College (SSVTC), Pag-asa, Bansud, Oriental Mindoro

LOT	(SSVTC), Pag-asa, Bansud, Oriental Mindoro							
NO.	NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX		
	7	Accordion File Organizer	<ul> <li>Polypropylene</li> <li>Expandable pockets with tab flap and cord closure</li> <li>Long size, 8.5 x 13 inches</li> </ul>	1	рс	100		
106	<del></del>	tal, Front Office Servi				100		
107	House	keeping NC II						
	1	Flashlight	<ul> <li>6000 Lumen 5 modes (high, low, red safety flasher, rescue beacon and OFF) Led Flashlight</li> <li>With digital smart single charger with 1 pc 18650 4200 mAh 3.7 V battery with case</li> <li>With stun gun</li> </ul>	1	рс	200		
	2	Steam Flat Iron	<ul> <li>Electric flat iron with spray</li> <li>220 V/60 Hz</li> <li>1,100 - 1,310 watts</li> <li>with 5 selector</li> </ul>	1	unit	200		
	3	Vacuum Cleaner	<ul> <li>Wet and dry vacuum cleaner</li> <li>220 volts, 50-60Hz, 1,100 watts</li> <li>Tank size: 4 liters</li> <li>With complete accessories</li> </ul>	1	unit	200		
107	Subto	tal, Housekeeping NC	11	1		200		
108		keeping NC III						
	1	Long Nose Plier	<ul><li>Overall Length: 8"</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	рс	25		
	2	Electrician Plier	<ul><li>Overall Length: 238 mm</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	рс	25		
	3	Pull-Push Rule	<ul> <li>Blade length 8m/26ft</li> <li>Blade width 1"</li> <li>High impact ABS case with durable rubber</li> <li>Corrosion resistant tru-zero end</li> </ul>	1	рс	25		

in an f

#### PROCUREMENT OF STARTER TOOLKITS FOR THE **IMPLEMENTATION OF REPUBLIC ACT 10931** OR UNIVERSAL ACCESS TO QUALITY TERTIARY EDUCATION ACT (UAQTEA) FOR CY 2018 TESDA-Region IV-B (MIMAROPA) – Simeon Suan Vocational and Technical College

(SSVTC), Pag-asa, Bansud, Oriental Mindoro

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	4	Tablet	<ul> <li>Processor: 1.3 gHz</li> <li>OS: Android 6.0</li> <li>Memory: 1GB RAM</li> <li>Storage: 8GB ROM</li> <li>Display: screen 7" (177.8 mm)</li> <li>With SIM slot</li> </ul>	1	unit	25
	5	Screwdriver Set	<ul> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li> <li>Philips Blade Tip: 1 x 100 mm, 2 x 150 mm</li> </ul>	1	set	25
			<ul> <li>Plastic and Rubberized handle</li> <li>Chrome Vanadium</li> <li>Shank: 6"</li> </ul>			
108	Subto	tal, Housekeeping NC	111			25
	TOTA	L				5,475