

TECHNICAL EDUCATION AND SKILLS DEVELOPMENT AUTHORITY

ISO 9001: 2008 CERTIFIED



Tatak ng Integridad, Serbisyong Dekalidad, Kaagapay sa Pag-unlad

SUPPLEMENTAL/ BID BULLETIN

BID BULLETIN NO. 0108 May 2018

Name of Project: Procurement of Starter Toolkits for Special Training for Employment Program (STEP) for CY 2018

Approved Budget for the Contract: Php449,896,181.151

Pursuant to Section 22.5 of the Revised Implementing Rules and Regulations of Republic Act No. 9184, kindly refer to the attached amended portions of the Bidding Documents.

For guidance and information of all concerned.

ALYN S. FELICIANO
Chairperson
Bids and Awards Committee

Receive	ea by i	3 Iaaei	r:	
Date				

Number Of Beneficiaries By Region Per Qualification	
ANNABED OF DEVICE OF DEPOSION	

LOT	OUALIFICATIONS						1	NUMBEÎ	R OF BE	NEFICIA	RIES P	ER REG	IQN						
NO.	QUALIFICATIONS	ARMM	CAR	CARAGA	NCR	1	11	III	IV-A	IV-B	٧	VI	IIV	VIII	IX	Х	ΧI	XII	TOTAL
1	Animal Production (Poultry Chicken) NC II	-	25	21	-	-	15	20	25	25	85	<u>-</u>	-	-	-	-	136	-	352
2	Animal Production (Swine) NC II	-	-	22	-	-	15	20	50	25	-	_	46	-	-	10	138	_	326
3	Raise Organic Chicken (Leading to Organic Agriculture Production NC II)	-	-	19	-	-	10	-	178	-	50	127	45	-	-	-	146	24	599
4	Produce Organic Vegetable (Leading to Organic Agriculture Production NC II)	-	36	19	-	74	10	-	274	175	242	153	70	-	-	15	183	50	1,301
5	Produce Organic Concoction and Extracts (Leading to Organic Agriculture Production NC II)	-	36	19	-	-	10	-	125	-	175	25	45	-	-	25	178	-	638
6	Perform Diesel Engine Tune Up (Leading to Automotive Servicing NC I)	-	33	48	245	129	25	58	140	-	65	243	26	60	-	40	136	95	1,343
7	Perform Gas Engine Tune Up (Leading to Automotive Servicing NC I)	-	33	30	25	38	26	20	132	-	45	100	_	22	-	56	175	-	702
8	Service Underchassis Components (Leading to Automotive Servicing NC II)	-	-	-	20	-	50	-	145	-	-	55	-	-	-	65	145	22	502
9	Service Engine Components (Leading to Automotive Servicing NC II)	20	-	-	25	-	10	-	115	-	-	55	-	14	109	85	140	-	573

				NI	nber C	f Rone		ios Ry				ificati	~						
LOT				inui	inner C	n belle		NUMBER											
NO.	QUALIFICATIONS	ARMM	CAR	CARAGA	NCR	Γ ι	11	III	IV-A	IV-B	V	VI	VII	VIII	IX	Х	ΧI	XII	TOTAL
10	Service Automotive Electrical Components (Leading to Automotive Servicing NC II)	-	37	-	95	115	60	25	70	25	107	30	20	-	100	75	185	43	987
11	Service Power Train Components (Leading to Automotive Servicing NC II)	-	-	-	•	-	15	-	-	-	-	_	-	-	-	25	110	-	150
12	Service Motorcycle/Small Engine System (Leading to Motorcycle/Small Engine Servicing NC II)	23	-		260	65	-	64	25	51	-	40	43	50	187	108	-	61	977
13	Service Electrical System (Leading to Motorcycle/Small Engine Servicing NC II)	21	-	-	20	20	-	20	15	45	-	-	84	24	-	-	•	20	269
14	Overhaul Motorcycle/Small Engine (Leading to Motorcycle/Small Engine Servicing NC II)	20	-	<u>-</u>	75	-	-	49	-	-	-	45	-	24	-	-	-	20	233
15	Carpentry NC II	43	111	20	-	100	-	37	87	-	254	648	208	170	75	267	46	51	2,117
16	Electrical Installation and Maintenance NC II	50	52	252	163	57	63	87	47	121	302	319	90	108	245	451	221	65	2,693
17	Masonry NC I	25	20	-	-	67	-	-	20	-	120	70	85	27	125	300	87	20	966

						JGR/													
				Nui	mber C	of Bene	eficiar	ries By	Regi	on Pei	Qual	ificatio	on						
LOT	QUALIFICATIONS							NUMBE	R OF BE	NEFICIA	ARIES P	ER REG	ION						
NO.	QUALIFICATIONS	ARMM	CAR	CARAGA	NCR	ı	II.	111	IV-A	IV-B	V	VI	VII	VIII	IX	Х	ΧI	XII	TOTAL
18	Plaster Concrete/Masonry Surface (Leading to Masonry NC II)	25	86	25	_	-	-	-	_	-	70	415	-	50	-	119	21	25	836
19	Install Pre-Cast Balusters and Handrail (Leading to Masonry NC II)	-	48	-	-	-	-	-	-	24	45	169	-	-	-	-	21	-	307
20	Pipefitting NC II	-		-	19		-	43	75	50	-	-	109	25	-	233	21	-	575
21	Perform Multiple Plumbing Installation and Repair Maintenance Works (Leading to Plumbing NC II)	25	_	75	-	-	-	-	-	-	-	-	-	-	-	176	21	25	322
22	Construction Painting NC II	-	32	-	-	-	-	-	_	-	48	135	-	-	-	80	21	-	316
23	Tile Setting NC II	-	63	25	-	41	25	-	-	185	175	151	250	41	79	309	21	20	1,385
24	RAC Servicing (Dom/RAC) NC II	-	-	42	45	34	-	-	42	-	-	-	25	-	-	-	30	-	218
25	Shielded Metał Arc Welding (SMAW) NC I	-	72	466	745	418	93	405	538	166	699	1,218	496	125	454	932	357	164	7,348
26	Assemble Electronics Products (Leading to Electronic Products Assembly and Servicing NC II)	-	_	25	95	-	34	137	82	69	130	91	-	20	-	28	20	25	756
27	Service Consumer Electronic Products and Systems (Leading to Electronic Products Assembly	-	-	55	25	219	19	309	90	75	204	166	-	25	_	30	40	23	1,280

and Servicing NC II)

****	•			Nui	mber O	f Bene													
LOT	QUALIFICATIONS								R OF BE								•		
NO.		ARMM	CAR	CARAGA	NCR	1	ll ll	III	IV-A	IV-B	V	VI	VII	VIII	IX	X	ΧI	XII	TOTAL
28	Service Industrial Electronic Modules, Products and Systems (Leading to Electronic Products Assembly and Servicing NC II)	_	_	24	-	-	10	80	_	-	40	50	-	-	-	28	-	-	232
29	Service Consumer Electronic Products and Systems (Assembly of Solar Nightlight and Post Lamp)	-	-	22	-	-	-	174	200	50	197	_	-	_	-	-	176	-	819
30	Furniture Making (Finishing) NC II	-	11	_	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
31	Dressmaking NC II	-	48	89	319	148	40	343	495	24	480	129	228	94	451	185	130	204	3,407
32	Tailoring NC II	-	17	-	92	-	-	_	-	-	53	23	22	-	53	-	-	-	260
33	Hilot (Wellness Massage) NC II	-	-	203	1,046	210	75	618	1,139	100	546	832	772	47	340	104	115	50	6,197
34	Perform Manicure and Pedicure (Leading to Beauty Care NC II/Beauty Care Services [Nail Care] NC II)	40	50	20	564	108	27	295	245	40	270	232	247	110	-	15	154	116	2,533
35	Perform Hand Spa (Leading to Beauty Care NC II/Beauty Care Services [Nail Care] NC II)	-	-	-	220	-	-	50	93	-	97	-	-	45	-	-	115	-	620
36	Perform Body Massage (Leading to Beauty Care NC II)	40	51	-	496	75	~	80	124	50	20	245	73	65	-	-	185	18	1,522

				Nur	nber O	f Bene	eficiar	ies Bv	Reai	on Per	Qual	fication	on						
LOT	01141 1510 4 510 110								R OF BE										
NO.	QUALIFICATIONS	ARMM	CAR	CARAGA	NCR	Ī	lı	III	IV-A	IV-B	٧	VI	VII	VIII	IX	Х	ΧI	XII	TOTAL
37	Perform Body Scrub (Leading to Beauty Care NC II)	-	-	-	135	-	-	50	150	-	-	-	-	45	-	-	100	-	480
38	Perform Facial Treatment (Leading to Beauty Care NC II)	40	40	-	371	-	-	50	244	-	31	-	-	45	-	-	150	-	971
39	Perform Foot Spa (Leading to Beauty Care NC II/Beauty Care Services [Nail Care] NC II)	-	-	-	220	-	25	172	125	-	45	70	-	72	-	-	115	-	844
40	Perform Facial Make- Up (Leading to Beauty Care NC II)	42	-	-	638	34	_	124	260	25	46	95	68	-	25	-	134	-	1,491
41	Perform Hair Coloring/Bleaching Services (Leading to Hairdressing NC II)	-	-	-	195	-	_	100	75	-	-	25	-	-	-	-	115	20	530
42	Perform Hair Perming/Straightening (Leading to Hairdressing NC II)	•	-	-	175	-	-	75	75	-	-	25	-	-	20	15	115	20	520
43	Perform Hair Cutting Services (Leading to Hairdressing NC II)	-	95	20	250	111	25	174	275	1	120	49	49	25	-	15	165	45	1,418
44	Bread Making (Leading to Bread and Pastry Production NC II)	60	160	65	972	337	116	417	566	180	380	343	569	136	150	474	224	86	5,235
45	Pastry Making (Leading to Bread and Pastry Production NC II)	40	112	-	662	121	45	95	310	76	172	206	276	161	-	457	230	55	3,018

					PRO	JGRA	AIVI (2 I EI	7) FC	JK C	Y 20	10							
				Nui	mber C	of Bene	eficiai	ries By	Regi	on Pei	r Qual	ificatio	on						
LOT	QUALIFICATIONS							NUMBE	R OF BE	NEFICIA	ARIES P	ER REG	ION			•			
NO.	QUALIFICATIONS	ARMM	CAR	CARAGA	NCR	1	11	111	IV-A	IV-B	V	VI	VII	VIII	IX	Х	ΧI	XII	TOTAL
46	Cake Making (Leading to Bread and Pastry Production NC II)	43	100	20	670	87	45	295	548	138	192	241	216	141	259	362	321	130	3,808
47	Prepare and Cook Hot Meals (Leading to Cookery NC II)	20	63	183	562	310	-	207	363	-	143	357	279	271	74	307	258	41	3,438
48	Prepare Cold Meals (Leading to Cookery NC II)	-	46	161	316	200	20	67	215	-	46	342	97	71	_	270	127	85	2,063
49	Process Food by Salting, Curing and Smoking (Leading to Food Processing NC II)	_	23	50	25	154	-	-	96	50	150	156	73	48	155	40	-	-	1,020
50	Process Foods by Fermentation and Pickling (Leading to Food Processing NC II)	_	25	-	20	19	20	45	-	-	110	80	40	48	-	-	-	20	427
51	Process Foods by Sugar Concentration (Leading to Food Processing NC II)		-	-	-	57	-	-	_		50	75	20	48	40	_	40	21	351
TOTA	NL	577	1,525	2,020	9,805	3,348	928	4,805	7,873	1,769	6,004	7,830	4,671	2,257	2,941	5,701	5,568	1,664	69,286



		Nebu	ken, Sultan Kudarat, Magumdanao			NO.
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	OF PAX
9	Service	e Engine Compon	ents (Leading to Automotive Servicin	ng NC II)	
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm,14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	20
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	20
	3	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	20
	4	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET	20
	5	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1.	PC	20
	6	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	20
	7	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	20
	II)		e Components (Leading to Automot			20
12		ce Motorcycle/Sma cing NC II)	II Engine System (Leading to Motorc	ycle/Sn	nall Engine	9
	1	Manual Impact Driver	1 pc 1/2" Drive Impact Driver, 1 pc 8 mm long bit holder, 1 pc 36 mm long, 8 mm slotted bit, 1 pc 36 mm long, 10 mm slotted bit, 1 pc 36 mm long, PH2 bit, 1 pc 36 mm long, PH3 bit	1	SET	23
	2	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	23
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	23
	4	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	23

LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	5	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	23
	6	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET	23
	7	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	23
		cycle/Small Engin		·	ding to	23
13	Service		m (Leading to Motorcycle/Small Engi	ne Serv		
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	21
	2	Electricians/ Electrical Plier	Overall length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	21
	3	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	21
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	21
	5	Battery Load Tester	100-Amp, 6V and 12V batteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted rocker switch.	1	PC	21
	Servic	cing NC II)	trical System (Leading to Motorcyc			21
14	Overh NC II)		nall Engine (Leading to Motorcycle/Si	mall En		,
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	20

LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	2	Manual Impact Driver	1 pc 1/2" Drive Impact Driver, 1 pc 8 mm long bit holder, 1 pc 36 mm long, 8 mm slotted bit, 1 pc 36 mm long, 10 mm slotted bit, 1 pc 36 mm long, PH2 bit, 1 pc 36 mm long, PH3 bit	1	SET	20
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	20
	4	Feeler gauge	26 tempered steel leaves/blade ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635 mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.	1	PC	20
	5	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	20
	6	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	20
	7	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET	20
	8	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	20
	9	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	20
4	Engin	e Servicing NC II)	otorcycle/Small Engine (Leading to I	Motorcy	cle/Small	20
15	Carpe	ntry NC II Cross Cut Saw	Crosscut saw; 8 points per inch; 18	1	PC	43
	<u>'</u>	O1003 Out Gaw	in. length / 450 mm; hardwood handle		ru	43
_	2	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	43

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018 TESDA-Autonomous Region in Muslim Mindanao (ARMM) – RMDC Complex, Brgy.

Rebuken, Sultan Kudarat, Maguindanao

		Kebu	Ken, Sultan Kudarat, Maguindanao			NO
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	43
	4	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	43
	5	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	43
	6	Sledge Hammer	Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With Wooden Handle	1	PC	43
	7	Chalk Line Reel	Includes Chalk Reel and 4 Oz. Bottle Blue Chalk; High Impact Abs Case On-Board Hook Storage, Stainless- Steel Hook, Sliding Door For Easy Filling, Folding Crank Handle	1	PC	43
	8	Wood Chisel	Forged steel blade; 3/4: blade width; plastic handle	1	PC	43
	9	Try Square	Size: 8"x12", Thickness 1.8-2mm, Material: Spring Steel, Handle Material: Aluminum Alloy, Metric & English Graduations	1	PC	43
	10	Ripping Bar	Overall Length: 17", Overall Width: 5/8", Thickness: 5/8", Dia.: 5/8", Material: High Carbon Steel, Color: Black and Yellow	1	PC	43
	11	Plumb Bob	Hexagonal/Conical shape, Machined Steel, 8 ounce	1	PC	43
	Sub-to	otal, Carpentry NC	11			43
16	Electr	ical Installation an	d Maintenance NC II			
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	50
	2	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	50

	T	Kebu	ken, Sultan Kudarat, Maguindanao	T - T		NO
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	3	Long Nose Pliers	Overall Length: 8"	1	PC	50
			Knife Length: 5/8"			
			Material: Carbon Steel			
			Handle Finish: plastic dipped			
	4	Diagonal Cutting	Overall length 8", Handle finish	1	PC	50
	<u> </u>	Plier	plastic dipped, Carbon Steel	 		ļ <u></u>
	5	Electricians/	Overall Length: 8", Steel Alloy,	1 1	PC	50
		Electrical Plier	Handle finish: plastic-dipped			
	6	Pull-Push Rule	Blade length 8m/26ft Blade width 1"	1 1	PC	50
			High impact ABS case with durable			
			rubber Corrosion resistant tru-zero			
	Sub #	otal Electrical Inst	end allation and Maintenance NC II	<u> </u>		50
17		nry NC I	anadon and maintenance NC II			30
	1	Pointing Trowel	Steel 3" x 7", wooden handle	1 1	PC	25
	2	Pull-Push Rule	Blade length 8m/26ft Blade width 1"	1 1	PC	25
		T dil T doll T die	High impact ABS case with durable	'	10	20
		1	rubber Corrosion resistant tru-zero			
	ļ		end			
	3	Claw Hammer	Forged High-Carbon Steel Head;	1	PC	25
			Smooth Face; 16 Oz; Wood Handle			
	4	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	25
	5	Shovel	Round point steel blade; fiber glass	1	PC	25
			D-grip handle, blade length 11.5"			
			width 8.25" wooden handle length			
			20"			
	6	Hacksaw With	Adjustable hacksaw frame with bi-	1	PC	25
		Blade	metal hacksaw blade, 24 TPI,			
			aluminum alloy frame and handle			
	7	Steel Square	Carpenters framing square;	1	PC	25
			2x16x24", Steel			
- 40		otal, Masonry NC I				25
18	Plaste		ry Surface (Leading to Masonry NC			7
	1 - 1 -	Pointing Trowel	Steel 3" x 7", wooden handle	1	PC PC	25
	2	Concrete/cement	Length (In.) 11, Width (In.) 4-1/2,	1	PC	25
		Finishing Trowel	High Carbon Steel Blade, Wooden Handle			
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1"	1	PC	25
		T dil-1 doi? (Naic	High impact ABS case with durable	'	10	23
			rubber Corrosion resistant tru-zero			
			end			
	4	Hacksaw With	Adjustable hacksaw frame with bi-	1	PC	25
		Blade	metal hacksaw blade, 24 TPI,	'	, 0	20
			aluminum alloy frame and handle			
						

LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	5	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	25
	6	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	25
	7	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	25
	8	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	25
	Sub-to	otal, Plaster Concr	ete/Masonry Surface (Leading to Ma	sonry N	IC II)	25
21	i	oing NC II)	ing Installation and Repair Mainten	ance W	· · · · · · · · · · · · · · · · · · ·	
	1	Pipe Wrench	14" Straight cast iron handle; max jaw opening: 65mm (2.55")	1	PC	25
	2	Hacksaw With Blade	Adjustable hacksaw frame with bimetal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	25
	3	PVC Pipe Cutter	PVC pipe cutter; steel handle 1/2"-2"	1	PC	25
	4	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	25
	5	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	25
		otal, Perform Mul s (Leading to Plum	tiple Plumbing Installation and Republing NC II)	air Ma	intenance	25
34		m Manicure and F Care] NC II)	Pedicure (Leading to Beauty Care NC	II/Beau	ity Care Se	rvices
	1	Cuticle Nipper	Stainless steel, 3.5"	1	PC	40
	2	Cuticle Pusher	stainless steel, 5"	1	PC	40
	3	Foot Nail Cutter	stainless steel, 3" long	1	PC	40
	4	Hand Nail Cutter	stainless steel, 2.5" long	1	PC	40
	5	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	40
	6	Nail Brush	Plastic, soft bristle	1	PC	40
	7	Emery Board	80/100 coarse, 8" Long	1	PC	40
-	8	Cotton Balls	150 balls	1	PACK	40
	9	Cuticle Remover	120 ml bottle	1	BOTTLE	40
	10	Nail Polish Remover	120 ml bottle	1	BOTTLE	40
	11	Antiseptic (Merthiolate)	25 ml bottle	1	BOTTLE	40

LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	12	Colored Nail Polish	15ml bottle, preferably touch of tan	1	BOTTLE	40
	13	Colored Nail Polish	15ml bottle, white	1	BOTTLE	40
	14	Colorless Nail Polish	15ml bottle, with glitters	1	BOTTLE	40
	15	Colorless Nail Polish	15ml bottle	1	BOTTLE	40
	16	Low Stool	hard plastic, round	1	PC	40
	17	Face Towel	100 % cotton, 12" X 12", white	1	PC	40
20	II/Bea	uty Care Services	nicure and Pedicure (Leading to I [Nail Care] NC II)	Beauty	Care NC	40
36	Репо		(Leading to Beauty Care NC II)	1	50	40
	1 - 1	Face Towel	100 % cotton, 12" X 12", white	1	PC	40
	2	Bath Towel	100 % cotton, 27" X 54", white	1	PC	40
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	40
	4	Scrub Suit	Unisex, Soft and linen blouse (V- neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	40
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC_	40
	6	Body Lotion	200 ml., Hypoallergenic	1 1	BOTTLE	40
	7	Aromatic Oil	100 ml.	1	BOTTLE	40
	8	Virgin Coconut Oil	250 ml.	1	BOTTLE	40
	9	Powder	Baby powder, 200 g	1	BOTTLE	40
	10	Mentholated Oil	100 ml.	1	BOTTLE	40
	11	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	40
	Sub-te	otal, Perform Body	Massage (Leading to Beauty Care N	IC II)		40
38	Perfo	rm Facial Treatmer	nt (Leading to Beauty Care NC II)			
	1	Acne Gel	25ml, hypoallergenic	1	PC	40
	2	Astringent	125 ml, deep cleansing, hypoallergenic	1	BOTTLE	40
	3	Bleaching Cream	50 grams, tube, hypoallergenic	1	TUBE	40
	4	Cleansing Cream	60 ml., hypoallergenic	1	BOTTLE	40
	5	Face Mask	disposable earloop face mask, 50 pcs per box	1	вох	40
	6	Facial Brush	plastic handle, soft bristle	1	PC	40
	7	Facial Cream	50 ml, dermatologically tested (hypoallergenic)	1	PC	40

LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	8	Facial Scrub Cream	50 ml, dermatologically tested (hypoallergenic)	1	TUBE	40
	9	Moisturizer	50 ml, hypoallergenic	1	PC	40
	10	Pricking Tools	stainless steel, dual end, pointed and round	1	PC	40
	11	Skin Toner	100 ml, dermatologically tested (hypoallergenic)	1	BOTTLE	40
	12	Sun Block Cream	50 ml. SPF 40 (hypoallergenic)	1	TUBE	40
	13	Face Towel	100 % cotton, 12" X 12", white	_1_	PC	40
	14	Cotton Balls	150 balls	1	PACK	40
	Sub-to	otal, Perform Facia	al Treatment (Leading to Beauty Care	NC II)		40
40			(Leading to Beauty Care NC II)			
	1	Astringent	125 ml, deep cleansing, hypoallergenic	1	BOTTLE	42
	2	Blusher	pink and bronze shade, 4grams each	2	PC	42
	3	Eye Brow Pencil	black, 4"	1	PC	42
	4	Eye Brow Pencil	brown, 4"	1	PC	42
	5	Eye Liner Pencil	black, 4"	1	PC	42
	6	Eye Liner Pencil	brown, 4"	1	PC	42
	7	Eye Shadow	8 palette, earth colors, matte finish	1	PC	42
	8	Eyebrow Tweezer	stainless steel, scissor type	1	PC	42
	9	Eyelash Curler	stainless steel, scissor type	1	PC	42
	10	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	42
	11	Make-Up Sponge	round, powder puff sponge	1	PC	42
	12	Foundation	Liquid, 30 ml, natural shade	1	BOTTLE	42
	13	Head Band	3"x 23" cotton fabric with snap tape	1	PC	42
	14	Lipstick	matte finish, red	1	PC	42
	15	Lipstick	matte finish, coral pink	1	PC	42
	16	Make Up Brush Set	wooden handle, soft bristle, set of 5pcs (lip brush, angle eye brush, powder brush, eye shadow brush, angle blusher brush)	1	SET	42
	17	Mascara	black, water proof, 7g	1	PC	42
	18	Pressed Powder	natural shade, matte finish	1	PC	42
	19	Cotton Balls	150 balls	1	PACK	42
	20	Concealer	20ml with UVA/UVB protection	1	PC	42
			al Make-Up (Leading to Beauty Care N	IC II)	<u>. </u>	42
44	——————————————————————————————————————		to Bread and Pastry Production NC II			· - -
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature	1	UNIT	60

	 	Rebu	Ken, Sultan Kudarat, Maguindanao			NO.
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	OF PAX
			Control (100-250C) 4 Stainless Steel			
			Heating Element, Indicator Light,			
			Removable Tray for easy Cleaning			
			(Crumb Tray) Tempered Glass, 4			
			Stage Heating Selection			
			Accessories: Enamel Bake Tray,			
			Wire Rack, Tray Handle, 220V,			
	 		60hz, 1,300 watts		057	
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup,	1	SET	60
ļ			1/3 cup, ½ cup)		D 0	
İ	3	Measuring Urn	Transparent glass ,1 cup capacity,	1	PC	60
			measurements are clearly mark in			
		Missing David	ounce, quarts and millilitres	1	DC	
	4	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	60
	Sub-to	otal. Bread Making	(Leading to Bread and Pastry Produ	ction N	C II)	60
45			to Bread and Pastry Production NC I		<u> </u>	
	1	Electric Oven	18L Stainless Housing, Timer	1	UNIT	40
			60mins with bell alarm, Temperature			
j			Control (100-250C) 4 Stainless Steel			
			Heating Element, Indicator Light,			
			Removable Tray for easy Cleaning	}		
			(Crumb Tray) Tempered Glass, 4			
			Stage Heating Selection			
			Accessories: Enamel Bake Tray,			
			Wire Rack, Tray Handle, 220V,			
			60hz, 1,300 watts			
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup,	1 '	SET	40
ļ			1/3 cup, ¼ cup)			
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart	1	PC	40
			capacity			
	4	Muffin Pan	6 holes, 3oz capacity per hole, non-	1	PC	40
		<u> </u>	stick	L		ļ
			g (Leading to Bread and Pastry Produ	iction N	IC II)	40
46			o Bread and Pastry Production NC II)		1 16 11	40
	1	Electric Oven	18L Stainless Housing, Timer	1	UNIT	43
			60mins with bell alarm, Temperature	Ì	,	
			Control (100-250C) 4 Stainless Steel			
			Heating Element, Indicator Light,			
			Removable Tray for easy Cleaning			
			(Crumb Tray) Tempered Glass, 4			
			Stage Heating Selection Accessories: Enamel Bake Tray,			
	1		Wire Rack, Tray Handle, 220V,	1		
			60hz, 1,300 watts			
<u> </u>		1	100112, 1,000 Watts	<u> </u>	L	

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018 TESDA-Autonomous Region in Muslim Mindanao (ARMM) – RMDC Complex, Brgy.

Rebuken, Sultan Kudarat, Maguindanao

LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX		
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	43		
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	43		
	4	Muffin Pan	6 holes, 3oz capacity per hole, non- stick	1	PC	43		
	Sub-to	otal, Cake Making	(Leading to Bread and Pastry Produc	tion NC	: 11)	43		
47	Prepare and Cook Hot Meals (Leading to Cookery NC II)							
	1	Frying Pan	10" diameter by 2" high teflon, non- stick, riveted handle	1	PC	20		
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	20		
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	20		
	4	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	20		
	5	Chopping Board	½" x 12" x 18"; made of polyethylene material	1	PC	20		
	6	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	20		
	7	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	20		
	8	Strainer	8" diameter, single fine mesh, flat wooden handle	1	PC	20		
	Sub-to	otal, Prepare and (Cook Hot Meals (Leading to Cookery	NC II)	·	20		
	TOTA					577		

			- G/F Balibrea Building, Pili Drive			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
1	Anima	Production (Poul				
	1	Galloner	Dimension: height 347 mm (tube), 55 mm (plate, plate diameter is 9.6 inches, 5000 ml water capacity, plastic	3	PC	21
	2	Tubular Feeder	3 kg. capacity, automatic plastic feeder, 11 inches plate diameter, 10.5 inches feeder height	5	PC	21
	3	Brooder/Heater Lamp	45 cm diameter aluminum reflector; socket is insulated porcelain, flexible heavy gauge SJT cord with molded-on plug	1 "	SET	21
	4	Infrared Lamp	250 Watts Bulb, clear colour emitted light	1	PC	21
			ction (Poultry Chicken) NC II			21
2		l Production (Swir	··/ ·- ·- ·- ·- ·- ·- ·- ·- ·- ·- ·- ·- ·-			
	1	Ear Notcher	Small V-shape blade; stainless steel	1	PC	22
	2	Tooth Nipper	Diagonal cutting blade, stainless steel	1	PC	22
	3	Reusable Veterinary Syringe	Fiberglass hypodermic adjustable syringe with engraved volume indication on barrel; 10 ml capacity	1	PC	22
	4	Veterinary Injection Needle	Gauge # 20 X 1/2" long hypodermic needle (12pcs/box), stainless and sterilizable	1	вох	22
	5	Veterinary Injection Needle	Gauge # 18 X 1" long hypodermic needle (12pcs/box), stainless and sterilizable	1	ВОХ	22
	6	Veterinary Injection Needle	Gauge # 16 X 1" long hypodermic needle (12pcs/box), stainless and sterilizable	1	ВОХ	22
	7	Reusable Artificial Insemination Catheter	Pig spiral tip Artificial Insemination (A.I.) Catheter; 18" long; reusable and sterilizable	1	PC	22
	8	Forcep	Stainless 5.5" long, straight kelly forcep	1	PC	22
			ction (Swine) NC II			22
3	Raise		Leading to Organic Agriculture Pro			
	1	Galloner	Dimension: height 347 mm (tube), 55 mm (plate, plate diameter is 9.6 inches, 5000 ml water capacity, plastic	3	PC	19

			- G/F Balibrea Building, Pili Drive			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	2	Tubular Feeder	3 kg. capacity, automatic plastic feeder, 11 inches plate diameter, 10.5 inches feeder height	5	PC	19
	3	Brooder/Heater Lamp	45 cm diameter aluminum reflector; socket is insulated porcelain, flexible heavy gauge SJT cord with molded-on plug	1	SET	19
	4	Infrared Lamp	250 Watts Bulb, clear colour emitted light	1	PC	19
	5	Chopping Board	1/2" x 12" x 18"; made of polyethylene material	1	PC	19
	6	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	19
	Sub-to NC II)	otal, Raise Organic	Chicken (Leading to Organic Agri	culture Pi	roduction	19
4	Produ	ce Organic Vegeta	ble (Leading to Organic Agricultu	re Produc	ction NC II)	
	1	Steel Rake	14 tine made of steel; hardwood handle	1	PC	19
	2	Sprayer	Knapsack type (16 litres cap) stainless tank and steel lance manual type with cone nozzles and fan nozzles	1	UNIT	19
	3	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	19
	4	Garden Hoe	Carbon Steel head, goose neck type, hardwood handle, 6" blade	1	PC	19
	5	Sprinkler	2 gallon capacity, heavy duty plastic	1	PC	19
	Produ	ction NC II)	ganic Vegetable (Leading to Or			19
5		ction NC II)	ction and Extracts (Leading to Org		··-	
	1	Measuring Cup/Jug	Polypropelene, 1 liter capacity with graduation	1	PC	19
	2	Sprayer	Knapsack type (16 litres cap) stainless tank and steel lance manual type with cone and fan nozzles	1	UNIT	19
	3	Chopping Board	½" x 12" x 18"; made of polyethylene material	1	PC	19
	4	Weighing Scale	10 kg. capacity	1	UNIT	19

			– G/F Balibrea Building, Pili Drive		City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	5	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	19
		ntal, Produce Orga Ilture Production N	nnic Concection and Extracts (Le IC II)	eading to	Organic	19
6	Perfor	m Diesel Engine To	une Up (Leading to Automotive Se	rvicing N	IC I)	
	1	Feeler gauge	26 tempered steel leaves/blade ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.	1	PC	48
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	48
	3	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	48
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	48
	5	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	48
	6	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	48
	Sub-to NC I)	otal, Perform Diese	l Engine Tune Up (Leading to Auto	omotive	Servicing	48

		TESDA-CARAGA	- G/F Balibrea Building, Pili Drive			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
7	Perfor	m Gas Engine Tun	e Up (Leading to Automotive Serv	icing NC		
	1	Feeler gauge	26 tempered steel leaves/blade ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015,	1	PC	30
			.016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.			
	2	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	30
	3	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	30
	4	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	30
	5	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	30
	6	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	30
	7	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	30
	NC I)		ingine Tune Up (Leading to Autom	otive Sei	rvicing	30
15	Carpe	ntry NC II	0	4	D.C.	
	1	Cross Cut Saw	Crosscut saw; 8 points per inch; 18 in. length / 450 mm; hardwood handle	1	PC	20
	2	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	20

		TESDA-CARAGA	- G/F Balibrea Building, Pili Drive			<u> </u>
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	20
	4	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	20
	5	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	20
	6	Sledge Hammer	Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With Wooden Handle	1	PC	20
	7	Chalk Line Reel	Includes Chalk Reel and 4 Oz. Bottle Blue Chalk; High Impact Abs Case On-Board Hook Storage, Stainless-Steel Hook, Sliding Door For Easy Filling, Folding Crank Handle	1	PC	20
	8	Wood Chisel	Forged steel blade; 3/4: blade width; plastic handle	1	PC	20
	9	Try Square	Size: 8"x12", Thickness 1.8-2mm, Material: Spring Steel, Handle Material: Aluminum Alloy, Metric & English Graduations	1	PC	20
	10	Ripping Bar	Overall Length: 17", Overall Width: 5/8", Thickness: 5/8", Dia.: 5/8", Material: High Carbon Steel, Color: Black and Yellow	1	PC	20
	11	Plumb Bob	Hexagonal/Conical shape, Machined Steel, 8 ounce	1	PC	20
	Sub-to	tal, Carpentry NC				20
16	Electri	cal Installation and	d Maintenance NC II			
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	252
	2	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	252

			- G/F Balibrea Building, Pili Drive			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	252
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	252
	5	Electricians/ Electrical Plier	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	252
	6	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	252
	Sub-to	tal, Electrical Insta	allation and Maintenance NC II			252
18			y Surface (Leading to Masonry NO	C II)		
	1	Pointing Trowel	Steel 3" x 7", wooden handle	1	PC	25
	2	Concrete/cement Finishing Trowel	Length (In.) 11, Width (In.) 4-1/2, High Carbon Steel Blade, Wooden Handle	1	PC	25
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	25
	4	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	25
	5	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	25
	6	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	25
	7	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	25
	8	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	25
			ete/Masonry Surface (Leading to N			25
21		ing NC II)	ng Installation and Repair Mainten	ance Wo	rks (Leadi	ng to
	1	Pipe Wrench	14" Straight cast iron handle; max jaw opening: 65mm (2.55")	1	PC	75
	2	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	75
	3	PVC Pipe Cutter	PVC pipe cutter; steel handle 1/2"- 2"	1	PC	75

		- G/F Balibrea Building, Pili Drive			, 10
ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
4	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	75
5	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	75
			epair Mai	ntenance	75
		3.			L
1	Tile Cutter	Pen type, carbide tip, manual 8" length	1	PC	25
2	Nipper, End Cutter	End nipper Plier 8"	1	PC	25
3		Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	25
4		16 oz, Wooden Handle	1	PC	25
5	Notched Trowel	Notched Trowel; carbon steel; Wooden/ Plastic handle, 4" x 11"; Notched size: 1/4" x 1/4" (6mm x 6mm)	1	PC	25
6	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	25
7	Plier	Forged carbon steel, length 8 inches, machined jaws	1	PC	25
8	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	25
					25
				· · · · · · · · · · · · · · · · · · ·	
1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	42
	Sub-to-RAC S	TESDA-CARAGA ITEM NO. 4 Pull-Push Rule 5 Ball Peen Hammer Sub-total, Perform Multive Works (Leading to Plum) Tile Setting NC II 1 Tile Cutter 2 Nipper, End Cutter 3 Pull-Push Rule 4 Rubber Mallet 5 Notched Trowel 6 Spirit Level Bar 7 Plier 8 Claw Hammer Sub-total, Tile Setting NC RAC Servicing (Dom/RAC	ITEM NO. ITEM AGENCY SPECS AGENCY SPECS Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb Sub-total, Perform Multiple Plumbing Installation and Reference of England to Plumbing NC II) Tile Setting NC II Nipper, End Cutter Pen type, carbide tip, manual 8" length End nipper Plier 8" Nipper, End Cutter Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end 16 oz. Wooden Handle Notched Trowel Notched Trowel; carbon steel; Wooden/ Plastic handle, 4" x 11"; Notched size: 1/4" x 1/4" (6mm x 6mm) Spirit Level Bar Aluminum, top-read center vial; 3 vials; Length: 24" Plier Forged carbon steel, length 8 inches, machined jaws Claw Hammer Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle Sub-total, Tile Setting NC II RAC Servicing (Dom/RAC) NC II VOM (Multitester) Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g	ITEM NO. ITEM AGENCY SPECS QTY A Pull-Push Rule Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end Ball Peen Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./1 lb Sub-total, Perform Multiple Plumbing Installation and Repair Mai Works (Leading to Plumbing NC II) Tile Setting NC II Nipper, End Cutter Pen type, carbide tip, manual 8" length Nipper, End Cutter Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end Rubber Mallet 16 oz, Wooden Handle 1 Notched Trowel Notched Trowel; carbon steel; Wooden/ Plastic handle, 4" x 11"; Notched size: 1/4" x 1/4" (6mm x 6mm) Spirit Level Bar Aluminum, top-read center vial; 3 1 vials; Length: 24" Plier Forged Carbon Steel, length 8 1 inches, machined jaws Claw Hammer Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle Sub-total, Tile Setting NC II RAC Servicing (Dom/RAC) NC II Plier Forged High-Carbon Steel Head; 1 0.1 v to 1000v ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g	TESDA-CARAGA – G/F Balibrea Building, Pili Drive Butuan City ITEM ITEM AGENCY SPECS QTY UNIT 4 Pull-Push Rule Blade length 8m/26ft Blade width 1* High impact ABS case with durable rubber Corrosion resistant tru-zero end 5 Ball Peen Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./1 lb Sub-total, Perform Multiple Plumbing Installation and Repair Maintenance Works (Leading to Plumbing NC II) Tile Setting NC II 1 Tile Cutter Pen type, carbide tip, manual 8" 1 PC length Cutter 3 Pull-Push Rule Blade length 8m/26ft Blade width 1* High impact ABS case with durable rubber Corrosion resistant tru-zero end 4 Rubber Mallet 16 oz, Wooden Handle 1 PC Notched Trowel; carbon steel; Wooden/ Plastic handle, 4" x 11"; Notched size: 1/4" x 1/4" (6mm x 6mm) 6 Spirit Level Bar Aluminum, top-read center vial; 3 1 PC 8 Claw Hammer Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle 5 Wood Multitester Not II RAC Servicing (Dom/RAC) NC II 1 VOM (Multitester) Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Anc/250V/5 2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320 g

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018 TESDA-CARAGA – G/E Balibrea Building, Pili Drive Butuan City

		TESDA-CARAGA	 – G/F Balibrea Building, Pili Drive 	Butuan (City		
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	
	2	Mechanical Manifold Gauge Set	2 valves, number of hoses 3, gauge high side pressure 0-500 PSIG, Gauge low side pressure 30 In. Hg. to 250 PSIG, for use with R-22, R-134a refrigerants, 1/4 in. vacuum port size, hose length 36", 2500 PSI burst.	1	SET	42	
	3	Flaring tool set	Flares and swages. Screw-type feed. Two bars included cover 9 sizes. Swivel-type swaging adapters and flaring cone hardened steel, chrome finished. Slip-on forged steel yoke. Includes tool case. Flares 1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" O.D. Includes 5 swage adapters for 7 tube sizes: 3/16", 1/4", 5/16", 3/8", 1/2", 5/8", 3/4" O.D.	1	SET	42	
		otal, RAC Servicing	(Dom/RAC) NC II			42	
25	Shielded Metal Arc Welding (SMAW) NC I						
	1	Portable Welding Machine	Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground.	1	UNIT	466	
	2	Welding Mask	Flip Front Welding Helmet, impact-resistant polypropylene material, adjustable fit, 4 1/2" x 2" view area with lens	1	PC	466	
	Sub-to	tal, Shielded Meta	Arc Welding (SMAW) NC I	l		466	
26		ing NC II)	oducts (Leading to Electronic Pro	ducts As	-	nd	
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	25	
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	25	
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	25	

LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	25	
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	25	
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	25	
		otal, Assemble Elec obly and Servicing	ctronics Products (Leading to Elec NC II)	tronic Pi	roducts	25	
27	Service Consumer Electronic Products and Systems (Leading to Electronic Products Assembly and Servicing NC II)						
	1	VOM (Multitester)		1	UNIT	55	
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	55	
ę	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	55	
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	55	
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	55	
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	55	
	Sub-to	tal, Service Consu	mer Electronic Products and Systembly and Servicing NC II)	ems (Lea	ading to	55	

•			- G/F Balibrea Building, Pili Drive			710
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
28			onic Modules, Products and Syste	ms (Lead	ling to	
	1	VOM (Multitester)	embly and Servicing NC II) Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to	1	UNIT	24
			750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k			
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	24
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	24
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	24
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	24
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	24
	i		strial Electronic Modules, Produ roducts Assembly and Servicing N		Systems	24
29	Servic		onic Products and Systems (Asse		Solar Nigh	tlight
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	22
	2	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	22
	3	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	22

	X7 (11 (1)		- G/F Balibrea Building, Pili Drive			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	4	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	22
	5	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET	22
	t .		mer Electronic Products and Syst	ems (As	sembly of	22
31		<i>Nightlight and Pos</i> making NC II	т Lamp)			
31	1	Portable Electric	Easy stitch selection with built-in	1	UNIT	89
		Sewing Machine	stitches, automatic tension, four- step button hole, and automatic reverse stitches (60 Hz; 85 Watts; 220 V)			
	2	Drafting Tools	Tailors square, aluminum 24" L x 1 1/2" W, L-shape ruler; Hip curve, aluminum 24" L x 1 1/2" W curve ruler	1	SET	89
	3	Cutting Shears	8" length, stainless steel cutting blade, plastic handle used for cutting fabrics	1	PC	89
	4	French Curve	made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges	1	PC	89
	5	Sewing Kit	a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure 60" (150cm) L, 4 to 5" L paper scissors (plastic handle), spools of asstd. colors of sewing threads and other notions	1	PC	89
		otal, Dressmaking I				89
33	· · · ·	Wellness Massage	Y			
	1	Face Towel	100 % cotton, 12" X 12", white	1	PC	203
	2	Bath Towel	100 % cotton, 27" X 54", white	1	PC	203
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	203
	4	Scrub Suit	Unisex, Soft and linen blouse (V- neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	203
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	203

		TESDA-CARAGA	- G/F Balibrea Building, Pili Drive	Butuan	City		
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	203	
	7	Aromatic Oil	100 ml.	1	BOTTLE	203	
	8	Virgin Coconut Oil	250 ml.	1	BOTTLE	203	
	9	Powder	Baby powder, 200 g	1	BOTTLE	203	
	10	Mentholated Oil	100 ml.	1	BOTTLE	203	
	11	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	203	
	Sub-to	tal, Hilot (Wellnes:				203	
34	Perform Manicure and Pedicure (Leading to Beauty Care NC II/Beauty Care Service [Nail Care] NC II)						
	1	Cuticle Nipper	Stainless steel, 3.5"	1	PC	20	
	2	Cuticle Pusher	stainless steel, 5"	1	PC	20	
	3	Foot Nail Cutter	stainless steel, 3" long	1	PC	20	
	4	Hand Nail Cutter	stainless steel, 2.5" long	1	PC	20	
	5	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	20	
	6	Nail Brush	Plastic, soft bristle	1	PC	20	
	7	Emery Board	80/100 coarse, 8" Long	1	PC	20	
	8	Cotton Balls	150 balls	1	PACK	20	
	9	Cuticle Remover	120 ml bottle	1	BOTTLE	20	
	10	Nail Polish Remover	120 ml bottle	1	BOTTLE	20	
	11	Antiseptic (Merthiolate)	25 ml bottle	1	BOTTLE	20	
	12	Colored Nail Polish	15ml bottle, preferably touch of tan	1	BOTTLE	20	
	13	Colored Nail Polish	15ml bottle, white	1	BOTTLE	20	
	14	Colorless Nail Polish	15ml bottle, with glitters	1	BOTTLE	20	
	15	Colorless Nail Polish	15ml bottle	1	BOTTLE	20	
	16	Low Stool	hard plastic, round	1	PC	20	
	17	Face Towel	100 % cotton, 12" X 12", white	1	PC	20	
	II/Beau	ıty Care Services [Care NC	20	
43	Perfor		vices (Leading to Hairdressing NC	C II)	1		
	1	Hair Blower	220V, 1800W, 60 Hz, hot and cold blower function	1	UNIT	20	
	2	Cutting Scissors	6" stainless steel with tight regulator screw	1	PC	20	
	3	Thinning Scissors	5" Single notched, 23 teeth, stainless steel	1	PC	20	

LOT	17-14		 G/F Balibrea Building, Pili Drive 			NO.
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	OF PAX
	4	Apron	black with 3 pockets	1	PC	20
	5_	Protective Cape	Water proof, nylon, black	1	PC	20
	6	Neck brush	Wood handle, app. 10 cm x 6.7cm	1	PC	20
	7	Talcum Powder	250g	1	BOTTLE	20
	Sub-to	tal, Perform Hair C	Cutting Services (Leading to Hairdi	ressing l	VC II)	20
44	Bread	Making (Leading to	o Bread and Pastry Production NC	: II)		
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts	1	UNIT	65
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ½ cup)	1	SET	65
	3	Measuring Urn	Transparent glass ,1 cup capacity, measurements are clearly mark in ounce, quarts and millilitres	1	PC	65
~	4	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	65
	Sub-to	tal, Bread Making	(Leading to Bread and Pastry Prod	duction I	VC II)	65
46			Bread and Pastry Production NC			
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts	1	UNIT	20
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	20
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	20
	4	Muffin Pan	6 holes, 3oz capacity per hole, non-stick	1	PC	20

		TESDA-CARAGA	- G/F Balibrea Building, Pili Drive	Butuan (City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
47	1		eals (Leading to Cookery NC II)			
	1	Frying Pan	10" diameter by 2" high teflon, non-stick, riveted handle	1	PC	183
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	183
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	183
	4	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	183
	5	Chopping Board	1/2" x 12" x 18"; made of polyethylene material	1	PC	183
	6	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	183
	7	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	183
	8	Strainer	8" diameter, single fine mesh, flat wooden handle	1	PC	183
-	Sub-to	tal, Prepare and C	ook Hot Meals (Leading to Cooker	ry NC II)		183
48			ding to Cookery NC II)			-
	1	Frying Pan	10" diameter by 2" high teflon, non-stick, riveted handle	1	PC	161
-	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	161
1	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	161
	4	Chopping Board	1/2" x 12" x 18"; made of polyethylene material	1	PC	161
	5	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	161
	6	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	161
	7	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	161
	Sub-to	tal, Prepare Cold	Meals (Leading to Cookery NC II)			161_
49	Proces	ss Food by Salting	, Curing and Smoking (Leading to	Food Pro	ocessing	NC II)
	1	Food Processor	2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments, 220 V, 60 hz, 1,000 watts	1	unit	50
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	50
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	50
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	50

		TESDA-CARAGA	- G/F Balibrea Building, Pili Drive	Butuan (City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	5	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	50
	6	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	1	UNIT	50
	1	otal, Process Food ssing NC II)	by Salting, Curing and Smoking	(Leadin	g to Food	50
	TOTA					2,020

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018 TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road,

South Superhighway, Taguig City

LOT	ITEM		South Supernighway, Taguig City			NO. OF
NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	PAX
6	Perfor	m Diesel Engine	Tune Up (Leading to Automotive Se	rvicing		
	1	Feeler gauge	26 tempered steel leaves/blade ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, 020, .021, .022, .023, .024, and .025.	1	PC	245
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	245
	3	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	245
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	245
	5	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mrn	1	PC	245
	6	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	245
	Sub-to	otal, Perform Die	sel Engine Tune Up (Leading to Autor	notive	Servicing	245
7	Perfor	m Gas Engine T	une Up (Leading to Automotive Serv	icing N	C I)	
	1	Feeler gauge	26 tempered steel leaves/blade ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.	1	PC	25

TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018
TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road,
South Superhighway, Taguig City

LOT	ITEM	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF	
NO.	NO .	Spark Plug	1pc T-Handle Universal Joint Spark	1	SET	PAX 25	
		Wrench	Plug, Socket Wrench 21mm				
	3	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	25	
	4	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	25	
	5	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	25	
	6	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	25	
	7	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	25	
	Sub-to NC I)	otal, Perform Ga	s Engine Tune Up (Leading to Autom	otive S	ervicing	25	
8	Service Underchassis Components (Leading to Automotive Servicing NC II)						
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	20	
	2	Coil Spring Compressor	12" Coil spring compressor (silver). For all vehicles equipped with Macpherson Struts or any other coil spring brand, double ended jaws with safety hooks	1	SET	20	
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	20	
	4	Vise Grip	10 inches length, Stainless Steel. Jaws: straight, flat, square, Adjustable screw	1	PC	20	
	Servic	ing NC II)	nderchassis Components (Leading			20	
9_			onents (Leading to Automotive Servi	cing NO			
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	25	

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018 TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road,

South Superhighway, Taguig City

LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	25
	3	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	25
	4	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET	25
	5	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	25
	6	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	25
	7	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	25
	Sub-to NC II)	otal, Service Eng	gine Components (Leading to Automo	tive Se	ervicing	25
10		e Automotive E	lectrical Components (Leading to Aut	omotiv	e Servicir	na NC II)
	1	Battery Load Tester	100-Amp, 6V and 12V batteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted rocker switch.	1	PC	95
	2	Electricians/ Electrical Plier	Overall length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	95
	3	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	95
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	95
	ł.	otal, Service in notive Servicing	Automotive Electrical Components NC II)	s (Lea	ading to	95
12		e Motorcycle/S ing NC II)	mall Engine System (Leading to M	Motorc	ycle/Small	Engine
	1	Manual Impact Driver	1 pc 1/2" Drive Impact Driver, 1 pc 8 mm long bit holder, 1 pc 36 mm long, 8 mm slotted bit, 1 pc 36 mm long, 10 mm slotted bit, 1 pc 36 mm long, PH2 bit, 1 pc 36 mm long, PH3 bit	1	SET	260

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018 TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road,

South Superhighway, Taguig City

LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	2	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	260
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	260
	4	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	260
	5	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	260
	6	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET	260
	7	Circlip Pliers	6 in carbon steel insulated handle	1	SET	260
			detachable tip (combination) internal and external			
	Sub-to Motor		, ,	(Lea	nding to	260
13	Motor	cycle/Small Eng	and external Motorcycle/Small Engine System ine Servicing NC II) tem (Leading to Motorcycle/Small En			
13	Motor	cycle/Small Eng	and external Motorcycle/Small Engine System ine Servicing NC II)			
13	Motor Service	e Electrical Sys	and external Motorcycle/Small Engine System ine Servicing NC II) tem (Leading to Motorcycle/Small En Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance:	gine Se	ervicing N	C II)
13	Motor Service 1	e Electrical Sys VOM (Multitester)	and external Motorcycle/Small Engine System ine Servicing NC II) tem (Leading to Motorcycle/Small En Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k Overall length: 8", Steel Alloy, Handle	gine Se	e rvicing N UNIT	C II) 20

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL

LOT	ITEM	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF
NO.	NO.					PAX
	5	Battery Load Tester	100-Amp, 6V and 12V batteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted rocker switch.	1	PC	20
		otal, Service Elec ing NC II)	ctrical System (Leading to Motorcycle	e/Smal	Engine	20
14	Overh	aul Motorcycle/S	Small Engine (Leading to Motorcycle/	Small	Engine Se	rvicing
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	75
	2	Manual Impact Driver	1 pc 1/2" Drive Impact Driver, 1 pc 8 mm long bit holder, 1 pc 36 mm long, 8 mm slotted bit, 1 pc 36 mm long, 10 mm slotted bit, 1 pc 36 mm long, PH2 bit, 1 pc 36 mm long, PH3 bit	1	SET	75
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	75
	4	Feeler gauge	26 tempered steel leaves/blade ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.	1	PC	75
	5	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	75
	6	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	75

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018 TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road,

South Superhighway, Taguig City

LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	7	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 ln., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET	75
	8	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	75
	9	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	75
			otorcycle/Small Engine (Leading to M	otorcy	cle/Small	75
16		e Servicing NC	and Maintenance NC II			l
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	163
	2	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	163
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	163
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	163
	5	Electricians/ Electrical Plier	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	163
	6	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	163
			nstallation and Maintenance NC II			163
20	Pipefit 1	ting NC II Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	19

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018 TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road,

South Superhighway, Taguig City

LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	2	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	19
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	19
	4	File	Half-round, 8", tapered width and thickness, bastard teeth spacing, Plastic handle is slip resistant	1	PC	19
	5	Adjustable Wrench	12"/ 304.8 mm length, heavy duty chrome vanadium steel, max. Jaw capacity 43.2 mm, head width, 3/4" / 19.1 mm	1	PC	19
	6	Adjustable Combination Square	stainless steel blade, high visibility die cast handle with brass hardware, 12 tn. Length of blade	1	PC	19
	7	C - Clamp	Heavy duty, Machine ground anvils, steel sliding pin handles, bright plated steel swivel, 8" opening	1	PC	19
	8	Hacksaw With Blade	Adjustable hacksaw frame with bimetal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	19
	Sub-to	tal, Pipefitting I	NC II			19
24	RAC S	ervicing (Dom/I				
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	45
	2	Mechanical Manifold Gauge Set	2 valves, number of hoses 3, gauge high side pressure 0-500 PSIG, Gauge low side pressure 30 In. Hg. to 250 PSIG, for use with R-22, R-134a refrigerants, 1/4 in. vacuum port size, hose length 36", 2500 PSI burst.	1	SET	45

LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	
110.	3	Flaring tool set	Flares and swages. Screw-type feed. Two bars included cover 9 sizes. Swivel-type swaging adapters and flaring cone hardened steel, chrome finished. Slip-on forged steel yoke. Includes tool case. Flares 1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" O.D. Includes 5 swage adapters for 7 tube sizes: 3/16", 1/4", 5/16", 3/8", 1/2", 5/8", 3/4", O.D.	1	SET	45	
	Sub-to	tal RAC Servic	3/8", 1/2", 5/8", 3/4" O.D. ing (Dom/RAC) NC II	<u> </u>		45	
25			elding (SMAW) NC I				
	1	Portable Welding Machine	Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground.	1	UNIT	745	
	2	Welding Mask	Flip Front Welding Helmet, impact- resistant polypropylene material, adjustable fit, 4 1/2" x 2" view area with lens	1	PC	745	
			etal Arc Welding (SMAW) NC I			745	
26	Assemble Electronics Products (Leading to Electronic Products Assemble Servicing NC II)						
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	95	
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	95	
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	95	
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	95	
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	95	

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL

LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX		
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	95		
, -		otal, Assemble L nbly and Servici	Electronics Products (Leading to Electronics Products (Leading to Electronics)	tronic	Products	95		
27	Service Consumer Electronic Products and Systems (Leading to Electronic F Assembly and Servicing NC II)							
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	25		
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	25		
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	25		
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	25		
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	25		
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	25		
	1	•	nsumer Electronic Products and Syst ssembly and Servicing NC II)	ems (L	eading to	25		
31	Dressi	making NC II						
	1	Portable Electric Sewing Machine	Easy stitch selection with built-in stitches, automatic tension, four-step button hole, and automatic reverse stitches (60 Hz; 85 Watts; 220 V)	1	UNIT	319		
	2	Drafting Tools	Tailors square, aluminum 24" L x 1 1/2" W, L-shape ruler; Hip curve, aluminum 24" L x 1 1/2" W curve ruler	1	SET	319		
	3	Cutting Shears	8" length, stainless steel cutting blade, plastic handle used for cutting fabrics	1	PC	319		

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL

LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	
	4	French Curve	made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges	1	PC	319	
	5	Sewing Kit	a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure 60" (150cm) L, 4 to 5" L paper scissors (plastic handle), spools of asstd colors of sewing threads and other notions	1	PC	319	
	Sub-to	tal, Dressmakin	g NC II			319	
32	Tailori	ng NC II					
	1	Portable Electric Sewing Machine	Easy stitch selection with built-in stitches, automatic tension, four-step button hole, and automatic reverse stitches (60 Hz; 85 Watts; 220 V)	1	UNIT	92	
	2	Drafting Tools	Tailors square, aluminum 24" L x 1 1/2" W, L-shape ruler; Hip curve, aluminum 24" L x 1 1/2" W curve ruler	1	SET	92	
	3	Cutting Shears	8" length, stainless steel cutting blade, plastic handle used for cutting fabrics	1	PC	92	
	4	French Curve	made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges	1	PC	92	
	5	Sewing Kit	a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure 60" (150cm) L, 4 to 5" L paper scissors (plastic handle), spools of asstd. colors of sewing threads and other notions	1	PC	92	
	Sub-to	tal, Tailoring N		1		92	
33	Hilot (Wellness Massage) NC II						
	1	Face Towel	100 % cotton, 12" X 12", white	1	PC	1,046	
<u> </u>	2	Bath Towel	100 % cotton, 27" X 54", white	1	PC	1,046	
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	1,046	
	4	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	1,046	
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	1,046	
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	1,046	
	7	Aromatic Oil	100 ml.	1	BOTTLE	1,046	
	8	Virgin Coconut Oil	250 ml.	1	BOTTLE	1,046	
	9	Powder	Baby powder, 200 g	1	BOTTLE	1,046	
	10	Mentholated Oil	100 ml.	1	BOTTLE	1,046	

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018 TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road,

South Superhighway, Taguig City

LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	
	11	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	1,046	
	Sub-to	tal, Hilot (Welln	ess Massage) NC II			1,046	
34	Perform Manicure and Pedicure (Leading to Beauty Care NC II/Beauty Care S [Nail Care] NC II)						
	1	Cuticle Nipper	Stainless steel, 3.5"	1	PC	564	
	2	Cuticle Pusher	stainless steel, 5"	1	PC	564	
	3	Foot Nail Cutter	stainless steel, 3" long	1	PC	564	
	4	Hand Nail Cutter	stainless steel, 2.5" long	1	PC	564	
	5	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	564	
	6_	Nail Brush	Plastic, soft bristle	11	PC	564	
	7	Emery Board	80/100 coarse, 8" Long	11	PC	564	
	8	Cotton Balls	150 balls	1	PACK	564	
	9	Cuticle Remover	120 ml bottle	1	BOTTLE	564	
	10	Nail Polish Remover	120 ml bottle	1	BOTTLE	564	
	11	Antiseptic (Merthiolate)	25 ml bottle	1	BOTTLE	564	
	12	Colored Nail Polish	15ml bottle, preferably touch of tan	1	BOTTLE	564	
	13	Colored Nail Polish	15ml bottle, white	1	BOTTLE	564	
	14	Colorless Nail Polish	15ml bottle, with glitters	1	BOTTLE	564	
	15	Colorless Nail Polish	15ml bottle	1	BOTTLE	564	
	16	Low Stool	hard plastic, round	11	PC	564	
	17		100 % cotton, 12" X 12", white	1	PC	564	
			anicure and Pedicure (Leading to E es [Nail Care] NC II)	Beauty	Care NC	564	
35	Perfor	m Hand Spa (L	eading to Beauty Care NC II/Beauty	Care S	ervices [N	ail Care]	
	1	Handspa Machine	Thermostatically-controlled heating unit, 220v, 60hz, 220 watts	1	UNIT	220	
	2	Paraffin Wax	Scented, 500g	1	BOX	220	
	3	Clingwrap	clear, transparent, 150 sq. ft (36.6m x 38 cm)	1	ROLL	220	
		otal, Perform Ha es [Nail Care] N	nd Spa (Leading to Beauty Care NC II IC II)	/Beaut	y Care	220	
36	Perfor	m Body Massag	ge (Leading to Beauty Care NC II)	.,			
	1	Face Towel	100 % cotton, 12" X 12", white	1	PC	496	

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018 TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road,

South Superhighway, Taguig City

LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	2	Bath Towel	100 % cotton, 27" X 54", white	1	PC	496
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	ВОХ	496
	4	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	496
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	496
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	496
	7	Aromatic Oil	100 ml.	1	BOTTLE	496
	8	Virgin Coconut Oil	250 ml.	1	BOTTLE	496
	9	Powder	Baby powder, 200 g	11	BOTTLE	496
	10	Mentholated Oil	100 ml.	1	BOTTLE	496
	11	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	496
	Sub-to	tal, Perform Bo	dy Massage (Leading to Beauty Care	NC II)		496
37			Leading to Beauty Care NC II)			
	1	Face Mask	disposable earloop face mask, 50 pcs per box	1	ВОХ	135
	2	Head Band	3"x 23" cotton fabric with snap tape	1	PC	135
	3	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	135
	4	Bath Towel	100 % cotton, 27" X 54", white	1	PC	135
	5	Scrubbing Gloves	Exfoliating bath and shower gloves, elasticized wrist (regular size, nylon)	1	PAIR	135
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	135
	7	Whitening Soap	135 grams, papaya	1	PC	135
	8	Scrubbing Products	milk salt, 350 grams	1	PACK	135
	9	Face Towel	100 % cotton, 12" X 12", white	1	PC	135
	Sub-to	otal, Perform Bo	dy Scrub (Leading to Beauty Care NC	: 11)		135
38	Perfor	m Facial Treatn	nent (Leading to Beauty Care NC II)			
	1	Acne Gel	25ml, hypoallergenic	1	PC	371
	2	Astringent	125 ml, deep cleansing, hypoallergenic	1	BOTTLE	371
	3	Bleaching Cream	50 grams, tube, hypoallergenic	1	TUBE	371
	4	Cleansing Cream	60 ml., hypoallergenic	1	BOTTLE	371

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL

LOT	ITERA		South Supernignway, Taguig City	T		NO OF
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	5	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	371
	6	Facial Brush	plastic handle, soft bristle	1	PC	371
	7	Facial Cream	50 ml, dermatologically tested (hypoallergenic)	1	PC	371
	8	Facial Scrub Cream	50 ml, dermatologically tested (hypoallergenic)	1	TUBE	371
	9	Moisturizer	50 ml, hypoallergenic	1	PC	371
	10	Pricking Tools	stainless steel, dual end, pointed and round	1	PC	371
	11	Skin Toner	100 ml, dermatologically tested (hypoallergenic)	1	BOTTLE	371
	12	Sun Block Cream	50 ml. SPF 40 (hypoallergenic)	1	TUBE	371
	13	Face Towel	100 % cotton, 12" X 12", white	11	PC	371
	14	Cotton Balls	150 balls	11	PACK	371
			cial Treatment (Leading to Beauty Ca			371
39	Perfor NC II)	m Foot Spa (Lea	ading to Beauty Care NC II/Beauty Ca	re Ser	vices [Nail	Care]
	1	Footspa Machine	220V, 300W, 60Hz, with bubbles and vibrator	1	UNIT	220
	2	Callus Remover	Stainless Steel, 7"	1	PC	220
	3	Scrubbing Gloves	Exfoliating bath and shower gloves, elasticized wrist (regular size, nylon)	1	PAIR	220
	4	Foot File	Wooden, 9.5"	1	PC	220
	5	Foot Blush	100ml, spray type	1	BOTTLE	220
	6	Foot Soak	150ml, Liquid	1	BOTTLE	220
	7	Foot Scrub	150ml, cream	1	TUBE	220
	8	Foot Lotion	150ml, scented	1	BOTTLE	220
	9	Foot Brush	plastic handle, plastic bristle	1	PC	220
	Sub-to		ot Spa (Leading to Beauty Care NC II/	Beauty	/ Care	220
40	Perfor	m Facial Make-l	Jp (Leading to Beauty Care NC II)			
	1	Astringent	125 ml, deep cleansing, hypoallergenic	1	BOTTLE	638
	2	Blusher	pink and bronze shade, 4grams each	2	PC	638
	3	Eye Brow Pencil	black, 4"	1	PC	638
	4	Eye Brow Pencil	brown, 4"	1	PC	638
	5	Eye Liner Pencil	black, 4"	1	PC	638
	6	Eye Liner Pencil	brown, 4"	1	PC	638

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018 TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road,

South Superhighway, Taguig City

LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	7	Eye Shadow	8 palette, earth colors, matte finish	1	PC	638
	8	Eyebrow Tweezer	stainless steel, scissor type	1	PC	638
	9	Eyelash Curler	stainless steel, scissor type	1	PC	638
	10	Face Mask	disposable earloop face mask, 50 pcs per box	1	вох	638
	11	Make-Up Sponge	round, powder puff sponge	1	PC	638
	12	Foundation	Liquid, 30 ml, natural shade	1	BOTTLE	638
	13	Head Band	3"x 23" cotton fabric with snap tape	1	PC	638
	14	Lipstick	matte finish, red	1	PC	638
	15	Lipstick	matte finish, coral pink	1	PC	638
	16	Make Up	wooden handle, soft bristle, set of	1	SET	638
		Brush Set	5pcs (lip brush, angle eye brush, powder brush, eye shadow brush, angle blusher brush)			
	17	Mascara	black, water proof, 7g	1	PC	638
	18	Pressed Powder	natural shade, matte finish	1	PC	638
	19	Cotton Balls	150 balls	1	PACK	638
	20	Concealer	20ml with UVA/UVB protection	1	PC	638
	Sub-to		cial Make-Up (Leading to Beauty Care	NC II)	·	638
41	Perform Hair Coloring/Bleaching Services (Leading to Hairdressing NC II)					
	1	Colorants	Paste form, brown (light, medium and dark) at 100 grams each	3	TUBE	195
	2	Colorants	Paste form, blonde (light, medium and dark) at 100 grams each	3	TUBE	195
	3	Mixing Bowl	Plastic, 6 cm height, diameter 13.5 cm, color black.	1	PC	195
	4	Applicator Brush	Plastic, black, with comb and tail	1	PC	195
	5	Frosting Cap with Hook	Reusable hair color highlighting cap hat with metal hook	1	PC	195
	6	Bleaching Powder	30g (sachet)	3	PC	195
	7	Hand Gloves	washable, medium size, preferably black	1	PAIR	195
	8	Protective Cape	Water proof, nylon, black	1	PC	195
	9	Oxidizing Solution	set of 3, 6%, 9% and 12%, at 100 ml each bottle	1	SET	195
	10	Face Mask	disposable earloop face mask, 50 pcs per box	1	ВОХ	195
	Sub-to Hairdr	otal, Perform ressing NC II)	Hair Coloring/Bleaching Services	(Le	ading to	195

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL

LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX		
42	Perfor	m Hair Perming	/Straightening (Leading to Hairdressi	ng NC	II)			
	1	Hair Straightening Iron	220V, 60hz, 40 watts, adjustable heat control	1	UNIT	175		
	2	Hair Straightening Product	straightening solution and neutralizing cream, at 500ml each	1	SET	175		
	3	Mixing Bowl	Plastic, 6 cm height, diameter 13.5 cm, color black.	1	PC	175		
	4	Hair Perming Product	cold wave lotion & neutralizer at 500 ml each	1	SET	175		
	5	Curling Rods	4mm size	2	DOZ	175		
	6	Curling Rods	14mm size	2	DOZ	175		
	7	Curling Rods	16mm size	2	DOZ	175		
	8	Applicator Brush	Plastic, black, with comb and tail	1	PC	175		
	9	Bottle Applicator	Plastic, transparent, 100 ml capacity	1	PC	175		
	10	Shower Cap	Thick plastic, preferably black, free size	1	PACK	175		
7.	11	Protective Cape	Water proof, nylon, black	1	PC	175		
	12	Face Mask	disposable earloop face mask, 50 pcs per box	1	ВОХ	175		
	13	Hand Gloves	washable, medium size, preferably black	1	PAIR	175		
	Sub-total, Perform Hair Perming/Straightening (Leading to Hairdressing NC II)							
43	Perform Hair Cutting Services (Leading to Hairdressing NC II)							
	1	Hair Blower	220V, 1800W, 60 Hz, hot and cold blower function	1	UNIT	250		
	2	Cutting Scissors	6" stainless steel with tight regulator screw	1	PC	250		
	3	Thinning Scissors	5" Single notched, 23 teeth, stainless steel	1	PC	250		
	4	Apron	black with 3 pockets	1	PC	250		
	5	Protective Cape	Water proof, nylon, black	1	PC	250		
	6	Neck brush	Wood handle, app. 10 cm x 6.7cm	1	PC	250		
	7	Talcum Powder	250g	1	BOTTLE	250		
	Sub-to	otal, Perform Ha	⊥ ir Cutting Services (Leading to Hairdi	ressing	NC II)	250		

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018 TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road,

South Superhighway, Taguig City

LOT	ITEM		South Supernighway, raguig City			NO. OF
NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	PAX
44	Bread		g to Bread and Pastry Production NC			
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts	1	UNIT	972
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	972
	3	Measuring Urn	Transparent glass ,1 cup capacity, measurements are clearly mark in ounce, quarts and millilitres	1	PC	972
	4	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	972
	Sub-to	tal, Bread Maki	ng (Leading to Bread and Pastry Prod	duction	NC II)	972
45	Pastry	Making (Leadii	ng to Bread and Pastry Production NC) II)		
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts	1	ÜNIT	662
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	662
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	662
	4	Muffin Pan	6 holes, 3oz capacity per hole, non- stick	1	PC	662
			ing (Leading to Bread and Pastry Pro		n NC II)	662
46			to Bread and Pastry Production NC			
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts	1	UNIT	670

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL

LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	670
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	670
	4	Muffin Pan	6 holes, 3oz capacity per hole, non- stick	1	PC	670
			ng (Leading to Bread and Pastry Prod	uction l	NC II)	670
47	Prepai		t Meals (Leading to Cookery NC II)			
	1	Frying Pan	10" diameter by 2" high teflon, non- stick, riveted handle	1	PC	562
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	562
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	562
	4	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ½ cup)	1	SET	562
	5	Chopping Board	1/2" x 12" x 18"; made of polyethylene material	1	PC	562
	6	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	562
	7	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	562
	8	Strainer	8" diameter, single fine mesh, flat wooden handle	1	PC	562
	Sub-to	tal, Prepare an	d Cook Hot Meals (Leading to Cooker	y NC II)		562
48			Leading to Cookery NC II)			
	1	Frying Pan	10" diameter by 2" high teflon, non- stick, riveted handle	1	PC	316
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	316
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	316
	4	Chopping Board	1/2" x 12" x 18"; made of polyethylene material	1	PC	316
	5	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	316
	6	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	316
	7	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ½ cup)	1	SET	316
	Sub-to		old Meals (Leading to Cookery NC II)	J		316
49			ing, Curing and Smoking (Leading to	Food P	rocessin	
	1	Food Processor	2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with	1	UNIT	25

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018 TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road,

South Superhighway, Taguig City

LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	
			5 disc attachments, 220 V, 60 hz, 1,000 watts				
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	25	
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	25	
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	25	
	5	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	25	
	6	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	1	UNIT	25	
	Proces	ssing NC II)	od by Salting, Curing and Smoking (L		· · · · · · · · · · · · · · · · · · ·	25	
50	Process Foods by Fermentation and Pickling (Leading to Food Processing I						
	1	Food Processor	2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments, 220 V, 60 hz, 1,000 watts	1	UNIT	20	
	2	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	20	
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	20	
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	20	
	5	Casserole	Stainless, 6L capacity, with two grip handle, with cover	1	PC	20	
	6	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	20	
	7	Colander	5 qts capacity, stainless steel, with two grip handles	1	PC	20	
	Sub-total, Process Foods by Fermentation and Pickling (Leading to Food Processing NC II)						
	TOTAL					9,805	

		TESDA-R	egion II – Carig, Tuguegarao Cag	ayan		
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
1	Anima	I Production (Poul				
	1	Galloner	Dimension: height 347 mm (tube), 55 mm (plate, plate diameter is 9.6 inches, 5000 ml water capacity, plastic	3	PC	15
	2	Tubular Feeder	3 kg. capacity, automatic plastic feeder, 11 inches plate diameter, 10.5 inches feeder height	5	PC	15
	3	Brooder/Heater Lamp	45 cm diameter aluminum reflector; socket is insulated porcelain, flexible heavy gauge SJT cord with molded-on plug	1	SET	15
	4	Infrared Lamp	250 Watts Bulb, clear colour emitted light	1	PC	15
			ction (Poultry Chicken) NC II			15
2	 	I Production (Swir				1
	1	Ear Notcher	Small V-shape blade; stainless steel	1	PC	15
	2	Tooth Nipper	Diagonal cutting blade, stainless steel	1	PC	15
	3	Reusable Veterinary Syringe	Fiberglass hypodermic adjustable syringe with engraved volume indication on barrel; 10 ml capacity	1	PC	15
	4	Veterinary Injection Needle	Gauge # 20 X 1/2" long hypodermic needle (12pcs/box), stainless and sterilizable	1	вох	15
	5	Veterinary Injection Needle	Gauge # 18 X 1" long hypodermic needle (12pcs/box), stainless and sterilizable	1	вох	15
	6	Veterinary Injection Needle	Gauge # 16 X 1" long hypodermic needle (12pcs/box), stainless and sterilizable	1	ВОХ	15
	7	Reusable Artificial Insemination Catheter	Pig spiral tip Artificial Insemination (A.I.) Catheter; 18" long; reusable and sterilizable	1	PC	15
	8	Forcep	Stainless 5.5" long, straight kelly forcep	1	PC	15
			ction (Swine) NC II			15
3	Raise		Leading to Organic Agriculture P			
	1	Galloner	Dimension: height 347 mm (tube), 55 mm (plate, plate diameter is 9.6 inches, 5000 ml water capacity, plastic	3	PC	10

	., .,, .,,		egion II – Carig, Tuguegarao Cag			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	2	Tubular Feeder	3 kg. capacity, automatic plastic feeder, 11 inches plate diameter, 10.5 inches feeder height	5	PC	10
	3	Brooder/Heater Lamp	45 cm diameter aluminum reflector; socket is insulated porcelain, flexible heavy gauge SJT cord with molded-on plug	1	SET	10
	4	Infrared Lamp	250 Watts Bulb, clear colour emitted light	1	PC	10
	5	Chopping Board	1/2" x 12" x 18"; made of polyethylene material	1	PC	10
	6	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	10
	Produ	ction NC II)	nic Chicken (Leading to Orga			10
4			ble (Leading to Organic Agricultu	re Pro		
	1	Steel Rake	14 tine made of steel; hardwood handle	1	PC	10
	2	Sprayer	Knapsack type (16 litres cap) stainless tank and steel lance manual type with cone nozzles and fan nozzles	1	UNIT	10
	3	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	10
	4	Garden Hoe	Carbon Steel head, goose neck type, hardwood handle, 6" blade	1	PC	10
	5	Sprinkler	2 gallon capacity, heavy duty plastic	1	PC	10
		otal, Produce Orga ction NC II)	anic Vegetable (Leading to Org	anic A	\griculture	10
5		ce Organic Cond ction NC II)	coction and Extracts (Leading	to C	Organic Aç	griculture
	1	Measuring Cup/Jug	Polypropelene, 1 liter capacity with graduation	1	PC	10
	2	Sprayer	Knapsack type (16 litres cap) stainless tank and steel lance manual type with cone and fan nozzles	1	UNIT	10
	3	Chopping Board	½" x 12" x 18"; made of polyethylene material	1	PC	10
	4	Weighing Scale	10 kg. capacity	1	UNIT	10

LOT NO.	ITEM NO.	ITEM	egion II – Carig, Tuguegarao Cag AGENCY SPECS	QTY	UNIT	NO. OF PAX
110.	5	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	10
	Agricu	Iture Production N				10
6			une Up (Leading to Automotive S	ervicin	g NC I) PC	25
	1	Feeler gauge	26 tempered steel leaves/blade ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.			
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	25
	3	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	25
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	25
	5	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	25
	6	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	25
		tal, Perform Dies ing NC I)	sel Engine Tune Up (Leading	to A	utomotive	25

	TESDA-Region II – Carig, Tuguegarao Cagayan						
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	
7	Perfor		e Up (Leading to Automotive Ser	vicing			
	1	Feeler gauge	26 tempered steel leaves/blade ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.	1	PC	26	
	2	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	26	
	3	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	26	
	4	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	26	
	5	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	26	
	6	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	26	
	7	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	26	
	NC I)		ngine Tune Up (Leading to Autor			26	
8			emponents (Leading to Automoti	ve Ser			
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	50	

LOT NO.	ITEM NO.	ITEM	egion II – Carig, Tuguegarao Cag AGENCY SPECS	QTY	UNIT	NO. OF PAX
	2	Coil Spring Compressor	12" Coil spring compressor (silver). For all vehicles equipped with Macpherson Struts or any other coil spring brand, double ended jaws with safety hooks	1	SET	50
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	50
	4	Vise Grip	10 inches length, Stainless Steel. Jaws: straight, flat, square, Adjustable screw	1	PC	50
	Servic	ing NC II)	chassis Components (Leading to			50
9	Servic		ents (Leading to Automotive Serv	icing N		
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	10
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	10
	3	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	10
	4	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET	10
7.	5	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	10
	6	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	10
	7	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	10
	Sub-to	otal, Service Engin	e Components (Leading to Autor	notive	Servicing	10

		TESDA-R	egion II – Carig, Tuguegarao Cag	ayan		
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
10	Servic		trical Components (Leading to A	utomo		
	1	Battery Load Tester	100-Amp, 6V and 12V batteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted rocker switch.	1	PC	60
	2	Electricians/ Electrical Plier	Overall length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	60
	3	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip :2 X 6mm	1	PC	60
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	60
	Į.	ital, Service Aut notive Servicing NC	omotive Electrical Componen CII)	ts (Le	eading to	60
11	Servic	e Power Train Com	ponents (Leading to Automotive	Servi	cing NC II)	
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	15
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	15
	3	Vise Grip	10 inches length, Stainless Steel. Jaws: straight, flat, square, Adjustable screw	1	PC	15
	4	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	15
	5	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	15
	6	Torque Wrench	Beam/needle type, 0-150 ft-lb (0-20 m-kg) capacity, 1/2 drive	1	PC	15
	7	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	15
	8	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	15
		tal, Service Powe ing NC II)	er Train Components (Leading	to A	utomotive	15

		TESDA-R	egion II – Carig, Tuguegarao Cag	ayan		
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
16	Electri		Maintenance NC II			
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	63
	2	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	63
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	63
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	63
	5	Electricians/ Electrical Plier	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	63
	6	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	63
	Sub-to	tal. Electrical Insta	llation and Maintenance NC II	1		63
23		etting NC II				
	1	Tile Cutter	Pen type, carbide tip, manual 8" length	1	PC	25
	2	Nipper, End Cutter	End nipper Plier 8"	1	PC	25
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	25
	4	Rubber Mallet	16 oz, Wooden Handle	1	PC	25
	5	Notched Trowel	Notched Trowel; carbon steel; Wooden/ Plastic handle, 4" x 11"; Notched size: 1/4" x 1/4" (6mm x 6mm)	1	PC	25
	6	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	25
	7	Plier	Forged carbon steel, length 8 inches, machined jaws	1	PC	25

LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	8	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	25
	Sub-to	tal, Tile Setting NO	C			25
25	Shield	ed Metal Arc Weld				
	1	Portable Welding Machine	Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground.	1	UNIT	93
	2	Welding Mask	Flip Front Welding Helmet, impact-resistant polypropylene material, adjustable fit, 4 1/2" x 2" view area with lens	1	PC	93
			Arc Welding (SMAW) NC I	<u>-</u>		93
26			Products (Leading to Electronic	Produ	cts Assei	mbly and
	1	ing NC II) VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	34
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	34
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	34
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	34
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	34
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	34
		otal, Assemble Elec orbly and Servicing	tronics Products (Leading to Ele NC II)	ctronic	Products	34

			egion II – Carig, Tuguegarao Cag						
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX			
27	Service Consumer Electronic Products and Systems (Leading to Electronic Products Assembly and Servicing NC II)								
	Assen	VOM (Multitester)		1	UNIT	19			
		VOIM (IMUILITESTEI)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k		ONLI	19			
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	19			
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	19			
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	19			
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	19			
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	19			
			mer Electronic Products and Sys embly and Servicing NC II)	tems (l	_eading to	19			
28	Servic	e Industrial Electro	nic Modules, Products and Syst	ems (L	eading to E	lectronic			
	1	cts Assembly and S VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	10			
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	10			
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	10			

		TESDA-R	egion II – Carig, Tuguegarao Cag	ayan		
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	10
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	10
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	10
	(Leadi	ng to Electronic Pr	trial Electronic Modules, Product oducts Assembly and Servicing	ts and NC II)	l Systems	10
31	Dressi	making NC II				
	1	Portable Electric Sewing Machine	Easy stitch selection with built-in stitches, automatic tension, four-step button hole, and automatic reverse stitches (60 Hz; 85 Watts; 220 V)	1	UNIT	40
	2	Drafting Tools	Tailors square, aluminum 24" L x 1 1/2" W, L-shape ruler; Hip curve, aluminum 24" L x 1 1/2" W curve ruler	1	SET	40
	3	Cutting Shears	8" length, stainless steel cutting blade, plastic handle used for cutting fabrics	1	PC	40
	4	French Curve	made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges	1	PC	40
	5	Sewing Kit	a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure 60" (150cm) L, 4 to 5" L paper scissors (plastic handle), spools of asstd. colors of sewing threads and other notions	1	PC	40
		otal, Dressmaking I				40
33		Wellness Massage			1	T
	1	Face Towel	100 % cotton, 12" X 12", white	1	PC	75
	2	Bath Towel	100 % cotton, 27" X 54", white	1	PC	75
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	75
	4	Scrub Suit	Unisex, Soft and linen blouse (V- neck top with 2 lower front pockets), garterized pants with	1	PAIR	75

- -			egion II – Carig, Tuguegarao Cag		. 011 01	2010
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			adjustable draw string and back pocket, free size, blue color.			
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	75
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	75
	7	Aromatic Oil	100 ml.	1	BOTTLE	75
	8	Virgin Coconut Oil	250 ml.	1	BOTTLE	75
	9	Powder	Baby powder, 200 g	1	BOTTLE	75
	10	Mentholated Oil	100 ml.	1	BOTTLE	75
	11	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	75
	Sub-to	tal, Hilot (Wellnes:	s Massage) NC II			75
34	Perfor		edicure (Leading to Beauty Care I	NC II/B	eauty Care	Services
	1	Cuticle Nipper	Stainless steel, 3.5"	1	PC	27
	2	Cuticle Pusher	stainless steel, 5"	1	PC	27
	3	Foot Nail Cutter	stainless steel, 3" long	1	PC	27
<u> </u>	4	Hand Nail Cutter	stainless steel, 2.5" long	1	PC	27
	5	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	27
	6	Nail Brush	Plastic, soft bristle	1	PC	27
	7	Emery Board	80/100 coarse, 8" Long	1	PC	27
	8	Cotton Balls	150 balls	1	PACK	27
	9	Cuticle Remover	120 ml bottle	1	BOTTLE	27
	10	Nail Polish Remover	120 ml bottle	1	BOTTLE	27
	11	Antiseptic (Merthiolate)	25 ml bottle	1	BOTTLE	27
	12	Colored Nail Polish	15ml bottle, preferably touch of tan	1	BOTTLE	27
	13	Colored Nail Polish	15ml bottle, white	1	BOTTLE	27
	14	Colorless Nail Polish	15ml bottle, with glitters	1	BOTTLE	27
	15	Colorless Nail Polish	15ml bottle	1	BOTTLE	27
	16	Low Stool	hard plastic, round	1	PC	27
	17	Face Towel	100 % cotton, 12" X 12", white	1	PC	27
		tal, Perform Mani Ity Care Services [cure and Pedicure (Leading to	Beauty	Care NC	27
39			ng to Beauty Care NC II/Beauty C	are Se	rvices [Nai	Care]
	1	Footspa Machine	220V, 300W, 60Hz, with bubbles and vibrator	1	UNIT	25
	2	Callus Remover	Stainless Steel, 7"	1	PC	25
L			1	<u> </u>	·	

LOT NO.	ITEM NO.	ITEM	egion II – Carig, Tuguegarao Cag AGENCY SPECS	QTY	UNIT	NO. OF PAX
	3	Scrubbing Gloves	Exfoliating bath and shower gloves, elasticized wrist (regular	1	PAIR	25
			size, nylon)			
	4	Foot File	Wooden, 9.5"	1	PC	25
	5	Foot Blush	100ml, spray type	1	BOTTLE	25
	6	Foot Soak	150ml, Liquid	1	BOTTLE	25
	7	Foot Scrub	150ml, cream	1	TUBE	25
	8	Foot Lotion	150ml, scented	1	BOTTLE	25
	9	Foot Brush	plastic handle, plastic bristle	1	PC	25
	Servic	es [Nail Care] NC II			auty Care	25
43	Perfor		vices (Leading to Hairdressing N	C II)		
	1	Hair Blower	220V, 1800W, 60 Hz, hot and cold blower function	1	UNIT	25
	2	Cutting Scissors	6" stainless steel with tight regulator screw	1	PC	25
	3	Thinning Scissors	5" Single notched, 23 teeth, stainless steel	1	PC	25
	4	Apron	black with 3 pockets	1	PC_	25
	5	Protective Cape	Water proof, nylon, black	1	PC	25
	6	Neck brush	Wood handle, app. 10 cm x 6.7cm	1	PC	25
	7	Talcum Powder	250g	1	BOTTLE	25
	Sub-to	tal, Perform Hair C	Cutting Services (Leading to Haird	dressin	ig NC II)	25
44	Bread	Making (Leading to	Bread and Pastry Production N	C II)		
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts	1	UNIT	116
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	116
	3	Measuring Urn	Transparent glass ,1 cup capacity, measurements are clearly mark in ounce, quarts and millilitres	1	PC	116
	4	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	116
	Sub-to	tal, Bread Making	(Leading to Bread and Pastry Pro	ductio	on NC II)	116

		TESDA-R	egion II – Carig, Tuguegarao Cag	ayan		
NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
45	Pastry		o Bread and Pastry Production N	C II)		.,
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts	1	UNIT	45
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	45
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	45
	4	Muffin Pan	6 holes, 3oz capacity per hole, non-stick	1	PC	45
			(Leading to Bread and Pastry Pro		on NC II)	45
46			Bread and Pastry Production NC			
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts	1	UNIT	45
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	45
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	45
	4	Muffin Pan	6 holes, 3oz capacity per hole, non-stick	1	PC	45
			Leading to Bread and Pastry Prod	duction	NC II)	45
48	,		ding to Cookery NC II)	· ,		
	1	Frying Pan	10" diameter by 2" high teflon, non-stick, riveted handle	1	PC	20
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	20
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	20

		TESDA-R	egion II – Carig, Tuguegarao Cag	jayan		
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	4	Chopping Board	½" x 12" x 18"; made of polyethylene material	1	PC	20
	5	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	20
	6	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	20
	7	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	20
	Sub-to	otal, Prepare Cold I	Meals (Leading to Cookery NC II)			20
50	Proces		entation and Pickling (Leading to	Food P	rocessing	NC II)
	1	Food Processor	2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments, 220 V, 60 hz, 1,000 watts	1	unit	20
	2	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	20
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	20
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	20
	5	Casserole	Stainless; 6L capacity; with two grip handle, with cover	1	PC	20
	6	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	20
	7	Colander	5 qts capacity, stainless steel, with two grip handles	1	PC	20
	Sub-total, Process Foods by Fermentation and Pickling (Leading to Food Processing NC II)					
	TOTA	L				928

			TESDA Regional Office Zamora S			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
3	Raise		eading to Organic Agriculture Pr	oducti		
	1	Galloner	Dimension: height 347 mm (tube), 55 mm (plate, plate diameter is 9.6 inches, 5000 ml water capacity, plastic	3	PC	127
	2	Tubular Feeder	3 kg. capacity, automatic plastic feeder, 11 inches plate diameter, 10.5 inches feeder height	5	PC	127
	3	Brooder/Heater Lamp	45 cm diameter aluminum reflector; socket is insulated porcelain, flexible heavy gauge SJT cord with molded-on plug	1	SET	127
	4	Infrared Lamp	250 Watts Bulb, clear colour emitted light	1	PC	127
	5	Chopping Board	½" x 12" x 18"; made of polyethylene material	1	PC	127
	6	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	127
	Produ	ction NC II)	ic Chicken (Leading to Orga			127
4	Produ		ble (Leading to Organic Agricultu	re Proc		
	1	Steel Rake	14 tine made of steel; hardwood handle	1	PC	153
	2	Sprayer	Knapsack type (16 litres cap) stainless tank and steel lance manual type with cone nozzles and fan nozzles	1	UNIT	153
	3	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	153
	4	Garden Hoe	Carbon Steel head, goose neck type, hardwood handle, 6" blade	1	PC	153
	5	Sprinkler	2 gallon capacity, heavy duty plastic	1	PC	153
	Produ	ction NC II)	anic Vegetable (Leading to Orga			153
5		ce Organic Cond ction NC II)	oction and Extracts (Leading	to O	rganic Ag	griculture
	1	Measuring Cup/Jug	Polypropelene, 1 liter capacity with graduatio	1	PC	25
	2	Sprayer	Knapsack type (16 litres cap) stainless tank and steel lance manual type with cone and fan nozzles	1	UNIT	25
	3	Chopping Board	1/2" x 12" x 18"; made of polyethylene material	1	PC	25

	TE		TESDA Regional Office Zamora St			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	4	Weighing Scale	10 kg. capacity	1	UNIT	25
	5	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	25
	Agricu	Ilture Production N	nic Concoction and Extracts (Lea IC II)			25
6	1	Feeler gauge	26 tempered steel leaves/blade ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.	1	PC	243
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	243
	3	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	243
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	243
	5	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	243
	6	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	243
		otal, Perform Dies ing NC I)	sel Engine Tune Up (Leading	to Au	itomotive	243

TESDA-Region VI – TESDA Regional Office Zamora Street, Iloilo City						
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
7	Perfori		e Up (Leading to Automotive Serv	icing 1		
	1	Feeler gauge	26 tempered steel leaves/blade ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021,	1	PC	100
	2	Spark Plug Wrench	.022, .023, .024, and .025. 1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	100
	3	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	100
	4	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	100
	5	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	100
	6	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	100
	7	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	100
	NC I)		ngine Tune Up (Leading to Auton			100
8	Servic		mponents (Leading to Automotiv	e Serv		
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	55

			TESDA Regional Office Zamora S			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	2	Coil Spring Compressor	12" Coil spring compressor (silver). For all vehicles equipped with Macpherson Struts or any other coil spring brand, double ended jaws with safety hooks	1	SET	55
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	55
	4	Vise Grip	10 inches length, Stainless Steel. Jaws: straight, flat, square, Adjustable screw	1	PC	55
	Servic	ing NC II)	rchassis Components (Leading			55
9	Servic		ents (Leading to Automotive Servi			
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	55
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	55
	3	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	55
	4	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET	55
	5	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	55
	6	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	55
	7	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	55
	Sub-to NC II)	tal, Service Engine	e Components (Leading to Auton	notive	Servicing	55

			TESDA Regional Office Zamora S			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
10	Service	e Automotive Elect	rical Components (Leading to Au	itomoti		ng NC II)
	1	Battery Load Tester	100-Amp, 6V and 12V batteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted rocker switch.	1	PC	30
	2	Electricians/ Electrical Plier	Overall length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	30
	3	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	30
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	30
	Autom	otive Servicing NC	,	·	ading to	30
12		e Motorcycle/Sma ing NC II)	Il Engine System (Leading to	Motor		I Engine
	1	Manual Impact Driver	1 pc 1/2" Drive Impact Driver, 1 pc 8 mm long bit holder, 1 pc 36 mm long, 8 mm slotted bit, 1 pc 36 mm long, 10 mm slotted bit, 1 pc 36 mm long, PH2 bit, 1 pc 36 mm long, PH3 bit	1	SET	40
	2	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	40
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	40
	4	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	40
	5	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	40
	6	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 ln., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET	40

11			TESDA Regional Office Zamora S			2010
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	7	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	40
	Motor	cycle/Small Engine			nding to	40
14	Overh	aul Motorcycle/Sm	all Engine (Leading to Motorcycle	/Small	Engine Se	rvicing
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	45
	2	Manual Impact Driver	1 pc 1/2" Drive Impact Driver, 1 pc 8 mm long bit holder, 1 pc 36 mm long, 8 mm slotted bit, 1 pc 36 mm long, 10 mm slotted bit, 1 pc 36 mm long, PH2 bit, 1 pc 36 mm long, PH3 bit	1	SET	45
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	45
	4	Feeler gauge	26 tempered steel leaves/blade ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.	1	PC	45
	5	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	45
	6	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	45

	TI	ESDA-Region VI -	TESDA Regional Office Zamora St	reet, II	oilo City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	7	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET	45
	8	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	45
	9	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	45
	Engine	e Servicing NC II)	rcycle/Small Engine (Leading to M	lotorcy	rcle/Small	45
15	Carpe	ntry NC II				
	1	Cross Cut Saw	Crosscut saw; 8 points per inch; 18 in. length / 450 mm; hardwood handle	1	PC	648
	2	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	648
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	648
	4	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	648
	5	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	648
	6	Sledge Hammer	Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With Wooden Handle	1	PC	648
 	7	Chalk Line Reel	Includes Chalk Reel and 4 Oz. Bottle Blue Chalk; High Impact Abs Case On-Board Hook Storage, Stainless-Steel Hook, Sliding Door For Easy Filling, Folding Crank Handle	1	PC	648
	8	Wood Chisel	Forged steel blade; 3/4: blade width; plastic handle	1	PC	648
	9	Try Square	Size: 8"x12", Thickness 1.8- 2mm, Material: Spring Steel, Handle Material: Aluminum Alloy, Metric & English Graduations	1	PC	648

j

			TESDA Regional Office Zamora S			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	10	Ripping Bar	Overall Length: 17", Overall Width: 5/8", Thickness: 5/8", Dia.: 5/8", Material: High Carbon Steel, Color: Black and Yellow	1	PC	648
	11	Plumb Bob	Hexagonal/Conical shape, Machined Steel, 8 ounce	1	PC	648
		tal, Carpentry NC I				648
16	Electri	,	Maintenance NC II	,		
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	319
	2	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	319
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	319
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	319
	5	Electricians/ Electrical Plier	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	319
	6	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	319
			llation and Maintenance NC II			319
17	Mason	ry NC I	1			
	1	Pointing Trowel	Steel 3" x 7", wooden handle	1	PC	70
	2	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	70
	3	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	70
	4	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	70

	TE	ESDA-Region VI -	TESDA Regional Office Zamora S	treet, II	oilo City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	5	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	70
	6	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	70
	7	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	70
	Sub-to	tal, Masonry NC I				70
18	Plaste	r Concrete/Masonr	y Surface (Leading to Masonry No	C II)		
	1	Pointing Trowel	Steel 3" x 7", wooden handle	1	PC	415
	2	Concrete/cement Finishing Trowel	Length (In.) 11, Width (In.) 4-1/2, High Carbon Steel Blade, Wooden Handle	1	PC	415
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	415
	4	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	415
	5	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	415
	6	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	415
	7	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	415
	8	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	415
			ete/Masonry Surface (Leading to N			415
19	Install		s and Handrail (Leading to Mason	ry NC		
	1	Pointing Trowel	Steel 3" x 7", Wooden handle	1	PC	169
	2	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	169
	3	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	169
	4	Rubber Mallet	16 oz, Wooden Handle	1	PC	169
	5	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	169

			TESDA Regional Office Zamora St			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	6	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	169
	7	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	169
	<i>II)</i>		t Balusters and Handrail (Leading	to Ma	sonry NC	169
22	Constr	uction Painting NO	7	,		
	1	Steel Brush	Hardened steel brush, wooden handle, standard size	1	PC	135
	2	Paint Brush, 1"	Soft Bristle, 1", long bristle, wooden handle, stainless steel ferrules	2	PC	135
	3	Paint Brush, 2"	Soft Bristle, 2", long bristle, wooden handle, stainless steel ferrules	2	PC	135
	4	Paint Brush, 3"	Soft Bristle, 3", long bristle, wooden handle, stainless steel ferrules	2	PC	135
	5	Paint Brush, 4"	Soft Bristle, 4", long bristle, wooden handle, stainless steel ferrules	2	PC	135
	6	Spray Gun, Gravity Feed Type	HVLP spray gun with a 1.5 mm fluid tip, 400 ml Aluminum cup, air inlet 1/4"	1	PC	135
	7	Air Hose	HVLP air hose, 1/4" dia. X 6 meters length, 150 psi	1	SET	135
	8	Scraper	Hardened, tempered and polished steel blade; plastic handle; blade width: 2 inches; full tang blade	1	PC	135
	9	Putty Knife	Hardened, tempered and polished steel blade; plastic handle; blade width: 3 inches; full tang blade	1	PC	135
	10	Industrial Safety Goggles	Plastic, Clear, Elastic Strap, Ventilated	1	PC	135
	11	Paint Roller, 4"	Paint Roller pure polyester with handle, size: 4"	1	PC	135
	12	Paint Roller, 7"	Paint Roller pure polyester with handle size: 7"	1	PC	135
	13	Paint Roller, 9"	Paint Roller pure polyester with handle, size: 9"	1	PC	135
	14	Paint Roller Pan/Tray	Plastic, size: 9"	1	PC	135
	Sub-to	tal, Construction I	Painting NC II			135

	TE		TESDA Regional Office Zamora S			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
23	Tile Se	tting NC II				
	1	Tile Cutter	Pen type, carbide tip, manual 8" length	1	PC	151
	2	Nipper, End Cutter	End nipper Plier 8"	1	PC	151
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	151
	4	Rubber Mallet	16 oz, Wooden Handle	1	PC	151
	5	Notched Trowel	Notched Trowel; carbon steel; Wooden/ Plastic handle, 4" x 11"; Notched size: 1/4" x 1/4" (6mm x 6mm)	1	PC	151
	6	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	151
	7	Plier	Forged carbon steel, length 8 inches, machined jaws	1	PC	151
	8	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	151
	Sub-to	tal, Tile Setting NC			L	151
25		ed Metal Arc Weldi				
	1	Portable Welding Machine	Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground.	1	UNIT	1,218
	2	Welding Mask	Flip Front Welding Helmet, impact-resistant polypropylene material, adjustable fit, 4 1/2" x 2" view area with lens	1	PC	1,218
	Sub-to	tal, Shielded Metal	Arc Welding (SMAW) NC I			1,218
26	Į.	ible Electronics Ping NC II)	roducts (Leading to Electronic	Produ	cts Asse	mbly and
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	91
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	91

	TE		TESDA Regional Office Zamora St			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	91
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	91
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	91
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	91
			tronics Products (Leading to Elec	tronic	Products	91
27		bly and Servicing		ing to I	Electronic	Droducto
21		bly and Servicing	onic Products and Systems (Lead NC II)	ing to i	ciectronic	Products
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	166
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	166
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	166
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	166
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	166

			TESDA Regional Office Zamora S			20.0
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	166
	1	•	mer Electronic Products and Syst embly and Servicing NC II)	ems (L	eading to	166
28	1	e Industrial Electro cts Assembly and	onic Modules, Products and Syste Servicing NC II)	ms (Le	ading to E	lectronic
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	50
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	50
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	50
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	50
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	50
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	50
	(Leadi	ng to Electronic Pr	trial Electronic Modules, Produc oducts Assembly and Servicing I		Systems	50
31	 	making NC II	<u></u>			
	1	Portable Electric Sewing Machine	Easy stitch selection with built-in stitches, automatic tension, four- step button hole, and automatic reverse stitches (60 Hz; 85 Watts; 220 V)	1	UNIT	129
	2	Drafting Tools	Tailors square, aluminum 24" L x 1 1/2" W, L-shape ruler; Hip curve, aluminum 24" L x 1 1/2" W curve ruler	1	SET	129

			TESDA Regional Office Zamora S			2010
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	3	Cutting Shears	8" length, stainless steel cutting blade, plastic handle used for cutting fabrics	1	PC	129
	4	French Curve	made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges	1	PC	129
	5	Sewing Kit	a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure 60" (150cm) L, 4 to 5" L paper scissors (plastic handle), spools of asstd. colors of sewing threads and other notions	1	PC	129
20		tal, Dressmaking N	NC II			129
32	1	ng NC II Portable Electric Sewing Machine	Easy stitch selection with built-in stitches, automatic tension, four-step button hole, and automatic reverse stitches (60 Hz; 85 Watts; 220 V)	1	UNIT	23
	2	Drafting Tools	Tailors square, aluminum 24" L x 1 1/2" W, L-shape ruler; Hip curve, aluminum 24" L x 1 1/2" W curve ruler	1	SET	23
	3	Cutting Shears	8" length, stainless steel cutting blade, plastic handle used for cutting fabrics	1	PC	23
	4	French Curve	made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges	1	PC	23
	5	Sewing Kit	a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure 60" (150cm). L, 4 to 5" L paper scissors (plastic handle), spools of asstd. colors of sewing threads and other notions	1	PC	23
22		tal, Tailoring NC II	NC II			23
33	Hilot (\	Wellness Massage) Face Towel	NC 100 % cotton, 12" X 12", white	1	PC	832
-	2	Bath Towel	100 % cotton, 12 X 12 , white	1	PC	832
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	832

	TE		TESDA Regional Office Zamora S			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	4	Scrub Suit	Unisex, Soft and linen blouse (V-	1	PAIR	832
			neck top with 2 lower front			
		}	pockets), garterized pants with			
			adjustable draw string and back			
	5	Hood Dond	pocket, free size, blue color.	1	PC	832
		Head Band	3"x 23" cotton fabric with snap tape			
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	832
	7	Aromatic Oil	100 ml.	1	BOTTLE	832
	8	Virgin Coconut Oil	250 ml.	1	BOTTLE	832
	9	Powder	Baby powder, 200 g	1	BOTTLE	832
	10	Mentholated Oil	100 ml.	11	BOTTLE	832
	11	Storage Box	Plastic, clear storage box with lid	1	PC	832
	Sub to	tal, Hilot (Wellnes:	lock, carry handle, 14" x 10" x 8"	L		832
34			edicure (Leading to Beauty Care N	IC IVR	auty Caro	
34	[Nail C	are] NC II)				
	1	Cuticle Nipper	Stainless steel, 3.5"	1	PC	232
	2	Cuticle Pusher	stainless steel, 5"	1 1	PC	232
	3	Foot Nail Cutter	stainless steel, 3" long	1	PC	232
	4	Hand Nail Cutter	stainless steel, 2.5" long	1	PC	232
	5	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	232
	6	Nail Brush	Plastic, soft bristle	1	PC	232
	7	Emery Board	80/100 coarse, 8" Long	1	PC	232
	8	Cotton Balls	150 balls	1	PACK	232
	9	Cuticle Remover	120 ml bottle	1	BOTTLE	232
	10	Nail Polish Remover	120 ml bottle	1	BOTTLE	232
	11	Antiseptic (Merthiolate)	25 ml bottle	1	BOTTLE	232
	12	Colored Nail Polish	15ml bottle, preferably touch of tan	1	BOTTLE	232
	13	Colored Nail Polish	15ml bottle, white	1	BOTTLE	232
	14	Colorless Nail Polish	15ml bottle, with glitters	1	BOTTLE	232
	15	Colorless Nail Polish	15ml bottle	1	BOTTLE	232
	16	Low Stool	hard plastic, round	1	PC	232
	17	Face Towel	100 % cotton, 12" X 12", white	1	PC	232
	Sub-to		cure and Pedicure (Leading to b	Beauty		232
36			Leading to Beauty Care NC II)			
- 50	1	Face Towel	100 % cotton, 12" X 12", white	1 1	PC	245
L		1 400 TOVVCI	100 70 Oction, 12 X 12, Wille	'	<u> </u>	270

	TE		TESDA Regional Office Zamora S				
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	
	2	Bath Towel	100 % cotton, 27" X 54", white	1	PC	245	
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	вох	245	
	4	Scrub Suit	Unisex, Soft and linen blouse (V- neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	245	
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	245	
	6	Body Lotion	200 ml., Hypoallergenic	11	BOTTLE	245	
	7	Aromatic Oil	100 ml.	1	BOTTLE	245	
	8	Virgin Coconut Oil	250 ml.	1	BOTTLE	245	
	9	Powder	Baby powder, 200 g	1	BOTTLE	245	
	10	Mentholated Oil	100 ml.	1	BOTTLE	245	
	11	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	245	
	Sub-to	tal, Perform Body	Massage (Leading to Beauty Care	NC II)		245	
39							
	1	Footspa Machine	220V, 300W, 60Hz, with bubbles and vibrator	1	UNIT	70	
	2	Callus Remover	Stainless Steel, 7"	1	PC	70	
	3	Scrubbing Gloves	Exfoliating bath and shower gloves, elasticized wrist (regular size, nylon)	1	PAIR	70	
	4	Foot File	Wooden, 9.5"	1	PC	70	
	5	Foot Blush	100ml, spray type	1	BOTTLE	70	
	6	Foot Soak	150ml, Liquid	1	BOTTLE	70	
	7	Foot Scrub	150ml, cream	1	TUBE	70	
	8	Foot Lotion	150ml, scented	1	BOTTLE	70	
	9	Foot Brush	plastic handle, plastic bristle	1	PC	70	
			Spa (Leading to Beauty Care No	C II/Bea	auty Care	70	
40			Leading to Beauty Care NC II)				
	1	Astringent	125 ml, deep cleansing, hypoallergenic	1	BOTTLE	95	
	2	Blusher	pink and bronze shade, 4grams each	2	PC	95	
	3	Eye Brow Pencil	black, 4"	1	PC	95	
	4	Eye Brow Pencil	brown, 4"	1	PC	95	
	5	Eye Liner Pencil	black, 4"	1	PC	95	
	6	Eye Liner Pencil	brown, 4"	1	PC	95	
	7	Eye Shadow	8 palette, earth colors, matte finish	1	PC	95	

	T		TESDA Regional Office Zamora S					
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX		
	8	Eyebrow Tweezer	stainless steel, scissor type	1	PC	95		
	9	Eyelash Curler	stainless steel, scissor type	1	PC	95		
	10	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	95		
	11	Make-Up Sponge	round, powder puff sponge	1	PC	95		
	12	Foundation	Liquid, 30 ml, natural shade	1	BOTTLE	95		
	13	Head Band	3"x 23" cotton fabric with snap tape	1	PC	95		
	14	Lipstick	matte finish, red	1	PC	95		
	15	Lipstick	matte finish, coral pink	1	PC	95		
	16	Make Up Brush Set	wooden handle, soft bristle, set of 5pcs (lip brush, angle eye brush, powder brush, eye shadow brush, angle blusher brush)	1	SET	95		
	17	Mascara	black, water proof, 7g	1	PC	95		
	18	Pressed Powder	natural shade, matte finish	1	PC	95		
	19	Cotton Balls	150 balls	1	PACK	95		
	20	Concealer	20ml with UVA/UVB protection	1	PC	95		
	Sub-to		Make-Up (Leading to Beauty Car	e NC II))	95		
41	Perform Hair Coloring/Bleaching Services (Leading to Hairdressing NC II)							
	1	Colorants	Paste form, brown (light, medium and dark) at 100 grams each	3	TUBE	25		
	2	Colorants	Paste form, blonde (light, medium and dark) at 100 grams each	3	TUBE	25		
	3	Mixing Bowl	Plastic, 6 cm height, diameter 13.5 cm, color black.	1	PC	25		
	4	Applicator Brush	Plastic, black, with comb and tail	1	PC	25		
	5	Frosting Cap with Hook	Reusable hair color highlighting cap hat with metal hook	1	PC	25		
	6	Bleaching Powder	30g (sachet)	3	PC	25		
	7	Hand Gloves	washable, medium size, preferably black	1	PAIR	25		
	8	Protective Cape	Water proof, nylon, black	1	PC	25		
	9	Oxidizing Solution	set of 3, 6%, 9% and 12%, at 100 ml each bottle	1	SET	25		
	10	Face Mask	disposable earloop face mask, 50 pcs per box	1	вох	25		
	Sub-total, Perform Hair Coloring/Bleaching Services (Leading to Hairdressing NC II)					25		

TESDA-Region VI – TESDA Regional Office Zamora Street, Iloilo City						
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
42	Perfori	m Hair Perming/Str	aightening (Leading to Hairdress	ing NC		
	1	Hair Straightening Iron	220V, 60hz, 40 watts, adjustable heat control	1	UNIT	25
	2	Hair Straightening Product	straightening solution and neutralizing cream, at 500ml each	1	SET	25
	3	Mixing Bowl	Plastic, 6 cm height, diameter 13.5 cm, color black.	1	PC	25
	4	Hair Perming Product	cold wave lotion & neutralizer at 500 ml each	1	SET	25
	5	Curling Rods	4mm size	2	DOZ	25
	6	Curling Rods	14mm size	2	DOZ	25
	7	Curling Rods	16mm size	2	DOZ	25
	8	Applicator Brush	Plastic, black, with comb and tail	1	PC	25
	9	Bottle Applicator	Plastic, transparent, 100 ml capacity	1	PC	25
	10	Shower Cap	Thick plastic, preferably black, free size	1	PACK	25
	11	Protective Cape	Water proof, nylon, black	1	PC	25
	12	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	25
	13	Hand Gloves	washable, medium size, preferably black	1	PAIR	25
	Sub-to NC II)	tal, Perform Hair	Perming/Straightening (Leading	to Hai	rdressing	25
43	Perfor	m Hair Cutting Ser	vices (Leading to Hairdressing N	C II)		
	1	Hair Blower	220V, 1800W, 60 Hz, hot and cold blower function	1	UNIT	49
	2	Cutting Scissors	6" stainless steel with tight regulator screw	1	PC	49
	3	Thinning Scissors	5" Single notched, 23 teeth, stainless steel	1	PC	49
	4	Apron	black with 3 pockets	1	PC	49
	5	Protective Cape	Water proof, nylon, black	1	PC	49
	6	Neck brush	Wood handle, app. 10 cm x 6.7cm	1	PC	49
	7	Talcum Powder	250g	1	BOTTLE	49
	Sub-to	tal, Perform Hair C	cutting Services (Leading to Haird	Iressin	g NC II)	49

TESDA-Region VI - TESDA Regional Office Zamora Street, Iloilo City LOT ITEM NO. OF **ITEM AGENCY SPECS** QTY UNIT NO. NO. PAX Bread Making (Leading to Bread and Pastry Production NC II) 44 Electric Oven 18L Stainless Housing, Timer UNIT 343 60mins with bell alarm. Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts Stainless steel, 1 set (1 cup, ½ 1 SET 2 Measuring Cups 343 cup, 1/3 cup, 1/4 cup) 3 1 PĈ Measuring Urn Transparent glass ,1 cup 343 capacity, measurements are clearly mark in ounce, guarts and millilitres 4 Mixing Bowl Stainless steel, 8" diameter, 5 1 PC 343 quart capacity Sub-total, Bread Making (Leading to Bread and Pastry Production NC II) 343 45 Pastry Making (Leading to Bread and Pastry Production NC II) Electric Oven 18L Stainless Housing, Timer UNIT 206 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light. Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts 1 206 2 Stainless steel, 1 set (1 cup, ½ SET Measuring Cups $cup, 1/3 cup, \frac{1}{4} cup)$ 3 1 PC Mixing Bowl Stainless steel, 8" diameter, 5 206 quart capacity 4 Muffin Pan 1 PC 206 6 holes, 3oz capacity per hole, non-stick Sub-total, Pastry Making (Leading to Bread and Pastry Production NC II) 206

	TE		TESDA Regional Office Zamora S			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
46	Cake N		Bread and Pastry Production NC	II)		
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts	1	UNIT	241
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ½ cup)	1	SET	241
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	241
	4	Muffin Pan	6 holes, 3oz capacity per hole, non-stick	1	PC	241
			Leading to Bread and Pastry Prod	luction	NC II)	241
47	Prepar		eals (Leading to Cookery NC II)			
	1	Frying Pan	10" diameter by 2" high teflon, non-stick, riveted handle	1	PC	357
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	357
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	357
	4	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	357
	5	Chopping Board	½" x 12" x 18"; made of polyethylene material	1	PC	357
	6	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	357
	7	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	357
	8	Strainer	8" diameter, single fine mesh, flat wooden handle	1	PC	357
	Sub-to	tal, Prepare and C	ook Hot Meals (Leading to Cooke	ry NC I	(I)	357
48			ding to Cookery NC II)			
	1	Frying Pan	10" diameter by 2" high teflon, non-stick, riveted handle	1	PC	342
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	342
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	342
	4	Chopping Board	1/2" x 12" x 18"; made of polyethylene material	1	PC	342

		ESDA-Region VI –	TESDA Regional Office Zamora S	treet, II	oilo City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	5	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	342
	6	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	342
	7	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	342
	Sub-to	tal, Prepare Cold N	Meals (Leading to Cookery NC II)			342
49	Proces	ss Food by Salting,	Curing and Smoking (Leading to	Food	Processing	NC II)
	1	Food Processor	2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments, 220 V, 60 hz, 1,000 watts	1	UNIT	156
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	156
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	156
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	156
	5	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	156
	6	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	1	UNIT	156
	Proces	ssing NC II)	by Salting, Curing and Smoking (I			156
50	Proces	s Foods by Ferme	ntation and Pickling (Leading to I	ood P	rocessing	NC II)
	1	Food Processor	2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments, 220 V, 60 hz, 1,000 watts	1	UNIT	80
	2	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	80
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	80
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SE T	80
	5	Casserole	Stainless; 6L capacity; with two grip handle, with cover	1	PC	80
	6	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	80
	7	Colander	5 qts capacity, stainless steel, with two grip handles	1	PC	80
		tal, Process Foods	s by Fermentation and Pickling (L	eading	g to Food	80

	TE	SDA-Region VI -	TESDA Regional Office Zamora S	treet, II	oilo City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
51	Proces	s Foods by Sugar	Concentration (Leading to Food	Proces	sing NC II)	
	1	Blender	2 speed, 1.5 liter capacity, glass jar with stainless steel blades, 220 V, 60 hz, 500 watts	1	UNIT	75
	2	Candy Thermometer	8" long, measures temperatures from 100 to 400 degrees F; glass, pen-type adjustable clip secures thermometer to pan	1	PC	75
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	75
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	75
	5	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	75
	6	Casserole	Stainless; 6L capacity; with two grip handle, with cover	1	PC	75
	7	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	75
	8	Rubber Scraper	Rubber head high heat resistant, flexible, 12" long	1	PC	75
	9	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	1	UNIT	75
		tal, Process Foo	ds by Sugar Concentration (Le	eading	to Food	75
	TOTAL					7,830

			VII – Archbishop Reyes Avenue			
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
2	Anima	I Production (Swir	ne) NC II			
	1	Ear Notcher	Small V-shape blade; stainless steel	1	PC	46
	2	Tooth Nipper	Diagonal cutting blade, stainless steel	1	PC	46
	3	Reusable Veterinary Syringe	Fiberglass hypodermic adjustable syringe with engraved volume indication on barrel; 10 ml capacity	1	PC	46
	4	Veterinary Injection Needle	Gauge # 20 X 1/2" long hypodermic needle (12pcs/box), stainless and sterilizable	1	вох	46
	5	Veterinary Injection Needle	Gauge # 18 X 1" long hypodermic needle (12pcs/box), stainless and sterilizable	1	вох	46
	6	Veterinary Injection Needle	Gauge # 16 X 1" long hypodermic needle (12pcs/box), stainless and sterilizable	1	ВОХ	46
	7	Reusable Artificial Insemination Catheter	Pig spiral tip Artificial Insemination (A.I.) Catheter; 18" long; reusable and sterilizable	1	PC	46
	8	Forcep	Stainless 5.5" long, straight kelly forcep	1	PC	46
	Sub-to	tal, Animal Produc	ction (Swine) NC II	· · · · · · · · · · · · · · · · · · ·		46
3	Raise	Organic Chicken (Leading to Organic Agriculture F	Product	ion NC II)	
	1	Galloner	Dimension: height 347 mm (tube), 55 mm (plate, plate diameter is 9.6 inches, 5000 ml water capacity, plastic	3	PC	45
	2	Tubular Feeder	3 kg. capacity, automatic plastic feeder, 11 inches plate diameter, 10.5 inches feeder height	5	PC	45
	3	Brooder/Heater Lamp	45 cm diameter aluminum reflector; socket is insulated porcelain, flexible heavy gauge SJT cord with molded-on plug	1	SET	45
	4	Infrared Lamp	250 Watts Bulb, clear colour emitted light	1	PC	45
	5	Chopping Board	1/2" x 12" x 18"; made of polyethylene material	1	PC	45

LOT	ITEM	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF	
NO.	NO.					PAX	
-	6	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	45	
		tal, Raise Organ ction NC II)	ic Chicken (Leading to Orga	nic A	griculture	45	
4	Produc	ce Organic Vegeta	ble (Leading to Organic Agricult	ure Pro	duction N	C II)	
	1	Steel Rake	14 tine made of steel; hardwood handle	1	PC	70	
	2	Sprayer	Knapsack type (16 litres cap) stainless tank and steel lance manual type with cone nozzles and fan nozzles	1	UNIT	70	
	3	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	70	
	4	Garden Hoe	Carbon Steel head, goose neck type, hardwood handle, 6" blade	1	PC	70	
	5	Sprinkler	2 gallon capacity, heavy duty plastic	1	PC	70	
	1	otal, Produce Orga ction NC II)	anic Vegetable (Leading to Org	anic A	griculture	70	
5	Produce Organic Concoction and Extracts (Leading to Organic A Production NC II)						
***	1	Measuring Cup/Jug	Polypropelene, 1 liter capacity with graduation	1	PC	45	
	2	Sprayer	Knapsack type (16 litres cap) stainless tank and steel lance manual type with cone and fan nozzles	1	UNIT	45	
	3	Chopping Board	½" x 12" x 18"; made of polyethylene material	1	PC	45	
	4	Weighing Scale	10 kg. capacity	1	UNIT	45	
	5	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	45	
	 	<u> </u>	」 nic Concoction and Extracts (Lea	J		45	

	TESDA-Region VII – Archbishop Reyes Avenue, Cebu City					
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
6	Perfor	m Diesel Engine Τι	une Up (Leading to Automotive S	Servici	ng NC I)	
	1	Feeler gauge	26 tempered steel leaves/blade ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.	1	PC	26
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	26
	3	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	26
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	26
	5	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	26
	6	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	26
	Servic	ing NC I)	sel Engine Tune Up (Leading			26
10			trical Components (Leading to A			
	1	Battery Load Tester	100-Amp, 6V and 12V batteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with supergrip battery clamps and a topmounted rocker switch.	1	PC	20

		TESDA-Region	VII – Archbishop Reyes Avenue	, Cebu	City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	2	Electricians/ Electrical Plier	Overall length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	20
	3	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	20
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	20
	Autom	otive Servicing NC	omotive Electrical Component CII)	·	_	20
12		e Motorcycle/Sma ing NC II)	II Engine System (Leading to	Moto	rcycle/Sma	II Engine
	1	Manual Impact Driver	1 pc 1/2" Drive Impact Driver, 1 pc 8 mm long bit holder, 1 pc 36 mm long, 8 mm slotted bit, 1 pc 36 mm long, 10 mm slotted bit, 1 pc 36 mm long, PH2 bit, 1 pc 36 mm long, PH3 bit	1	SET	43
	2	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	43
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	43
	4	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	43
	5	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	43
	6	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET	43
_	7	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	43
	Sub-to Motor	otal, Service Mo cycle/Small Engine	torcycle/Small Engine Syster Servicing NC II)	n (Le	ading to	43

		TESDA-Region	VII – Archbishop Reyes Avenue	, Cebu	City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
13			(Leading to Motorcycle/Small E	Engine		
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	84
	2	Electricians/ Electrical Plier	Overall length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	84
	3	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	84
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	84
	5	Battery Load Tester	100-Amp, 6V and 12V batteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with supergrip battery clamps and a topmounted rocker switch.	1	PC	84
	Servic	ing NC II)	cal System (Leading to Motorcy)	cle/Sm	all Engine	84
15	Carpe	ntry NC II				
	1	Cross Cut Saw	Crosscut saw; 8 points per inch; 18 in. length / 450 mm; hardwood handle	1	PC	208
	2	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	208
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	208
	4	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	208
	5	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	208
	6	Sledge Hammer	Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With Wooden Handle	1	PC	208

	TESDA-Region VII – Archbishop Reyes Avenue, Cebu City					
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	7	Chalk Line Reel	Includes Chalk Reel and 4 Oz. Bottle Blue Chalk; High Impact Abs Case On-Board Hook Storage, Stainless-Steel Hook, Sliding Door For Easy Filling, Folding Crank Handle	1	PC	208
	8	Wood Chisel	Forged steel blade; 3/4: blade width; plastic handle	1	PC	208
	9	Try Square	Size: 8"x12", Thickness 1.8- 2mm, Material: Spring Steel, Handle Material: Aluminum Alloy, Metric & English Graduations	1	PC	208
	10	Ripping Bar	Overall Length: 17", Overall Width: 5/8", Thickness: 5/8", Dia.: 5/8", Material: High Carbon Steel, Color: Black and Yellow	1	PC	208
	11	Plumb Bob	Hexagonal/Conical shape, Machined Steel, 8 ounce	1	PC	208
	Sub-to	otal, Carpentry NC I				208
16			I Maintenance NC II			
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	90
	2	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	90
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	90
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	90
	5	Electricians/ Electrical Plier	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	90

		·	VII – Archbishop Reyes Avenue			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	6	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	90
			allation and Maintenance NC II			90
17		ry NC I		·		
	11	Pointing Trowel	Steel 3" x 7", wooden handle	1	PC	85
And the second s	2	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	85
	3	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	85
	4	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	85
	5	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	85
	6	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	85
	7	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	85
		otal, Masonry NC I				85
20	Pipefit	ting NC II				
	1	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	109
	2	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	109
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	109
	4	File	Half-round, 8", tapered width and thickness, bastard teeth spacing, Plastic handle is slip resistant	1	PC	109
	5	Adjustable Wrench	12"/ 304.8 mm length, heavy duty chrome vanadium steel, max. Jaw capacity 43.2 mm, head width, 3/4" / 19.1 mm	1	PC	109

	VAUN		VII – Archbishop Reyes Avenue			2010
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	6	Adjustable Combination Square	stainless steel blade, high visibility die cast handle with brass hardware, 12 tn. Length of blade	1	PC	109
	7	C - Clamp	Heavy duty, Machine ground anvils, steel sliding pin handles, bright plated steel swivel, 8 " opening	1	PC	109
	8	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	109
		tal, Pipefitting NC	<i>II</i>			109
23		etting NC II				
	1	Tile Cutter	Pen type, carbide tip, manual 8" length	1	PC	250
	2	Nipper, End Cutter	End nipper Plier 8"	1	PC	250
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	250
	4	Rubber Mallet	16 oz, Wooden Handle	1	PC	250
	5	Notched Trowel	Notched Trowel; carbon steel; Wooden/ Plastic handle, 4" x 11"; Notched size: 1/4" x 1/4" (6mm x 6mm)	1	PC	250
	6	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	250
	7	Plier	Forged carbon steel, length 8 inches, machined jaws	1	PC	250
	8	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	250
		otal, Tile Setting NC				250
24	RAC S	ervicing (Dom/RAC				
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	25

		TESDA-Region	VII - Archbishop Reyes Avenue	, Cebu	City		
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	
	2	Mechanical Manifold Gauge Set	2 valves, number of hoses 3, gauge high side pressure 0-500 PSIG, Gauge low side pressure 30 ln. Hg. to 250 PSIG, for use with R-22, R-134a refrigerants, 1/4 in. vacuum port size, hose length 36", 2500 PSI burst.	1	SET	25	
	3	Flaring tool set	Flares and swages. Screw-type feed. Two bars included cover 9 sizes. Swivel-type swaging adapters and flaring cone hardened steel, chrome finished. Slip-on forged steel yoke. Includes tool case. Flares 1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" O.D. Includes 5 swage adapters for 7 tube sizes: 3/16", 1/4", 5/16", 3/8", 1/2", 5/8", 3/4" O.D.	1	SET	25	
		tal, RAC Servicing				25	
25	Shielded Metal Arc Welding (SMAW) NC I						
	1	Portable Welding Machine	Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground.	1	UNIT	496	
	2	Welding Mask	Flip Front Welding Helmet, impact-resistant polypropylene material, adjustable fit, 4 1/2" x 2" view area with lens	1	PC	496	
	Sub-to	tal, Shielded Metal	Arc Welding (SMAW) NC I			496	
31	Dressi	naking NC II					
	1	Portable Electric Sewing Machine	Easy stitch selection with built-in stitches, automatic tension, four-step button hole, and automatic reverse stitches (60 Hz; 85 Watts; 220 V)	1	UNIT	228	
	2	Drafting Tools	Tailors square, aluminum 24" L x 1 1/2" W, L-shape ruler; Hip curve, aluminum 24" L x 1 1/2" W curve ruler	1	SET	228	
	3	Cutting Shears	8" length, stainless steel cutting blade, plastic handle used for cutting fabrics	1	PC	228	
	4	French Curve	made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges	1	PC	228	

			VII – Archbishop Reyes Avenue			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	5	Sewing Kit	a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure 60" (150cm) L, 4 to 5" L paper scissors (plastic handle), spools of asstd. colors of sewing threads and other notions	1	PC	228
		otal, Dressmaking I	NC II			228
32	Tailori	ng NC II				
	1	Portable Electric Sewing Machine	Easy stitch selection with built-in stitches, automatic tension, four-step button hole, and automatic reverse stitches (60 Hz; 85 Watts; 220 V)	1	UNIT	22
	2	Drafting Tools	Tailors square, aluminum 24" L x 1 1/2" W, L-shape ruler; Hip curve, aluminum 24" L x 1 1/2" W curve ruler	1	SET	22
	3	Cutting Shears	8" length, stainless steel cutting blade, plastic handle used for cutting fabrics	1	PC	22
	4	French Curve	made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges	1	PC	22
	5	Sewing Kit	a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure 60" (150cm) L, 4 to 5" L paper scissors (plastic handle), spools of asstd. colors of sewing threads and other notions	1	PC	22
	Sub-to	otal, Tailoring NC II				22
33		Wellness Massage				
	1	Face Towel	100 % cotton, 12" X 12", white	1	PC	772
	2	Bath Towel	100 % cotton, 27" X 54", white	1	PC	772
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	772
	4	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	772
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	772
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	772

	MINI		VII – Archbishop Reyes Avenue			2010
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	7	Aromatic Oil	100 ml.	1	BOTTLE	772
	8	Virgin Coconut Oil	250 ml.	1	BOTTLE	772
	9	Powder	Baby powder, 200 g	1	BOTTLE	772
	10	Mentholated Oil	100 ml.	1	BOTTLE	772
	11	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	772
		tal, Hilot (Wellnes				772
34		m Manicure and Peragrams (Control of the Control of	edicure (Leading to Beauty Care	NC II/I	Beauty Care	e Services
	1	Cuticle Nipper	Stainless steel, 3.5"	1	PC	247
	2	Cuticle Pusher	stainless steel, 5"	1	PC	247
	3	Foot Nail Cutter	stainless steel, 3" long	1	PC	247
	4	Hand Nail Cutter	stainless steel, 2.5" long	1	PC	247
	5	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	247
	6	Nail Brush	Plastic, soft bristle	1	PC	247
	7	Emery Board	80/100 coarse, 8" Long	1	PC	247
	8	Cotton Balls	150 balls	1	PACK	247
	9	Cuticle Remover	120 ml bottle	1	BOTTLE	247
	10	Nail Polish Remover	120 ml bottle	1	BOTTLE	247
	11	Antiseptic (Merthiolate)	25 ml bottle	1	BOTTLE	247
	12	Colored Nail Polish	15ml bottle, preferably touch of tan	1	BOTTLE	247
	13	Colored Nail Polish	15ml bottle, white	1	BOTTLE	247
	14	Colorless Nail Polish	15ml bottle, with glitters	1	BOTTLE	247
	15	Colorless Nail Polish	15ml bottle	1	BOTTLE	247
	16	Low Stool	hard plastic, round	1	PC	247
	17	Face Towel	100 % cotton, 12" X 12", white	1	PC	247
		otal, Perform Mani uty Care Services [cure and Pedicure (Leading to Nail Care] NC II)	Beauty	/ Care NC	247
36	Perfor		Leading to Beauty Care NC II)			
	11	Face Towel	100 % cotton, 12" X 12", white	1	PC	73
	2	Bath Towel	100 % cotton, 27" X 54", white	1	PC	73
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	вох	73
	4	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with	1	PAIR	73

			VII – Archbishop Reyes Avenue			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			adjustable draw string and back pocket, free size, blue color.			
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	73
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	73
	7	Aromatic Oil	100 ml.	1	BOTTLE	73
	8	Virgin Coconut Oil	250 ml.	1	BOTTLE	73
	9	Powder	Baby powder, 200 g	1	BOTTLE	73
	10	Mentholated Oil	100 ml.	1	BOTTLE	73
	11	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	73
	Sub-to	otal, Perform Body	Massage (Leading to Beauty Ca	re NC	II)	73
40	Perfor	m Facial Make-Up	(Leading to Beauty Care NC II)			
	1	Astringent	125 ml, deep cleansing, hypoallergenic	1	BOTTLE	68
	2	Blusher	pink and bronze shade, 4grams each	2	PC	68
	3	Eye Brow Pencil	black, 4"	1	PC	68
	4	Eye Brow Pencil	brown, 4"	1	PC	68
	5	Eye Liner Pencil	black, 4"	1	PC	68
	6	Eye Liner Pencil	brown, 4"	1	PC	68
	7	Eye Shadow	8 palette, earth colors, matte finish	1	PC	6 8
	8	Eyebrow Tweezer	stainless steel, scissor type	1	PC	68
	9	Eyelash Curler	stainless steel, scissor type	1	PC	68
	10	Face Mask	disposable earloop face mask, 50 pcs per box	1	вох	68
	11	Make-Up Sponge	round, powder puff sponge	1	PC	68
	12	Foundation	Liquid, 30 ml, natural shade	1	BOTTLE	68
	13	Head Band	3"x 23" cotton fabric with snap tape	1	PC	68
	14	Lipstick	matte finish, red	1	PC	68
	15	Lipstick	matte finish, coral pink	1	PC	68
	16	Make Up Brush Set	wooden handle, soft bristle, set of 5pcs (lip brush, angle eye brush, powder brush, eye shadow brush, angle blusher brush)	1	SET	68
	17	Mascara	black, water proof, 7g	1	PC	68
	18	Pressed Powder	natural shade, matte finish	1	PC	68
	19	Cotton Balls	150 balls	1	PACK	68
	20	Concealer	20ml with UVA/UVB protection	1	PC	68
	Sub-to	otal, Perform Facial	Make-Up (Leading to Beauty Ca	are NC	II)	68

	VAIIVII		VII – Archbishop Reyes Avenue			2010
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
43	Perfor	,	vices (Leading to Hairdressing I	NC II)		
	1	Hair Blower	220V, 1800W, 60 Hz, hot and cold blower function	1	UNIT	49
	2	Cutting Scissors	6" stainless steel with tight regulator screw	1	PC	49
	3	Thinning Scissors	5" Single notched, 23 teeth, stainless steel	1	PC	49
	4	Apron	black with 3 pockets	11	PC	49
	5	Protective Cape	Water proof, nylon, black	11	PC	49
	6	Neck brush	Wood handle, app. 10 cm x 6.7cm	1	PC	49
	7	Talcum Powder	250g	11	BOTTLE	49
			utting Services (Leading to Hai		ng NC II)	49
44	Bread		Bread and Pastry Production I	NC II)		
	2	Measuring Cups Measuring Urn	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ½ cup) Transparent glass, 1 cup capacity, measurements are clearly mark in ounce, quarts and millilitres	1	SET	569 569
	4	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	569
	Sub-to	otal. Bread Making	(Leading to Bread and Pastry Pi	roducti	on NC II)	569
45			o Bread and Pastry Production			
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack,	1	UNIT	276

		TESDA-Region	VII - Archbishop Reyes Avenue	, Cebu	City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			Tray Handle, 220V, 60hz, 1,300 watts			
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	276
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	276
	4	Muffin Pan	6 holes, 3oz capacity per hole, non-stick	1	PC	276
	Sub-to	otal. Pastry Making	(Leading to Bread and Pastry P	roducti	on NC II)	276
46			Bread and Pastry Production N			
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts	1	UNIT	216
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	216
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	216
	4	Muffin Pan	6 holes, 3oz capacity per hole, non-stick	1	PC	216
	Sub-to	otal. Cake Making (Leading to Bread and Pastry Pro	ductio	n NC II)	216
47			eals (Leading to Cookery NC II)			l,
	1	Frying Pan	10" diameter by 2" high teflon, non-stick, riveted handle	1	PC	279
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	279
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	279
	4	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	279
	5	Chopping Board	1/2" x 12" x 18"; made of polyethylene material	1	PC	279
	6	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	279
	7	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	279
	8	Strainer	8" diameter, single fine mesh, flat wooden handle	1	PC	279
		i contract of the contract of	, troodelliandidio	1		i

	27 111 411		VII – Archbishop Reyes Avenue			
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
48	Prepar	e Cold Meals (Lead	ding to Cookery NC II)			
	1	Frying Pan	10" diameter by 2" high teflon, non-stick, riveted handle	1	PC	97
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	97
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	97
	4	Chopping Board	1/2" x 12" x 18"; made of polyethylene material	1	PC	97
	5	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	97
	6	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	97
	7	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	97
			Meals (Leading to Cookery NC II)			97
49	Proces	ss Food by Salting	,	to Food		
		Food Processor	2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments, 220 V, 60 hz, 1,000 watts	1	UNIT	73
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	73
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	73
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	73
	5	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	73
	6	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	1	UNIT	73
	Food	Processing NC II)	by Salting, Curing and Smok			73
50	Proces		entation and Pickling (Leading to	T		
		Food Processor	2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments, 220 V, 60 hz, 1,000 watts	1	UNIT	40
	2	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	40

		TESDA-Region	VII - Archbishop Reyes Avenue	, Cebu	City		
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	40	
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	40	
	5	Casserole	Stainless; 6L capacity; with two grip handle, with cover	1	PC	40	
	6	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	40	
	7	Colander	5 qts capacity, stainless steel, with two grip handles	1	PC	40	
	Proces	ssing NC II)	s by Fermentation and Pickling (40	
51			Concentration (Leading to Food	Proce			
	1	Blender	2 speed, 1.5 liter capacity, glass jar with stainless steel blades, 220 V, 60 hz, 500 watts	1	UNIT	20	
	2	Candy Thermometer	8" long, measures temperatures from 100 to 400 degrees F; glass, pen-type adjustable clip secures thermometer to pan	1	PC	20	
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	20	
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	20	
	5	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	20	
	6	Casserole	Stainless; 6L capacity; with two grip handle, with cover	1	PC	20	
	7	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	20	
	8	Rubber Scraper	Rubber head high heat resistant, flexible, 12" long	1	PC	20	
	9	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	1	UNIT	20	
	Sub-total, Process Foods By Sugar Concentration (Leading to Food Processing NC II)						
	TOTAL						

		TESDA-Region V	III – TESDA Compound, Abucay, T	acloba	n City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
6	Perfori	m Diesel Engine T	une Up (Leading to Automotive Se	ervicing	g NC I)	
	1	Feeler gauge	26 tempered steel leaves/blade ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.	1	PC	60
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	60
	3	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	60
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	60
	5	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	60
	6	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	60
		tal, Perform Die ing NC I)	sel Engine Tune Up (Leading	to Au	ıtomotive	60
7	Perfor		ne Up (Leading to Automotive Serv	vicing I		
	1	Feeler gauge	26 tempered steel leaves/blade ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.	1	PC	22

	TESDA-Region VIII – TESDA Compound, Abucay, Tacloban City						
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	
	2	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	22	
	3	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	22	
	4	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	22	
	5	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	22	
	6	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	22	
	7	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	22	
	Sub-to NC I)	tal, Perform Gas	Engine Tune Up (Leading to Autor	notive	Servicing	22	
9	Servic	e Engine Compon	ents (Leading to Automotive Serv	icing N			
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	14	
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	14	
	3	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	14	
	4	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 ln., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET	14	
	5	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	14	
	6	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	14	

TESDA-Region VIII - TESDA Compound, Abucay, Tacloban City LOT ITEM NO. OF OTY UNIT **AGENCY SPECS** ITEM PAX NO. NO. Ball Peen Forged hard steel; jacketed PC 14 7 graphite ballpeen hammer, 16 oz./ Hammer 1 lb Sub-total, Service Engine Components (Leading to Automotive Servicing 14 NC II) Service Motorcycle/Small Engine System (Leading to Motorcycle/Small Engine 12 Servicing NC II) 1 pc 1/2" Drive Impact Driver, 1 pc SET 50 Manual Impact Driver 8 mm long bit holder, 1 pc 36 mm long, 8 mm slotted bit, 1 pc 36 mm long, 10 mm slotted bit,1 pc 36 mm long, PH2 bit, 1 pc 36 mm long, PH3 bit SET 2 Socket Wrench socket chrome vanadium: 1 pc 1 50 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod 1 SET 3 chrome vanadium steel, set of 8 50 Combination sizes (8mm, 9mm, 10mm, 12mm, Wrench (Open 14mm, 17mm, 19mm, 22mm) 7.5 And Box End) deg offset 4 Spark Plug 1pc T-Handle Universal Joint 1 SET 50 Wrench Spark Plug, Socket Wrench 21mm 5 Spark Plug 1pc T-Handle Universal Joint 1 SET 50 Wrench Spark Plug, Socket Wrench 16mm 6 Allen Wrench SET Hex Key Set. Number of Pieces 9. 50 Set Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm. Blade Material Allov steel. Handle Type L-Shaped, Includes Molded Plastic Holder 7 SET 50 Circlip Pliers 6 in carbon steel insulated handle 1 detachable tip (combination) internal and external (Leading Sub-total. Service Motorcycle/Small Engine System 50 Motorcycle/Small Engine Servicing NC II)

TESDA-Region VIII – TESDA Compound, Abucay, Tacloban City							
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	
13	Servic		m (Leading to Motorcycle/Small Er	igine S			
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	24	
	2	Electricians/ Electrical Plier	Overall length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	24	
	3	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	24	
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	24	
	5	Battery Load Tester	100-Amp, 6V and 12V batteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted rocker switch.	1	PC	24	
		otal, Service Electing NC II)	rical System (Leading to Motorcyc	le/Sma	all Engine	24	
14	Overha	aul Motorcycle/Sr	mall Engine (Leading to Motorcyc	le/Sma	II Engine	Servicing	
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	24	
	2	Manual Impact Driver	1 pc 1/2" Drive Impact Driver, 1 pc 8 mm long bit holder, 1 pc 36 mm long, 8 mm slotted bit, 1 pc 36 mm long, 10 mm slotted bit, 1 pc 36 mm long, PH2 bit, 1 pc 36 mm long, PH3 bit	1	SET	24	
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	24	

TESDA-Region VIII - TESDA Compound, Abucay, Tacloban City NO. OF LOT ITEM QTY UNIT **ITEM AGENCY SPECS** PAX NO. NO. PC 26 tempered steel leaves/blade 24 Feeler gauge ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559. .584. .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025. 5 Spark Plug 1pc T-Handle Universal Joint 1 SET 24 Wrench Spark Plug, Socket Wrench Spark Plug 1pc T-Handle Universal Joint 1 SET 24 6 Wrench Spark Plug, Socket Wrench 16mm 7 1 Allen Wrench Hex Kev Set. Number of Pieces 9. SET 24 Set Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder 8 Circlip Pliers 6 in carbon steel insulated handle 1 SET 24 detachable tip (combination) internal and external 1 PC 9 Ball Peen Forged hard steel: jacketed 24 graphite ballpeen hammer, 16 oz./ Hammer 1 lb 24 Sub-total, Overhaul Motorcycle/Small Engine (Leading to Motorcycle/Small Engine Servicing NC II) 15 Carpentry NC II Cross Cut Saw Crosscut saw; 8 points per inch; 1 PC 170 18 in. length / 450 mm; hardwood handle 2 Claw Hammer Forged High-Carbon Steel Head; 1 PC 170 Smooth Face; 16 Oz; Wood Handle 3 Pull-Push Rule Blade length 8m/26ft Blade width PC 170 1 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end 4 Steel Square Carpenters framing square; 1 PC 170 2x16x24", Steel

	TESDA-Region VIII – TESDA Compound, Abucay, Tacloban City						
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	
	5	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	170	
	6	Sledge Hammer	Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With Wooden Handle	1	PC	170	
	7	Chalk Line Reel	Includes Chalk Reel and 4 Oz. Bottle Blue Chalk; High Impact Abs Case On-Board Hook Storage, Stainless-Steel Hook, Sliding Door For Easy Filling, Folding Crank Handle	1	PC	170	
	8	Wood Chisel	Forged steel blade; 3/4: blade width; plastic handle	1	PC	170	
	9	Try Square	Size: 8"x12", Thickness 1.8-2mm, Material: Spring Steel, Handle Material: Aluminum Alloy, Metric & English Graduations	1	PC	170	
	10	Ripping Bar	Overall Length: 17", Overall Width: 5/8", Thickness: 5/8", Dia.: 5/8", Material: High Carbon Steel, Color: Black and Yellow	1	PC	170	
	11	Plumb Bob	Hexagonal/Conical shape, Machined Steel, 8 ounce	1	PC	170	
		tal, Carpentry NC				170	
16	+	,	d Maintenance NC II	T			
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	108	
	2	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	108	
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	108	
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	108	

			III – TESDA Compound, Abucay, T			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	5	Electricians/ Electrical Plier	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	108
	6	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	108
			allation and Maintenance NC II			108
17	Mason	iry NC I		,		
	11	Pointing Trowel	Steel 3" x 7", wooden handle	1	PC	27
	2	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	27
	3	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	27
	4	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	27
	5	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	27
	6	Hacksaw With Blade	Adjustable hacksaw frame with bimetal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	27
	7	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	27
		otal, Masonry NC I				27
18	Plaste		ry Surface (Leading to Masonry NO	C II)		
	1	Pointing Trowel	Steel 3" x 7", wooden handle	1	PC_	50
	2	Concrete/ cement Finishing Trowel	Length (In.) 11, Width (In.) 4-1/2, High Carbon Steel Blade, Wooden Handle	1 1	PC	50
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	50
	4	Hacksaw With Blade	Adjustable hacksaw frame with bimetal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	50
	5	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	50
	6	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	50

TESDA-Region VIII – TESDA Compound, Abucay, Tacloban City LOT ITEM NO. OF ITEM **AGENCY SPECS** QTY UNIT NO. NO. PAX 1 PC Shovel Round point steel blade: fiber 50 glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20" Carpenters framing square: PC 8 1 50 Steel Square 2x16x24", Steel Sub-total, Plaster Concrete/Masonry Surface (Leading to Masonry NC II) 50 20 Pipefitting NC II Ball Peen Forged hard steel: jacketed 1 PC 25 Hammer graphite ballpeen hammer, 16 oz./ 2 Aluminum, top-read center vial; 3 PC 25 Spirit Level Bar vials; Length: 24" PC 3 Pull-Push Rule Blade length 8m/26ft Blade width 1 25 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end PC 25 4 File Half-round, 8", tapered width and thickness, bastard teeth spacing, Plastic handle is slip resistant PC 25 5 Adjustable 12"/ 304.8 mm length, heavy duty 1 Wrench chrome vanadium steel, max. Jaw capacity 43.2 mm, head width, 3/4" / 19.1 mm Adjustable stainless steel blade, high visibility PC 25 6 Combination die cast handle with brass Square hardware, 12 tn. Length of blade PC 25 7 C - Clamp Heavy duty, Machine ground anvils, steel sliding pin handles, bright plated steel swivel, 8" openina PC 8 Hacksaw With Adjustable hacksaw frame with bi-25 metal hacksaw blade, 24 TPI. Blade aluminum alloy frame and handle Sub-total, Pipefitting NC II 25 23 Tile Setting NC II Tile Cutter Pen type, carbide tip, manual 8" 1 PC 41 lenath End nipper Plier 8" 1 PC 2 Nipper, End 41 Cutter 3 Pull-Push Rule Blade length 8m/26ft Blade width 1 PC 41 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end PC 4 Rubber Mallet 16 oz, Wooden Handle 1 41

		TESDA-Region VI	II – TESDA Compound, Abucay, T	acloba	n City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	5	Notched Trowel	Notched Trowel; carbon steel; Wooden/ Plastic handle, 4" x 11"; Notched size: 1/4" x 1/4" (6mm x 6mm)	1	PC	41
	6	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	41
	7	Plier	Forged carbon steel, length 8 inches, machined jaws	1	PC	41
	8	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	41
	Sub-to	tal, Tile Setting No	<u> </u>	<u> </u>		41
25		ed Metal Arc Weld				
	1	Portable Welding Machine	Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground.	1	UNIT	125
	2	Welding Mask	Flip Front Welding Helmet, impact-resistant polypropylene material, adjustable fit, 4 1/2" x 2" view area with lens	1	PC	125
	Sub-to	tal, Shielded Meta	I Arc Welding (SMAW) NC I		· · · · · · · · · · · · · · · · · · ·	125
26		ible Electronics I	Products (Leading to Electronic	Produ	cts Assei	nbly and
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	20
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	20
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	20
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	20
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	20

			III – TESDA Compound, Abucay, T			• •
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	20
	Assen	ibly and Servicing				20
27		e Consumer Elections ably and Servicing	ronic Products and Systems (Lead	ing to l	Electronic	Products
	Assem 1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	25
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	25
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	25
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	25
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	25
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	25
			imer Electronic Products and Syst embly and Servicing NC II)	ems (L	eading to	25
31		making NC II				
	1	Portable Electric Sewing Machine	Easy stitch selection with built-in stitches, automatic tension, four-step button hole, and automatic reverse stitches (60 Hz; 85 Watts; 220 V)	1	UNIT	94
	2	Drafting Tools	Tailors square, aluminum 24" L x 1 1/2" W, L-shape ruler; Hip curve, aluminum 24" L x 1 1/2" W curve ruler	1	SET	94

		TESDA-Region V	III – TESDA Compound, Abucay, T	acloba	ın City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	3	Cutting Shears	8" length, stainless steel cutting blade, plastic handle used for cutting fabrics	1	PC	94
	4	French Curve	made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges	1	PC	94
	5	Sewing Kit	a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure 60" (150cm) L, 4 to 5" L paper scissors (plastic handle), spools of asstd. colors of sewing threads and other notions	1	PC	94
		tal, Dressmaking				94
33	Hilot (\	Wellness Massage			T	
	1	Face Towel	100 % cotton, 12" X 12", white	1	PC	47
	2	Bath Towel	100 % cotton, 27" X 54", white	11	PC	47
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	47
	4	Scrub Suit	Unisex, Soft and linen blouse (V- neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	47
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	47
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	47
~	7	Aromatic Oil	100 ml.	1	BOTTLE	47
	8	Virgin Coconut Oil	250 ml.	1	BOTTLE	47
	9	Powder	Baby powder, 200 g	1	BOTTLE	47
	10	Mentholated Oil	100 ml.	1	BOTTLE	47
	11	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	47
		tal, Hilot (Wellnes				47
34		m Manicure and P are] NC II)	edicure (Leading to Beauty Care N	IC II/Be	eauty Care	Services
	1	Cuticle Nipper	Stainless steel, 3.5"	1	PC	110
	2	Cuticle Pusher	stainless steel, 5"	1	PC	110
	3	Foot Nail Cutter	stainless steel, 3" long	1_1_	PC	110
	4	Hand Nail Cutter	stainless steel, 2.5" long	11	PC	110
	5	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	110
	6	Nail Brush	Plastic, soft bristle	1	PC	110
	7	Emery Board	80/100 coarse, 8" Long	1	PC	110
	88	Cotton Balls	150 balls	1	PACK	110
	9	Cuticle Remover	120 ml bottle	11	BOTTLE	110

TEM NO. ITEM NO. 10		n City	acloba	III – TESDA Compound, Abucay, T	TESDA-Region V		
Remover	NO. OF PAX		QTY	AGENCY SPECS	ITEM		
(Merthiolate) 12 Colored Nail 15ml bottle, preferably touch of Polish tan 13 Colored Nail 15ml bottle, white 1 BOTTLE Polish 14 Colorless Nail 15ml bottle, with glitters 1 BOTTLE Polish 15 Colorless Nail 15ml bottle 1 BOTTLE Polish 16 Low Stool hard plastic, round 1 PC 17 Face Towel 100 % cotton, 12" X 12", white 1 PC Sub-total, Perform Manicure and Pedicure (Leading to Beauty Care NC II/Beauty Care Services [Nail Care] NC II) 1 Handspa Abelian Abelian 1 BOX Scented, 500g 1 BOX 3 Clingwrap clear, transparent, 150 sq. ft 1 ROLL (36.6m x 38 cm) Sub-total, Perform Hand Spa (Leading to Beauty Care NC II/Beauty Care Services [Nail Care] NC II) 36 Perform Body Massage (Leading to Beauty Care NC II/Beauty Care Services [Nail Care] NC II) 36 Perform Body Massage (Leading to Beauty Care NC II/Beauty Care Services [Nail Care] NC II) 36 Perform Body Massage (Leading to Beauty Care NC II/Beauty Care Services [Nail Care] NC II) 37 Face Mask disposable earloop face mask, 50 1 BOX pcs per box 4 Scrub Suit Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color. 5 Head Band 3"x 23" cotton fabric with snap 1 PC tape 6 Body Lotion 200 ml., Hypoallergenic 1 BOTTLE	110		1	120 ml bottle		10	
Polish	110	BOTTLE	1	25 ml bottle	•	11	
Polish 14 Colorless Nail 15ml bottle, with glitters 1 BOTTLE Polish 15 Colorless Nail 15ml bottle 1 BOTTLE Polish 16 Low Stool hard plastic, round 1 PC 17 Face Towel 100 % cotton, 12" X 12", white 1 PC Sub-total, Perform Manicure and Pedicure (Leading to Beauty Care NC Il/Beauty Care Services [Nail Care] NC II) 18 Perform Hand Spa (Leading to Beauty Care NC Il/Beauty Care Services [Nail Care] NC II) 19 Handspa Thermostatically-controlled heating unit, 220v, 60hz, 220 watts Value	110	BOTTLE	1	•	1	12	
Polish 15 Colorless Nail 15ml bottle 1 BOTTLE	110	BOTTLE	1	15ml bottle, white		13	
Polish 16 Low Stool hard plastic, round 1 PC 17 Face Towel 100 % cotton, 12" X 12", white 1 PC Sub-total, Perform Manicure and Pedicure (Leading to Beauty Care NC II/Beauty Care Services [Nail Care] NC II) Perform Hand Spa (Leading to Beauty Care NC II/Beauty Care Services [N NC II) 1 Handspa Thermostatically-controlled heating unit, 220v, 60hz, 220 watts 2 Paraffin Wax Scented, 500g 1 BOX Sub-total, Perform Hand Spa (Leading to Beauty Care NC II/Beauty Care Services [Nail Care] NC II) 36 Perform Body Massage (Leading to Beauty Care NC II/Beauty Care Services [Nail Care] NC II) 1 Face Towel 100 % cotton, 12" X 12", white 1 PC 2 Bath Towel 100 % cotton, 27" X 54", white 1 PC 3 Face Mask disposable earloop face mask, 50 1 BOX pcs per box 4 Scrub Suit Unisex, Soft and linen blouse (V- neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color. 5 Head Band 3"x 23" cotton fabric with snap 1 PC tape 6 Body Lotion 200 ml., Hypoallergenic 1 BOTTLE	110	BOTTLE	1	15ml bottle, with glitters		14	
17 Face Towel 100 % cotton, 12" X 12", white 1 PC Sub-total, Perform Manicure and Pedicure (Leading to Beauty Care NC II/Beauty Care Services [Nail Care] NC II) 35 Perform Hand Spa (Leading to Beauty Care NC II/Beauty Care Services [N NC II) 1 Handspa Thermostatically-controlled heating unit, 220v, 60hz, 220 watts 2 Paraffin Wax Scented, 500g 1 BOX 3 Clingwrap clear, transparent, 150 sq. ft 1 ROLL (36.6m x 38 cm) Sub-total, Perform Hand Spa (Leading to Beauty Care NC II/Beauty Care Services [Nail Care] NC II) 36 Perform Body Massage (Leading to Beauty Care NC II) 1 Face Towel 100 % cotton, 12" X 12", white 1 PC 2 Bath Towel 100 % cotton, 27" X 54", white 1 PC 3 Face Mask disposable earloop face mask, 50 1 BOX pcs per box 4 Scrub Suit Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color. 5 Head Band 3" x 23" cotton fabric with snap 1 PC tape 6 Body Lotion 200 ml., Hypoallergenic 1 BOTTLE	110	BOTTLE	1	15ml bottle		15	
17 Face Towel 100 % cotton, 12" X 12", white 1 PC Sub-total, Perform Manicure and Pedicure (Leading to Beauty Care NC II/Beauty Care Services [Nail Care] NC II) 35 Perform Hand Spa (Leading to Beauty Care NC II/Beauty Care Services [N NC II) 1 Handspa Thermostatically-controlled heating unit, 220v, 60hz, 220 watts 2 Paraffin Wax Scented, 500g 1 BOX 3 Clingwrap clear, transparent, 150 sq. ft 1 ROLL (36.6m x 38 cm) Sub-total, Perform Hand Spa (Leading to Beauty Care NC II/Beauty Care Services [Nail Care] NC II) 36 Perform Body Massage (Leading to Beauty Care NC II) 1 Face Towel 100 % cotton, 12" X 12", white 1 PC 2 Bath Towel 100 % cotton, 27" X 54", white 1 PC 3 Face Mask disposable earloop face mask, 50 pcs per box 4 Scrub Suit Unisex, Soft and linen blouse (Vneck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color. 5 Head Band 3" x 23" cotton fabric with snap 1 PC tape 6 Body Lotion 200 ml., Hypoallergenic 1 BOTTLE	110	PC	1	hard plastic, round	Low Stool	16	
Sub-total, Perform Manicure and Pedicure (Leading to Beauty Care NC II/Beauty Care Services [Nail Care] NC II) Perform Hand Spa (Leading to Beauty Care NC II/Beauty Care Services [N NC II) Handspa Thermostatically-controlled 1 UNIT heating unit, 220v, 60hz, 220 watts Paraffin Wax Scented, 500g 1 BOX Clingwrap clear, transparent, 150 sq. ft 1 ROLL (36.6m x 38 cm) Sub-total, Perform Hand Spa (Leading to Beauty Care NC II/Beauty Care Services [Nail Care] NC II) Perform Body Massage (Leading to Beauty Care NC II) 1 Face Towel 100 % cotton, 12" X 12", white 1 PC 2 Bath Towel 100 % cotton, 27" X 54", white 1 PC 3 Face Mask disposable earloop face mask, 50 1 BOX pcs per box 4 Scrub Suit Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color. 5 Head Band 3"x 23" cotton fabric with snap 1 PC tape 6 Body Lotion 200 ml., Hypoallergenic 1 BOTTLE	110	PC	1		Face Towel	17	
NC II) 1 Handspa Thermostatically-controlled heating unit, 220v, 60hz, 220 watts 2 Paraffin Wax Scented, 500g 1 BOX 3 Clingwrap clear, transparent, 150 sq. ft (36.6m x 38 cm) Sub-total, Perform Hand Spa (Leading to Beauty Care NC II/Beauty Care Services [Nail Care] NC II) 1 Face Towel 100 % cotton, 12" X 12", white 1 PC 2 Bath Towel 100 % cotton, 27" X 54", white 1 PC 3 Face Mask disposable earloop face mask, 50 pcs per box 4 Scrub Suit Unisex, Soft and linen blouse (Vneck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color. 5 Head Band 3"x 23" cotton fabric with snap 1 PC tape 6 Body Lotion 200 ml., Hypoallergenic 1 BOTTLE	110	Care NC	Beauty	icure and Pedicure (Leading to E			
Machine heating unit, 220v, 60hz, 220 watts 2 Paraffin Wax Scented, 500g 1 BOX 3 Clingwrap clear, transparent, 150 sq. ft (36.6m x 38 cm) Sub-total, Perform Hand Spa (Leading to Beauty Care NC II/Beauty Care Services [Nail Care] NC II) 1 Face Towel 100 % cotton, 12" X 12", white 1 PC 2 Bath Towel 100 % cotton, 27" X 54", white 1 PC 3 Face Mask disposable earloop face mask, 50 pcs per box 4 Scrub Suit Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color. 5 Head Band 3"x 23" cotton fabric with snap 1 PC tape 6 Body Lotion 200 ml., Hypoallergenic 1 BOTTLE	ail Care]	Services [N	Care S	ding to Beauty Care NC II/Beauty	- `		35
3 Clingwrap clear, transparent, 150 sq. ft (36.6m x 38 cm) Sub-total, Perform Hand Spa (Leading to Beauty Care NC II/Beauty Care Services [Nail Care] NC II) 36 Perform Body Massage (Leading to Beauty Care NC II) 1 Face Towel 100 % cotton, 12" X 12", white 1 PC 2 Bath Towel 100 % cotton, 27" X 54", white 1 PC 3 Face Mask disposable earloop face mask, 50 pcs per box 4 Scrub Suit Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color. 5 Head Band 3"x 23" cotton fabric with snap 1 PC tape 6 Body Lotion 200 ml., Hypoallergenic 1 BOTTLE	45	UNIT	1	heating unit, 220v, 60hz, 220	·	1	
Sub-total, Perform Hand Spa (Leading to Beauty Care NC II/Beauty Care Services [Nail Care] NC II) 36 Perform Body Massage (Leading to Beauty Care NC II) 1 Face Towel 100 % cotton, 12" X 12", white 1 PC 2 Bath Towel 100 % cotton, 27" X 54", white 1 PC 3 Face Mask disposable earloop face mask, 50 1 BOX pcs per box Unisex, Soft and linen blouse (V- 1 PAIR neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color. 5 Head Band 3"x 23" cotton fabric with snap 1 PC tape 6 Body Lotion 200 ml., Hypoallergenic 1 BOTTLE	45	вох	1	Scented, 500g	Paraffin Wax	2	
Services [Nail Care] NC II) 36 Perform Body Massage (Leading to Beauty Care NC II) 1 Face Towel 100 % cotton, 12" X 12", white 1 PC 2 Bath Towel 100 % cotton, 27" X 54", white 1 PC 3 Face Mask disposable earloop face mask, 50 pcs per box PAIR P	45	ROLL	1	1	Clingwrap	3	
1 Face Towel 100 % cotton, 12" X 12", white 1 PC 2 Bath Towel 100 % cotton, 27" X 54", white 1 PC 3 Face Mask disposable earloop face mask, 50 pcs per box 4 Scrub Suit Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color. 5 Head Band 3"x 23" cotton fabric with snap 1 PC tape 6 Body Lotion 200 ml., Hypoallergenic 1 BOTTLE	45	auty Care	C II/Bea	• • •	•	1	
2 Bath Towel 100 % cotton, 27" X 54", white 1 PC 3 Face Mask disposable earloop face mask, 50 pcs per box 4 Scrub Suit Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color. 5 Head Band 3"x 23" cotton fabric with snap 1 PC tape 6 Body Lotion 200 ml., Hypoallergenic 1 BOTTLE			,			Perfor	36
3 Face Mask disposable earloop face mask, 50 pcs per box 4 Scrub Suit Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color. 5 Head Band 3"x 23" cotton fabric with snap 1 PC tape 6 Body Lotion 200 ml., Hypoallergenic 1 BOTTLE	65				···	·	
pcs per box 4 Scrub Suit Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color. 5 Head Band 3"x 23" cotton fabric with snap 1 PC tape 6 Body Lotion 200 ml., Hypoallergenic 1 BOTTLE	65					_2	
neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color. 5 Head Band 3"x 23" cotton fabric with snap 1 PC tape 6 Body Lotion 200 ml., Hypoallergenic 1 BOTTLE	65		1	pcs per box		3	
tape 6 Body Lotion 200 ml., Hypoallergenic 1 BOTTLE	65	PAIR	1	neck top with 2 lower front pockets), garterized pants with adjustable draw string and back	Scrub Suit	4	
	65	PC	1	1	Head Band	5	
	65	BOTTLE	1		Body Lotion	6	
The state of the s	65	BOTTLE	1	100 ml.	Aromatic Oil	7	
8 Virgin Coconut 250 ml. 1 BOTTLE Oil	65	 	1	250 ml.	Virgin Coconut	8	
9 Powder Baby powder, 200 g 1 BOTTLE	65	BOTTLE	1	Baby powder, 200 g	Powder	9	
10 Mentholated Oil 100 ml. 1 BOTTLE	65		<u> </u>		Mentholated Oil	10	
11 Storage Box Plastic, clear storage box with lid 1 PC lock, carry handle, 14" x 10" x 8"	65	PC	1		Storage Box	11	
Sub-total, Perform Body Massage (Leading to Beauty Care NC II)	65		NC II)		total, Perform Body	Sub-to	

LOT NO.	ITEM NO. Perfori	ITEM	III – TESDA Compound, Abucay, T AGENCY SPECS			NO OF		
37	Perform		AGENCY SPECS	QTY	UNIT	NO. OF PAX		
		m Body Scrub (Le	ading to Beauty Care NC II)					
1 1	1	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	45		
	2	Head Band	3"x 23" cotton fabric with snap tape	1	PC	45		
	3	Scrub Suit	Unisex, Soft and linen blouse (V- neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	45		
	4	Bath Towel	100 % cotton, 27" X 54", white	1	PC	45		
	5	Scrubbing Gloves	Exfoliating bath and shower gloves, elasticized wrist (regular size, nylon)	1	PAIR	45		
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	45		
	7	Whitening Soap	135 grams, papaya	11	PC	45		
	8	Scrubbing Products	milk salt, 350 grams	1	PACK	45		
	9	Face Towel	100 % cotton, 12" X 12", white	1	PC	45		
	Sub-to	tal, Perform Body	Scrub (Leading to Beauty Care N	C II)	-	45		
38	Perform Facial Treatment (Leading to Beauty Care NC II)							
	1	Acne Gel	25ml, hypoallergenic	1	PC	45		
	2	Astringent	125 ml, deep cleansing, hypoallergenic	1	BOTTLE	45		
	3	Bleaching Cream	50 grams, tube, hypoallergenic	1	TUBE	45		
	4	Cleansing Cream	60 ml., hypoallergenic	1	BOTTLE	45		
	5	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	45		
	6	Facial Brush	plastic handle, soft bristle	1	PC	45		
	7	Facial Cream	50 ml, dermatologically tested (hypoallergenic)	1	PC	45		
	8	Facial Scrub Cream	50 ml, dermatologically tested (hypoallergenic)	1	TUBE	45		
	9	Moisturizer	50 ml, hypoallergenic	1	PC	45		
	10	Pricking Tools	stainless steel, dual end, pointed and round	1	PC	45		
	11	Skin Toner	100 ml, dermatologically tested (hypoallergenic)	1	BOTTLE	45		
	12	Sun Block Cream	50 ml. SPF 40 (hypoallergenic)	1	TUBE	45		
	13	Face Towel	100 % cotton, 12" X 12", white	1	PC	45		
	14	Cotton Balls	150 balls	1	PACK	45		
	Sub-to	tal, Perform Facia	I Treatment (Leading to Beauty Ca	are NC	<i>II)</i>	45		

	(7 (11 (11)	· · · · · · · · · · · · · · · · · · ·	III – TESDA Compound, Abucay, T			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
39	Perfor	m Foot Spa (Leadi	ng to Beauty Care NC II/Beauty Ca	re Ser	vices [Nail	Care] NC
	1	Footspa Machine	220V, 300W, 60Hz, with bubbles and vibrator	1	UNIT	72
	2	Callus Remover	Stainless Steel, 7"	1	PC	72
	3	Scrubbing Gloves	Exfoliating bath and shower gloves, elasticized wrist (regular size, nylon)	1	PAIR	72
	4	Foot File	Wooden, 9.5"	1	PC	72
	5	Foot Blush	100ml, spray type	1	BOTTLE	72
	6	Foot Soak	150ml, Liquid	1	BOTTLE	72
	7	Foot Scrub	150ml, cream	1	TUBE	72
	8	Foot Lotion	150ml, scented	1	BOTTLE	72
****	9	Foot Brush	plastic handle, plastic bristle	1	PC	72
	Sub-to		Spa (Leading to Beauty Care NC II			72
43	Perfor	m Hair Cutting Se	rvices (Leading to Hairdressing No	C 1I)		
	1	Hair Blower	220V, 1800W, 60 Hz, hot and cold blower function	1	UNIT	25
	2	Cutting Scissors	6" stainless steel with tight regulator screw	1	PC	25
	3	Thinning Scissors	5" Single notched, 23 teeth, stainless steel	1	PC	25
	4	Apron	black with 3 pockets	1	PC	25
	5	Protective Cape	Water proof, nylon, black	1	PC	25
	6	Neck brush	Wood handle, app. 10 cm x 6.7cm	1	PC	25
	7	Talcum Powder	250g	1	BOTTLE	25
	Sub-to	<u> </u>	Cutting Services (Leading to Haird	ressin		25
44			to Bread and Pastry Production N		9 110 1.7	
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts	1	UNIT	136
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	136
	3	Measuring Urn	Transparent glass ,1 cup capacity, measurements are clearly mark in ounce, quarts and millilitres	1	PC	136

		TESDA-Region V	III – TESDA Compound, Abucay, T	acloba	n City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
-	4	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	136
	Sub-to	tal, Bread Making	(Leading to Bread and Pastry Pro	duction	n NC II)	136
45			to Bread and Pastry Production N			
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts	1	UNIT	161
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	161
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	161
	4	Muffin Pan	6 holes, 3oz capacity per hole, non-stick	1	PC	161
	Sub-to	tal, Pastry Making	(Leading to Bread and Pastry Pro	ductio	n NC II)	161
46			Bread and Pastry Production NC			
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts	1	UNIT	141
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	141
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	141
	4	Muffin Pan	6 holes, 3oz capacity per hole, non-stick	1	PC	141
	•		(Leading to Bread and Pastry Prod	luction	NC II)	141
47	Prepai	T	leals (Leading to Cookery NC II)			-
	1	Frying Pan	10" diameter by 2" high teflon, non-stick, riveted handle	1	PC	271
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	271

			III – TESDA Compound, Abucay, T			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	271
	4	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	271
	5	Chopping Board	1/2" x 12" x 18"; made of polyethylene material	1	PC	271
	6	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	271
	7	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	271
	8	Strainer	8" diameter, single fine mesh, flat wooden handle	1	PC	271
			Cook Hot Meals (Leading to Cooke	ry NC I	<i>I)</i>	271
48	Prepar		ding to Cookery NC II)	,		
	1	Frying Pan	10" diameter by 2" high teflon, non-stick, riveted handle	1	PC	71
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	71
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	71
	4	Chopping Board	½" x 12" x 18"; made of polyethylene material	1	PC	71
	5	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	71
	6	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	71
	7	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	71
	Sub-to	tal, Prepare Cold	Meals (Leading to Cookery NC II)			71
49	Proces		, Curing and Smoking (Leading to	Food	Processin	ig NC II)
	1		2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments, 220 V, 60 hz, 1,000 watts	1	UNIT	48
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	48
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	48
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	48
	5	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	48

		TESDA-Region V	III – TESDA Compound, Abucay, T			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	6	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	1	UNIT	48
		tal, Process Food ssing NC II)	by Salting, Curing and Smoking (I	Leadin	g to Food	48
50	Proces	s Foods by Ferm	entation and Pickling (Leading to F	ood P	rocessing	NC II)
	1	Food Processor	2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments, 220 V, 60 hz, 1,000 watts	1	UNIT	48
	2	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	48
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	48
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	48
	5	Casserole	Stainless; 6L capacity; with two grip handle, with cover	1	PC	48
	6	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	48
	7	Colander	5 qts capacity, stainless steel, with two grip handles	1	PC	48
	ł .	tal, Process Food ssing NC II)	ls by Fermentation and Pickling (L	.eading	g to Food	48
51	Proces	ss Foods by Suga	r Concentration (Leading to Food I	Proces	sing NC II)	
	1	Blender	2 speed, 1.5 liter capacity, glass jar with stainless steel blades, 220 V, 60 hz, 500 watts	1	UNIT	48
	2	Candy Thermometer	8" long, measures temperatures from 100 to 400 degrees F; glass, pen-type adjustable clip secures thermometer to pan	1	PC	48
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	48
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	48
	5	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	48
	6	Casserole	Stainless; 6L capacity; with two grip handle, with cover	1	PC	48
	7	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	48
	8	Rubber Scraper	Rubber head high heat resistant, flexible, 12" long	1	PC	48

		TESDA-Region V	III – TESDA Compound, Abucay, ⁻	Γacloba	n City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	9	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	1	UNIT	48
		tal, Process Foo	ods by Sugar Concentration (L	eading	to Food	48
	TOTA					2,257

LOT NO.	ITEM NO.	ITEM	gion IX – San Roque, Zamboanga AGENCY SPECS	QTY	UNIT	NO. OF PAX
9		e Engine Compone	ents (Leading to Automotive Servi	cing N	C II)	
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	109
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	109
	3	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	109
	4	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET	109
	5	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	109
	6	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	109
	7	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	109
	Sub-to NC II)	tal, Service Engine	e Components (Leading to Auton	notive	Servicing	109
10		e Automotive Elect	trical Components (Leading to Au	tomoti	ve Servici	ng NC II)
	1	Battery Load Tester	100-Amp, 6V and 12V batteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted rocker switch.	1	PC	100
	2	Electricians/ Electrical Plier	Overall length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	100
	3	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	100
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	100
-		tal, Service Auto	omotive Electrical Components	s (Lea	ading to	100

		TESDA-Re	gion IX – San Roque, Zamboanga	City		
NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
12		e Motorcycle/Sma ing NC II)	Il Engine System (Leading to	Motoro	ycle/Small	Engine
	1	Manual Impact Driver	1 pc 1/2" Drive Impact Driver, 1 pc 8 mm long bit holder, 1 pc 36 mm long, 8 mm slotted bit, 1 pc 36 mm long, 10 mm slotted bit, 1 pc 36 mm long, PH2 bit, 1 pc 36 mm long, PH3 bit	1	SET	187
	2	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	187
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	187
	4	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	187
	5	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	187
	6	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET	187
	7	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	187
	Sub-to	otal, Service Mo cycle/Small Engine	torcycle/Small Engine Systen Servicing NC II)	ı (Lea	ading to	187
15		ntry NC II	Corrolly NO II			
	1	Cross Cut Saw	Crosscut saw; 8 points per inch; 18 in. length / 450 mm; hardwood handle	1	PC	75
	2	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	75
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	75

	TESDA-Region IX – San Roque, Zamboanga City						
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	
	4	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	75	
	5	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	75	
	6	Sledge Hammer	Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With Wooden Handle	1	PC	75	
	7	Chalk Line Reel	Includes Chalk Reel and 4 Oz. Bottle Blue Chalk; High Impact Abs Case On-Board Hook Storage, Stainless-Steel Hook, Sliding Door For Easy Filling, Folding Crank Handle	1	PC	75	
	8	Wood Chisel	Forged steel blade; 3/4: blade width; plastic handle	1	PC	75	
	9	Try Square	Size: 8"x12", Thickness 1.8- 2mm, Material: Spring Steel, Handle Material: Aluminum Alloy, Metric & English Graduations	1	PC	75	
	10	Ripping Bar	Overall Length: 17", Overall Width: 5/8", Thickness: 5/8", Dia.: 5/8", Material: High Carbon Steel, Color: Black and Yellow	1	PC	75	
	11	Plumb Bob	Hexagonal/Conical shape, Machined Steel, 8 ounce	1	PC	75	
		otal, Carpentry NC I				75	
16	Electr	· · · · · · · · · · · · · · · · · · ·	Maintenance NC II	,		- 	
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	245	
	2	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	245	
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	245	

	· · · · · · · · · · · · · · · · · · ·	TESDA-Re	gion IX – San Roque, Zamboanga	City		
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	245
	5	Electricians/ Electrical Plier	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	245
	6	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	245
	Sub-to	tal, Electrical Insta	allation and Maintenance NC II	1		245
17		nry NC I				
	1	Pointing Trowel	Steel 3" x 7", wooden handle	1	PC	125
	2	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	125
	3	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	125
	4	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	125
	5	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	125
	6	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	125
	7	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	125
	Sub-to	tal, Masonry NC I				125
23	Tile Se	etting NC II				
	1	Tile Cutter	Pen type, carbide tip, manual 8" length	1	PC	79
	2	Nipper, End Cutter	End nipper Plier 8"	1	PC	79
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	79
	4	Rubber Mallet	16 oz, Wooden Handle	1	PC	79
	5	Notched Trowel	Notched Trowel; carbon steel; Wooden/ Plastic handle, 4" x 11"; Notched size: 1/4" x 1/4" (6mm x 6mm)	1	PC	79
	6	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	79

			gion IX – San Roque, Zamboanga			2010
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	7	Plier	Forged carbon steel, length 8 inches, machined jaws	1	PC	79
	8	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	79
	Sub-to	otal, Tile Setting NC				79
25	Shield	ed Metal Arc Weldi				
	1	Portable Welding Machine	Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground.	1	UNIT	454
	2	Welding Mask	Flip Front Welding Helmet, impact-resistant polypropylene material, adjustable fit, 4 1/2" x 2" view area with lens	1	PC	454
	Sub-to	tal, Shielded Metal	Arc Welding (SMAW) NC I			454
31	Dressr	naking NC II				
	1	Portable Electric Sewing Machine	Easy stitch selection with built-in stitches, automatic tension, four- step button hole, and automatic reverse stitches (60 Hz; 85 Watts; 220 V)	1	UNIT	451
	2	Drafting Tools	Tailors square, aluminum 24" L x 1 1/2" W, L-shape ruler; Hip curve, aluminum 24" L x 1 1/2" W curve ruler	1	SET	451
	3	Cutting Shears	8" length, stainless steel cutting blade, plastic handle used for cutting fabrics	1	PC	451
	4	French Curve	made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges	1	PC	451
	5	Sewing Kit	a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure 60" (150cm) L, 4 to 5" L paper scissors (plastic handle), spools of asstd. colors of sewing threads and other notions	1	PC	451
		tal, Dressmaking I	NC II			451
32	Tailori 1	ng NC II Portable Electric Sewing Machine	Easy stitch selection with built-in stitches, automatic tension, four-step button hole, and automatic reverse stitches (60 Hz; 85 Watts; 220 V)	1	UNIT	53

	TESDA-Region IX – San Roque, Zamboanga City								
NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX			
	2	Drafting Tools	Tailors square, aluminum 24" L x 1 1/2" W, L-shape ruler; Hip curve, aluminum 24" L x 1 1/2" W curve ruler	1	SET	53			
	3	Cutting Shears	8" length, stainless steel cutting blade, plastic handle used for cutting fabrics	1	PC	53			
	4	French Curve	made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges	1	PC	53			
	5	Sewing Kit	a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure 60" (150cm) L, 4 to 5" L paper scissors (plastic handle), spools of asstd. colors of sewing threads and other notions	1	PC	53			
		otal, Tailoring NC II				53			
33	Hilot (Wellness Massage) NC II								
	1	Face Towel	100 % cotton, 12" X 12", white	1	PC	340			
 	2	Bath Towel	100 % cotton, 27" X 54", white	1	PC	340			
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	340			
	4	Scrub Suit	Unisex, Soft and linen blouse (V- neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	340			
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	340			
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	340			
	7	Aromatic Oil	100 ml.	1	BOTTLE	340			
	8	Virgin Coconut Oil	250 ml.	1	BOTTLE	340			
	9	Powder	Baby powder, 200 g	1	BOTTLE	340			
	10	Mentholated Oil	100 ml.	1	BOTTLE	340			
	11	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	340			
		otal, Hilot (Wellnes:				340			
40		T	(Leading to Beauty Care NC II)						
	1	Astringent	125 ml, deep cleansing, hypoallergenic	1	BOTTLE	25			
	2	Blusher	pink and bronze shade, 4grams each	2	PC	25			
	3	Eye Brow Pencil	black, 4"	1	PC	25			
	4	Eye Brow Pencil	brown, 4"	1	PC	25			
	5	Eye Liner Pencil	black, 4"	1	PC	25			

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018 TESDA-Region IX -- San Roque, Zamboanga City

NO.	11 12	Eye Liner Pencil Eye Shadow Eyebrow Tweezer Eyelash Curler Face Mask	AGENCY SPECS brown, 4" 8 palette, earth colors, matte finish stainless steel, scissor type stainless steel, scissor type	QTY 1 1 1	PC PC	NO. OF PAX 25 25
	7 8 9 10	Eye Shadow Eyebrow Tweezer Eyelash Curler	8 palette, earth colors, matte finish stainless steel, scissor type	1	PC	25
	8 9 10	Eyebrow Tweezer Eyelash Curler	finish stainless steel, scissor type			
	9 10 11	Tweezer Eyelash Curler		1	PC	25
	10		stainless steel, scissor type			20
	11			1	PC	25
			disposable earloop face mask, 50 pcs per box	1	ВОХ	25
1	12	Make-Up Sponge	round, powder puff sponge	1	PC	25
	ا کا	Foundation	Liquid, 30 ml, natural shade	1	BOTTLE	25
	13	Head Band	3"x 23" cotton fabric with snap tape	1	PC	25
	14	Lipstick	matte finish, red	1	PC	25
	15	Lipstick	matte finish, coral pink	11	PC	25
	16	Make Up Brush Set	wooden handle, soft bristle, set of 5pcs (lip brush, angle eye brush, powder brush, eye shadow brush, angle blusher brush)	1	SET	25
	17	Mascara	black, water proof, 7g	1	PC	25
	18	Pressed Powder	natural shade, matte finish	1	PC	25
	19	Cotton Balls	150 balls	1	PACK	25
	20	Concealer	20ml with UVA/UVB protection	1	PC	25
	Sub-to	tal, Perform Facial	Make-Up (Leading to Beauty Car	e NC II)	25
42 I	Perfori	m Hair Perming/Str	aightening (Leading to Hairdress	ing NC		
	1	Hair Straightening Iron	220V, 60hz, 40 watts, adjustable heat control	1	UNIT	20
	2	Hair Straightening Product	straightening solution and neutralizing cream, at 500ml each	1	SET	20
	3	Mixing Bowl	Plastic, 6 cm height, diameter 13.5 cm, color black.	1	PC	20
	4	Hair Perming Product	cold wave lotion & neutralizer at 500 ml each	1	SET	20
	5	Curling Rods	4mm size	2	DOZ	20
	6	Curling Rods	14mm size	2	DOZ	20
	7	Curling Rods	16mm size	2	DOZ	20
	8	Applicator Brush	Plastic, black, with comb and tail	1	PC	20
	9	Bottle Applicator	Plastic, transparent, 100 ml capacity	1	PC	20
	10	Shower Cap	Thick plastic, preferably black, free size	1	PACK	20
	11	Protective Cape	Water proof, nylon, black	1	PC	20
	12	Face Mask	disposable earloop face mask, 50 pcs per box	1	вох	20

LOT	ITEM		gion IX – San Roque, Zamboanga			NO. OF
NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	PAX
	13	Hand Gloves	washable, medium size, preferably black	1	PAIR	20
	Sub-to	tal, Perform Hair	Perming/Straightening (Leading	to Haii	rdressing	20
	NC II)					
44	Bread		o Bread and Pastry Production NO			
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts	1	UNIT	150
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	150
	3	Measuring Urn	Transparent glass ,1 cup capacity, measurements are clearly mark in ounce, quarts and millilitres	1	PC	150
	4	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	150
	Sub-to	tal, Bread Making	(Leading to Bread and Pastry Pro	duction	n NC II)	150
46	Cake N		Bread and Pastry Production NC	II)		- <u>-</u>
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts	1	UNIT	259
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	259
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	259
	4	Muffin Pan	6 holes, 3oz capacity per hole, non-stick	1	PC	259
	Sub-to	tal Cake Making (Leading to Bread and Pastry Prod	uction	NC III	259

		TESDA-Re	gion IX – San Roque, Zamboanga	City		
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
47	Prepar	re and Cook Hot M	eals (Leading to Cookery NC II)			
	1	Frying Pan	10" diameter by 2" high teflon, non-stick, riveted handle	1	PC	74
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	74
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	74
	4	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	74
	5	Chopping Board	½" x 12" x 18"; made of polyethylene material	1	PC	74
	6	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	74
	7	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	74
	8	Strainer	8" diameter, single fine mesh, flat wooden handle	1	PC	74
			ook Hot Meals (Leading to Cooke			74
49	Proces		, Curing and Smoking (Leading to	Food		
	1	Food Processor	2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments, 220 V, 60 hz, 1,000 watts		UNIT	155
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	155
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	155
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	155
	5	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	155
	6	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	1	UNIT	155
	Proces	ssing NC II)	by Salting, Curing and Smoking (I			155
51	Proces		Concentration (Leading to Food I	Proces		
	1	Blender	2 speed, 1.5 liter capacity, glass jar with stainless steel blades, 220 V, 60 hz, 500 watts	1	UNIT	40
	2	Candy Thermometer	8" long, measures temperatures from 100 to 400 degrees F; glass, pen-type adjustable clip secures thermometer to pan	1	PC	40

	TESDA-Region IX – San Roque, Zamboanga City							
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX		
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	40		
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	40		
	5	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	40		
	6	Casserole	Stainless; 6L capacity; with two grip handle, with cover	1	PC	40		
	7	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	40		
	8	Rubber Scraper	Rubber head high heat resistant, flexible, 12" long	1	PC	40		
	9	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	1	UNIT	40		
		otal, Process Foodssing NC II)	ds by Sugar Concentration (Le	eading	to Food	40		
	TOTAL	-				2,941		

	TESDA-Region X – P-Chavez Jupiter Street, Macasandig, Cagayan de Oro City							
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX		
2	Anima	l Production (Swin						
	1	Ear Notcher	Small V-shape blade; stainless steel	1	PC	10		
	2	Tooth Nipper	Diagonal cutting blade, stainless steel	1	PC	10		
	3	Reusable Veterinary Syringe	Fiberglass hypodermic adjustable syringe with engraved volume indication on barrel; 10 ml capacity	1	PC	10		
	4	Veterinary Injection Needle	Gauge # 20 X 1/2" long hypodermic needle (12pcs/box), stainless and sterilizable	1	вох	10		
	5	Veterinary Injection Needle	Gauge # 18 X 1" long hypodermic needle (12pcs/box), stainless and sterilizable	1	BOX	10		
	6	Veterinary Injection Needle	Gauge # 16 X 1" long hypodermic needle (12pcs/box), stainless and sterilizable	1	вох	10		
	7	Reusable Artificial Insemination Catheter	Pig spiral tip Artificial Insemination (A.I.) Catheter; 18" long; reusable and sterilizable	1	PC	10		
	8	Forcep	Stainless 5.5" long, straight kelly forcep	1	PC	10		
	Sub-to	tal, Animal Produc	ction (Swine) NC II			10		
4	Produ	ce Organic Vegeta	ble (Leading to Organic Agriculture	Produ	ction NC I	l)		
	1	Steel Rake	14 tine made of steel; hardwood handle	1	PC	15		
	2	Sprayer	Knapsack type (16 litres cap) stainless tank and steel lance manual type with cone nozzles and fan nozzles	1	UNIT	15		
	3	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	15		
	4	Garden Hoe	Carbon Steel head, goose neck type, hardwood handle, 6" blade	1	PC	15		
	5	Sprinkler	2 gallon capacity, heavy duty plastic	1	PC	15		
		tal, Produce Org ction NC II)	anic Vegetable (Leading to Orga	nic A	griculture	15		
5	Produc NC II)	ce Organic Concoc	tion and Extracts (Leading to Orgar	ic Agri	culture Pr	oduction		
	1	Measuring Cup/Jug	Polypropelene, 1 liter capacity with graduation	1	PC	25		

LOT	ITEM		avez Jupiter Street, Macasandig, Ca			NO. OF
NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	PAX
	2	Sprayer	Knapsack type (16 litres cap) stainless tank and steel lance manual type with cone and fan nozzles	1	UNIT	25
·	3	Chopping Board	1/2" x 12" x 18"; made of polyethylene materia	1	PC	25
	4	Weighing Scale	10 kg. capacity	1	UNIT	25
_	5	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	25
	Agricu	Iture Production N				25
6	Perfor		une Up (Leading to Automotive Ser	vicing		
	1	Feeler gauge	26 tempered steel leaves/blade ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.	1	PC	40
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	40
	3	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	40
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	40
	5	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	40
	6	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	40
	Sub-to NC I)	tal, Perform Diese	Engine Tune Up (Leading to Autor	notive	Servicing	40

	TESDA	A-Region X – P-Cha	avez Jupiter Street, Macasandig, Ca	agayan	de Oro Ci	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
7	Perfori	m Gas Engine Tune	e Up (Leading to Automotive Service	ing NO		
	1	Feeler gauge	26 tempered steel leaves/blade ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.	1	PC	56
	2	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	56
	3	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	56
	4	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	56
	5	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	56
	6	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	56
	7	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	56
	NC I)		Engine Tune Up (Leading to Auton			56
8			emponents (Leading to Automotive	Servic		
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	65
	2	Coil Spring Compressor	12" Coil spring compressor (silver). For all vehicles equipped with Macpherson Struts or any other coil spring brand, double ended jaws with safety hooks	1	SET	65

	TESDA	A-Region X – P-Cha	avez Jupiter Street, Macasandig, Ca	agayar	de Oro Ci	ty
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	65
	4	Vise Grip	10 inches length, Stainless Steel. Jaws: straight, flat, square, Adjustable screw	1	PC	65
	•	tal, Service Unde ing NC II)	erchassis Components (Leading	to A	utomotive	65
9	Servic	e Engine Compone	ents (Leading to Automotive Servic	ing NC	: 11)	
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	85
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	85
	3	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	85
	4	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET	85
	5	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	85
	6	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	85
	7	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./	1	PC	85
	NC II)		Components (Leading to Automo			85
10	Servic		trical Components (Leading to Auto	omotiv		
	1	Battery Load Tester	100-Amp, 6V and 12V batteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with supergrip battery clamps and a topmounted rocker switch.	1	PC	75

J

TESDA-Region X – P-Chavez Jupiter Street, Macasandig, Cagayan de Oro City							
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	
	2	Electricians/ Electrical Plier	Overall length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	75	
	3	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	75	
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	75	
	Sub-to Autom	ital, Service Autotive Servicing NC	tomotive Electrical Components : II)	s (Lea	ading to	75	
11			ponents (Leading to Automotive S	ervicin	g NC II)		
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	25	
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	25	
	3	Vise Grip	10 inches length, Stainless Steel. Jaws: straight, flat, square, Adjustable screw	1	PC	25	
	4	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	25	
	5	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	25	
	6	Torque Wrench	Beam/needle type, 0-150 ft-lb (0-20 m-kg) capacity, 1/2 drive	1	PC	25	
	7	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	25	
[8	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	25	
42	Servic	ing NC II)	er Train Components (Leading			25	
12	2 Service Motorcycle/Small Engine System (Leading to Motorcycle/Sr Servicing NC II)				<u> </u>		
	1	Manual Impact Driver	1 pc 1/2" Drive Impact Driver, 1 pc 8 mm long bit holder, 1 pc 36 mm long, 8 mm slotted bit, 1 pc 36 mm long, 10 mm slotted bit, 1 pc 36 mm long, PH2 bit, 1 pc 36 mm long, PH3 bit	1	SET	108	

	TESDA-Region X – P-Chavez Jupiter Street, Macasandig, Cagayan de Oro City					
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	2	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	108
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	108
	4	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	108
	5	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	108
	6	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET	108
	7	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	108
	Sub-to	•	otorcycle/Small Engine System	(Lea	iding to	108
15		<i>cycle/Small Engine</i> ntry NC II	Servicing NC II)			
	1	Cross Cut Saw	Crosscut saw; 8 points per inch; 18 in. length / 450 mm; hardwood handle	1	PC	267
	2	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	267
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	267
	4	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	267
	5	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	267
	6	Sledge Hammer	Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With Wooden Handle	1	PC	267

	TESDA-Region X – P-Chavez Jupiter Street, Macasandig, Cagayan de Oro City					
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	7	Chalk Line Reel	Includes Chalk Reel and 4 Oz. Bottle Blue Chalk; High Impact Abs Case On-Board Hook Storage, Stainless-Steel Hook, Sliding Door For Easy Filling, Folding Crank Handle	1	PC	267
	8	Wood Chisel	Forged steel blade; 3/4: blade width; plastic handle	1	PC	267
	9	Try Square	Size: 8"x12", Thickness 1.8-2mm, Material: Spring Steel, Handle Material: Aluminum Alloy, Metric & English Graduations	1	PC	267
	10	Ripping Bar	Overall Length: 17", Overall Width: 5/8", Thickness: 5/8", Dia.: 5/8", Material: High Carbon Steel, Color: Black and Yellow	1	PC	267
	11	Plumb Bob	Hexagonal/Conical shape, Machined Steel, 8 ounce	1	PC	267
		tal, Carpentry NC l	II .			267
16	Electri	·	Maintenance NC II	,,		
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	451
	2	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	451
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	451
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	451
	5	Electricians/ Electrical Plier	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	451

	TESD	A-Region X – P-Cha	avez Jupiter Street, Macasandig, C	agayan	de Oro C	ity
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	6	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	451
			llation and Maintenance NC II			451
17		ry NC I	Chaol 2" v 7" vyoodoo baadla	1	- DC	200
ļ	2	Pointing Trowel Pull-Push Rule	Steel 3" x 7", wooden handle Blade length 8m/26ft Blade width	1	PC PC	300
	2	Full-Fusil Rule	Tru-zero end		FC	300
	3	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	300
	4	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	300
	5	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	300
	6	Hacksaw With Blade	Adjustable hacksaw frame with bimetal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	300
	7	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	300
		otal, Masonry NC I				300
18	Plaste	r Concrete/Masonr		II)		
	1	Pointing Trowel	Steel 3" x 7", wooden handle	1 1	PC_	119
	2	Concrete/cement Finishing Trowel	Length (In.) 11, Width (In.) 4-1/2, High Carbon Steel Blade, Wooden Handle	1	PC	119
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	119
	4	Hacksaw With Blade	Adjustable hacksaw frame with bimetal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	119
	5	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	119
	6	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	119
	7	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	119

	TESD	A-Region X – P-Ch	avez Jupiter Street, Macasandig, C	agayan	de Oro C	ity		
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX		
	8	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	119		
			ete/Masonry Surface (Leading to Ma	sonry i	NC II)	119		
20	Pipefit	ting NC II						
	1	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./	1	PC	233		
	2	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	233		
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	233		
	4	File	Half-round, 8", tapered width and thickness, bastard teeth spacing, Plastic handle is slip resistant	1	PC	233		
	5	Adjustable Wrench	12"/ 304.8 mm length, heavy duty chrome vanadium steel, max. Jaw capacity 43.2 mm, head width, 3/4" / 19.1 mm	1	PC	233		
	6	Adjustable Combination Square	stainless steel blade, high visibility die cast handle with brass hardware, 12 tn. Length of blade	1	PC	233		
	7	C - Clamp	Heavy duty, Machine ground anvils, steel sliding pin handles, bright plated steel swivel, 8" opening	1	PC	233		
	8	Hacksaw With Blade	Adjustable hacksaw frame with bi- metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	233		
1	Sub-to	tal, Pipefitting NC		·		233		
21	Perform Multiple Plumbing Installation and Repair Maintenance Works (Leading to Plumbing NC II)							
	1	Pipe Wrench	14" Straight cast iron handle; max jaw opening: 65mm (2.55")	1	PC	176		
	2	Hacksaw With Blade	Adjustable hacksaw frame with bimetal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	176		
	3	PVC Pipe Cutter	PVC pipe cutter; steel handle 1/2"-2"	1	PC	176		
	4	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	176		

TESDA-Region X – P-Chavez Jupiter Street, Macasandig, Cagayan de Oro City NO. OF LOT ITEM QTY AGENCY SPECS UNIT ITEM PAX NO. NO. PC 5 Ball Peen Forged hard steel; jacketed 176 graphite ballpeen hammer, 16 oz./ Hammer 1 lb Sub-total, Perform Multiple Plumbing Installation and Repair Maintenance 176 Works (Leading to Plumbing NC II) 22 Construction Painting NC II Steel Brush PC Hardened steel brush, wooden 1 80 handle, standard size Soft Bristle, 1", long bristle, 2 PC 80 2 Paint Brush, 1" wooden handle, stainless steel ferrules Soft Bristle, 2", long bristle, 3 Paint Brush, 2" 2 PC 80 wooden handle, stainless steel ferrules PC Soft Bristle, 3", long bristle, 2 80 Paint Brush, 3" 4 wooden handle, stainless steel ferrules Soft Bristle, 4", long bristle, PC 2 80 5 Paint Brush, 4" wooden handle, stainless steel ferrules HVLP spray gun with a 1.5 mm 1 PC 80 Spray Gun. 6 Gravity Feed fluid tip, 400 ml Aluminum cup, air inlet 1/4" Type HVLP air hose, 1/4" dia, X 6 1 SET 80 7 Air Hose meters length, 150 psi Hardened, tempered and polished 1 PC 80 8 Scraper steel blade; plastic handle; blade width: 2 inches; full tang blade 1 PC 80 9 Putty Knife Hardened, tempered and polished steel blade; plastic handle; blade width: 3 inches; full tang blade Plastic, Clear, Elastic Strap, 1 PC 80 10 Industrial Safety Ventilated Goggles 1 PC 80 11 Paint Roller, 4" Paint Roller pure polyester with handle, size: 4" Paint Roller pure polyester with 1 PC 80 12 Paint Roller, 7" handle size: 7" Paint Roller, 9" Paint Roller pure polyester with 1 PC 80 13 handle, size: 9" PC 14 Paint Roller Plastic, size: 9" 1 80 Pan/Tray Sub-total, Construction Painting NC II 80 23 Tile Setting NC II Pen type, carbide tip, manual 8" 1 PC 309 Tile Cutter lenath PC 2 Nipper, End End nipper Plier 8" 1 309 Cutter

			avez Jupiter Street, Macasandig, Co			ity	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	309	
	4	Rubber Mallet	16 oz, Wooden Handle	1	PC	309	
	5	Notched Trowel	Notched Trowel; carbon steel; Wooden/ Plastic handle, 4" x 11"; Notched size: 1/4" x 1/4" (6mm x 6mm)	1	PC	309	
	6	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	309	
	7	Plier	Forged carbon steel, length 8 inches, machined jaws	1	PC	309	
	8	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	309	
_	Sub-to	tal, Tile Setting NC	: 11	-t		309	
25		ed Metal Arc Weldi					
	1	Portable Welding Machine	Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground.	1	UNIT	932	
	2	Welding Mask	Flip Front Welding Helmet, impact- resistant polypropylene material, adjustable fit, 4 1/2" x 2" view area with lens	1	PC	932	
			Arc Welding (SMAW) NC I			932	
26	Assemble Electronics Products (Leading to Electronic Products Assembly and Servicing NC II)						
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	28	
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	28	
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	28	
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	28	

TESDA-Region X – P-Chavez Jupiter Street, Macasandig, Cagayan de Oro City LOT ITEM NO. OF ITEM **AGENCY SPECS** QTY UNIT NO. NO. PAX 5 Screw Driver Set 4 pieces per set 1 SET 28 Flat Blade Tip: 6.5X150mm. 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6" 6 PC Desolderina Anodized aluminum housing, high 28 Pump/Solder suction, strong and light weight. Sucker Sub-total. Assemble Electronics Products (Leading to Electronic Products 28 Assembly and Servicing NC II) 27 Service Consumer Electronic Products and Systems (Leading to Electronic Products Assembly and Servicing NC II) VOM (Multitester) Multi-tester Analog DCV Range: 1 UNIT 30 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k 2 Soldering Iron 30 watts, 220 Volts, Heat pencil tip 1 PC 30 60Hz 3 Long Nose Pliers Overall Length: 8" 1 PC 30 Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped 4 Diagonal Cutting Overall length 8", Handle finish 1 PC 30 plastic dipped, Carbon Steel Plier 5 Screw Driver Set 4 pieces per set 1 SET 30 Flat Blade Tip: 6.5X150mm. 5X100mm Phillips Blade tip: 1X100mm. 2X150mm Plastic and rubberized handle. Chrome Vanadium, Shank 6" 6 Desoldering Anodized aluminum housing, high 1 PC 30 Pump/Solder suction, strong and light weight. Sucker Sub-total, Service Consumer Electronic Products and Systems (Leading to 30 Electronic Products Assembly and Servicing NC II)

	TESD		avez Jupiter Street, Macasandig, Ca			ty			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX			
28		Service Industrial Electronic Modules, Products and Systems (Leading to Electronic							
-	Produ	cts Assembly and			LINIT				
		VOM (Multitester)	0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	28			
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	28			
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	28			
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	28			
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	28			
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	28			
			trial Electronic Modules, Product oducts Assembly and Servicing NC		Systems	28			
31	Dressi	making NC II		•	,				
	1	Portable Electric Sewing Machine	Easy stitch selection with built-in stitches, automatic tension, four-step button hole, and automatic reverse stitches (60 Hz; 85 Watts; 220 V)	1	UNIT	185			
	2	Drafting Tools	Tailors square, aluminum 24" L x 1 1/2" W, L-shape ruler; Hip curve, aluminum 24" L x 1 1/2" W curve ruler	1	SET	185			
	3	Cutting Shears	8" length, stainless steel cutting blade, plastic handle used for cutting fabrics	1	PC	185			
	4	French Curve	made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges	1	PC	185			

	TESD		avez Jupiter Street, Macasandig, Ca						
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX			
	5	Sewing Kit	a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure 60" (150cm) L, 4 to 5" L paper scissors (plastic handle), spools of asstd. colors of sewing threads and other notions	1	PC	185			
	Sub-to	tal, Dressmaking I	NC II			185			
33	Hilot (\	Wellness Massage) NC II	•					
	1	Face Towel	100 % cotton, 12" X 12", white	1	PC	104			
	2	Bath Towel	100 % cotton, 27" X 54", white	1	PC	104			
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	вох	104			
	4	Scrub Suit	Unisex, Soft and linen blouse (V- neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	104			
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	104			
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	104			
	7	Aromatic Oil	100 ml.	1	BOTTLE	104			
	8	Virgin Coconut Oil	250 ml.	1	BOTTLE	104			
	9	Powder	Baby powder, 200 g	1	BOTTLE	104			
	10	Mentholated Oil	100 ml.	1	BOTTLE	104			
	11	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	104			
	Sub-to	tal, Hilot (Wellness	s Massage) NC II			104			
34	Perform Manicure and Pedicure (Leading to Beauty Care NC II/Beauty Care Services [Nail Care] NC II)								
	1	Cuticle Nipper	Stainless steel, 3.5"	1	PC	15			
	2	Cuticle Pusher	stainless steel, 5"	1	PC	15			
	3	Foot Nail Cutter	stainless steel, 3" long	1	PC	15			
	4	Hand Nail Cutter	stainless steel, 2.5" long	1	PC	15			
	5	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	15			
	6	Nail Brush	Plastic, soft bristle	1	PC	15			
	7	Emery Board	80/100 coarse, 8" Long	1	PC	15			
	8	Cotton Balls	150 balls	11	PACK	15			
	9	Cuticle Remover	120 ml bottle	1	BOTTLE	15			
	10	Nail Polish Remover	120 ml bottle	1	BOTTLE	15			
	11	Antiseptic (Merthiolate)	25 ml bottle	1	BOTTLE	15			
	12	Colored Nail Polish	15ml bottle, preferably touch of tan	1	BOTTLE	15			

TESDA-Region X - P-Chavez Jupiter Street, Macasandig, Cagayan de Oro City LOT NO. OF ITEM **AGENCY SPECS** QTY UNIT ITEM NO. NO. PAX Colored Nail 1 13 15ml bottle, white BOTTLE 15 Polish 15ml bottle, with alitters BOTTLE 14 Colorless Nail 1 15 Polish Colorless Nail 15ml bottle BOTTLE 15 15 1 Polish PC 15 16 Low Stool hard plastic, round 1 PC 17 Face Towel 100 % cotton, 12" X 12", white 1 15 Sub-total, Perform Manicure and Pedicure (Leading to Beauty Care NC 15 II/Beauty Care Services [Nail Care] NC II) Perform Hair Perming/Straightening (Leading to Hairdressing NC II) 42 220V, 60hz, 40 watts, adjustable UNIT 15 Straightening Iron heat control straightening solution and 2 1 SET 15 Hair Straightening neutralizing cream, at 500ml each Product PC Plastic, 6 cm height, diameter 13.5 1 15 3 Mixing Bowl cm, color black. Hair Perming cold wave lotion & neutralizer at SET 4 1 15 **Product** 500 ml each Curling Rods 2 DOZ 15 5 4mm size DOZ 6 Curling Rods 14mm size 2 15 2 7 Curling Rods 16mm size DOZ 15 Applicator Brush PC 8 Plastic, black, with comb and tail 15 1 PC 9 **Bottle Applicator** Plastic, transparent, 100 ml 1 15 capacity PACK 15 10 Shower Cap Thick plastic, preferably black, free 1 size PC 11 Protective Cape Water proof, nylon, black 1 15 вох 12 Face Mask disposable earloop face mask, 50 1 15 pcs per box 13 Hand Gloves washable, medium size, preferably 1 PAIR 15 black Sub-total, Perform Hair Perming/Straightening (Leading to Hairdressing NC 15 43 Perform Hair Cutting Services (Leading to Hairdressing NC II) Hair Blower 220V, 1800W, 60 Hz, hot and cold UNIT 1 15 1 blower function 2 **Cutting Scissors** 6" stainless steel with tight 1 PC 15 regulator screw 3 Thinning Scissors 5" Single notched, 23 teeth, 1 PC 15 stainless steel PC Apron black with 3 pockets 1 15 4 Protective Cape PC 15 Water proof, nylon, black 1 PC 6 Neck brush Wood handle, app. 10 cm x 6.7cm 1 15

	TESDA-Region X – P-Chavez Jupiter Street, Macasandig, Cagayan de Oro City						
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	
	7	Talcum Powder	250g	1	BOTTLE	15	
			utting Services (Leading to Hairdre		NC II)	15	
_ 44	Bread		Bread and Pastry Production NC				
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts	1	UNIT	474	
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	474	
	3	Measuring Urn	Transparent glass ,1 cup capacity, measurements are clearly mark in ounce, quarts and millilitres	1	PC	474	
	4	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	474	
		-	(Leading to Bread and Pastry Prod		NC II)	474	
45			o Bread and Pastry Production NC			T	
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts	1	UNIT	457	
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	457	
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	457	
	4	Muffin Pan	6 holes, 3oz capacity per hole, non-stick	1	PC	457	
	Sub-to	tal, Pastry Making	Leading to Bread and Pastry Prod	uction	NC II)	457	

	TESD	A-Region X – P-Ch	avez Jupiter Street, Macasandig, C	agayar	i de Oro C	ity
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
46	Cake I		Bread and Pastry Production NC I			
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel	1	UNIT	362
			Bake Tray, Wire Rack, Tray			
			Handle, 220V, 60hz, 1,300 watts			
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	362
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	362
	4	Muffin Pan	6 holes, 3oz capacity per hole, non-stick	1	PC	362
			Leading to Bread and Pastry Produ	ction N	VC II)	362
47	Prepar	e and Cook Hot Me	eals (Leading to Cookery NC II)			
	1	Frying Pan	10" diameter by 2" high teflon, non-stick, riveted handle	1	PC	307
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	307
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	307
	4	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	307
	5	Chopping Board	1/2" x 12" x 18"; made of polyethylene material	1	PC	307
	6	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	307
	7	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	307
	8	Strainer	8" diameter, single fine mesh, flat wooden handle	1	PC	307
	Sub-to	tal, Prepare and C	ook Hot Meals (Leading to Cookery	NC II)		307
48			ding to Cookery NC II)	,		
	1	Frying Pan	10" diameter by 2" high teflon, non-stick, riveted handle	1	PC	270
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	270
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	270
	4	Chopping Board	1/2" x 12" x 18"; made of polyethylene material	1	PC	270
	5	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	270

	TESDA	A-Region X – P-Cha	avez Jupiter Street, Macasandig, Ca	agayan	de Oro Ci	ty
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	6	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	270
	7	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	270
	Sub-to	tal, Prepare Cold N	Meals (Leading to Cookery NC II)			270
49	Proces	ss Food by Salting,	Curing and Smoking (Leading to F	ood P	rocessing	NC II)
	1	Food Processor	2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments, 220 V, 60 hz, 1,000 watts	1	UNIT	40
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	40
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	40
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	40
	5	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	40
	6	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	1	UNIT	40
	Sub-total, Process Food by Salting, Curing and Smoking (Leading to Food Processing NC II)					40
	TOTAL					5,701

		egion XII – 2nd Flo	or Duremdes Building, Gen. Santo	s Drive	e, Koronad	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
3	Raise (Organic Chicken (l	_eading to Organic Agriculture Pro	ductio	n NC II)	
	1	Galloner	Dimension: height 347 mm (tube), 55 mm (plate, plate diameter is 9.6 inches, 5000 ml water capacity, plastic	3	PC	24
	2	Tubular Feeder	3 kg. capacity, automatic plastic feeder, 11 inches plate diameter, 10.5 inches feeder height	5	PC	24
	3	Brooder/Heater Lamp	45 cm diameter aluminum reflector; socket is insulated porcelain, flexible heavy gauge SJT cord with molded-on plug	1	SET	24
	4	Infrared Lamp	250 Watts Bulb, clear colour emitted light	1	PC	24
	5	Chopping Board	1/2" x 12" x 18"; made of polyethylene material	1	PC	24
	6	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	24
		tal, Raise Organ ction NC II)	nic Chicken (Leading to Orga	nic A	griculture	24
4	Produc	e Organic Vegetal	ble (Leading to Organic Agriculture	Produ	uction NC	[I]
,	1	Steel Rake	14 tine made of steel; hardwood handle	1	PC	50
	2	Sprayer	Knapsack type (16 litres cap) stainless tank and steel lance manual type with cone nozzles and fan nozzles	1	UNIT	50
	3	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	50
	4	Garden Hoe	Carbon Steel head, goose neck type, hardwood handle, 6" blade	1	PC	50
	5	Sprinkler	2 gallon capacity, heavy duty plastic	1	PC	50
		tal, Produce Organication NC II)	anic Vegetable (Leading to Orga	nic A	griculture	50

TE	TESDA-Region XII – 2nd Floor Duremdes Building, Gen. Santos Drive, Koronadal City						
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	
6	Perforn		ine Up (Leading to Automotive Se	rvicing	NC I)		
	1	Feeler gauge	26 tempered steel leaves/blade ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: 038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.	1	PC	95	
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	95	
	3	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	95	
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	95	
	5	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	95	
	6	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	95	
	NC I)		Engine Tune Up (Leading to Autor			95	
8	Service		mponents (Leading to Automotive	Servi	cing NC II)		
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	22	

			or Duremdes Building, Gen. Santo			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	2	Coil Spring Compressor	12" Coil spring compressor (silver). For all vehicles equipped with Macpherson Struts or any other coil spring brand, double ended jaws with safety hooks	1	SET	22
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	22
	4	Vise Grip	10 inches length, Stainless Steel. Jaws: straight, flat, square, Adjustable screw	1	PC	22
		tal, Service Unde ng NC II)	erchassis Components (Leading	to AL	ıtomotive	22
10			rical Components (Leading to Aut	omotiv	e Servicin	a NC II)
	1	Battery Load Tester	100-Amp, 6V and 12V batteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted rocker switch.	1	PC	43
	2	Electricians/ Electrical Plier	Overall length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	43
	3	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip :2 X 6mm	1	PC	43
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	43
	Sub-to:	tal, Service Autotive Servicing NC	omotive Electrical Components	s (Lea	ading to	43
12	Service		Il Engine System (Leading to	Motor	cycle/Smal	I Engine
	1	Manual Impact Driver	1 pc 1/2" Drive Impact Driver, 1 pc 8 mm long bit holder, 1 pc 36 mm long, 8 mm slotted bit, 1 pc 36 mm long, 10 mm slotted bit, 1 pc 36 mm long, PH2 bit, 1 pc 36 mm long, PH3 bit	1	SET	61
	2	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	61

LOT) gion / (ii	or Duremdes Building, Gen. Santo	3 01140	, Noronau	
NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	61
	4	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	61
	5	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	61
	6	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 ln., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET	61
·	7	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	61
	Sub-to		torcycle/Small Engine System	(Lea	nding to	61
42		ycle/Small Engine		nina Ca	nnicina NC	<u> </u>
13			(Leading to Motorcycle/Small Eng			
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm	1	UNIT	20
			Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k			
	2	Electricians/ Electrical Plier	129 x 41.5 mm/approx. 320g Resistance: X1 to X1k Overall length: 8", Steel Alloy,	1	PC	20
	2		129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	PC PC	20
		Electrical Plier Philips Screw	129 x 41.5 mm/approx. 320g Resistance: X1 to X1k Overall length: 8", Steel Alloy, Handle finish: plastic-dipped 8" shank length (chrome plated) plastic handle, tip: 2 X 6mm 8" shank length (chrome plated)			
	3	Electrical Plier Philips Screw Driver	129 x 41.5 mm/approx. 320g Resistance: X1 to X1k Overall length: 8", Steel Alloy, Handle finish: plastic-dipped 8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	20

1	TESDA-Region XII – 2nd Floor Duremdes Building, Gen. Santos Drive, Koronadal City								
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX			
14	Overha	aul Motorcycle/Sma	all Engine (Leading to Motorcycle/	Small E	Engine Se	rvicing			
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	20			
	2	Manual Impact Driver	1 pc 1/2" Drive Impact Driver, 1 pc 8 mm long bit holder, 1 pc 36 mm long, 8 mm slotted bit, 1 pc 36 mm long, 10 mm slotted bit, 1 pc 36 mm long, PH2 bit, 1 pc 36 mm long, PH3 bit	1	SET	20			
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	20			
	4	Feeler gauge	26 tempered steel leaves/blade ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.	1	PC	20			
	5	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	20			
	6	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	20			
	7	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET	20			
	8	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	20			

TE	SDA-Re	egion XII – 2nd Flo	or Duremdes Building, Gen. Santo	s Drive	, Koronad	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	9	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./	1	PC	20
		tal, Overhaul Moto Servicing NC II)	rcycle/Small Engine (Leading to M	otorcy	cle/Small	20
15		itry NC II			<u></u>	
	1	Cross Cut Saw	Crosscut saw; 8 points per inch; 18 in. length / 450 mm; hardwood handle	1	PC	51
	2	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	51
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	51
	4	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	51
	5	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	51
	6	Sledge Hammer	Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With Wooden Handle	1	PC	51
	7	Chalk Line Reel	Includes Chalk Reel and 4 Oz. Bottle Blue Chalk; High Impact Abs Case On-Board Hook Storage, Stainless-Steel Hook, Sliding Door For Easy Filling, Folding Crank Handle	1	PC	51
	8	Wood Chisel	Forged steel blade; 3/4: blade width; plastic handle	1	PC	51
	9	Try Square	Size: 8"x12", Thickness 1.8-2mm, Material: Spring Steel, Handle Material: Aluminum Alloy, Metric & English Graduations	1	PC	51
	10	Ripping Bar	Overall Length: 17", Overall Width: 5/8", Thickness: 5/8", Dia.: 5/8", Material: High Carbon Steel, Color: Black and Yellow	1	PC	51
	11	Plumb Bob	Hexagonal/Conical shape, Machined Steel, 8 ounce	1	PC	51
	Sub-to	tal, Carpentry NC	II	<u> </u>		51

TE	SDA-Re	egion XII – 2nd Flo	or Duremdes Building, Gen. Santo	s Drive	e, Koronac	lal City
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
16	Electric	cal Installation and	Maintenance NC II			
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	65
	2	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	65
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	65
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	65
	5	Electricians/ Electrical Plier	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	65
	6	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	65
	Sub-to	tal, Electrical Insta	llation and Maintenance NC II		L	65
17	Mason				* 41 · · · · · · · · · · · · · · · · · ·	
	1	Pointing Trowel	Steel 3" x 7", wooden handle	1	PC	20
	2	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	20
	3	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	20
	4	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	20
	5	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	20
	6	Hacksaw With Blade	Adjustable hacksaw frame with bi- metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	20

		egion XII – 2na Fio	or Duremdes Building, Gen. Santo	S Drive	, Noronac				
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX			
	7	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	20			
	Sub-to	tal, Masonry NC I				20			
18	Plaster	Concrete/Masonr	y Surface (Leading to Masonry NC	II)					
	1	Pointing Trowel	Steel 3" x 7", wooden handle	1	PC	25			
	2	Concrete/cement Finishing Trowel	Length (In.) 11, Width (In.) 4-1/2, High Carbon Steel Blade, Wooden Handle	1	PC	25			
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	25			
	4	Hacksaw With Blade	Adjustable hacksaw frame with bimetal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	25			
	5	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	25			
	6	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	25			
	7	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	25			
	8	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	25			
			te/Masonry Surface (Leading to M			25			
21	Perform Multiple Plumbing Installation and Repair Maintenance Works (Leading t Plumbing NC II)								
	1	Pipe Wrench	14" Straight cast iron handle; max jaw opening: 65mm (2.55")	1	PC	25			
	2	Hacksaw With Blade	Adjustable hacksaw frame with bimetal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	25			
	3	PVC Pipe Cutter	PVC pipe cutter; steel handle 1/2"- 2"	1	PC	25			
	4	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	25			
	5	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./	1	PC	25			
		tal, Perform Multip (Leading to Plumb	ole Plumbing Installation and Repoing NC II)	air Mai	ntenance	25			

TE	SDA-Re	egion XII – 2nd Floo	or Duremdes Building, Gen. Santo	s Drive	, Koronac	lal City
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
23	Tile Se	tting NC II				
	1	Tile Cutter	Pen type, carbide tip, manual 8" length	1	PC	20
	2	Nipper, End Cutter	End nipper Plier 8"	1	PC	20
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	20
	4	Rubber Mallet	16 oz, Wooden Handle	1	PC	20
	5	Notched Trowel	Notched Trowel; carbon steel; Wooden/ Plastic handle, 4" x 11"; Notched size: 1/4" x 1/4" (6mm x 6mm)	1	PC	20
	6	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	20
	7	Plier	Forged carbon steel, length 8 inches, machined jaws	1	PC	20
	8	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	20
	Sub-to	tal, Tile Setting NC	: //			20
25		ed Metal Arc Weldi				
	1	Portable Welding Machine	Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground.	1	UNIT	164
	2	Welding Mask	Flip Front Welding Helmet, impact-resistant polypropylene material, adjustable fit, 4 1/2" x 2" view area with lens	1	PC	164
	Sub-to	tal, Shielded Metal	Arc Welding (SMAW) NC I			164
26		ble Electronics Fing NC II)	Products (Leading to Electronic	Produ	cts Asse	mbly and
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	25
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	25

			or Duremdes Building, Gen. Santo			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	25
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	25
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	25
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	25
		tal, Assemble Elec bly and Servicing	tronics Products (Leading to Elec NC II)	tronic I	Products	25
27		Consumer Electrely bly and Servicing	onic Products and Systems (Lead NC II)	ing to E	Electronic	Products
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	23
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	23
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	23
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	23
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	23

TE	TESDA-Region XII – 2nd Floor Duremdes Building, Gen. Santos Drive, Koronadal C					
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY		NO. OF PAX
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	23
			nmer Electronic Products and Systembly and Servicing NC II)	ems (L	eading to	23
31		naking NC II				
	1	Portable Electric Sewing Machine	Easy stitch selection with built-in stitches, automatic tension, four-step button hole, and automatic reverse stitches (60 Hz; 85 Watts; 220 V)	1	UNIT	204
	2	Drafting Tools	Tailors square, aluminum 24" L x 1 1/2" W, L-shape ruler; Hip curve, aluminum 24" L x 1 1/2" W curve ruler	1	SET	204
	3	Cutting Shears	8" length, stainless steel cutting blade, plastic handle used for cutting fabrics	1	PC	204
	4	French Curve	made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges	1	PC	204
	5	Sewing Kit	a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure 60" (150cm) L, 4 to 5" L paper scissors (plastic handle), spools of asstd. colors of sewing threads and other notions	1	PC	204
	Sub-to	tal, Dressmaking l				204
33	Hilot (V	Vellness Massage) NC II			
	1	Face Towel	100 % cotton, 12" X 12", white	1	PC	50
	2	Bath Towel	100 % cotton, 27" X 54", white	1	PC	50
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	ВОХ	50
	4	Scrub Suit	Unisex, Soft and linen blouse (V- neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	50
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	50
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	50
	7	Aromatic Oil	100 ml.	1	BOTTLE	50
	8	Virgin Coconut Oil	250 ml.	1	BOTTLE	50
	9	Powder	Baby powder, 200 g	1	BOTTLE	50
	10	Mentholated Oil	100 ml.	1	BOTTLE	50

TE	ESDA-Re	egion XII – 2nd Flo	or Duremdes Building, Gen. Santo	s Drive	e, Koronad	al City
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	11	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	50
	Sub-to	tal, Hilot (Wellness				50
34	Perform	n Manicure and Pe	edicure (Leading to Beauty Care N	IC II/Be	eauty Care	Services
•		are] NC II)	3		•	
	1	Cuticle Nipper	Stainless steel, 3.5"	1	PC	116
	2	Cuticle Pusher	stainless steel, 5"	1	PC	116
	3	Foot Nail Cutter	stainless steel, 3" long	1	PC	116
	4	Hand Nail Cutter	stainless steel, 2.5" long	1	PC	116
	5	Storage Box	Plastic, clear storage box with lid	1	PC	116
			lock, carry handle, 14" x 10" x 8"			
	6	Nail Brush	Plastic, soft bristle	1	PC	116
	7	Emery Board	80/100 coarse, 8" Long	1	PC	116
	8	Cotton Balls	150 balls	1	PACK	116
	9	Cuticle Remover	120 ml bottle	1	BOTTLE	116
	10	Nail Polish	120 ml bottle	1	BOTTLE	116
		Remover				
	11	Antiseptic	25 ml bottle	1	BOTTLE	116
		(Merthiolate)				
	12	Colored Nail	15ml bottle, preferably touch of	1	BOTTLE	116
		Polish	tan			
	13	Colored Nail Polish	15ml bottle, white	1	BOTTLE	116
	14	Colorless Nail Polish	15ml bottle, with glitters	1	BOTTLE	116
	15	Colorless Nail Polish	15ml bottle	1	BOTTLE	116
	16	Low Stool	hard plastic, round	1	PC	116
	17	Face Towel	100 % cotton, 12" X 12", white	1	PC	116
			cure and Pedicure (Leading to I Nail Care] NC II)	Beauty	Care NC	116
36			Leading to Beauty Care NC II)			
	1	Face Towel	100 % cotton, 12" X 12", white	1	PC	18
	2	Bath Towel	100 % cotton, 27" X 54", white	1	PC	18
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	18
_	4	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	18
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	18
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	18
	7	Aromatic Oil	100 ml.	1	BOTTLE	18

			or Duremdes Building, Gen. Santo				
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	
	8	Virgin Coconut Oil	250 ml.	1	BOTTLE	18	
	9	Powder	Baby powder, 200 g	1	BOTTLE	18	
	10	Mentholated Oil	100 ml.	1	BOTTLE	18	
	11	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	18	
	Sub-to	tal, Perform Body	Massage (Leading to Beauty Care	NC II)		18	
41	Perforr	n Hair Coloring/Bl	eaching Services (Leading to Hair	dressi	ng NC II)		
	1	Colorants	Paste form, brown (light, medium and dark) at 100 grams each	3	TUBE	20	
	2	Colorants	Paste form, blonde (light, medium and dark) at 100 grams each	3	TUBE	20	
	3	Mixing Bowl	Plastic, 6 cm height, diameter 13.5 cm, color black.	1	PC	20	
	4	Applicator Brush	Plastic, black, with comb and tail	1	PC	20	
	5	Frosting Cap with Hook	Reusable hair color highlighting cap hat with metal hook	1	PC	20	
	6	Bleaching Powder	30g (sachet)	3	PC	20	
	7	Hand Gloves	washable, medium size, preferably black	1	PAIR	20	
	8	Protective Cape	Water proof, nylon, black	1	PC	20	
	9	Oxidizing Solution	set of 3, 6%, 9% and 12%, at 100 ml each bottle	1	SET	20	
	10	Face Mask	disposable earloop face mask, 50 pcs per box	1	ВОХ	20	
	Sub-total, Perform Hair Coloring/Bleaching Services (Leading to Hairdressing NC II)						
42			raightening (Leading to Hairdressi	ng NC	II)	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
	1	Hair Straightening Iron	220V, 60hz, 40 watts, adjustable heat control	1	UNIT	20	
	2	Hair Straightening Product	straightening solution and neutralizing cream, at 500ml each	1	SET	20	
	3	Mixing Bowl	Plastic, 6 cm height, diameter 13.5 cm, color black.	1	PC	20	
	4	Hair Perming Product	cold wave lotion & neutralizer at 500 ml each	1	SET	20	
	5	Curling Rods	4mm size	2	DOZ	20	
	6	Curling Rods	14mm size	2	DOZ	20	
	7	Curling Rods	16mm size	2	DOZ	20	
	8	Applicator Brush	Plastic, black, with comb and tail	1	PC	20	
	9	Bottle Applicator	Plastic, transparent, 100 ml capacity	1	PC	20	

		gion An - Zna Fio	or Duremdes Building, Gen. Santo	אווע פ	, NOIUIIAU			
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX		
	10	Shower Cap	Thick plastic, preferably black, free size	1	PACK	20		
	11	Protective Cape	Water proof, nylon, black	1	PC	2		
	12	Face Mask	disposable earloop face mask, 50 pcs per box	1	вох	20		
	13	Hand Gloves	washable, medium size, preferably black	1	PAIR	20		
	Sub-to NC II)	tal, Perform Hair P	Perming/Straightening (Leading to	Hairdr	essing	20		
43	Perform	n Hair Cutting Ser	vices (Leading to Hairdressing NC	II)				
	1	Hair Blower	220V, 1800W, 60 Hz, hot and cold blower function	1	UNIT	45		
	2	Cutting Scissors	6" stainless steel with tight regulator screw	1	PC	4		
	3	Thinning Scissors	5" Single notched, 23 teeth, stainless steel	1	PC	4:		
	4	Apron		1	PC	4:		
	5			1	PC	4		
	6			1	PC	4		
	7			1	BOTTLE	4		
	Sub-to	<u> </u>		essino		4		
44	regulator screw 3 Thinning 5" Single notched, 23 teeth, 1 PC Scissors stainless steel 4 Apron black with 3 pockets 1 PC 5 Protective Cape Water proof, nylon, black 1 PC 6 Neck brush Wood handle, app. 10 cm x 6.7cm 1 PC 7 Talcum Powder 250g 1 BOTTLE Sub-total, Perform Hair Cutting Services (Leading to Hairdressing NC II) 1 Electric Oven 18L Stainless Housing, Timer 1 UNIT 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating							
			60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts	1		8		
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	80		
	3	Measuring Urn	Transparent glass ,1 cup capacity, measurements are clearly mark in ounce, quarts and millilitres	1	PC	8		
	4	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	8		
		<u> </u>	Leading to Bread and Pastry Proc	L	L	8		

			or Duremdes Building, Gen. Santo			lal City
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
45	Pastry		o Bread and Pastry Production NC	11)		
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts	1	UNIT	55
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ½ cup)	1	SET	55
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	55
	4	Muffin Pan	6 holes, 3oz capacity per hole, non-stick	1	PC	55
	Sub-to	tal, Pastry Making	(Leading to Bread and Pastry Prod	duction	n NC II)	55
46	Cake N	laking (Leading to	Bread and Pastry Production NC I	1)	UNIT	130
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts			
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	130
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	130
	4	Muffin Pan	6 holes, 3oz capacity per hole, non-stick	1	PC	130
			Leading to Bread and Pastry Prod	uction	NC II)	130
47	Prepar	Ţ	eals (Leading to Cookery NC II)	1	T = =	
	1	Frying Pan	10" diameter by 2" high teflon, non-stick, riveted handle	1	PC	41
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	41
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	41
	4	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	41

	SDA-Re	gion XII – 2nd Flo	or Duremdes Building, Gen. Santo	s Drive	, Koronad	al City
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	5	Chopping Board	1/2" x 12" x 18"; made of polyethylene material	1	PC	41
	6	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	41
	7	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	41
	8	Strainer	8" diameter, single fine mesh, flat wooden handle	1	PC	41
	Sub-to:	tal, Prepare and Co	ook Hot Meals (Leading to Cooker	y NC II)		41
48			ding to Cookery NC II)	·		
	1	Frying Pan	10" diameter by 2" high teflon, non-stick, riveted handle	1	PC	85
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	85
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	85
	4	Chopping Board	½" x 12" x 18"; made of polyethylene material	1	PC	85
	5	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	85
	6	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	85
	7	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	85
	Sub-to:	tal, Prepare Cold N	leals (Leading to Cookery NC II)			85
50			ntation and Pickling (Leading to F	ood Pr	ocessing N	
	1	Food Processor	2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments, 220 V, 60 hz, 1,000 watts	1	UNIT	20
	2	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	20
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	20
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	20
	5	Casserole	Stainless; 6L capacity; with two grip handle, with cover	1	PC	20
	6	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	20
	7	Colander	5 qts capacity, stainless steel, with two grip handles	1	PC	20
		tal, Process Foods sing NC II)	s by Fermentation and Pickling (L	eading	to Food	20

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018 TESDA-Region XII – 2nd Floor Duremdes Building, Gen. Santos Drive, Koronadal City

TESDA-Region XII – 2nd Floor Duremdes Building, Gen. Santos Drive, Koronadal City						al City
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
51	Proces	s Foods by Sugar	Concentration (Leading to Food P	rocess	sing NC II)	
	1	Blender	2 speed, 1.5 liter capacity, glass jar with stainless steel blades, 220 V, 60 hz, 500 watts	1	UNIT	21
	2	Candy Thermometer	8" long, measures temperatures from 100 to 400 degrees F; glass, pen-type adjustable clip secures thermometer to pan	1	PC	21
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	21
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	21
	5	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	21
	6	Casserole	Stainless; 6L capacity; with two grip handle, with cover	1	PC	21
	7	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	21
	8	Rubber Scraper	Rubber head high heat resistant, flexible, 12" long	1	PC	21
	9	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	1	UNIT	21
		tal, Process Food sing NC II)	ds by Sugar Concentration (Le	ading	to Food	21
	TOTAL					1,664