

Republic of the Philippines

TECHNICAL EDUCATION AND SKILLS DEVELOPMENT AUTHORITY



ISO 9001: 2015 Certified

SUPPLEMENTAL/BID BULLETIN

5 November 2020

Name of Project: Procurement of Starter Toolkits for the Implementation of FY 2020 Special Training for Employment Program (STEP) -Automotive and Land Transportation Sector

Pursuant to Section 22.5 of the Revised Implementing Rules and Regulations of Republic Act No. 9184, this Bid Bulletin No. 2 is being issued to further clarify the provisions in the Bidding Documents with reference to the queries/concerns raised by the bidder/s.

A. CLARIFICATION IN THE INVITATION TO BID:

1. On the schedule of the bid submission (Paragraph 7)

ORIGINAL	AMENDED
Bids must be duly received by the BAC Secretariat through manual submission at the office address indicated below on or before 9 November 2020 at 10:00 a.m. Online submission is not yet available. Late bids shall not be accepted.	Bids must be duly received by the BAC Secretariat through manual submission at the Main Lobby, TESDA Women's Center (TWC), Gate 1, TESDA Complex, Building 2, East Service Road, South Luzon Expressway (SLEX), Fort Bonifacio, Taguig City 1630 on or before <u>12 November 2020</u> at <u>8:00</u> <u>a.m.</u> to <u>9:00 a.m.</u> Online submission is not yet available. Late bids shall not be accepted.

1. On the schedule of the opening of bids (Paragraph 9)

ORIGINAL	AMENDED
Bid opening shall be on 9 November	Bid opening shall be on 12
	November 2020 at 9:00 a.m.
Sora Hall, TESDA Women's Center,	onwards, at the Tandang Sora Hall,
Gate 1, TESDA Complex, Building 2,	TESDA Women's Center, Gate 1,
East Service Road, South Luzon	TESDA Complex, Building 2, East
Expressway (SLEX), Fort Bonifacio,	Service Road, South Luzon
Taguig City 1630. Bids will be opened	Expressway (SLEX), Fort Bonifacio,
in the presence of the bidders'	Taguig City 1630. Bids will be opened
representatives who choose to attend	in the presence of the bidders'
the activity.	representative who choose to attend
	the activity.
XXX	
	XXX

East Service Road, South Luzon Expressway, Fort Bonifacio, Taguig City 1630 Land Line: (+632)888-5641 to 46 CP Number: (+639)17-4794370 (text only) Telefax No.: (+632)893-2454 www.tesda.gov.ph , contactcenter@tesda.gov.ph



B. CLARIFICATION IN THE BIDDING DOCUMENTS

*

 On the validity of Bid Security (Clause 14.2 of the Instructions to Bidders [ITB])

ORIGINAL	AMENDED				
until 9 March 2021. Any Bid not accompanied by an acceptable bid	The Bid and bid security shall be valid until 12 March 2021 . Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.				

2. On the technical specifications of Screwdriver:

Query of Reddot Imaging Philippines Inc.: "Philipps 1.5-2mm x 150mm and Philipps 1-1.5mm x 100mm is very thin and long for a screwdriver. Not industry standard and not common in the market. We would like to suggest for PH1 x 100mm and PH2 x 150mm which is usually the standard on Philipps screwdrivers."

LOT NO.	ORIGINAL	AMENDED		
2 3 4 5 6 7	 Cushion Grip Screwdriver Magnetized tip for easy pick- up of screws 6pcs Slotted/standard 5.5- 6.5mm x 150mm (±5mm) Slotted/standard parallel 4.5-5mm x 100mm (± 5mm) Slotted/standard parallel 3-5mm x 100mm (± 5mm) Slotted/standard parallel 4.5-5mm x 150mm (± 5mm) Slotted/standard parallel 4.5-5mm x 150mm (± 5mm) Phillips- 1.5-2mm x 150mm (± 5mm) Phillips -1-1.5mm x 100mm (± 5mm) 	 Cushion Grip Screwdriver Magnetized tip for easy pick-up of screws 6pcs Slotted/standard Slotted/standard Slotted/standard Slotted/standard Slotted/standard parallel 4.5-5mm x 100mm (± 5mm) Slotted/standard parallel 3-5mm x 100mm (± 5mm) Slotted/standard parallel 4.5-5mm x 150mm (± 5mm) Slotted/standard parallel 4.5-5mm x 150mm (± 5mm) PH2 x 150mm (± 5mm) PH1 x 100mm (± 5mm) Kindly refer to Annexes "A", "B", "C", "D", "E" and "F" for the revised Section VII. Technical Specifications. Likewise, the test parameters for this item will be adjusted based on the amended technical specifications. 		

3. On the technical specifications of Socket Wrench:

Query of Reddot Imaging Philippines Inc.: "18 pieces, then the breakdown of sizes is for 19 sizes? May we suggest to make it 18 pcs Socket sizes 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30 and 32mm."

LOT NO.	AGENCY SPECIFICATIONS	REMARKS
1 2 3 5 7	 Chrome Vanadium Steel (Cr-V) Drive: 1/2" Socket points: 12 points Socket size: Metric 18 pcs Socket: 8, 10, 11, 12, 13, 14, 15, 16, 17, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm Rachet Handle 250 mm (±5mm) Swivel/ Power Handle 380 mm (±5mm) Sliding-T Handle 300 mm (±5mm) Universal Joint 70 mm (±5mm) Extension bar length: 250 mm (±5mm) Extension bar length: 125 mm (±5mm) With Metal or Plastic Carry Case Polished finished and Chrome Plated 	The technical specifications contain 18 pieces of socket wrench with 18 socket sizes TESDA retains the socket sizes as stated in the technica specifications.

For the information and guidance of all concerned.

C. SARMIENTO DDG LINA Chairperson **Bids and Awards Committee**



4

91

Lot 2

1.

Service Underchassis Components (Leading to Automotive Servicing NC II)

APPROVED BUDGET FOR THE CONTRACT

:

:

One Million Four Hundred Ninety-Nine Thousand One Hundred Seventy-Eight Pesos and 24/100 (P1,499,178.24)

No.	Item	Agency Specifications	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference		
1	Combination Wrench	• 16 pcs	1	set					
	Wrench (Open and Box)	 sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm 							
		 Drop forged alloy or chrome vanadium steel construction 							
		Polished Finished and Chrome Plated							
		with pouch holder or casing							
2	Socket wrench	Chrome Vanadium Steel (Cr-V)	1	set					
		• Drive: 1/2"				2. ch			
		Socket points: 12 points							
		Socket size: Metric	-						
		 18 pcs Socket: 8, 10, 11, 12, 13, 14, 15, 16, 17, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm 							
		Rachet Handle 250 mm (±5mm)							
		Swivel/ Power Handle 380 mm (±5mm)							
		 Sliding-T Handle 300 mm (±5mm) 							
	1.1.1.1	 Universal Joint 70 mm (±5mm) 							
	120	Extension bar length: 250 mm (±5mm)		- 8					
		Extension bar length: 125 mm (±5mm)							
		With Metal or Plastic Carry Case							
		Polished finished and Chrome Plated							

i.

No.	Item	Agency Specifications	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
3	Screwdriver	Cushion Grip Screwdriver	1 set		A DECK		
		 Magnetized tip for easy pick-up of screws 					
		• 6pcs		1.11			
	1. 1. 1	- Slotted/standard 5.5- 6.5mm x 150mm (± 5mm)					
		 Slotted/standard parallel 4.5-5mm x 100mm (± 5mm) 					
		 Slotted/standard parallel 3-5mm x 100mm (± 5mm) 					
		 Slotted/standard parallel 4.5-5mm x 150mm (± 5mm) 					
		- PH2 x 150mm (± 5mm)	-				
-		- PH1 x 100mm (± 5mm)		1000			
4	Mechanical	Overall Length: 8" ± 1/2"	1	pc			
	plier	 plastic-dipped insulated handle 					
		• rush resistant chrome finish		2			
		 two position adjustable joint pliers 					
5	Ball Peen	Head Weight: 16oz	1	рс		- Mar - 1	
	Hammer	 Overall Average Weight: 18 oz - 23 oz 					
		 Drop forged carbon steel head 					
		 Handle material: Fiber glass with rubberized cushion 					

I hereby commit to comply and deliver all the above requirements in accordance with the above stated schedule.

Name of Company/Bidder

in the

Signature over Printed Name of Authorized Representative

Date

g



Lot 3

le . de

: Service Engine Components (Leading to Automotive Servicing NC II)

APPROVED BUDGET FOR THE CONTRACT

:

One Million Two Hundred Thirty-Seven Thousand Four Hundred Sixteen Pesos and 96/100 (₱1,237,416.96)

No.	Item	Agency Specifications	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference		
1	Combinatio	• 16 pcs	1	set					
	n Wrench (Open and Box)	 sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm 							
		Drop forged alloy or chrome vanadium steel construction							
		Polished Finished and Chrome Plated							
		• with pouch holder or casing							
2	Socket wrench	Chrome Vanadium Steel (Cr- V)	1	set					
		• Drive: 1/2"				1			
		Socket points: 12 points	-			1			
	01 M 223	Socket size: Metric]			
		• 18 pcs Socket: 8, 10, 11, 12, 13, 14, 15, 16, 17, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm							
		Rachet Handle 250 mm (±5mm)							
	1111	Swivel/ Power Handle 380 mm (±5mm)					-		
		Sliding-T Handle 300 mm (±5mm)							
		Universal Joint 70 mm (±5mm)	-						
		Extension bar length: 250 mm (±5mm)							
		Extension bar length: 125 mm (±5mm)							
		With Metal or Plastic Carry Case							
		Polished finished and Chrome Plated							

6 H

No.	Item	Agency Specifications	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference	
3	Screwdriver	Cushion Grip Screwdriver	1	set				
		 Magnetized tip for easy pick- up of screws 						
		• 6pcs				1		
		 Slotted/standard 5.5- 6.5mm x 150mm (± 5mm) 	-					
		 Slotted/standard parallel 4.5-5mm x 100mm (± 5mm) 						
		 Slotted/standard parallel 3- 5mm x 100mm (± 5mm) 						
		 Slotted/standard parallel 4.5-5mm x 150mm (± 5mm) 						
		- PH2 x 150mm (± 5mm)						
		- PH1 x 100mm (± 5mm)				1		
4	Mechanical	Overall Length: 8" ± 1/2"	1	рс				
	plier	 plastic dip insulated handle 						
		rush resistant chrome finish						
		 two position adjustable joint pliers 						
5	Ball Peen	 Head Weight: 16oz 	1	рс				
	Hammer	Overall Average Weight: 18 oz - 23 oz						
		 Drop forged carbon steel head 		1.3				
		 Handle material: Fiber glass with rubberized cushion 						

I hereby commit to comply and deliver all the above requirements in accordance with the above stated schedule.

Name of Company/Bidder

in the second

Signature over Printed Name of Authorized Representative

Date

7 91

ANNEX C

Lot 4

a ter

11

Service Automotive Electrical Components (Leading to Automotive Servicing NC II)

APPROVED BUDGET FOR THE CONTRACT

:

:

One Million Four Hundred Sixty-One Thousand Seven Hundred Fifty-Three Pesos and 72/100 (₱1,461,753.72)

No.	Item	Agency Specifications	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference	
1	Pliers	• 3 pcs	1	set				
		 Combination pliers size: 6 minimum-8 maximum inches 					e 4	
		 Long nose pliers size: 6 minimum-8 maximum inches 						
		 Diagonal cutting pliers size: 6 minimum-8 maximum inches 	-					
		 with rubberized insulated handles for better grip 	-					
		chrome vanadium				1		
2	Mechanical plier	Overall Length: 8" ± 1/2"	1	рс			1	
		 plastic-dipped insulated handle 						
		rush resistant chrome finish						
		 two position adjustable joint pliers 	-					
3	Soldering	Power: 100W or higher	1	рс				
	Gun	 Two optional pre-heat (High/Low) 						
		• Voltage: AC 220-240V / 60 Hz						
		Pre-heat time: 1-10 minutes	-				1.4.5	
		 Power cable: ≥ 1 meter 						
		 Power Plug: Type A, if not Type A include plug adapter 						
		Material: ABS Plastic Handle						

8

No.	Item	Agency Specifications	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference				
4	Screwdriver	Cushion Grip Screwdriver	1	set							
		 Magnetized tip for easy pick- up of screws 					1				
		6pcs									
		 Slotted/standard 5.5- 6.5mm x 150mm (± 5mm) 									
		 Slotted/standard parallel 4.5-5mm x 100mm (± 5mm) 	dard parallel 00mm (± dard parallel 3- nm (± 5mm) dard parallel 50mm (± m (± 5mm)		_						
		 Slotted/standard parallel 3- 5mm x 100mm (± 5mm) 									
		 Slotted/standard parallel 4.5-5mm x 150mm (± 5mm) 					1. I.				
		 PH2 x 150mm (± 5mm) PH1 x 100mm (± 5mm) 				-	S				
5	Combination	• 16 pcs	1	set							
	Wrench (Open and Box)	 sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm 									
	· · · · ·	 Drop forged alloy or chrome vanadium steel construction 									
		 Polished Finished and Chrome Plated 									
1	See.	 with pouch holder or casing 	1								

I hereby commit to comply and deliver all the above requirements in accordance with the above stated schedule.

Name of Company/Bidder

· vé ·

Signature over Printed Name of Authorized Representative Date



Lot 5

APPROVED BUDGET FOR THE CONTRACT

:

Service Motorcycle/Small Engine System (Leading to Motorcycle/Small Engine Servicing NC II)

Six Million One Hundred Fifty-Three Thousand Four Hundred Pesos (₱6,153,400.00)

No.	Item	Agency Specifications	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Socket wrench	Chrome Vanadium Steel (Cr-V)	1	set			
		• Drive: 1/2"				1	
		Socket points: 12 points					
		Socket size: Metric]	
		 18 pcs Socket: 8, 10, 11, 12, 13, 14, 15, 16, 17, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm 					
		Rachet Handle 250 mm (±5mm)					
		 Swivel/ Power Handle 380 mm (±5mm) 					
		 Sliding-T Handle 300 mm (±5mm) 				-	
		 Universal Joint 70 mm (±5mm) 					
		• Extension bar length: 250 mm (±5mm)					
		 Extension bar length: 125 mm (±5mm) 					
		With Metal or Plastic Carry Case					
		Polished finished and Chrome Plated					
2	Spark Plug Socket Wrench	Chrome Vanadium Steel (Cr-V)	1	set			
		 3 pcs Spark Plug Socket Wrench 	-				
		Socket size: Metric 16, 18, and 21 mm					
		• Drive: 1/2"				1	
		Polished and Chrome Plated				-	

10

No.	Item	Agency Specifications	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
3	Screwdriver	Cushion Grip Screwdriver	1	set			
		 Magnetized tip for easy pick- up of screws 					
		• 6pcs					
		 Slotted/standard 5.5- 6.5mm x 150mm (± 5mm) 					
		 Slotted/standard parallel 4.5-5mm x 100mm (± 5mm) 				-	
		 Slotted/standard parallel 3- 5mm x 100mm (± 5mm) 					
		 Slotted/standard parallel 4.5-5mm x 150mm (± 5mm) 	-				
		- PH2 x 150mm (± 5mm)					
		- PH1 x 100mm (± 5mm)					
4	T-Handle Hex Key Wrench	 10 pcs. T-Handle Hex Key Wrench 	-	set			
		• Metric Sizes: 2, 2.5, 3, 4, 4.5, 5, 5.5, 6, 8, 10mm					
		Long arm series				1	
		Chrome Vanadium steel				1	
		PVC coated handle					
5	Hand Impact Driver	• 1/2 drive impact driver (without 1/4 drive adaptor)	1	set			
		 Forward and reverse drive direction 					
		Bit holder					
		• 2 pcs flat screw bit (5/16", 3/8")					
		• 2 pcs phillip screw bit (PH#2 and PH #3)					
		With Metal or Plastic Carry Case					

No.	Item	Agency Specifications	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
6	Combination Wrench	• 16 pcs	1	set			
	(Open and Box)	 sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm 					
		Drop forged alloy or chrome vanadium steel construction					
		Polished Finished and Chrome Plated				-	
		with pouch holder or casing					

I hereby commit to comply and deliver all the above requirements in accordance with the above stated schedule.

Name of Company/Bidder

V. C. Ser

Signature over Printed Name of Authorized Representative Date

12 W

Lot 6

· _ _ 6*

APPROVED BUDGET FOR THE CONTRACT

:

:

Service Electrical System (Leading to Motorcycle/Small Engine Servicing NC II)

One Million Two Hundred Sixty-Nine Thousand Five Hundred Seventy Pesos and 96/100 (₱1,269,570.96)

No.	Item	Agency Specifications	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Pliers	• 3 pcs	1 set				
		- Combination pliers size: 6 minimum-8 maximum inches					
		 Long nose pliers size: 6 minimum-8 maximum inches 					
		- Diagonal cutting pliers size: 6 minimum-8 maximum inches					1
		with rubberized insulated handles for better grip					
		chrome vanadium					
2	Mechanical plier	Overall Length: 8" ± 1/2"	1 pc				
		 plastic-dipped insulated handle 					
		 rush resistant chrome finish 					
		• two position adjustable joint pliers					
3	Soldering	Power: 100W or higher	1	1 pc	1. I. C. S.		
	Gun	 Two optional pre-heat (High/Low) 					
		• Voltage: AC 220-240V / 60 Hz					
		Pre-heat time: 1-10 minutes					
		 Power cable: ≥ 1 meter 	-				
		Power Plug: Type A, if not Type A include plug adapter					
	711	Material: ABS Plastic	1			1	

13 W

No.	Item	Agency Specifications	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
4	Screwdriver	Cushion Grip Screwdriver	1	set			
		 Magnetized tip for easy pick-up of screws 		19			
		• 6pcs					
		- Slotted/standard 5.5- 6.5mm x 150mm (± 5mm)					
		 Slotted/standard parallel 4.5-5mm x 100mm (± 5mm) 				-	
		 Slotted/standard parallel 3-5mm x 100mm (± 5mm) 					
		 Slotted/standard parallel 4.5-5mm x 150mm (± 5mm) 					
		 PH2 x 150mm (± 5mm) PH1 x 100mm (± 5mm) 					
5	Combination	• 16 pcs	1	set			
	Wrench (Open and Box)	• sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm					
		 Drop forged alloy or chrome vanadium steel construction 					
		 Polished Finished and Chrome Plated 					
		 with pouch holder or casing 					

I hereby commit to comply and deliver all the above requirements in accordance with the above stated schedule.

Name of Company/Bidder

ę

Signature over Printed Name of Authorized Representative Date

14

ANNEX F

Lot 7

'p'

APPROVED BUDGET FOR THE CONTRACT

:

:

Overhaul Motorcycle/Small Engine (Leading to Motorcycle/Small Engine Servicing NC II) Three Million One Hundred One Thousand Three Hundred Thirteen

Make Statement of No. Item **Agency Specifications** Qty Unit Brand / Reference **Compliance*** Model 1 1 Socket Chrome Vanadium Steel set wrench (Cr-V) • Drive: 1/2" Socket points: 12 points Socket size: Metric • 18 pcs Socket: 8, 10, 11, 12, 13, 14, 15, 16, 17, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm Rachet Handle 250 mm $(\pm 5 \text{mm})$ Swivel/ Power Handle 380 mm (±5mm) Sliding-T Handle 300 mm $(\pm 5 \text{mm})$ Universal Joint 70 mm $(\pm 5 \text{mm})$ Extension bar length: 250 mm (±5mm) • Extension bar length: 125 mm (±5mm) With Metal or Plastic **Carry Case** Polished finished and Chrome Plated 1 2 Combination • 16 pcs set Wrench • sizes: 6 mm, 8 mm, 10 (Open and mm, 11 mm, 12 mm, 13 Box) mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm Drop forged alloy or chrome vanadium steel construction Polished Finished and Chrome Plated with pouch holder or casing

Pesos and 60/100 (\$3,101,313.60)

No.	Item	Agency Specifications	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
3	Hand Impact Driver	 1/2 drive impact driver (without 1/4 drive adaptor) 	1	set			
		 Forward and reverse drive direction 					
		Bit holder					
		 2 pcs flat screw bit (5/16", 3/8") 					
		 2 pcs phillip screw bit (PH#2 and PH #3) 					
		 With Metal or Plastic Carry Case 					
4	Spark Plug Socket	 Chrome Vanadium Steel (Cr-V) 	1	set			
	Wrench	3 pcs Spark Plug Socket Wrench	-				
		Socket size: Metric 16, 18, and 21 mm					
		• Drive: 1/2"		1.5.5.1	1.1.1.5.1		
		Polished and Chrome Plated					
5	Screwdriver	Cushion Grip Screwdriver	-	set			
		 Magnetized tip for easy pick-up of screws 					
		 6pcs Slotted/standard 5.5- 6.5mm x 150mm (± 5mm) 					
		- Slotted/standard parallel 4.5-5mm x 100mm (± 5mm)					
		 Slotted/standard parallel 3-5mm x 100mm (± 5mm) 					
		 Slotted/standard parallel 4.5-5mm x 150mm (± 5mm) PH2 x 150mm (± 					
		5mm)					
		- PH1 x 100mm (± 5mm)					

16

g

No.	Item	Agency Specifications	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
6	T-Handle Hex Key	 10 pcs.T-Handle Hex Key Wrench 	1	set			
	Wrench	h • Metric Sizes: 2, 2.5, 3, 4, 4.5, 5, 5.5, 6, 8, 10mm			C. Alter		
		Long arm series			-		
		Chrome Vanadium steel					11.00
		 PVC coated handle 					

I hereby commit to comply and deliver all the above requirements in accordance with the above stated schedule.

Name of Company/Bidder

+ · - '0 ·

Signature over Printed Name of Authorized Representative Date