

Republic of the Philippines

TECHNICAL EDUCATION AND SKILLS DEVELOPMENT AUTHORITY





SUPPLEMENTAL/BID BULLETIN

BID BULLETIN NO. 02

5 November 2020

Name of Project: Procurement of Starter Toolkits for the Implementation of FY 2020 Universal Access to Quality Tertiary Education Act (UAQTEA) - Single/Bundled Programs - Electrical and Electronics Sector

Pursuant to Section 22.5 of the Revised Implementing Rules and Regulations of Republic Act No. 9184, this Bid Bulletin No. 2 is being issued to further clarify the provisions in the Bidding Documents with reference to the queries/concerns raised by the bidder/s.

A. CLARIFICATION IN THE INVITATION TO BID:

1. On the schedule of the bid submission (Paragraph 7)

ORIGINAL	AMENDED		
Online submission is not yet			

2. On the schedule of the opening of bids (Paragraph 9)

ORIGINAL	AMENDED
Bid opening shall be on 11	Bid opening shall be on 12
	November 2020 at 9:00 a.m.
Tandang Sora Hall, TESDA Women's	onwards, at the Tandang Sora Hall,
	TESDA Women's Center, Gate 1,
Building 2, East Service Road, South	TESDA Complex, Building 2, East
Luzon Expressway (SLEX), Fort	Service Road, South Luzon
Bonifacio, Taguig City 1630. Bids will	Expressway (SLEX), Fort Bonifacio,
be opened in the presence of the	Taguig City 1630. Bids will be opened
bidders' representatives who choose	in the presence of the bidders'
to attend the activity.	representative who choose to attend
	the activity.
XXX	
	xxx



B. CLARIFICATION IN THE BIDDING DOCUMENTS:

On the validity of Bid Security (Clause 14.2 of the Instructions to Bidders [ITB])

ORIGINAL	AMENDED
The Bid and bid security shall be valid until 11 March 2021. Any Bid not accompanied by an acceptable bid security shall be rejected by the	The Bid and bid security shall be valid until 12 March 2021. Any Bid not accompanied by an acceptable bid security shall be rejected by the
Procuring Entity as non-responsive.	Procuring Entity as non-responsive.

 On the requirement for product certification (ITB Clause 20.1 of Section III. Bid Data Sheet and GCC Clause 4 of Section V. Special Conditions of the Contract)

ORIGINAL	AMENDED
xxx	xxx
products) should pass international quality control product standards and have international quality control product markings such as CE, ISO,	Imported products (for electronic products) should pass the international quality control product standards and have international quality control product markings such as but not limited to CE, ISO, ASTM, ASQC, AFCIQ, ASQ, DGQ, EOQC, and IQA.

3. On the technical specifications of Screwdriver:

Query of Reddot Imaging Philippines Inc.: "Philipps 1.5-2mm x 150mm and Philipps 1-1.5mm x 100mm is very thin and long for a screwdriver. Not industry standard and not common in the market. We would like to suggest for PH1 x 100mm and PH2 x 150mm which is usually the standard on Philipps screwdrivers."

LOT NO.	ORIGINAL	AMENDED		
2 4 5 5	Cushion Grip Screwdriver Magnetized tip for easy pick- up of screws Slotted/standard 5.5- 6.5mm x 150mm (±5mm) Slotted/standard parallel 4.5-5mm x 100mm (±5mm) Slotted/standard parallel 3-5mm x 100mm (±5mm) Slotted/standard parallel 4.5-5mm x 150mm (±5mm) Phillips-1.5-2mm x 150mm (±5mm) Phillips-1-1.5mm x 100mm (±5mm)	Cushion Grip Screwdriver Magnetized tip for easy pick-up of screws Gpcs Slotted/standard 5.5-6.5mm x 150mm (±5mm) Slotted/standard parallel 4.5-5mm x 100mm (±5mm) Slotted/standard parallel 3-5mm x 100mm (±5mm) Slotted/standard parallel 4.5-5mm x 150mm (±5mm) PH2 x 150mm (±5mm) PH2 x 150mm (±5mm) PH1 x 100mm (±5mm) Technical Specifications. Likewise, the test parameters for this item will be adjusted based on the amended technical specifications.		

4. On the technical specifications of Desoldering Pump/Solder Sucker:

Query of Reddot Imaging Philippines Inc.: The Tip Diameter size is not industry standard and is not common in the market. A larger sized tip is crucial for more efficient function. We suggest that the requirement for tip sizes be removed.

LOT NO.	ORIGINAL	AMENDED			
4 6	anodized aluminum housing high suction Tip diameter: 2.2mm - 2.5mm Tip Length: 10.5mm (±2mm)	 anodized aluminum housing high suction Kindly refer to Annexes "B", and "D" for the revised Section VII. Technical Specifications. Likewise, the test parameters for this item will be adjusted based on the amended technical specifications. 			

For the information and guidance of all concerned.

DDG LINA C. SARMIENTO Chairperson

Bids and Awards Committee



: Electrical Installation and Maintenance NC II

APPROVED BUDGET FOR THE CONTRACT Thirty Million Forty-Eight Thousand Nine Hundred Twenty Pesos (Php30,048,920.00)

No.	Item	Agency Specifications	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Multi-Tester	Analog	1	рс	- Territoria		
		 DCV Range: 0.1, 0.25, 2.5, 10, 50, 250, 1000 V 					
		ACV Range: 10, 50, 250, 750 V					
		 Internal Battery: R6 (IEC) or UM-3 1.5V x 2 					
		 Internal Fuse: 0.5 A/250 V/5.2 mm dia. X 20 mm 					
		 Resistance: X1, X10 X100, X1K, X100k 					
		Over-voltage protection					
		with battery included					
2	Electrician	Overall Length: 8" (+/- 1/4")	1	рс			
	Plier	Steel Alloy	astic-dipped				
		Handle finish: plastic-dipped					
3	Long Nose Plier	Overall Length: 8" ± 1/2"	1	рс		A SUI	3 30 3 30 4
		Steel Alloy					
		Handle finish: plastic-dipped			***************************************		
4	Screwdriver	Cushion Grip Screw Driver	1	set			34 - AL -
		 Magnetized tip for easy pick- up of screws 					
		• 6pcs					
		- Slotted/standard 5.5- 6.5mmX 150mm (± 5mm)					
		- Slotted/standard parallel 4.5-5mm x 100mm (± 5mm)					
		- Slotted/standard parallel 3- 5mm x 100mm (± 5mm)					
		- Slotted/standard parallel 4.5- 5mm x 150mm (± 5mm)	mm (±				
		- PH2 x 150mm (± 5mm)			***************************************		
		- PH1 x 100mm (± 5mm)					100 1 10 100

No.	Item	Agency Specifications	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
5	5 Automatic Wire Stripper	Multi-functional tool	1	рс		3174231	
		Stripping Capacity 0.2-6mm					
		Stripping Length 6-10mm					
		Cutting Capacity 0-10mm			7		
		Crimp Capacity 1.5-6mm					
		Made of forged steel					5 1 1 3
		With anti-slip handle					
6	Pull-Push Rule	Blade length 8m/26ft	1	рс			
	1,410	Blade width 1"				19	
		High impact ABS case with durable rubber					
36		Corrosion resistant tru-zero end				E H	
7	Heat Gun	• Power : 2000W	1	pc	7-11-5	100	
		 Voltage: AC220V-230V 60Hz 					
		Heat Setting : variable					
		Switch Control : 2 stages			***************************************		
		 Temperature : 50-450 deg / 90-800 deg 				13.9	
		Cord Length: 1 meter			142.5		
		Power Plug: US Type					

I hereby commit to comply stated schedule.	and deliver all the above requirements in acc	ordance with the above
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date

^{*} Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.



: Electronics Products Assembly and Servi cing NC II

APPROVED BUDGET FOR THE CONTRACT

: Eight Million Ten Thousand Nine Pesos and 36/100 (Php8,010,009.36)

No.	Item	Agency Specifications	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Multi-Tester	Analog	1	рс			•
		DCV Range: 0.1, 0.25, 2.5, 10, 50, 250, 1000 V					
		ACV Range: 10, 50, 250, 750 V					
		Internal Battery: R6 (IEC) or UM-3 1.5V x 2					
		 Internal Fuse: 0.5 A/250 V/5.2 mm dia. X 20 mm 					
	Resistar	 Resistance: X1, X10 X100, X1K, X100k 					
		Over-voltage protection					
		with battery included					
2	Soldering Iron	 30 watts, 220-240 volts/60hz 	1	1 pc			
		heat pencil tip					
3	Desoldering	anodized aluminum housing	1	рс			
	Pump/Solder Sucker	high suction		3			
4	Screwdriver	Cushion Grip Screw Driver	1	set			
		Magnetized tip for easy pick-up of screws					
		• 6pcs					
		- Slotted/standard 5.5- 6.5mm x 150mm (± 5mm)					
		- Slotted/standard parallell 4.5- 5mm x 100mm (± 5mm)					
		- Slotted/standard parallell 3- 5mm x 100mm (± 5mm)					
		- Slotted/standard parallell 4.5- 5mm x 150mm (± 5mm)					
		- PH2 x 150mm (± 5mm)					
		- PH1 x 100mm (± 5mm)					

No.	Item	Agency Specifications	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
5	Long Nose Plier						
	Filei	Steel Alloy			***************************************		
		Handle finish: plastic-dipped			***************************************		
6	Diagonal Cutting Plier	Overall Length: 8" (± 1/4")	1	рс	TARYS Y		
	Outling Files	Material: Carbon Steel			************************		
		Handle Finish: Ergonomic grip rubberized cushion					
7	Allen Wrench	• 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm	1	set			
		Chrome Vanadium steel		-			
		Long arm					
8	Adjustable	• 10 inches length (+- 1/4")	1	рс			
P.	wrench	Forged heat-treated alloy steel					
		Chrome finish		***************************************			
		• Jaw opening: 0 - 1 1/8"					

I hereby commit to comply and deliver all the above requirements in accordance with the above stated schedule.

Name of	Signature over Printed Name of	Date
Company/Bidder	Authorized Representative	

98

^{*} Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.



: Mechatronics Servicing NC II

APPROVED BUDGET FOR THE CONTRACT Six Hundred Fifty-One Thousand Eight Hundred Forty-Eight Pesos

(Php651,848.00)

No.	Item	Agency Specifications	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Multi-Tester	Analog	1	рс		133.6	
		DCV Range: 0.1, 0.25, 2.5, 10, 50, 250, 1000 V					
		ACV Range: 10, 50, 250, 750 V					
		Internal Battery: R6 (IEC) or UM-3 1.5V x 2			-		
		 Internal Fuse: 0.5 A/250 V/5.2 mm dia. X 20 mm 					
		 Resistance: X1, X10 X100, X1K, X100k 					
		Over-voltage protection	H.				
		with battery included					
2	Screwdriver	Cushion Grip Screw Driver	1	set			7 - 2 2
		Magnetized tip for easy pick-up of screws	1				
		• 6pcs					
		- Slotted/standard 5.5- 6.5mm x 150mm (± 5mm)					
		- Slotted/standard parallel 4.5- 5mm x 100mm (± 5mm)					
		- Slotted/standard parallel 3- 5mm x 100mm (± 5mm)					
		- Slotted/standard parallel 4.5- 5mm x 150mm (± 5mm)					
		- PH2 x 150mm (± 5mm)					
		- PH1 x 100mm (± 5mm)		- /	***************************************		

No.	Item	Agency Specifications	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
3	Electrician	Overall Length: 8" (+/- 1/4")	1	рс			
	Plier	Steel Alloy					
		Handle finish: plastic-dipped					
4	Diagonal	Overall Length: 8" (± 1/4")	1	рс			
	Cutting Plier	Material: Carbon Steel					
	300	Handle Finish: Ergonomic grip rubberized cushion	1				
5		1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm	1	set			
		Chrome Vanadium steel					
	W. 1	Long arm					
6	Adjustable	• 10 inches length (+- 1/4")	1	рс		10.41	
	wrench	Forged heat-treated alloy steel					Reference
		Chrome finish					
1		 Jaw opening: 0 - 1 1/8" 			***************************************	7	

I hereby commit to comply stated schedule.	and deliver all the above requirements in acc	ordance with the above
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date

^{*} Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.



: Mechatronics Servicing NC III

APPROVED BUDGET FOR THE CONTRACT Three Hundred Eighty-Three Thousand Four Hundred Thirteen Pesos (Php383,413.00)

No.	Item	Agency Specifications	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Clamp Meter	AC current - maximum 100A ±(2.5%+5)	1	рс			
		DC current - maximum 100A ±(2.5%+3)			,		
		AC voltage - maximum 600V ±(1%+3)					
		DC voltage - maximum 600V ±(1%+3)					
		Resistance: maximum 20MΩ ±(1%+2)					
		Capacitance checking		314			
		Manual/Auto Range Selection					
		Jaw Opening 17mm (+- 2mm)					
		Auto Power Off			***************************************		
		Power: AA or AAA batteries					
		Accessories: Battery, Test Leads, Carrying Bag					
2	Combination Wrench	• 16 pcs	1	set			
		 sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm 					
		Drop forged alloy or chrome vanadium steel construction					
		Lobular box end design					



No.	Item	Agency Specifications	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
3	Automatic Wire Stripper	Multi-functional tool	1	рс			
		Stripping Capacity 0.2-6mm					
		Stripping Length 6-10mm					
		Cutting Capacity 0-10mm					
		Crimp Capacity 1.5-6mm					
		Made of forged steel					
		With anti-slip handle					
4	Precision	30 in 1 Screwdriver	1	set			
	Screwdrivers Set	 Philips (+) PH00, PH0, PH1, PH2 					
		 Torx T4, T5, T6, T7, T8, T10, T15, T20 					
		 Flat (-) 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 3.5 mm, 4.0mm 		12			
		 Hex 1.0, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0 					
		 3.0mm, 3.0mm, 2.6mm, 2.0mm, 1.0mm 					
		Made of Chrome Vanadium				. 4. 4. 4	
		 Soft TPL Handle 					
5	Soldering Iron	 30 watts, 220-240 volts/60hz 	1	рс			
		 heat pencil tip 					
6	Desoldering Pump/Solder	anodized aluminum housing	1	рс			
	Sucker	high suction					

ated schedule.	and deliver all the above requirements in acc	ordance with the above
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date

g

^{*} Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.