

# Technical Specifications

Lot 7 : Carpentry NC II

APPROVED BUDGET FOR THE CONTRACT : One Million Nine Hundred Sixty-One Thousand Three Hundred Forty-Three Pesos and 72/100 (P1,961,343.72)

No.	Item	Specifications	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Cross cut saw	Kindly refer to the technical specifications attached as Annex D7.	15	pcs			
2	Rip Saw (Medium)		15	pcs			
3	Claw hammer (8 oz)		25	pcs			
4	Claw hammer (16 oz.)		25	pcs			
5	Chalk line reel		10	pcs			
6	Plumb Bob		10	pcs			
7	Wood Planer		10	pcs			
8	Pull Push Rule		25	pcs			
9	Crow bar		5	pcs			
10	Steel square		15	pcs			
11	Try square		15	pcs			
12	Spirit level		15	pcs			
13	Automatic level		1	unit			
14	Phillips Screw Driver		5	pcs			
15	Flat Screw Driver		5	pcs			
16	Nail pouch		25	pcs			
17	Nail set		25	sets			
18	Chisel, 1/4"		12	pcs			
19	Chisel, 1/2"		12	pcs			
20	Chisel, 3/4"		12	pcs			
21	Chisel, 2"		12	pcs			
22	Adjustable Wrench (8")		6	pcs			
23	Adjustable wrench (12")		6	pcs			
24	Combination spanner, 8mm to 24mm		1	set			
25	Transparent hose, white, 3/8 in diameter		12	meters			
26	Riveter		5	pcs			
27	Sealant gun		5	pcs			
28	Hard hat, white, (for trainer)		1	pc			
29	Hard hat, yellow (for trainees)		25	pcs			
30	Gloves, knitted		25	pairs			
31	Safety Shoes		25	pairs			
32	Scaffolds, H-frame		5	sets			
33	Portable electric Drill		2	units			

*Ky*  
*18 June*

No.	Item	Specifications	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
34	Portable planer	Kindly refer to the technical specifications attached as Annex D7.	5	units			
35	Tin Snips		10	pcs			
36	Jig saw		5	units			
37	Portable circular saw		5	units			
38	Speed Square		25	pcs			
39	Reciprocating Saw		5	pcs			
40	Electrical extension cord		5	pcs			

\* Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

I hereby commit to comply and deliver all the above requirements in accordance with the above schedule.

\_\_\_\_\_  
Name of Company/Bidder

\_\_\_\_\_  
Signature over Printed Name of Authorized Representative

\_\_\_\_\_  
Date

*Ky*  
*20*  
*June 18*

# ANNEX D7

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
1	Cross cut saw	<ul style="list-style-type: none"> <li>• Blade material: Made of Carbon steel</li> <li>• Blade Length: 18 inches long</li> <li>• No. of Teeth per inch: 3 1/2 teeth per inch</li> <li>• Handle: Made of hard wood</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	15	pcs
2	Rip Saw (Medium)	<ul style="list-style-type: none"> <li>• Blade length: 10"</li> <li>• Blade thickness: 0.020"</li> <li>• No. of teeth per inch: 10 teeth</li> <li>• Material: Carbon steel</li> <li>• Handle materials: Wood</li> <li>• Handle length: 12-14" long</li> <li>• Overall length: 24"</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	15	pcs
3	Claw hammer (8 oz)	<ul style="list-style-type: none"> <li>• Size: 8 oz.</li> <li>• Material: Forged carbon steel</li> <li>• Handle materials: Fiberglass</li> <li>• Handle length: 8-10 inches</li> <li>• With ANTI-SLIP - Grid shaped striking surface will protect your hand in case of slipping</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	25	pcs
4	Claw hammer (16 oz.)	<ul style="list-style-type: none"> <li>• 453.6 grams (16 oz.)</li> <li>• Forged steel</li> <li>• Hardened and tempered steel head</li> <li>• Smooth face</li> <li>• Fiberglass handle with rubber cushion</li> <li>• Overall length: 12"-14"</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	25	pcs

*Handwritten signature*  
 Date  
 H

## ANNEX D7

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
5	Chalk line reel	<ul style="list-style-type: none"> <li>• Chalk Line Length: 30 meters or 100 feet</li> <li>• Casing material: Water-resistant, high-impact ABS case with rubber grips</li> <li>• Hook: Made of stainless steel interlocking hook</li> <li>• Max. Capacity: Holds up to 3 oz. chalk</li> <li>• With sliding door for easy filling</li> <li>• Includes chalk reel, 4oz bottle of blue chalk and fine tip marker</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	10	pcs
6	Plumb Bob	<ul style="list-style-type: none"> <li>• Size: 8 oz.</li> <li>• Material: Solid brass and lacquer polished and rust resistant</li> <li>• With replaceable hardened steel tip</li> <li>• With string holder</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	10	pcs
7	Wood Planer	<ul style="list-style-type: none"> <li>• Size: 9"</li> <li>• Material: Alloy steel</li> <li>• Blade width: 2"</li> <li>• Handle: Plastic</li> <li>• With guidance knob</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	10	pcs
8	Pull Push Rule	<ul style="list-style-type: none"> <li>• Blade length: 8m/26ft long</li> <li>• Blade width: 1" wide</li> <li>• Casing: High impact ABS case with durable rubber</li> <li>• With corrosion resistant tru-zero end</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	25	pcs

K  
16  
of  
Done

# ANNEX D7

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
9	Crow bar	<ul style="list-style-type: none"> <li>• Length: 18" long</li> <li>• Material: Forged hardened steel</li> <li>• Type: Hex bar design</li> <li>• With hook end in deep V nail slot</li> <li>• With rust and corrosion resistant</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs
10	Steel square	<ul style="list-style-type: none"> <li>• Size: 16" x 24"</li> <li>• Material: Higher quality 1cr13 hardened steel</li> <li>• Graduation: In Inches and Centimeters</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	15	pcs
11	Try square	<ul style="list-style-type: none"> <li>• Length: 12" long</li> <li>• Material: Spring Steel</li> <li>• Handle: Made of Aluminum alloy</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	15	pcs
12	Spirit level	<ul style="list-style-type: none"> <li>• Length: 36" long</li> <li>• Material: Aluminum</li> <li>• Hand holes: 2 holes</li> <li>• Height: 2.1 inches</li> <li>• No. of vials: 3 vials</li> <li>• With shock-absorbing end caps</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	15	pcs
13	Automatic level	<p><b>Levelling Equipment</b></p> <ul style="list-style-type: none"> <li>• Maximum working range: 120 meters or 400 ft.</li> <li>• Magnification range: 32X</li> <li>• Accuracy: +/- 1mm at 30 meters or +/-</li> <li>• Unit of measure: 360 degrees 1/16" at 100 ft.</li> <li>• Material: Durable plastic with over mold in key impact areas; aluminum</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	1	unit

*M*

*Ad  
Some*

**ANNEX D7**

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
		<ul style="list-style-type: none"> <li>• Mount Threading: 5/8" - 11 thread</li> <li>• Includes: Adjusting pin, Hex key, Lens cover, Plumb bob, and carrying case</li> </ul> <p><b>Tripod</b></p> <ul style="list-style-type: none"> <li>• Material: Made of light aluminum with Double banded legs</li> <li>• Closed Max. height: 38 inches or 970 mm</li> <li>• Extended height: 63 inches or 1,600 mm</li> <li>• Head type: Flat head with 5/8" and 11 thread</li> <li>• Material: Made of light aluminum with Double banded legs</li> <li>• With locking clamps for quick adjustment of height and fast disassembling</li> </ul> <p><b>Measuring Rod</b></p> <ul style="list-style-type: none"> <li>• Working range: 5 meters</li> <li>• Graduation: in Meters and Centimeters</li> <li>• Weight: 1.98 Kgs or 4.5 lbs</li> <li>• Material: anodized aluminum and imprinted with weather- and corrosion-resistant inks</li> <li>• With high-strength locking buttons</li> </ul>						

*M*  
*195 Same*

# ANNEX D7

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
14	Phillips Screw Driver	<ul style="list-style-type: none"> <li>• 1x75, PH 2 x 100, PH 2x125</li> <li>• Material: chrome vanadium</li> <li>• With plastic and rubberized handle</li> <li>• shank: 4"</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs
15	Flat Screw Driver	<ul style="list-style-type: none"> <li>• Sizes: 3x75, 5x100, 6x125</li> <li>• Material: Chrome vanadium</li> <li>• Handle: Rubberized plastic</li> <li>• shank 4"</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs
16	Nail pouch	<ul style="list-style-type: none"> <li>• No. of Pockets: 8-9</li> <li>• Material: Leather</li> <li>• Large pockets for main nail and tool pockets.</li> <li>• Smaller pockets fits pliers, pencils, nail sets, etc.</li> <li>• With adjustable nylon belt with easy release buckle.</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	25	pcs
17	Nail set	<ul style="list-style-type: none"> <li>• Length: 5" or 127mm long</li> <li>• Material: hardened and precision-milled steel</li> <li>• Nail punch set manufactured to ANSI standards</li> <li>• Handle: Bi-material grip is slip-resistant and ribbed to absorb shock</li> <li>• No. of pieces: 3 and color coded</li> <li>• Nail setter size: 1/32", 1/16", and 3/32"</li> <li>• Shank diameter: 0.8 → 2.4 mm</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	25	sets

*Handwritten signature/initials*

# ANNEX D7

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
18	Chisel, ¼"	<ul style="list-style-type: none"> <li>• Blade material: made of forged steel</li> <li>• Blade size: 1/4 inch</li> <li>• Handle: Made of Durable plastic</li> <li>• Overall all length: 8-9"</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	12	pcs
19	Chisel, ½ "	<ul style="list-style-type: none"> <li>• Blade: made of forged steel</li> <li>• Blade size: 1/2 inch</li> <li>• Handle: Made of Durable plastic</li> <li>• Overall all length: 8-9"</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	12	pcs
20	Chisel, ¾ "	<ul style="list-style-type: none"> <li>• Blade material : made of forged steel</li> <li>• Blade size: 3/4 inch</li> <li>• Handle: Made of Durable plastic</li> <li>• Overall all length: 8-9"</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	12	pcs
21	Chisel, 2"	<ul style="list-style-type: none"> <li>• Blade material: made of forged steel</li> <li>• Blade size: 2 inches</li> <li>• Handle: Made of Durable plastic</li> <li>• Overall all length: 8-9"</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	12	pcs
22	Adjustable Wrench (8")	<ul style="list-style-type: none"> <li>• Material: Steel</li> <li>• Wrench type: Adjustable</li> <li>• Head type: Hex</li> <li>• Length: 8 inches</li> <li>• Jaw capacity: 0-36mm</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	6	pcs
23	Adjustable wrench (12")	<ul style="list-style-type: none"> <li>• Length: 12"</li> <li>• Material: Steel</li> <li>• Wrench type: Adjustable</li> <li>• Head type: Hex</li> <li>• Jaw capacity: 0-43mm</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	6	pcs

*Handwritten mark*

*Handwritten text*



## ANNEX D7

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
24	Combination spanner, 8mm to 24mm	<ul style="list-style-type: none"> <li>• Material: 45# Steel</li> <li>• Size: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22, 24 mm</li> <li>• With 14 pcs different sizes of open and ring end spanners.</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	1	set
25	Transparent hose, white, 3/8 in diameter	12 meters long; 3/8" diameter pvc clear vinyl hose	Visual Test and Functionality Test	Yes	N/A	If Applicable	12	meters
26	Riveter	<ul style="list-style-type: none"> <li>• Length: 337.82 mm</li> <li>• Height: 157.48 mm</li> <li>• Width: 35.56 mm</li> <li>• Material: All steel body with non-slip grip and wrench</li> <li>• With spring loaded handle ejects rivet stem</li> <li>• Rivet sizes:               <ul style="list-style-type: none"> <li>- 3 mm</li> <li>- 4 mm</li> <li>- 5 mm</li> </ul> </li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs
27	Sealant gun	<ul style="list-style-type: none"> <li>• Length: 225 mm or 9"</li> <li>• Material: Aluminum tube body with shaft pusher</li> <li>• With flexible stainless steel thrusters and with spring and bolt</li> <li>• With heavy duty aluminum handles</li> <li>• With one (1) piece plastic nozzle</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs

*Handwritten signature/initials*

# ANNEX D7

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
28	Hard hat, white, (for trainer)	<ul style="list-style-type: none"> <li>• Pyramex Safety SL Series Cap Style Hard Hat</li> <li>• With 4-Point Snap Lock Suspension, White</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	1	pc
29	Hard hat, yellow (for trainees)	<ul style="list-style-type: none"> <li>• Pyramex Safety SL Series Cap Style Hard Hat</li> <li>• With 4-Point Snap Lock Suspension, Yellow</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	25	pcs
30	Gloves, knitted	<ul style="list-style-type: none"> <li>• Knitted cotton with rubber lining</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	25	pairs
31	Safety Shoes	<ul style="list-style-type: none"> <li>• Material: Made of heavy duty materials</li> <li>- with steel toe cap</li> <li>- waterproof</li> <li>- anti static, and</li> <li>- heat resistant (up to 300 degree C/572 degree F)</li> <li>• Sizes: 40-42</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	25	pairs

*M*

*As per 26*

# ANNEX D7

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
32	Scaffolds, H-frame	<ul style="list-style-type: none"> <li>• This set will provide a platform up to 2.4m high and 2.4m x 0.78m. Including handrails one side and one end.</li> <li>• It includes the following:               <ul style="list-style-type: none"> <li>- 4 x Base Jacks 600mm</li> <li>- 2 x H Frames 2020x780mm</li> <li>- 2 x Cross Braces 2600mm</li> <li>- 3 x Steel Planks 220x2400mm</li> <li>- 3 x Handrail Posts</li> <li>- 2 x Handrails 2400mm</li> <li>- 2 x End Rails 780mm</li> </ul> </li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	sets
33	Portable electric Drill	<ul style="list-style-type: none"> <li>• 220 V, 60 hz.</li> <li>• Rated input power: 800 watts</li> <li>• Rated speed: 740 rpm</li> <li>• Rated Torque: 5.2 Nm</li> <li>• chuck capacity Min./Max: 1.5 - 13 mm</li> <li>• No load Capacity: 0-3,000 rpm</li> <li>• Impact rate at no load speed:0-48,000 bmp</li> <li>• Drilling Diameters:               <ul style="list-style-type: none"> <li>- Masonry: 22 mm</li> <li>- Concrete: 16/20 mm</li> <li>- teel: 8/13 mm</li> <li>- Wood: 25/40 mm</li> </ul> </li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	2	units

*Handwritten signature/initials*

# ANNEX D7

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
34	Portable planer	<ul style="list-style-type: none"> <li>• 220 VAC, 60 Hz.</li> <li>• Planes up to 3-1/4" wide and 5/32" deep in a single pass</li> <li>• With 2-Blade cutter head for fast material removal</li> <li>• No. of RPM:16,000</li> <li>• With chip ejection that can be directed to either side of the tool for convenience</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	units
35	Tin Snips	<ul style="list-style-type: none"> <li>• Size: 10" long</li> <li>• Material: Forged chrome molybdenum steel</li> <li>• Cutting Edge Length: 38 mm</li> <li>• Max. capacity: Cuts up to 18 gauge (1.2mm) cold-rolled steel or 23 gauge (0.7mm) stainless-steel</li> <li>• With Latch design allows for a quick single handed operation</li> <li>• Slip-resistant bi-material grip for comfort and control</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	10	pcs
36	Jig saw	<ul style="list-style-type: none"> <li>• 220 VAC, 60 Hz.</li> <li>• Power: 450 watts</li> <li>• Cutting capacity: 65mm in wood and 6mm in steel</li> <li>• With Variable speed and 18mm stroke</li> <li>• With Footplate bevels to 45 deg.</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	units

*M*

*1st Sample*

**ANNEX D7**

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
37	Portable circular saw	<ul style="list-style-type: none"> <li>• Power: 18-Volt Lithium-Ion 6-1/2-Inch Lithium-Ion</li> <li>• Circular saw blade size: 6-1/2 inches</li> <li>• No load RPM: 3,900</li> <li>• Blade capacity:                             <ul style="list-style-type: none"> <li>- 2-inch thick material at 90 degrees</li> <li>- 1-9/16-inch thick material at 50 degrees.</li> </ul> </li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	units
38	Speed Square	<ul style="list-style-type: none"> <li>• Length: 12 inches</li> <li>• Material: Made of Aluminum</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	25	pcs
39	Reciprocating Saw	<ul style="list-style-type: none"> <li>• Power: Cordless 12 volts battery</li> <li>• Wattage: 710W</li> <li>• Max. Capacity:                             <ul style="list-style-type: none"> <li>- For steel: 6mm</li> <li>- For wood 115mm</li> </ul> </li> <li>• With Saw blade quick changing system</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs
40	Electrical extension cord	<ul style="list-style-type: none"> <li>• Industrial Extension Wheel Cord</li> <li>• Length: 25 m</li> <li>• Capacity: 2,500W 10A 250V</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs

I hereby commit to comply and deliver all the above requirements in accordance with the stated schedule.

\_\_\_\_\_  
Name of Company/Bidder

\_\_\_\_\_  
Signature over Printed Name of Authorized Representative

\_\_\_\_\_  
Date

*Handwritten notes:*  
R  
Add Done

# Technical Specifications

**Lot 8 : Masonry NC II**

**APPROVED BUDGET FOR THE CONTRACT : Six Hundred Forty-Five Thousand Six Hundred Thirty-Three Pesos and 41/100 (P645,633.41)**

No.	Item	Specifications	Qty	Unit	Statement of Compliance	Make Brand / Model	Reference
1	Bucket	Kindly refer to the technical specifications attached as Annex D8.	10	pcs			
2	Shovel		10	pcs			
3	Steel trowel		25	pcs			
4	Wooden/PVC float		25	pcs			
5	Pull Push Rule		25	pcs			
6	Plumb Bob		5	pcs			
7	Scaffolds, H-frame		4	sets			
8	Chalk line reel		5	pcs			
9	Cross cut saw		5	pcs			
10	Bar Cutter		2	units			
11	Bar Bender		2	units			
12	Steel Square		10	pcs			
13	Cold Chisel		10	pcs			
14	Hacksaw w/ Blade		10	pcs			
15	Claw hammer		25	pcs			
16	Steel Brush		10	pc			
17	Wheel barrow		5	units			
18	Crow bar		5	pcs			
19	Spirit level		5	pcs			
20	Notched trowel		5	pcs			
21	Mortar Pan		5	pcs			
22	Side cutter plier		5	pcs			
23	One bagger mixer		1	unit			
24	Block Cutter		2	units			
25	Portable electric Drill		2	units			
26	Hammer Drill		1	unit			
27	Hard hat, yellow (for trainees)		25	pcs			
28	Gloves, knitted		25	pairs			
29	Safety Shoes		25	pairs			
30	Safety Goggles		25	pcs			

\* Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

**I hereby commit to comply and deliver all the above requirements in accordance with the above schedule.**

\_\_\_\_\_  
Name of Company/Bidder

\_\_\_\_\_  
Signature over Printed Name of Authorized Representative

\_\_\_\_\_  
Date

*K* *21*  
*18 June*

## ANNEX D8

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
1	Bucket	<ul style="list-style-type: none"> <li>• Flexible Water Bucket</li> <li>• Material: Made of Recycled plastic</li> <li>• Capacity: 10 liters</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	10	pcs
2	Shovel	<ul style="list-style-type: none"> <li>• Flat</li> <li>• Tempered steel blade (0.8 mm gauge or higher)</li> <li>• Wooden handle</li> <li>• Overall length: 41"</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	10	pcs
3	Steel trowel	<ul style="list-style-type: none"> <li>• Size: 8-9"</li> <li>• Blade Material: Solid forged steel</li> <li>• Handle: Made of wood or plastic</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	25	pcs
4	Wooden/PVC float	<ul style="list-style-type: none"> <li>• Dimension: 330mmX165mmX15mm</li> <li>• Handle: Made of Rubber</li> <li>• With PVC Body and Foam</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	25	pcs
5	Pull Push Rule	<ul style="list-style-type: none"> <li>• Blade length 8m/26ft</li> <li>• Blade width 1"</li> <li>• High impact ABS case with durable rubber</li> <li>• Corrosion resistant tru-zero end</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	25	pcs
6	Plumb Bob	<ul style="list-style-type: none"> <li>• Size: 8 oz.</li> <li>• Material: Solid brass and lacquer polished and rust resistant</li> <li>• With replaceable hardened steel tip</li> <li>• With string holder</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs

*Handwritten mark*

*Handwritten signature*

## ANNEX D8

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
7	Scaffolds, H-frame	This set will provide a complete set of platform up to 2.4m high and 2.4m x 0.78m. Including handrails one side and one end. Includes 4 x Base Jacks 600mm 2 x H Frames 2020x780mm 2 x Cross Braces 2600mm 3 x Steel Planks 220x2400mm 3 x Handrail Posts 2 x Handrails 2400mm 2 x End Rails 780mm 1/2X 20 m hose coupling and fittings	Visual Test and Functionality Test	Yes	N/A	If Applicable	4	sets
8	Chalk line reel	<ul style="list-style-type: none"> <li>• Max. Capacity: Holds up to 3 Oz. chalk</li> <li>• Casing material: Water-resistant, high-impact ABS case with rubber grips</li> <li>• Hook: Made of stainless steel interlocking hook</li> <li>• Chalk Line Length: 30 meters or 100 feet</li> <li>• With sliding door for easy filling</li> <li>• Includes chalk reel, 4oz bottle of blue chalk and fine tip marker</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs
9	Cross cut saw	<ul style="list-style-type: none"> <li>• Blade material: Made of Carbon steel</li> <li>• Blade Length: 18 inches long</li> <li>• No. of Teeth per inch: 3 1/2 teeth per inch</li> <li>• Handle: Made of hard wood</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs

*Handwritten initials/signature*



## ANNEX D8

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
10	Bar Cutter	<ul style="list-style-type: none"> <li>• Material: Made of solid steel, heavy duty</li> <li>• Dimension (mm): 130 x 300 x 160</li> <li>• Bar cutting capacity: 25 mm</li> <li>• With handle</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	2	units
11	Bar Bender	<ul style="list-style-type: none"> <li>• Material: Made of solid steel, heavy duty</li> <li>• Bar size bending capacity: 22 mm</li> <li>• With infinitely adjustable angle stop for producing accurate bends</li> <li>• With handle</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	2	units
12	Steel Square	<ul style="list-style-type: none"> <li>• Size: 16" x 24"</li> <li>• Material: Higher quality 1cr13 hardened steel</li> <li>• Graduation: In Inches and Centimeters</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	10	pcs
13	Cold Chisel	<ul style="list-style-type: none"> <li>• Tempered Steel</li> <li>• Hexagonal type: 16 mm(5/8") x 254mm (10")</li> <li>• With Rubber Protection Handle</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	10	pcs
14	Hacksaw w/ Blade	<ul style="list-style-type: none"> <li>• Adjustable aluminum alloy frame and handle</li> <li>• 304.8mm(12 inches) Bi- metal blade, 24 TPI</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	10	pcs

*M*

*Hesmond  
26*

## ANNEX D8

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
15	Claw hammer	<ul style="list-style-type: none"> <li>• 453.6 grams (16 oz.)</li> <li>• Forged steel</li> <li>• Hardened and tempered steel head</li> <li>• Smooth face</li> <li>• Fiberglass handle with rubber cushion</li> <li>• Overall length: 12"-14"</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	25	pcs
16	Steel Brush	<ul style="list-style-type: none"> <li>• Size: 10"-12" long</li> <li>• Material: Steel</li> <li>• Handle: wooden</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	10	pc
17	Wheel barrow	<ul style="list-style-type: none"> <li>• Material: Made of galvanized body, rust free</li> <li>• Wheels: 2 wheels with single/double bearing type pneumatic/solid wheels</li> <li>• Wheel Diameter: 11"-15"</li> <li>• Dimension: 32"-36 (L) x 23"-25" (W)</li> <li>• Barrel depth: 6"- 10"</li> <li>• Max. weight capacity: 330 lbs.</li> <li>• With single piece underbody</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	units
18	Crow bar	<ul style="list-style-type: none"> <li>• Length: 18" long</li> <li>• Material: Forged hardened steel</li> <li>• Type: Hex bar design</li> <li>• With hook end in deep V nail slot</li> <li>• With rust and corrosion resistant</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs
19	Spirit level	<ul style="list-style-type: none"> <li>• Length: 36" long</li> <li>• Material: Spring Steel</li> <li>• Handle: Made of Aluminum alloy</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs

*NY*

*NY State*  
*no*

## ANNEX D8

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
20	Notched trowel	<ul style="list-style-type: none"> <li>• Material: Made of Carbon Steel</li> <li>• Size: 9" X 4"</li> <li>• Thickness: 0.8 mm or higher</li> <li>• Size of square notch: 1/4" X 3/8"</li> <li>• Handle: Made of Wood</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs
21	Mortar Pan	<ul style="list-style-type: none"> <li>• Material: Made of Steel</li> <li>• Capacity: 1.6 cu. ft.</li> <li>• Dimension: 29" (L) x 21-1/2"(W) x 6-1/4" (H)</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs
22	Side cutter plier	<ul style="list-style-type: none"> <li>• Overall Length: 7"-8"</li> <li>• Material: Carbon Steel</li> <li>• Handle Finish: Plastic dipped</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs
23	One bagger mixer	<ul style="list-style-type: none"> <li>• One bagger capacity</li> <li>• Mixing drum: Made of 1/8" thick mild steel plate with machine pressed disc bowl 5mm thick</li> <li>• Chassis: "A"-FRAME angular chassis</li> <li>• with 2-sets of cantilever spring</li> <li>• with 2-pcs, pneumatic tires 5.60" X 13"</li> <li>• Engine: Marine Diesel engine 7.5 Hp</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	1	unit
24	Block Cutter	<ul style="list-style-type: none"> <li>• 220VAC, 60Hz.</li> <li>• Blade Diameter: 7" of 180 mm</li> <li>• Rated Power input: 1,520 watts</li> <li>• No Load Speed RPM: 5,000</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	2	units

*M*

*18/5/2018*  
*26*

## ANNEX D8

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
25	Portable electric Drill	<ul style="list-style-type: none"> <li>• 220 V, 60 hz.</li> <li>• Rated input power: 800 watts</li> <li>• Rated speed: 740 rpm</li> <li>• Rated Torque: 5.2 Nm</li> <li>• chuck capacity Min./Max: 1.5 - 13 mm</li> <li>• No load Capacity: 0-3,000 rpm</li> <li>• Impact rate at no load speed:0-48,000 bmp</li> <li>• With the following drilling diameters:                             <ul style="list-style-type: none"> <li>- Masonry: 22 mm</li> <li>- Concrete: 16/20 mm</li> <li>- Steel: 8/13 mm</li> <li>- Wood: 25/40 mm</li> </ul> </li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	2	units
26	Hammer Drill	<ul style="list-style-type: none"> <li>• 220 V, 60Hz.</li> <li>• Capacity:                             <ul style="list-style-type: none"> <li>- Concrete: 28mm</li> <li>- Steel: 13 mm</li> <li>- Wood: 32 mm</li> </ul> </li> <li>• Rating input: 800 watts</li> <li>• Impact per minute: 0-4,500</li> <li>• No load speed: 0-1,100</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	1	unit
27	Hard hat, yellow (for trainees)	<ul style="list-style-type: none"> <li>• Pyramex Safety SL Series Cap Style Hard Hat</li> <li>• 4-Point Snap Lock Suspension, Yellow</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	25	pcs
28	Gloves, knitted	<ul style="list-style-type: none"> <li>• Knitted cotton with rubber lining</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	25	pairs

*M*

*PP Smith  
26*

## ANNEX D8

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
29	Safety Shoes	<ul style="list-style-type: none"> <li>• Material: Made of heavy duty materials</li> <li>- with steel toe cap</li> <li>- waterproof</li> <li>- anti static, and</li> <li>- heat resistant (up to 300 degree C/572 degree F)</li> <li>• Sizes: 40-42</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	25	pairs
30	Safety Goggles	<ul style="list-style-type: none"> <li>• Wide vision, clear</li> <li>• PVC frame, PC lens, Elastic band</li> <li>• Maximum protection and comfort</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	25	pcs

I hereby commit to comply and deliver all the above requirements in accordance with the :  
stated schedule.

\_\_\_\_\_  
Name of Company/Bidder

\_\_\_\_\_  
Signature over Printed Name of  
Authorized Representative

\_\_\_\_\_  
Date

*R. M. S. 20*

# Technical Specifications

Lot 9 : Construction Painting NC II

APPROVED BUDGET FOR THE CONTRACT : Five Hundred Thirty-Four Thousand One Hundred Sixty-Eight Pesos and 85/100 (P534,168.85)

No.	Item	Specifications	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Steel Brush	Kindly refer to the technical specifications attached as Annex D9.	25	pcs			
2	2" Nylon/paint brush		25	pcs			
3	3" Nylon/paint brush		25	pcs			
4	4" Camel hair brush		25	pcs			
5	¾" Rope		1	roll			
6	Cross cut saw		5	pcs			
7	Combination spanner, 8mm to 24mm		2	sets			
8	Phillips Screw Driver		15	pcs			
9	Flat Screw Driver		15	pcs			
10	Scraper		25	pcs			
11	Putty Knife		25	pcs			
12	Calculator		25	pcs			
13	Paint roller (7")		25	pcs			
14	Pull Push Rule		10	pcs			
15	Base Jack		50	sets			
16	Gloves, knitted		25	pairs			
17	Dust Masks/ Respirator		25	pcs			
18	Safety Shoes		25	pairs			
19	Hard hat, yellow (for trainees)		25	pcs			
20	Belt/ Safety Harness		5	pcs			
21	Safety Goggles		25	pcs			
22	Compressor		2	units			
23	Paint Mixer with hand drill		2	units			
24	Sander/Sanding Machine		2	units			
25	Scaffolds, H-frame		20	sets			
26	Pulley		4	units			

*KV* <sup>90</sup>  
18 June

No.	Item	Specifications	Qty	Unit	Statement of Compliance	Make Brand / Model	Reference
27	Ladder	Kindly refer to the technical specifications attached as Annex D9.	5	pcs			
28	GI Pipes		20	pcs			
29	Spray Gun		5	units			
30	Swivel Clamp		40	pcs			
31	Airless Spray		1	set			

\* Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

**I hereby commit to comply and deliver all the above requirements in accordance with the above schedule.**

\_\_\_\_\_  
Name of Company/Bidder

\_\_\_\_\_  
Signature over Printed Name of  
Authorized Representative

\_\_\_\_\_  
Date

*Some K 9c*  
*18*

## ANNEX D9

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
1	Steel Brush	<ul style="list-style-type: none"> <li>• Size: 10"-12" long</li> <li>• Material: Steel</li> <li>• Handle: wooden</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	25	pcs
2	2" Nylon/paint brush	<ul style="list-style-type: none"> <li>• Material: Made of Nylon Bristle</li> <li>• Size: 2"</li> <li>• Handle: Made of wood with stainless steel ferrules</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	25	pcs
3	3" Nylon/paint brush	<ul style="list-style-type: none"> <li>• Material: Made of Nylon Bristle</li> <li>• Size: 3"</li> <li>• Handle: Made of wood with stainless steel ferrules</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	25	pcs
4	4" Camel hair brush	<ul style="list-style-type: none"> <li>• Size: 4"</li> <li>• Handle: Made of wood with stainless steel ferrules</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	25	pcs
5	¾" Rope	<ul style="list-style-type: none"> <li>• Material: Made of Nylon</li> <li>• Rope Size: ¾" or 18mm diameter</li> <li>• One roll is equivalent to 50 meters</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	1	roll
6	Cross cut saw	<ul style="list-style-type: none"> <li>• Blade material: Made of Carbon steel</li> <li>• Blade Length: 18 inches long</li> <li>• No. of Teeth per inch: 3 1/2 teeth per inch</li> <li>• Handle: Made of hard wood</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs
7	Combination spanner, 8mm to 24mm	<ul style="list-style-type: none"> <li>• Material: 45# Steel</li> <li>• Size: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22, 24 mm</li> <li>• With 14 pcs different sizes of open and ring end spanners.</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	2	sets

For  
20  
Done



## ANNEX D9

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
8	Phillips Screw Driver	<ul style="list-style-type: none"> <li>• 1x75, PH 2 x 100, PH 2x125</li> <li>• Material: chrome vanadium</li> <li>• With plastic and rubberized handle</li> <li>• shank: 4"</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	15	pcs
9	Flat Screw Driver	<ul style="list-style-type: none"> <li>• Sizes: 3x75, 5x100, 6x125</li> <li>• Material: Chrome vanadium</li> <li>• Handle: Rubberized plastic</li> <li>• shank 4"</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	15	pcs
10	Scraper	<ul style="list-style-type: none"> <li>• Stainless Steel Blade</li> <li>• Plastic Handle</li> <li>• Blade measures 5 7/8 x 3-inches</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	25	pcs
11	Putty Knife	<ul style="list-style-type: none"> <li>• Polished Steel Blade</li> <li>• Plastic Handle</li> <li>• Blade width: 101.6 mm(4")</li> <li>• Full Tang Blade</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	25	pcs
12	Calculator	<ul style="list-style-type: none"> <li>• 8-digit Handy and pocket size calculator</li> <li>• Power: 1 AA Battery</li> <li>• With 3 Memory keys</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	25	pcs
13	Paint roller (7")	<ul style="list-style-type: none"> <li>• Paint Roller size: 7"</li> <li>• Material: Pure polyester</li> <li>• With handle</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	25	pcs
14	Pull Push Rule	<ul style="list-style-type: none"> <li>• Blade length 8m/26ft</li> <li>• Blade width 1"</li> <li>• High impact ABS case with durable rubber</li> <li>• Corrosion resistant tru-zero end</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	10	pcs

H  
 M  
 9/26

## ANNEX D9

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
15	Base Jack	<ul style="list-style-type: none"> <li>• Length: 400 mm</li> <li>• Diameter: 30mm</li> <li>• One set: composed of four (4) base jacks</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	50	sets
16	Gloves, knitted	<ul style="list-style-type: none"> <li>• Knitted cotton with rubber lining</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	25	pairs
17	Dust Masks/ Respirator	<ul style="list-style-type: none"> <li>• Function: Dustproof anti gas painting and organic vapor protection</li> <li>• Material: silicone</li> <li>• Clip-on breathing joint: remove quickly</li> <li>• The fastening system: 2 elastic rubber bands on the cotton and the headband on 4 points</li> <li>• Composed of the following:               <ul style="list-style-type: none"> <li>- 1 x 6200-7502 half mask</li> <li>- 2 x 6001CN Cartridge (Organic Vapor painting protection)</li> <li>- 2 x 501 filter containers</li> <li>- 2 x 5N11 Particulate Filter Cotton</li> </ul> </li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	25	pcs

*Handwritten signature*

## ANNEX D9

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
18	Safety Shoes	<ul style="list-style-type: none"> <li>• Material: Made of heavy duty materials</li> <li>- with steel toe cap</li> <li>- waterproof</li> <li>- anti static, and</li> <li>- heat resistant (up to 300 degree C/572 degree F)</li> <li>• Sizes: 40-42</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	25	pairs
19	Hard hat, yellow (for trainees)	<ul style="list-style-type: none"> <li>• Pyramex Safety SL Series Cap Style Hard Hat</li> <li>• 4-Point Snap Lock Suspension, Yellow</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	25	pcs
20	Belt/ Safety Harness	<ul style="list-style-type: none"> <li>• Belt : 45mm nylon belt</li> <li>• Max. weight capacity: 310 lbs.</li> <li>• Max. Arresting for CE: 600 lbs.</li> <li>• Max. Elongation: 21 ft. from anchor point</li> <li>• With two (2) anchor hook</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs
21	Safety Goggles	<ul style="list-style-type: none"> <li>• Wide vision, clear</li> <li>• PVC frame, PC lens, Elastic band</li> <li>• Maximum protection and comfort</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	25	pcs
22	Compressor	<ul style="list-style-type: none"> <li>• 220 v; 60 Hz, single Phase</li> <li>• Liters: 32-40 L</li> <li>• HP: 1/2</li> <li>• I / Min: 380</li> <li>• Kfg / Cm / PSI: 85 / 138</li> <li>• Dimension: L x D X H: 64 x 34 x 64</li> <li>• with complete accessories</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	2	units

*Handwritten signature/initials*

# ANNEX D9

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
23	Paint Mixer with hand drill	<ul style="list-style-type: none"> <li>• Continuous rating Input: 1,850W</li> <li>• Mixing blade diameter: 165mm (6-1/2")</li> <li>• No load speed (rpm): 850</li> <li>• Dimensions(L x W x H): 942mm x 87mm x 152mm (37" x 3-7/16" x 6")</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	2	units
24	Sander/Sanding Machine	<ul style="list-style-type: none"> <li>• 220VAC, 60 Hz.</li> <li>• Rated Power input: 250 watts</li> <li>• Sanding pad diameter: 125 mm</li> <li>• No-load speed: 7.500 - 12,000 rpm</li> <li>• Orbital stroke rate: 15,000 - 24,000 opm</li> <li>• Sanding sheet / disc attachment: Velcro-type fastening</li> <li>• Oscillating circuit diameter 2,5 mm</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	2	units
25	Scaffolds, H-frame	<p>This set will provide a complete set of platform up to 2.4m high and 2.4m x 0.78m. Including handrails one side and one end. Includes</p> <ul style="list-style-type: none"> <li>4 x Base Jacks 600mm</li> <li>2 x H Frames 2020x780mm</li> <li>2 x Cross Braces 2600mm</li> <li>3 x Steel Planks 220x2400mm</li> <li>3 x Handrail Posts</li> <li>2 x Handrails 2400mm</li> <li>2 x End Rails 780mm 1/2X 20 m hose coupling and fittings</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	20	sets

9th June 2016

# ANNEX D9

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
26	Pulley	<ul style="list-style-type: none"> <li>• Capacity: 2 tons</li> <li>• Diameter: 6"</li> <li>• Material: Steel</li> <li>• Type: double pulley</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	4	units
27	Ladder	<ul style="list-style-type: none"> <li>• Height: 6 Ft.</li> <li>• Maximum reach: 10 Ft.</li> <li>• Material: Aluminum</li> <li>• Load Capacity: 225 lbs.</li> <li>• With slip resistant steps</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs
28	GI Pipes	<ul style="list-style-type: none"> <li>• Size: 1-1/4" diameter x 6 meters long</li> <li>• Material: Galvanized Iron (GI)</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	20	pcs
29	Spray Gun	<ul style="list-style-type: none"> <li>• Cup capacity: 400 ml</li> <li>• Material: aluminum</li> <li>• Fluid tip diameter: 1.5 mm</li> <li>• Air inlet diameter: 1/4"</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	units
30	Swivel Clamp	<ul style="list-style-type: none"> <li>• Durable, lightweight aluminum construction</li> <li>• Fits 1-1/4" to 2" pipe</li> <li>• 330 lb. weight capacity</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	40	pcs

*Handwritten signature/initials*

**ANNEX D9**

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
31	Airless Spray	<ul style="list-style-type: none"> <li>• Handheld Airless Sprayer</li> <li>• Maximum working pressure: 14 MPA/ 2000psi</li> <li>• Battery Operated: 2- 20v Lithium Ion Battery with Charger</li> <li>• Maximum tip size (in): 0.016</li> <li>• Spray Tip: TC Pro 514</li> <li>• Cup: 32 oz Flexliner Cup</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	1	set

I hereby commit to comply and deliver all the above requirements in accordance with the : stated schedule.

\_\_\_\_\_  
Name of Company/Bidder

\_\_\_\_\_  
Signature over Printed Name of Authorized Representative

\_\_\_\_\_  
Date

*Handwritten signature/initials*

# Technical Specifications

Lot 10 : Plumbing NC II

APPROVED BUDGET FOR THE CONTRACT : Seven Hundred Six Thousand Five Hundred Sixty-Two Pesos and 13/100 (P706,562.13)

No.	Item	Specifications	Qty	Unit	Statement of Compliance	Make Brand / Model	Reference
1	10" Pipe Wrench	Kindly refer to the technical specifications attached as Annex D10.	5	pcs			
2	12" Pipe Wrench		5	pcs			
3	14" Pipe Wrench		5	pcs			
4	Pressure Gauge		5	pcs			
5	Pull Push Rule		25	pcs			
6	Hacksaw with Blade		25	pcs			
7	Spirit level		5	pcs			
8	Pipe Reamer		5	units			
9	Pipe Vise		5	units			
10	Pipe Cutter		5	pcs			
11	Ballpeen hammer		25	pcs			
12	Cold Chisel (Pointed 10" long)		25	pcs			
13	Cold Chisel (Pointed 12" long)		25	pcs			
14	Electricians Plier		5	pcs			
15	Plumb Bob		5	pcs			
16	Mechanical Plier		5	pcs			
17	Adjustable wrench (10")		6	pcs			
18	Adjustable wrench (12")		6	pcs			
19	Screwdriver, Flat		25	pcs			
20	Screwdriver, Philips		25	pcs			
21	Pipe Threader		2	units			
22	Fusion Machine		2	units			
23	Portable electric Drill		4	units			
24	Manual Test Pump		5	units			
25	Oxy- Acetylene welding machine w/ complete outfit		2	units			
26	Portable Grinder		2	units			
27	Portable Soldering Kit		5	sets			

*KV<sup>92</sup>  
18 June*

No.	Item	Specifications	Qty	Unit	Statement of Compliance	Make Brand / Model	Reference
28	Arc Welding machine	Kindly refer to the technical specifications attached as Annex D10.	1	unit			
29	Blow torch		5	units			
30	Cut-off Machine		1	unit			
31	Steel Square		5	pcs			
32	Claw hammer		5	pcs			
33	PPR Pipe Cutter		5	units			
34	Electric Test Pump		1	unit			
35	Water Meter		5	units			
36	Water Closet		1	unit			
37	Lavatory		2	units			
38	Kitchen Sink		1	unit			
39	Single point Water Heater		2	units			
40	Faucets		15	pcs			
41	Floor Drain		10	pcs			
42	Grease trap		10	pcs			
43	Hard hat, yellow (for trainees)		25	pcs			
44	Safety Goggles	25	pcs				

\* Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

I hereby commit to comply and deliver all the above requirements in accordance with the above schedule.

\_\_\_\_\_  
Name of Company/Bidder

\_\_\_\_\_  
Signature over Printed Name of Authorized Representative

\_\_\_\_\_  
Date

*KV*  
*BY*  
*SMC*



**ANNEX D10**

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
1	10" Pipe Wrench	<ul style="list-style-type: none"> <li>• Heavy-duty straight pipe wrench</li> <li>• Size: 10" (250 mm)</li> <li>• Material: Made of forged alloy steel</li> <li>• Pipe size capacity: 1/4"- 1" pipe diameter</li> <li>• with cast iron housing and I beam handle with full floating forged hook jaw</li> <li>• Compliance with US federal specifications GGG-W65IE, Type II, Class A.</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs
2	12" Pipe Wrench	<ul style="list-style-type: none"> <li>• Heavy-duty straight pipe wrench</li> <li>• Size: 12" (304.8 mm),</li> <li>• Material: Made forged alloy steel</li> <li>• Pipe Size capacity: 1/2" - 2" pipe diameter</li> <li>• with cast iron housing and I beam handle with full floating forged hook jaw</li> <li>• Compliance with US federal specifications GGG-W65IE, Type II, Class A.</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs

*Handwritten notes:*  
 7/1  
 2  
 Done

**ANNEX D10**

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
3	14" Pipe Wrench	<ul style="list-style-type: none"> <li>• Heavy-duty straight pipe wrench</li> <li>• Size: 14" (355.6 mm)</li> <li>• Material: Made of forged alloy steel</li> <li>• Pipe Size capacity: 1/2" - 2" pipe diameter</li> <li>• with cast iron housing and I beam handle with full floating forged hook jaw</li> <li>• Compliance with US federal specifications GGG-W65IE, Type II, Class A.</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs
4	Pressure Gauge	<ul style="list-style-type: none"> <li>• Case material: Stainless Steel</li> <li>• Diameter: 2 inches or 50 mm</li> <li>• Maximum pressure measurement: 300 psi</li> <li>• Connector size : 1/4 inch diameter</li> <li>• Best accuracy: +/- 16%</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs
5	Pull Push Rule	<ul style="list-style-type: none"> <li>• Blade length 8m/26ft</li> <li>• Blade width 1"</li> <li>• High impact ABS case with durable rubber</li> <li>• Corrosion resistant tru-zero end</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	25	pcs
6	Hacksaw with Blade	<ul style="list-style-type: none"> <li>• Adjustable aluminum alloy frame and handle</li> <li>• 304.8mm(12 inches) Bi- metal blade, 24 TPI</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	25	pcs
7	Spirit level	<ul style="list-style-type: none"> <li>• Length: 36" long</li> <li>• Material: Spring Steel</li> <li>• Handle: Made of Aluminum alloy</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs

*Handwritten signature/initials*

## ANNEX D10

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
8	Pipe Reamer	<ul style="list-style-type: none"> <li>• Ratchet type pipe reaper with steel handle</li> <li>• Capacity: 1/2"-2" spiral pipe reamer</li> <li>• Material: Made of hardened alloy steel cone</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	units
9	Pipe Vise	<ul style="list-style-type: none"> <li>• Capacity: 2 inches diameter pipe</li> <li>• Material: steel</li> <li>• With swivel base with dual locking nuts</li> <li>• 360 degrees of rotation.</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	units
10	Pipe Cutter	<ul style="list-style-type: none"> <li>• Maximum capacity: 1/8" - 2" pipe</li> <li>• Handle: Made of steel</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs.
11	Ballpeen hammer	<ul style="list-style-type: none"> <li>• Capacity: 12 oz. or 340g</li> <li>• Material: Forged steel (hardened and tempered)</li> <li>• Handle: Wood</li> <li>• Handle length: 10-1/2" or 268 mm</li> <li>• Overall length: 11-1/2" or 298 mm</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	25	pcs
12	Cold Chisel (Pointed 10" long)	<ul style="list-style-type: none"> <li>• Tempered Steel</li> <li>• Hexagonal type: 16 mm(5/8") x 254mm (10")</li> <li>• With Rubber Protection Handle</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	25	pcs
13	Cold Chisel (Pointed 12" long)	<ul style="list-style-type: none"> <li>• Material: Made of carbon steel and painted coating</li> <li>• Length: 12"</li> <li>• With durable plastic handle</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	25	pcs

*Handwritten:*  
 R  
 for  
 same

**ANNEX D10**

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
14	Electricians Plier	<ul style="list-style-type: none"> <li>• Material: Carbon steel</li> <li>• Handle finished: Plastic dipped</li> <li>• Overall length: 8 inches</li> <li>• Knife length: 5/8 inch</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs
15	Plumb Bob	<ul style="list-style-type: none"> <li>• Size: 8 oz.</li> <li>• Material: Solid brass and lacquer polished and rust resistant</li> <li>• With replaceable hardened steel tip</li> <li>• With string holder</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs
16	Mechanical Plier	<ul style="list-style-type: none"> <li>• Length: 8"</li> <li>• Material: Made of carbon steel, rust resistant chrome finished</li> <li>• Handle: Plastic dipped insulated handle</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs
17	Adjustable wrench (10")	<ul style="list-style-type: none"> <li>• Length: 10"</li> <li>• Material: Steel</li> <li>• Wrench type: Adjustable</li> <li>• Head type: Hex</li> <li>• Jaw capacity: 0-38mm</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	6	pcs
18	Adjustable wrench (12")	<ul style="list-style-type: none"> <li>• Length: 12"</li> <li>• Material: Steel</li> <li>• Wrench type: Adjustable</li> <li>• Head type: Hex</li> <li>• Jaw capacity: 0-43mm</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	6	pcs
19	Screwdriver, Flat	<ul style="list-style-type: none"> <li>• Length: 8"</li> <li>• Material: Made of Chrome vanadium</li> <li>• Handle: Plastic handle</li> <li>• Tip type: Flat and magnetic</li> <li>• Tip wide: 6.5 mm</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	25	pcs

*Handwritten notes:*  
 14  
 15  
 16  
 17  
 18  
 19

**ANNEX D10**

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
20	Screwdriver, Philips	<ul style="list-style-type: none"> <li>• Length: 8"</li> <li>• Material: Made of Chrome vanadium</li> <li>• Handle: Plastic handle</li> <li>• Tip type: cross and magnetic</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	25	pcs
21	Pipe Threader	<ul style="list-style-type: none"> <li>• 220VAC, 60 Hz.</li> <li>• Threading Machine type: Rigid</li> <li>• Motor: 750W Single Phase</li> <li>• Capacity: 1/2"-2"</li> <li>• Rotation Speed: 28 rpm</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	2	units
22	Fusion Machine	<ul style="list-style-type: none"> <li>• 220VAC, 60 Hz.</li> <li>• Electrothermal Power: 1,200 watts</li> <li>• Accessories Diameter: 20mm, 25 mm, and 32mm diameter PPR pipe</li> <li>• With dual heating element</li> <li>• Equipped with thermostat</li> <li>• Can withstand heat up to 300 degrees celsius</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	2	units

*Handwritten signature*

**ANNEX D10**

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
23	Portable electric Drill	<ul style="list-style-type: none"> <li>• 220 V, 60 hz.</li> <li>• Rated input power: 800 watts</li> <li>• Rated speed: 740 rpm</li> <li>• Rated Torque: 5.2 Nm</li> <li>• chuck capacity Min./Max: 1.5 - 13 mm</li> <li>• No load Capacity: 0-3,000 rpm</li> <li>• Impact rate at no load speed:0-48,000 bmp</li> <li>• With the following drilling diameters:                             <ul style="list-style-type: none"> <li>- Masonry: 22 mm</li> <li>- Concrete: 16/20 mm</li> <li>- Steel: 8/13 mm</li> <li>- Wood: 25/40 mm</li> </ul> </li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	4	units
24	Manual Test Pump	<ul style="list-style-type: none"> <li>• Manual Hand Pressure Pipe Test Pump</li> <li>• Tank Material: Made of steel</li> <li>• Max. pressure capacity: 400 psi</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	units

*PK or per Dave*

**ANNEX D10**

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
25	Oxy-Acetylene welding machine w/ complete outfit	<ul style="list-style-type: none"> <li>• Capacity: cuts up to 15 mm, welds up to 5 mm</li> <li>• with complete accessories:                             <ul style="list-style-type: none"> <li>- torch handle, equal pressure cutting attachment for acetylene and alternative fuels</li> <li>- mixer,</li> <li>- 3 pcs. welding nozzles (No. 3, 5, 7)</li> <li>- cutting tips</li> <li>- single stage cylinder regulator for oxygen and acetylene regulator</li> <li>- safety goggle,</li> <li>- igniter and flints,</li> <li>- 10 way tank wrench,</li> <li>- twin hose: 15ft x 1/4 c/w fittings,</li> <li>- brass handle with large flow capacity for heavy duty applications,</li> </ul> </li> <li>• Oxygen cylinder with content and LPG cylinder with content</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	2	units
26	Portable Grinder	<ul style="list-style-type: none"> <li>• 220 V, 60 Hz.</li> <li>• Rated input power: 900 watts</li> <li>• Power output: 450 watts</li> <li>• Disc diameter: 100 mm</li> <li>• No load speed: 2,800 - 11,000 rpm</li> <li>• With lockable switch</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	2	units

NY  
 9/24/20  
 Done

**ANNEX D10**

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
27	Portable Soldering Kit	<ul style="list-style-type: none"> <li>• 220 VAC, 60 Hz.</li> <li>• Power: 60W</li> <li>• Heat capacity: 200°C-450°C</li> <li>• Includes the following:                             <ul style="list-style-type: none"> <li>- soldering Iron</li> <li>- desoldering pump,</li> <li>- 5 soldering iron tips,</li> <li>- tin wire tube</li> <li>- soldering iron stand</li> <li>- tweezers</li> <li>- Cleaning Sponge</li> <li>- wire stripper cutter</li> <li>- 2 electronic wire</li> </ul> </li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	sets
28	Arc Welding machine	<ul style="list-style-type: none"> <li>• HeavyDuty Frame and Industrial Type</li> <li>• With Arc force knob control, Digital Amp Meter</li> <li>• With DC inverter technology</li> <li>• AC220V, 50/60Hz</li> <li>• Force Range: 0-100 amp</li> <li>• Duty Cycle at Max Amp : 60%</li> <li>• Insulation Grade : F</li> <li>• No-load Voltage : 59V</li> <li>• output Current: 20-300 amp</li> <li>• Power Factor: 0.73</li> <li>• Includes: Electrode Holder &amp; Ground Clamp</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	1	unit

*Ry*

*9/11/20*  
*9/11/20*



**ANNEX D10**

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
29	Blow torch	<ul style="list-style-type: none"> <li>• Material: brass/ steel</li> <li>• Size: 120mm / 4.72</li> <li>• With high temperature pressure regulated flame.</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	units
30	Cut-off Machine	<ul style="list-style-type: none"> <li>• 220 VAC, 60 Hz.</li> <li>• Blade diameter: 14"</li> <li>• No load speed: 3,800 rpm</li> <li>• Max. cutting capacity (90 degrees): 5"</li> <li>• Arbor: 1"</li> <li>• with lock-off switch</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	1	unit
31	Steel Square	<ul style="list-style-type: none"> <li>• Size: 16" x 24"</li> <li>• Material: Higher quality 1cr13 hardened steel</li> <li>• Graduation: In Inches and Centimeters</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs
32	Claw hammer	<ul style="list-style-type: none"> <li>• 453.6 grams (16 oz.)</li> <li>• Forged steel</li> <li>• Hardened and tempered steel head</li> <li>• Smooth face</li> <li>• Fiberglass handle with rubber cushion</li> <li>• Overall length: 12"-14"</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs
33	PPR Pipe Cutter	<ul style="list-style-type: none"> <li>• Type: Manual PPR Pipe cutter</li> <li>• Pipe capacity : 20mm - 32mm</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	units

*Handwritten notes:*  
 for  
 Done  
 NK

**ANNEX D10**

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
34	Electric Test Pump	<ul style="list-style-type: none"> <li>• 220 VAC, 60 Hz.</li> <li>• Power: 150 watts</li> <li>• Working Pressure: 25Kg./2.5 Mpa</li> <li>• Flow: 180 liters/hour</li> <li>• Water Tank Volume: 7.4 liters</li> <li>• Dimension (mm): 369 x 220 x 130</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	1	unit
35	Water Meter	<ul style="list-style-type: none"> <li>• Capacity: 20 gpm with 1/2" NPT</li> <li>• Type: Multi jet plastic meter</li> <li>• Body material: Brass</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	units
36	Water Closet	<ul style="list-style-type: none"> <li>• Flash type</li> <li>• Dimension (mm): 684(L) x 430 (W) x 787 (H)</li> <li>• Material: Ceramic</li> <li>• Flash volume: 6 liters</li> <li>• Flushing elevation: front lever; Rough-in: 305mm</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	1	unit
37	Lavatory	<ul style="list-style-type: none"> <li>• Type: Wall hung with center hole, with mixing hot and cold faucet</li> <li>• Material: Ceramic</li> <li>• With 4-inch center faucet, front overflow, self-draining deck area and with contoured back</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	2	units
38	Kitchen Sink	<ul style="list-style-type: none"> <li>• Dimension (mm): 740 x 515 x 162</li> <li>• Material: Stainless steel (grade 304)</li> <li>• With outlet hole</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	1	unit

*Handwritten signature*

**ANNEX D10**

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
39	Single point Water Heater	<ul style="list-style-type: none"> <li>• 220 v, 60 hz.</li> <li>• Power: 4.5 Kw</li> <li>• Min. pressure: 2 psi</li> <li>• Max. water pressure: 5 psi</li> <li>• Min. waterflow rate: 2 liters per minute</li> <li>• with 1/2" BSP</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	2	units
40	Faucets	<ul style="list-style-type: none"> <li>• Length: 6"</li> <li>• Diameter: 1/2"</li> <li>• Material: stainless</li> <li>• Type: Wall mounted</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	15	pcs
41	Floor Drain	<ul style="list-style-type: none"> <li>• Dimension: 4" (L) x 4" (W)</li> <li>• Material: stainless</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	10	pcs
42	Grease trap	<ul style="list-style-type: none"> <li>• Capacity: 5 gpm</li> <li>• Dimension: 14" (L) x 10" (W) x 10" (H)</li> <li>• Material: stainless</li> <li>• Waste water Inlet diameter: 2"</li> <li>• Water Outlet diameter: 2"</li> <li>• Grease Outlet diameter: 0.60"</li> <li>• With kitchen waste basket</li> <li>• With filtered water chamber</li> <li>• With baffle plate that separates the grease and filtered water</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	10	pcs
43	Hard hat, yellow (for trainees)	<ul style="list-style-type: none"> <li>• Pyramex Safety SL Series Cap Style Hard Hat</li> <li>• 4-Point Snap Lock Suspension, Yellow</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	25	pcs

*Handwritten signature*

**ANNEX D10**

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
44	Safety Goggles	<ul style="list-style-type: none"> <li>• Wide vision, clear</li> <li>• PVC frame, PC lens, Elastic band</li> <li>• Maximum protection and comfort</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	25	pcs

I hereby commit to comply and deliver all the above requirements in accordance with the stated schedule.

Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date
------------------------	--	------

*Handwritten signature*

# Technical Specifications

Lot 11 : Electrical Installation and Maintenance NC II

APPROVED BUDGET FOR THE CONTRACT : One Million Six Hundred Nine Thousand Six Hundred Seventy-Five Pesos and 30/100 (P1,609,675.30)

No.	Item	Specifications	Qty	Unit	Statement of Compliance	Make Brand / Model	Reference
1	Spirit level	Kindly refer to the technical specifications attached as Annex D11.	5	pcs			
2	Hacksaw w/ Blade		5	pcs			
3	Pipe Cutter		5	pcs			
4	Plumb Bob		5	pcs			
5	Pipe Reamer		5	units			
6	Pipe Threader		5	units			
7	Pipe Bender		5	units			
8	Bolt Cutter		5	units			
9	Jack hammer Set		5	sets			
10	Electricians Plier		25	pcs			
11	Long-nose Pliers		25	sets			
12	Phillips Screw Driver		25	pcs			
13	Flat Screw Driver		25	pcs			
14	Box Wrench		5	sets			
15	Wire Splicer		5	pcs			
16	Wire Stripper		5	pcs			
17	Electrician Knife		5	pcs			
18	Tool Holster		10	pcs			
19	Pull Push Rule		5	pcs			
20	Claw Hammer		5	pcs			
21	Prick Punch		5	pcs			
22	Ballpeen hammer		5	pcs			
23	Heat Gun		5	units			
24	Heavy Duty Soldering Iron		5	units			
25	Flat file smooth		5	pcs			
26	Portable electric Drill		5	units			
27	Portable Grinder		5	units			
28	Power saw		2	units			
29	Multi Tester		5	units			

*Ky* <sup>92</sup>  
*ref* *some*

No.	Item	Specifications	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
30	Insulation Resistance Tester	Kindly refer to the technical specifications attached as Annex D11.	1	unit			
31	Clamp Ammeter		5	units			
32	Earth resistance tester		1	unit			
33	Pipe Vise		2	pcs			
34	Chisel		10	pcs			
35	Fire alarm system		1	unit			
36	Labelling Machine		1	unit			
37	Security Equipment Access control		1	unit			
38	CCTV		1	unit			
39	Safety Goggles		25	pcs			
40	Hard hat, yellow (for trainees)		25	pcs			
41	Safety Gloves		25	pcs			
42	Belt/ Safety Harness		5	pcs			

\* Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

I hereby commit to comply and deliver all the above requirements in accordance with the above schedule.

\_\_\_\_\_  
Name of Company/Bidder

\_\_\_\_\_  
Signature over Printed Name of Authorized Representative

\_\_\_\_\_  
Date

*K  
As per*

**ANNEX D11**

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
1	Spirit level	<ul style="list-style-type: none"> <li>• Length: 36" long</li> <li>• Material: Spring Steel</li> <li>• Handle: Made of Aluminum alloy</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs
2	Hacksaw w/ Blade	<ul style="list-style-type: none"> <li>• Adjustable aluminum alloy frame and handle</li> <li>• 304.8mm(12 inches) Bi- metal blade, 24 TPI</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs
3	Pipe Cutter	<ul style="list-style-type: none"> <li>• Maximum capacity: 1/8" - 2" pipe</li> <li>• Handle: Made of steel</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs
4	Plumb Bob	<ul style="list-style-type: none"> <li>• Size: 8 oz.</li> <li>• Material: Solid brass and lacquer polished and rust resistant</li> <li>• With replaceable hardened steel tip</li> <li>• With string holder</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs
5	Pipe Reamer	<ul style="list-style-type: none"> <li>• Capacity: 1/8"-2"</li> <li>• Type: ratchet</li> <li>• With steel handle</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	units
6	Pipe Threader	<ul style="list-style-type: none"> <li>• rop head</li> <li>• 3 sets of head and dies,</li> <li>• sizes (1/2",3/4",1")</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	units
7	Pipe Bender	<ul style="list-style-type: none"> <li>• Manual</li> <li>• 1/2"-3/4" bending radius</li> <li>• Ductile high strength iron</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	units
8	Bolt Cutter	<ul style="list-style-type: none"> <li>• Steel Bolt Cutter</li> <li>• 24" Overall Length</li> <li>• 5/16" Hard Materials up to Brinnell 455/Rockwell C48</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	units

*Handwritten signature/initials*

**ANNEX D11**

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
9	Jack hammer Set	<ul style="list-style-type: none"> <li>Jack hammer for cement and stones</li> <li>voltage: 220vac 50/60hz</li> <li>Power: 1,500 watts</li> <li>With 40J Ball point tip chisel tip Extra Carbon brush OEM</li> <li>Motor capacity: 1,510 watts</li> <li>Uses standard type 30mm Hex Bit</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	sets
10	Electricians Plier	<ul style="list-style-type: none"> <li>Material: Carbon steel</li> <li>Handle finished: Plastic dipped</li> <li>Overall length: 8 inches</li> <li>Knife length: 5/8 inch</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	25	pcs
11	Long-nose Pliers	<ul style="list-style-type: none"> <li>Length: 8"</li> <li>Jaw Surface Serrated</li> <li>Jaw shape Straight,</li> <li>Material: High Carbon Steel</li> <li>With dyna grip handle</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	25	sets
12	Phillips Screw Driver	<ul style="list-style-type: none"> <li>1x75, PH 2 x 100, PH 2x125</li> <li>Material: chrome vanadium</li> <li>With plastic and rubberized handle</li> <li>shank: 4"</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	25	pcs
13	Flat Screw Driver	<ul style="list-style-type: none"> <li>Sizes: 3x75, 5x100, 6x125</li> <li>Material: Chrome vanadium</li> <li>Handle: Rubberized plastic</li> <li>shank 4"</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	25	pcs
14	Box Wrench	<ul style="list-style-type: none"> <li>Wrench sizes: 6mm, 8mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 19mm, 21mm, 22mm, 24 mm,</li> <li>Material: Chrome vanadium steel</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	sets

*Handwritten signature*



**ANNEX D11**

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
15	Wire Splicer	<ul style="list-style-type: none"> <li>• Torting and leveling cakes</li> <li>• up to 10 inches wide</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs
16	Wire Stripper	<ul style="list-style-type: none"> <li>• Automatic,</li> <li>• cap. 1.5mm to 3.5mm</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs
17	Electrician Knife	<ul style="list-style-type: none"> <li>• blade length 3",</li> <li>• taper ground cutlery single steel blade,</li> <li>• ergonomically designed slip resistant grip</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs
18	Tool Holster	<ul style="list-style-type: none"> <li>• Leather,</li> <li>• 3 pocket &amp; 4 Holes</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	10	pcs
19	Pull Push Rule	<ul style="list-style-type: none"> <li>• Blade length 8m/26ft</li> <li>• Blade width 1"</li> <li>• High impact ABS case with durable rubber</li> <li>• Corrosion resistant tru-zero end</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs
20	Claw Hammer	<ul style="list-style-type: none"> <li>• 453.6 grams (16 oz.)</li> <li>• Forged steel</li> <li>• Hardened and tempered steel head</li> <li>• Smooth face</li> <li>• Fiberglass handle with rubber cushion</li> <li>• Overall length: 12"-14"</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs
21	Prick Punch	<ul style="list-style-type: none"> <li>• Length: 4"</li> <li>• Tapered Point Diameter: 5/64"</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs

*Handwritten signature*

**ANNEX D11**

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
22	Ballpeen hammer	<ul style="list-style-type: none"> <li>• Capacity: 12 oz. or 340g</li> <li>• Material: Forged steel (hardened and tempered)</li> <li>• Handle: Wood</li> <li>• Handle length: 10-1/2" or 268 mm</li> <li>• Overall length: 11-1/2" or 298 mm</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs
23	Heat Gun	<ul style="list-style-type: none"> <li>• 220VAC,60 Hz.</li> <li>• 1600 watts</li> <li>• 12.5 amp. dual temperature</li> <li>• with different nozzle</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	units
24	Heavy Duty Soldering Iron	<ul style="list-style-type: none"> <li>• 220 VAC, 60 hz.</li> <li>• Max. temperature: Pp to 900° F</li> <li>• With variable power control dial: 5 - 40 watts</li> <li>• With quality and lightweight pencil iron</li> <li>• With cushioned foam grip</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	units
25	Flat file smooth	<ul style="list-style-type: none"> <li>• Size: 8"-12"</li> <li>• Tapered design</li> <li>• with double cut style</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs

*Handwritten signature*

**ANNEX D11**

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
26	Portable electric Drill	<ul style="list-style-type: none"> <li>• 220 V, 60 hz.</li> <li>• Rated input power: 800 watts</li> <li>• Rated speed: 740 rpm</li> <li>• Rated Torque: 5.2 Nm</li> <li>• chuck capacity Min./Max: 1.5 - 13 mm</li> <li>• No load Capacity: 0-3,000 rpm</li> <li>• Impact rate at no load speed:0-48,000 bmp</li> <li>• With the following drilling diameters:                             <ul style="list-style-type: none"> <li>- Masonry: 22 mm</li> <li>- Concrete: 16/20 mm</li> <li>- Steel: 8/13 mm</li> <li>- Wood: 25/40 mm</li> </ul> </li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	units
27	Portable Grinder	<ul style="list-style-type: none"> <li>• 220 V, 60 Hz.</li> <li>• Rated input power: 900 watts</li> <li>• Power output: 450 watts</li> <li>• Disc diameter: 100 mm</li> <li>• No load speed: 2,800 - 11,000 rpm</li> <li>• With lockable switch</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	units
28	Power saw	<ul style="list-style-type: none"> <li>• 220VAC, 60 Hz.</li> <li>• Powerful 3.4 amp, 4,600 SPM motor</li> <li>• Cuts wood and metal</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	2	units

*Handwritten signature/initials*

**ANNEX D11**

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
29	Multi Tester	<ul style="list-style-type: none"> <li>• Power: R6 (IEC) or UM-3(1.5V)×2 battery</li> <li>• Fuses: φ5.2×20mm (250V / 0.5A)</li> <li>• DCV: 0.1V (20kΩ / V); accuracy: ±5% of full scale</li> <li>• DCV: 0.25 / 2.5 / 10 / 50 (20kΩ / V) / 250/ 1000V(9kΩ / V); Accuracy: ±3% of full scale</li> <li>• DCV: ±5 / 25V (40kΩ / V); Accuracy: ±5% of full scale</li> <li>• ACV: 10 / 50 / 250 / 750V (9kΩ / V); Accuracy: ±4% of full scale</li> <li>• DCA: 50 μ / 2.5 m / 25 m / 0.25A ; Accuracy: ±5% of full scale</li> <li>• Resistance: 2k / 20k / 200k / 2MΩ (X1 / X10 / X100 / X1k); Accuracy: ±3% of arc</li> <li>• Resistance: 200MΩ (X100k); Accuracy: ±5% of arc</li> <li>• Load current: 0~150m / 15m / 1.5m / 150μ / 1.5μA</li> <li>• Capacitance: 10μF</li> <li>• dB: -10dB~+22dB (for 10VAC) ~ +62dB</li> <li>• DC high voltage: DC25kV (optional probe "HV-10T" is necessary)</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	units
30	Insulation Resistance Tester	<ul style="list-style-type: none"> <li>• Test Leads with Alligator Clips</li> <li>• 1 fluid_ounces</li> <li>• 500VDC</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	1	unit

*Handwritten signature*

**ANNEX D11**

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
31	Clamp Ammeter	<ul style="list-style-type: none"> <li>• Digital max. AC voltage measurement 600V, • max. AC current measurement 400Aac,</li> <li>• max. DC voltage measurement 600Vdc,</li> <li>• max. resistance measurement 400ohms,</li> <li>• battery type AAA,</li> <li>• clamp meter type</li> <li>• continuity current, frequency, resistance, voltage,</li> <li>• display type LCD</li> <li>• jaw capacity- busbars 10x34mm,</li> <li>• safety category voltage, 300V, 600V</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	units
32	Earth resistance tester	<ul style="list-style-type: none"> <li>• Test voltage combinations: 250V, 500V or 1000V</li> <li>• 1mA test current for megaohm range at rated voltage</li> <li>• 200mA test current for continuity range</li> <li>• Large, easy-to-read dual display with backlight</li> <li>• Includes test leads, alligator clip, hanging strap, hard carrying case and batteries</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	1	unit
33	Pipe Vise	<ul style="list-style-type: none"> <li>• Capacity: 2 inches diameter pipe</li> <li>• Material: steel</li> <li>• With swivel base with dual locking nuts</li> <li>• 360 degrees of rotation.</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	2	pcs

*Handwritten notes:*  
 1/2  
 1/2  
 1/2

**ANNEX D11**

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
34	Chisel	<ul style="list-style-type: none"> <li>• Material: Made of carbon steel and painted coating</li> <li>• Length: 10"</li> <li>• With durable plastic handle</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	10	pcs
35	Fire alarm system	<ul style="list-style-type: none"> <li>• Phone Alerts: Nest Protect sends you a message when there's a problem or the batteries run low.</li> <li>• Smoke and CO Locator: Nest Protect speaks up if there's smoke or CO and tells you where it is, so you know what to do.</li> <li>• Detects CO: Carbon monoxide is an invisible, poisonous gas.</li> <li>• Nest Protect tells you where it's hiding.</li> <li>• A Light in the Dark: Usually Nest Protect has its light turned off, but when you walk underneath it, Pathlight can light your way.</li> <li>• Fast Detection: Every second counts.</li> <li>• Split-Spectrum Sensor looks for both fast and slow burning fires.</li> <li>• Connect Nest Protect to Wi-Fi and it will send an alert to your phone if the alarm goes off or the batteries run low.</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	1	unit

*Handwritten notes:*  
 1/1  
 1/1  
 Done

**ANNEX D11**

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
36	Labelling Machine	<ul style="list-style-type: none"> <li>• Type: Handheld</li> <li>• Power: 6-pc of AAA battery</li> <li>• Keyboard type: Qwerty</li> <li>• No. of Symbols: 200 electrical and datacomm</li> <li>• Tape widths: 6mm; 9mm; 12mm</li> <li>• with case</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	1	unit
37	Security Equipment Access control	<p><b>Biometric FingerAccess Control:</b></p> <ul style="list-style-type: none"> <li>• Up to 500 Card Capacity</li> <li>• Up to 500 Fingerprint Capacity</li> <li>• Less than 1 second user recognition</li> <li>• Reads Fingerprint and/or Password and/or card</li> <li>• Password Capacity up to 8 groups</li> <li>• Integrated 125kHz RFID proximity reader</li> <li>• Small Rugged elegant design</li> <li>• Audio indications for acceptance and rejection of valid/invalid transactions</li> <li>• 3rd Party Electric Lock, Alarm, Door Sensor, Exit Button and Doorbell</li> <li>• Standard ID Card while MF card as optional feature</li> </ul> <p><b>Power Supply:</b></p> <ul style="list-style-type: none"> <li>• Input Voltage: AC 110-240V 50-60HZ</li> <li>• Output Voltage: DC 12V 3A</li> </ul> <p><b>Electric Lock:</b></p> <ul style="list-style-type: none"> <li>• Voltage: 12V DC</li> <li>• Current: 400mA</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	1	unit

*Handwritten notes:*  
 149  
 16  
 91  
 149

**ANNEX D11**

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
		<ul style="list-style-type: none"> <li>• Mode: NC (locked whilst power supply is operating), fail safe mode</li> <li>• Application: wood, iron doors</li> <li>• Faceplate dimensions: 130x32x9.3mm/5.12x1.26x0.37 inch</li> <li>• Main body dimensions: 170x40x22mm/6.69x1.57x0.87 inch</li> <li>• Pack includes: electric lock, installation diagrams</li> <li>• Construction: stainless steel</li> <li>• Holding force: 180KG</li> <li><b>RFID Key Fob (125 KHz):</b> <ul style="list-style-type: none"> <li>• Water resistant</li> <li>• Detecting distance: 3-10cm</li> <li>• Operation frequency: 125Khz</li> <li>• Each comes with Key ring included</li> <li>• Compatible with all RFID ID card reader to gain access</li> <li>• Each token pre-programmed with unique ID which is printed on it.</li> </ul> </li> <li><b>Exit Button:</b> <ul style="list-style-type: none"> <li>• No touch to open the door</li> <li>• Output Contact: NO\NC\COM</li> <li>• Mechanical Life: 500000 tests</li> <li>• Operating temp: -20°c to 55°c</li> <li>• Suitable Humidity: 0-95% (relative humidity)</li> <li>• Detection range: 0.1-10cm</li> <li>• LED Indicator:                             <ul style="list-style-type: none"> <li>• White LED indicator: Power OFF</li> </ul> </li> </ul> </li> </ul>						

*Handwritten notes:*  
 NY  
 Hg  
 Sme



**ANNEX D11**

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
		<ul style="list-style-type: none"> <li>• Blue LED indicator: Power ON (standby)</li> <li>• Red LED indicator: Power ON (sensation)</li> <li>• Working Voltage: DC 12V</li> <li>• Current: 3A</li> <li>• Temperature: -20°c~55°c</li> <li>• Times: 500,000</li> </ul>						
38	CCTV	<ul style="list-style-type: none"> <li>• 1080P Security Camera System</li> <li>• No. of camera: 8 pcs (1080P Indoor &amp; Outdoor)</li> <li>• With Safevant 8CH 5-in-1 DVR Home Security Camera System</li> <li>• Hard drive capacity: 2TB</li> <li>• Free App for Smartphone Remote Monitoring</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	1	unit
39	Safety Goggles	<ul style="list-style-type: none"> <li>• Wide vision, clear</li> <li>• PVC frame, PC lens, Elastic band</li> <li>• Maximum protection and comfort</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	25	pcs
40	Hard hat, yellow (for trainees)	<ul style="list-style-type: none"> <li>• Pyramex Safety SL Series Cap Style Hard Hat</li> <li>• 4-Point Snap Lock Suspension, Yellow</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	25	pcs
41	Safety Gloves	<ul style="list-style-type: none"> <li>• Voltage Capacity: 500V AC / 750V DC,</li> <li>• Length: 11 inch,</li> <li>• Cuff style: Straight,</li> <li>• Insulating Color: Black.</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	25	pcs

*For some*

**ANNEX D11**

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
42	Belt/ Safety Harness	<ul style="list-style-type: none"> <li>• Belt : 45mm nylon belt</li> <li>• Max. weight capacity: 310 lbs.</li> <li>• Max. Arresting for CE: 600 lbs.</li> <li>• Max. Elongation: 21 ft. from anchor point</li> <li>• With two (2) anchor hook</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs

I hereby commit to comply and deliver all the above requirements in accordance with the stated schedule.

\_\_\_\_\_  
Name of Company/Bidder

\_\_\_\_\_  
Signature over Printed Name of Authorized Representative

\_\_\_\_\_  
Date

*Handwritten notes:*  
 1st  
 2nd  
 3rd

# Technical Specifications

Lot 12

: Photo Voltaic (PV) Systems Installation NC II

APPROVED BUDGET  
FOR THE CONTRACT

: One Million Forty-Nine Thousand Two Hundred Seventy-Eight Pesos  
and 96/100 (P1,049,278.96)

No.	Item	Specifications	Qty	Unit	Statement of Compliance	Make Brand / Model	Reference
1	Spirit level	Kindly refer to the technical specifications attached as <b>Annex D12.</b>	5	pcs			
2	Hacksaw w/ Blade		5	pcs			
3	Lineman's Pliers		12	sets			
4	Long-nose Pliers		12	sets			
5	Diagonal Cutting Pliers		12	sets			
6	Screwdrivers		12	sets			
7	Combination spanner, 8mm to 24mm		12	sets			
8	Wire Stripper		12	pcs			
9	Precision Magnetic Compass		15	pcs			
10	Tool Holster		15	pcs			
11	Pull Push Rule		15	pcs			
12	Claw Hammer		5	pcs			
13	Cross Cut Saw		5	pcs			
14	DC Drill		5	units			
15	Multi Tester		15	units			
16	Clamp Ammeter		5	units			
17	Digital Hydrometer		10	units			
18	Battery Cell Tester		5	units			
19	PV Module		10	pcs			
20	Charging Controller		10	pcs			
21	Battery		12	pcs			
22	Battery Box		5	pcs			
23	Variable Power Supply		5	pcs			
24	Safety Goggles		25	pcs			
25	Hard hat, yellow (for trainees)		25	pcs			
26	Safety Gloves		25	pcs			
27	Belt/ Safety Harness		5	pcs			

*Ky<sup>91</sup>  
ky  
Jme*

No	Item	Specifications	Qty	Unit	Statement of Compliance	Make Brand / Model	Reference
28	Inverter (Full Sine)	Kindly refer to the technical specifications attached as Annex D12.	2	pcs			
29	Inverter (Modified)		2	pcs			
30	Oscilloscope		1	pc			

\* Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

I hereby commit to comply and deliver all the above requirements in accordance with the above schedule.

\_\_\_\_\_  
Name of Company/Bidder

\_\_\_\_\_  
Signature over Printed Name of Authorized Representative

\_\_\_\_\_  
Date

*Handwritten signature and initials*  
K<sup>91</sup>  
1/28/18  
Jone

**ANNEX D12**

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
1	Spirit level	<ul style="list-style-type: none"> <li>• Length: 36" long</li> <li>• Material: Spring Steel</li> <li>• Handle: Made of Aluminum alloy</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs
2	Hacksaw w/ Blade	<ul style="list-style-type: none"> <li>• Adjustable aluminum alloy frame and handle</li> <li>• 304.8mm(12 inches) Bi- metal blade, 24 TPI</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs
3	Lineman's Pliers	<ul style="list-style-type: none"> <li>• Dimensions: 10.8 x 3.3 x 0.8 inches</li> <li>• Weight: 0.31751 kg,</li> <li>• Material High Carbon Steel.</li> <li>• Handle dyna grip.</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	12	sets
4	Long-nose Pliers	<ul style="list-style-type: none"> <li>• Length: 8"</li> <li>• Jaw Surface Serrated</li> <li>• Jaw shape Straight,</li> <li>• Material: High Carbon Steel</li> <li>• With dyna grip handle</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	12	sets
5	Diagonal Cutting Pliers	<ul style="list-style-type: none"> <li>• Dimensions: 9.9 x 2.9 x 0.8 inches,</li> <li>• Material: High Carbon Steel</li> <li>• Handle dyna grip</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	12	sets
6	Screwdrivers	<ul style="list-style-type: none"> <li>• 1x75, PH 2 x 100, PH 2x125</li> <li>• plastic and rubberized handle chrome vanadium</li> <li>• shank 4"</li> <li>• 3x75, 5x100, 6x125</li> <li>• plastic and rubberized handle chrome vanadium</li> <li>• shank 4"</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	12	sets

*Handwritten signature/initials*

**ANNEX D12**

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
7	Combination spanner, 8mm to 24mm	<ul style="list-style-type: none"> <li>• Material: 45# Steel</li> <li>• Size: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22, 24 mm</li> <li>• With 14 pcs different sizes of open and ring end spanners.</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	12	sets
8	Wire Stripper	<ul style="list-style-type: none"> <li>• Automatic,</li> <li>• capacity : 1.5mm to 3.5mm</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	12	pcs
9	Precision Magnetic Compass	<ul style="list-style-type: none"> <li>• Size: 100mmx70mmx30mm,</li> <li>• Materials Zinc Alloy</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	15	pcs
10	Tool Holster	<ul style="list-style-type: none"> <li>• 9 Pocket Tool Pouch</li> <li>• Dimensions: 7" (L) x 4" (w) x 9.5" (h)</li> <li>• Materials Genuine Leather.</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	15	pcs
11	Pull Push Rule	<ul style="list-style-type: none"> <li>• Blade length 8m/26ft</li> <li>• Blade width 1"</li> <li>• High impact ABS case with durable rubber</li> <li>• Corrosion resistant tru-zero end</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	15	pcs
12	Claw Hammer	<ul style="list-style-type: none"> <li>• 453.6 grams (16 oz.)</li> <li>• Forged steel</li> <li>• Hardened and tempered steel head</li> <li>• Smooth face</li> <li>• Fiberglass handle with rubber cushion</li> <li>• Overall length: 12"-14"</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs

*Ref to*

# ANNEX D12

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
13	Cross Cut Saw	<ul style="list-style-type: none"> <li>• Blade material: Made of Carbon steel</li> <li>• Blade Length: 18 inches long</li> <li>• No. of Teeth per inch: 3 1/2 teeth per inch</li> <li>• Handle: Made of hard wood</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs
14	DC Drill	<ul style="list-style-type: none"> <li>• 12VDC</li> <li>• Rev/For</li> <li>• Battery Operated Lithium</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	units
15	Multi Tester	<ul style="list-style-type: none"> <li>• Power: R6 (IEC) or UM-3(1.5V)×2 battery</li> <li>• Fuses: <math>\phi 5.2 \times 20\text{mm}</math> (250V / 0.5A)</li> <li>• DCV: 0.1V (20k<math>\Omega</math> / V); accuracy: <math>\pm 5\%</math> of full scale</li> <li>• DCV: 0.25 / 2.5 / 10 / 50 (20k<math>\Omega</math> / V) / 250/ 1000V(9k<math>\Omega</math> / V); Accuracy: <math>\pm 3\%</math> of full scale</li> <li>• DCV: <math>\pm 5</math> / 25V (40k<math>\Omega</math> / V); Accuracy: <math>\pm 5\%</math> of full scale</li> <li>• ACV: 10 / 50 / 250 / 750V (9k<math>\Omega</math> / V); Accuracy: <math>\pm 4\%</math> of full scale</li> <li>• DCA: 50 <math>\mu</math> / 2.5 m / 25 m / 0.25A ; Accuracy: <math>\pm 5\%</math> of full scale</li> <li>• Resistance: 2k / 20k / 200k / 2M<math>\Omega</math> (X1 / X10 / X100 / X1k); Accuracy: <math>\pm 3\%</math> of arc</li> <li>• Resistance: 200M<math>\Omega</math> (X100k); Accuracy: <math>\pm 5\%</math> of arc</li> <li>• Load current: 0~150m / 15m / 1.5m / 150<math>\mu</math> / 1.5<math>\mu</math>A</li> <li>• Capacitance: 10<math>\mu</math>F</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	15	units

*Handwritten notes:*  
 N/A  
 Feb  
 Fine

**ANNEX D12**

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
		<ul style="list-style-type: none"> <li>• dB: -10dB~+22dB (for 10VAC) ~ +62dB</li> <li>• DC high voltage: DC25kV (optional probe "HV-10T" is necessary)</li> </ul>						
16	Clamp Ammeter	<ul style="list-style-type: none"> <li>• Digital max. AC voltage measurement: 600V,</li> <li>• max. AC current measurement: 400Aac,</li> <li>• max. DC voltage measurement 600Vdc,</li> <li>• max. resistance measurement: 400ohms,</li> <li>• battery type AAA,</li> <li>• clamp meter type, continuity current, frequency, resistance,</li> <li>• display type: LCD,</li> <li>• jaw capacity, busbars 10x34mm,</li> <li>• safety category voltage: 300V, 600V</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	units
17	Digital Hydrometer	<ul style="list-style-type: none"> <li>• Measurement Range: Density: 0.000 – 2.000 g/cm<sup>3</sup></li> <li>• Sample Temperature: 01 – 40 °C (321 – 104 °F)</li> <li>• Viscosity: 0 – 2,000 mPa. Accuracy: Density: 0.001 g/cm<sup>3</sup></li> <li>• Temperature: ±0.2 °C (±0.4 °F). Resolution: 0.0001 g/cm<sup>3</sup>.</li> <li>• Minimum Sample Volume: 2 mL.</li> <li>• Communication: IrDA Interface.</li> <li>• Display: Backlit LCD. Internal</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	10	units

*Handwritten signature*



**ANNEX D12**

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
		Storage: 1100 Results. • Operating Environment: 10 – 50 °C (-15 – 122 °F). • Power Requirements: (2) AAA Batteries. • Dimensions: 229 x 114 x 64 mm (9 x 4.5 x 2.5 in). • Weight: 360 g (2.7 oz). Sample Tube • Dimensions: 178 x 3.175 mm / 7 x 1/8 in. Diameter.						
18	Battery Cell Tester	• Size L x W x D 284mm x 173mm x 70mm, • 530mm cable (handle to end of clamps), • Heavy duty leads and clamps (125A test load), • Suitable for 1 x 12V battery per test, for 24-36V or larger simply split the battery bank. • Split down to 12V sections for test. Battery from 200 - 1000 cold cranking (CCA), Battery from approx 30 - 140Ah rating. Indicates extent of battery sulphation / battery condition., • Battery voltmeter. High voltage load test safety trip at 13V, Fast 10 second load tests (2 min wait between tests). Test 12V alternators and starter motors.	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	units

*Handwritten signature*

**ANNEX D12**

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
19	PV Module	<ul style="list-style-type: none"> <li>• Cell type Monocrystalline</li> <li>• Maximum power 200W</li> <li>• Optimum power voltage 18.2 Vmp</li> <li>• Optimum operating current 10.99 Imp, Open circuit voltage 22.0Voc</li> <li>• Short circuit current (Isc) 12.12A, Solar cell: 125mm x 125mm, Number of cell (pcs) 12 x 6, Size of module 1580 mmx 808mm x 35mm</li> <li>• Front glass thickness 3.2mm</li> <li>• Connection lead length approx 900 mm</li> <li>• Connection type MC4, Shading protection 3x diodes,</li> <li>• Max DC string voltage 1000V, Temperature range -40 to +85 °C, Tolerance wattage +/- 3%, cell efficiency &gt;16.80, • Surface maximum load capacity (Pa) 2400, Allowable hail load 23m/s, 7.53g,</li> <li>• Frame Anodized Aluminum Alloy,</li> <li>• Weight per piece 14.2kg,</li> <li>• Standard test conditions AM1.5, 1000W/m2, 25°C (+/-2°C).</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	10	pcs

*Handwritten notes:*  
 April 26  
 Done

**ANNEX D12**

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
20	Charging Controller	<ul style="list-style-type: none"> <li>• Design – MPPT; System nominal voltage – 12/24V DC</li> <li>• Automatically detected;</li> <li>• Maximum charge current – 30A</li> <li>• Battery voltage range – 8~32V;</li> <li>• Maximum PV input power: 390W for 12V DC system and 780W for 24V DC system</li> <li>• Maximum PV input voltage – 100V</li> <li>• Grounding – common negative;</li> <li>• Ultra-fast MPP tracking speed;</li> <li>• Tracking efficiency &gt; 99.5%</li> <li>• 2 USB ports provide power for DC USB powered devices</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	10	pcs
21	Battery	<ul style="list-style-type: none"> <li>• Deep-cycle lead-acid battery</li> <li>• 12 VDC</li> <li>• 200AH</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	12	pcs
22	Battery Box	<ul style="list-style-type: none"> <li>• Material: SS304,</li> <li>• Overall Dims (HxWxD - IN): 20.625 x 17.5 x 12.0</li> <li>• Inside Dims (HxWxD - IN): 16.090 x 16.25 x 10.25</li> <li>• Door Opening Dims (HxWxD - IN): 13.25 x 14.125</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs
23	Variable Power Supply	<ul style="list-style-type: none"> <li>• Output 5-30 VDC</li> <li>• 30 A</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs

*Handwritten notes:*  
 N  
 for  
 fine

**ANNEX D12**

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
24	Safety Goggles	<ul style="list-style-type: none"> <li>• Wide vision, clear</li> <li>• PVC frame, PC lens, Elastic band</li> <li>• Maximum protection and comfort</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	25	pcs
25	Hard hat, yellow (for trainees)	<ul style="list-style-type: none"> <li>• Pyramex Safety SL Series Cap Style Hard Hat</li> <li>• 4-Point Snap Lock Suspension, Yellow</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	25	pcs
26	Safety Gloves	<ul style="list-style-type: none"> <li>• Voltage Capacity: 500V AC / 750V DC,</li> <li>• Length: 11 inch,</li> <li>• Cuff style: Straight,</li> <li>• Insulating Color: Black.</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	25	pcs
27	Belt/ Safety Harness	<ul style="list-style-type: none"> <li>• Belt : 45mm nylon belt</li> <li>• Max. weight capacity: 310 lbs.</li> <li>• Max. Arresting for CE: 600 lbs.</li> <li>• Max. Elongation: 21 ft. from anchor point</li> <li>• With two (2) anchor hook</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs
28	Inverter (Full Sine)	<ul style="list-style-type: none"> <li>• Full Sine,</li> <li>• Color: Silver</li> <li>• Size: 205*55*55mm</li> <li>• DC input: 12V(DC10.5-16V)</li> <li>• AC Output Voltage: AC 220V</li> <li>• USB output: DC5V, max 3.1A</li> <li>• High temperature protection: 80-100°C</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	2	pcs
29	Inverter (Modified)	<ul style="list-style-type: none"> <li>• Modified, Color: Black</li> <li>• Material: aluminum alloy</li> <li>• Maximum output: 500W</li> <li>• Continuous output: 300W</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	2	pcs

*Handwritten notes:*  
 JFC  
 JFC  
 JFC

**ANNEX D12**

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
		<ul style="list-style-type: none"> <li>• Input voltage: DC 12V</li> <li>• Output voltage: AC 220V</li> <li>• Waveform: Modified sine wave</li> <li>• Output interface: US</li> <li>• Cooling fan: with</li> <li>• Protection function: over current, overload, overvoltage, high temperature, low pressure</li> </ul>						
30	Oscilloscope	<ul style="list-style-type: none"> <li>• DS-1200 vertical system: bandwidth 200 MHz,</li> <li>• Channel: CH1,CH2,</li> <li>• vertical resolution 8-bit,</li> <li>• vertical sensitivity: 2mV/div, 1-2-5 14 step,</li> <li>• simulation bandwidth: -3dB,</li> <li>• rising time: equal or less than 1.8ns,</li> <li>• input impedance 1Mohm +-2%, 20pF +-5%,</li> <li>• max safe input voltage: 400V (AC+DC peak) / frequency equal or less than 400hz (when input impedance is 1Mohm).</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	1	pc

**I hereby commit to comply and deliver all the above requirements in accordance with the stated schedule.**

**Name of Company/Bidder**
**Signature over Printed Name of Authorized Representative**
**Date**

*Handwritten initials and marks:*  
 NY  
 2/1  
 2/1  
 2/1

# Technical Specifications

Lot 13 : Small Engine Repair Servicing

APPROVED BUDGET FOR THE CONTRACT : Two Hundred Eleven Thousand Seven Hundred Twenty-Four Pesos and 17/100 (P211,724.17)

No	Item	Specifications	Qty	Unit	Statement of Compliance	Make Brand / Model	Reference
1	Impact Drive Tool	Kindly refer to the technical specifications attached as Annex D13.	10	sets			
2	Multi Tester		5	units			
3	Oiler		5	pcs			
4	Steel Brush		25	pcs			
5	Hacksaw w/ Blade		5	pcs			
6	Center Punch		10	pcs			
7	Cold Chisel		5	pcs			
8	Fly Wheel/ Magneto Puller		10	pcs			
9	Oil Seal Remover/ Installer		5	sets			
10	Piston Ring Compressor		5	pcs			
11	Valve Spring Compressor		5	pcs			
12	Clutch Assembly Remover		5	pcs			
13	Electricians Plier		5	pcs			
14	Diagonal Cutting Plier		5	pcs			
15	Mechanical Plier		5	pcs			
16	Vise Grippped Plier		5	pcs			
17	Feeler Gauge		5	sets			
18	Phillips Screw Driver		5	pcs			
19	Flat Screw Driver		5	pcs			
20	Ballpeen hammer		5	pcs			
21	Hammer, Brass/copper		5	pcs			
22	Hammer, Plastic		5	pcs			
23	Wrench, Sparkplug		5	pcs			
24	Wrench, Combination		5	sets			
25	Wrench, Socket		5	sets			
26	Wrench, T-type		10	sets			

*Ry 20  
18 June*

No.	Item	Specifications	Qty	Unit	Statement of Compliance	Make Brand / Model	Reference
27	Small Engine	Kindly refer to the technical specifications attached as Annex D13.	6	units			

\* Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

I hereby commit to comply and deliver all the above requirements in accordance with the above schedule.

\_\_\_\_\_  
**Name of Company/Bidder**                      **Signature over Printed Name of Authorized Representative**                      **Date**

*Ry or 18 June*

**ANNEX D13**

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
1	Impact Drive Tool	<ul style="list-style-type: none"> <li>• Series: Tang thru series</li> <li>• Handle: Injection Molded, Shock-proof Polymer (with end cap)</li> <li>• Blade Material: Chrome Vanadium Steel (Cr-V), anodized brown, magnetized tip</li> <li>• Blade type: Square bar</li> <li>• Include Blades with following sizes:                             <ul style="list-style-type: none"> <li>- 8mm x 36mm</li> <li>- 10mm x 36mm</li> <li>- 8mm x 80mm</li> <li>- PH 2mm x 36mm</li> <li>- PH 3mm x 36mm</li> <li>- PH 2mm x 80mm</li> </ul> </li> <li>• With storage case</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	10	sets
2	Multi Tester	<ul style="list-style-type: none"> <li>• Power: R6 (IEC) or UM-3(1.5V)×2 battery</li> <li>• Fuses: <math>\phi 5.2 \times 20\text{mm}</math> (250V / 0.5A)</li> <li>• DCV: 0.1V (20k<math>\Omega</math> / V); accuracy: <math>\pm 5\%</math> of full scale</li> <li>• DCV: 0.25 / 2.5 / 10 / 50 (20k<math>\Omega</math> / V) / 250 / 1000V(9k<math>\Omega</math> / V); Accuracy: <math>\pm 3\%</math> of full scale</li> <li>• DCV: <math>\pm 5</math> / 25V (40k<math>\Omega</math> / V); Accuracy: <math>\pm 5\%</math> of full scale</li> <li>• ACV: 10 / 50 / 250 / 750V (9k<math>\Omega</math> / V); Accuracy: <math>\pm 4\%</math> of full scale</li> <li>• DCA: 50 <math>\mu</math> / 2.5 m / 25 m / 0.25A ; Accuracy: <math>\pm 5\%</math> of full scale</li> <li>• Resistance: 2k / 20k / 200k / 2M<math>\Omega</math></li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	units

*RY*

*Page 26*



**ANNEX D13**

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
		(X1 / X10 / X100 / X1k); Accuracy: ±3% of arc Resistance: 200MΩ (X100k); Accuracy: ±5% of arc • Load current: 0~150m / 15m / 1.5m / 150μ / 1.5μA • Capacitance: 10μF • dB: -10dB~+22dB (for 10VAC) ~ +62dB • DC high voltage: DC25kV (optional probe "HV-10T" is necessary)						
3	Oiler	• Size: 500 ml capacity • Body Material: Made of iron • With Iron robust pump with zinc plated • With O-seal ring in the cover	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs
4	Steel Brush	• Size: 10"-12" long • Material: Steel • Handle: wooden	Visual Test and Functionality Test	Yes	N/A	If Applicable	25	pcs
5	Hacksaw w/ Blade	• Adjustable aluminum alloy frame and handle • 304.8mm(12 inches) Bi- metal blade, 24 TPI	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs
6	Center Punch	• Size: 5 x125 mm • Material: Steel	Visual Test and Functionality Test	Yes	N/A	If Applicable	10	pcs
7	Cold Chisel	• Size: 6" long and 1" wide • Blade type: Flat blade • Material: Made of ardened steel • Blade Width : 7/8 inch, Overall Length : 8 inches	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs

*Handwritten notes:*  
 NY  
 For  
 Done

**ANNEX D13**

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
8	Fly Wheel/ Magneto Puller	<ul style="list-style-type: none"> <li>• Material: Hardened steel</li> <li>• Internal thread dimension: MP30 x P1.50</li> <li>• Compatible models: GROM   Super Cub 50 (AA04)   Super Cub 110 / Cross Cub (JA10)   Monkey 125, etc.</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	10	pcs
9	Oil Seal Remover/ Installer	<ul style="list-style-type: none"> <li>• Material: Made of High quality metal</li> <li>• Length: 135 mm</li> <li>• Handle: Made of hard plastic</li> <li>• No. of pcs.: 4 pieces, with four (4) different Picks and Hooks</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	sets
10	Piston Ring Compressor	<ul style="list-style-type: none"> <li>• Capacity: 2-1/8" to 5" diameter</li> <li>• Height: 3"</li> <li>• Material: Spring Steel</li> <li>• self locking w/ L wrench steel</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs
11	Valve Spring Compressor	<ul style="list-style-type: none"> <li>• Material: Solid steel</li> <li>• Composed of the following: <ul style="list-style-type: none"> <li>- One (1) C-clamp: 160 mm x 190 mm</li> <li>- Five (5) Adapters: various diameters</li> <li>- Three (3) Extension Screws</li> <li>- One (1) Compression bar: 100 mm</li> </ul> </li> <li>• With storage case</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs

*RV  
for  
Sme*

**ANNEX D13**

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
12	Clutch Assembly Remover	<ul style="list-style-type: none"> <li>• Material: Steel</li> <li>• Composed of the following:               <ul style="list-style-type: none"> <li>- One (1) Closed Wrench (mm): 38 x 41</li> <li>- One (1) T-wrench (mm): 8</li> <li>- One (1) T-wrench (mm): 10</li> <li>- One (1) Y-tool</li> </ul> </li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs
13	Electricians Plier	<ul style="list-style-type: none"> <li>• Material: Carbon steel</li> <li>• Handle finished: Plastic dipped</li> <li>• Overall length: 8 inches</li> <li>• Knife length: 5/8 inch</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs
14	Diagonal Cutting Plier	<ul style="list-style-type: none"> <li>• Length: 6"</li> <li>• Material: Carbon steel</li> <li>• With Dyna Grip</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs
15	Mechanical Plier	<ul style="list-style-type: none"> <li>• Length: 8"</li> <li>• Material: Carbon steel</li> <li>• With rust resistant chrome finished</li> <li>• Handle: Plastic dipped insulated</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs
16	Vise Gripped Plier	<ul style="list-style-type: none"> <li>• Length: 8"</li> <li>• Material: Chrome vanadium (CRV)</li> <li>• With curved jaw and wire cutter</li> <li>• With Trigger for maximum locking</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs
17	Feeler Gauge	<ul style="list-style-type: none"> <li>• No. of feeler blades per set: 26</li> <li>• Material: stainless steel</li> <li>• Gauge graduation: Metric &amp; English</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	sets
18	Phillips Screw Driver	<ul style="list-style-type: none"> <li>• 1x75, PH 2 x 100, PH 2x125</li> <li>• Material: chrome vanadium</li> <li>• With plastic and rubberized handle</li> <li>• shank: 4"</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs

*Handwritten notes:*  
 2/1  
 2/2  
 Done

**ANNEX D13**

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
19	Flat Screw Driver	<ul style="list-style-type: none"> <li>• Sizes: 3x75, 5x100, 6x125</li> <li>• Material: Chrome vanadium</li> <li>• Handle: Rubberized plastic</li> <li>• shank 4"</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs
20	Ballpeen hammer	<ul style="list-style-type: none"> <li>• Capacity: 12 oz. or 340g</li> <li>• Material: Forged steel (hardened and tempered)</li> <li>• Handle: Wood</li> <li>• Handle length: 10-1/2" or 268 mm</li> <li>• Overall length: 11-1/2" or 298 mm</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs
21	Hammer, Brass/copper	<ul style="list-style-type: none"> <li>• Size: 1 lb. or 1/2 kg.</li> <li>• Material: Copper</li> <li>• Handle: wooden/plastic</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs
22	Hammer, Plastic	<ul style="list-style-type: none"> <li>• Size: 1 lb</li> <li>• Material: Hard plastic</li> <li>• Handle: Wood/Fiberglass</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs
23	Wrench, Sparkplug	<ul style="list-style-type: none"> <li>• Length: 63 mm</li> <li>• Outer diameter: 21.5 mm</li> <li>• Inner diameter (Hex): 16 mm</li> <li>• Insertion angle: 9.5 mm</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	pcs
24	Wrench, Combination	<ul style="list-style-type: none"> <li>• Wrench Sizes: 6mm, 8mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 19mm, 21mm, 22mm, 24 mm</li> <li>• Made of: chrome vanadium steel</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	sets
25	Wrench, Socket	<ul style="list-style-type: none"> <li>• Capacity: 8 - 32mm</li> <li>• Drive diameter: 1/2"</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	sets

*Handwritten notes:*  
 NY  
 1st  
 2nd  
 3rd

**ANNEX D13**

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
26	Wrench, T-type	<ul style="list-style-type: none"> <li>• Wrench sizes: 8, 10, 12, 14 mm</li> <li>• Material: Steel</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	10	sets
27	Small Engine	<ul style="list-style-type: none"> <li>• Type of engine: Diesel engine, Single piston, 4-stroke direct injection</li> <li>• Power: 12 HP</li> <li>• Speed: 3,600 rpm/1,800 rpm</li> <li>• Starting system: Recoil start</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	6	units

I hereby commit to comply and deliver all the above requirements in accordance with the :  
stated schedule.

\_\_\_\_\_  
Name of Company/Bidder

\_\_\_\_\_  
Signature over Printed Name of  
Authorized Representative

\_\_\_\_\_  
Date

*Handwritten signature*

# Technical Specifications

Lot 14 : Shielded Metal Arc Welding (SMAW) NC II

APPROVED BUDGET FOR THE CONTRACT : Four Hundred Sixty-Seven Thousand Eight Hundred Seventy-Six Pesos and 44/100 (P467,876.44)

No.	Item	Specifications	Qty	Unit	Statement of Compliance	Make Brand / Model	Reference
1	Chipping Hammer	Kindly refer to the technical specifications attached as Annex D14.	12	pcs			
2	Steel Brush		12	pc			
3	Ballpeen hammer		12	pcs.			
4	Plier/tong		12	pcs			
5	Flat Files		10	pcs			
6	Head shield/helmet		12	pcs			
7	Leather apron/jacket		12	sets			
8	Leather glove		12	sets			
9	Safety goggle		12	pcs			
10	Safety Shoes		12	pairs			
11	Oxy-acetylene goggles		2	pcs			
12	Try square		12	pcs			
13	Steel Square		12	pcs			
14	Files-half round		10	pcs			
15	Fillet gauge		2	pcs			
16	Arc Welding machine		8	units			
17	Portable Grinder		5	units			
18	Power hacksaw		1	unit			
19	Bench Vise		8	units			
20	Oxy- Acetylene welding machine w/ complete outfit		2	units			
21	Pedestal /bench grinding machine		1	unit			
22	Industrial fan		1	unit			

\* Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

I hereby commit to comply and deliver all the above requirements in accordance with the above schedule.

\_\_\_\_\_  
Name of Company/Bidder

\_\_\_\_\_  
Signature over Printed Name of Authorized Representative

\_\_\_\_\_  
Date

*K* <sup>22</sup>  
*18 June*

**ANNEX D14**

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
1	Chipping Hammer	<ul style="list-style-type: none"> <li>• Size: 500 grams</li> <li>• Material: Drop-forged carbon steel</li> <li>• With spring handle type</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	12	pcs
2	Steel Brush	<ul style="list-style-type: none"> <li>• Size: 10"-12" long</li> <li>• Material: Steel</li> <li>• Handle: wooden</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	12	pc
3	Ballpeen hammer	<ul style="list-style-type: none"> <li>• Capacity: 12 oz. or 340g</li> <li>• Material: Forged steel (hardened and tempered)</li> <li>• Handle: Wood</li> <li>• Handle length: 10-1/2" or 268 mm</li> <li>• Overall length: 11-1/2" or 298 mm</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	12	pcs.
4	Plier/tong	<ul style="list-style-type: none"> <li>• Size: 11" or 280mm long</li> <li>• Opening jaw: 95mm/3.74"</li> <li>• Handle length: 80mm/3.15"</li> <li>• Head length: 60mm/2.36"</li> <li>• Head width: 85mm/3.35"</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	12	pcs
5	Flat Files	<ul style="list-style-type: none"> <li>• Size: 12" long</li> <li>• Type: Flat and tapered</li> <li>• Material: Forged steel</li> <li>• With wooden handle</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	10	pcs

*Handwritten notes:*  
 RA  
 26  
 Done

**ANNEX D14**

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
6	Head shield/helmet	<ul style="list-style-type: none"> <li>• Welding Helmet, Auto-Darkening,( Premier series, black matte, extremely light weight less than lb, ergonomically efficient, great for beginners, impact &amp; fire resistant,</li> <li>• 5 point adjustable geared headband with sweatband mechanism,</li> <li>• 5.97 sqin 3.62" x 1.65", viewing area, DIN 9 to 13 variable shade selection tig operable to 15a, 2 optical arc sensors, 1/1/1/2 optical clarity rating, 1/16,000 per second switching speed.)</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	12	pcs
7	Leather apron/jacket	<ul style="list-style-type: none"> <li>• Leather Apron -Welding Jacket,</li> <li>• Size: XL (Extra Large,</li> <li>• Leather, Duty Side Split Cowhide Leather Chest &amp; Sleeves, Provides Superior Protection For Stick Welding,</li> <li>• Flame Retardant Cloth Back, Flip Collar Is Secured By Hook &amp; Loop As An Added Measure Of Spatter Protection.)</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	12	sets
8	Leather glove	<ul style="list-style-type: none"> <li>• Size: Long</li> <li>• Material: Leather gloves</li> <li>• Type: Gauntlet type</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	12	sets
9	Safety goggle	<ul style="list-style-type: none"> <li>• Wide vision, clear</li> <li>• PVC frame, PC lens, Elastic band</li> <li>• Maximum protection and comfort</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	12	pcs

*Handwritten notes:*  
 N/A  
 24  
 Fine



**ANNEX D14**

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
10	Safety Shoes	<ul style="list-style-type: none"> <li>• Material: Made of heavy duty materials</li> <li>- with steel toe cap</li> <li>- waterproof</li> <li>- anti static, and</li> <li>- heat resistant (up to 300 degree C/572 degree F)</li> <li>• Sizes: 40-42</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	12	pairs
11	Oxy-acetylene goggles	<ul style="list-style-type: none"> <li>• Welding Oxy-Acetylene Goggle</li> <li>• Size (Flip Front): 2" x 4-1/4" (Flip-up flexible green goggles)</li> <li>• Adjustable elastic bands</li> <li>• Replaceable lens and cover</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	2	pcs
12	Try square	<ul style="list-style-type: none"> <li>• Length: 12" long</li> <li>• Material: Spring Steel</li> <li>• Handle: Made of Aluminum alloy</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	12	pcs
13	Steel Square	<ul style="list-style-type: none"> <li>• Size: 8" x 12" (200mm x 300mm)</li> <li>• Material: Steel</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	12	pcs
14	Files-half round	<ul style="list-style-type: none"> <li>• Size: 12" long</li> <li>• Type: Half-round</li> <li>• Material: forged steel</li> <li>• With wooden handle</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	10	pcs
15	Fillet gauge	<ul style="list-style-type: none"> <li>• No. of fillet gauge per set: 7 Fillet gauges</li> <li>• With Metric and english Gauge</li> <li>Welding Inspection Test Ulnar</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	2	pcs

*9th*  
*File*

**ANNEX D14**

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
16	Arc Welding machine	<ul style="list-style-type: none"> <li>• HeavyDuty Frame and Industrial Type</li> <li>• With Arc force knob control, Digital Amp Meter</li> <li>• With DC inverter technology</li> <li>• AC220V, 50/60Hz</li> <li>• Force Range: 0-100 amp</li> <li>• Duty Cycle at Max Amp : 60%</li> <li>• Insulation Grade : F</li> <li>• No-load Voltage : 59V</li> <li>• Output Current: 20-300 amp</li> <li>• Power Factor: 0.73</li> <li>• Includes: Electrode Holder &amp; Ground Clamp</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	8	units
17	Portable Grinder	<ul style="list-style-type: none"> <li>• 220 V, 60 Hz.</li> <li>• Rated input power: 900 watts</li> <li>• Power output: 450 watts</li> <li>• Disc diameter: 100 mm</li> <li>• No load speed: 2,800 - 11,000 rpm</li> <li>• With lockable switch</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	5	units
18	Power hacksaw	<ul style="list-style-type: none"> <li>• 220 VAC, 60 Hz., single phase</li> <li>• Size: 14 inches, hydraulic</li> <li>• Motor: 1/3 Hp</li> <li>• Cutting capacity: 4.9 to 6.7 inches</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	1	unit

*9th*  
*9th*  
*9th*

**ANNEX D14**

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
19	Bench Vise	<ul style="list-style-type: none"> <li>• Bench Vise: Jaw Width 6 -Inch, Jaw Opening 6-Inch</li> <li>• Adjustable Workbench, 48" 1500 Lbs Hard wood top Work Bench, Heavy-Duty Steel Work Table</li> <li>Hardwood Workstation, Easy Assembly</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	8	units
20	Oxy-Acetylene welding machine w/ complete outfit	<ul style="list-style-type: none"> <li>• Capacity: cuts up to 15 mm, welds up to 5 mm</li> <li>• with complete accessories:                             <ul style="list-style-type: none"> <li>- torch handle, equal pressure cutting attachment for acetylene and alternative fuels</li> <li>- mixer,</li> <li>- 3 pcs. welding nozzles (No. 3, 5, 7)</li> <li>- cutting tips</li> <li>- single stage cylinder regulator for oxygen and acetylene regulator</li> <li>- safety goggle,</li> <li>- igniter and flints,</li> <li>- 10 way tank wrench,</li> <li>- twin hose: 15ft x 1/4 c/w fittings,</li> <li>- brass handle with large flow capacity for heavy duty applications,</li> </ul> </li> <li>• Oxygen cylinder with content and LPG cylinder with content</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	2	units

*Handwritten notes:*  
 9/21/2016  
 MS





**ANNEX D15**

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
1	PA system	<ul style="list-style-type: none"> <li>• 220 VAC 60 Hz.</li> <li>• Built-in 12-hour rechargeable battery</li> <li>• 40 Watts of class-D amplification</li> <li>• 8" Woofer and tweeter</li> <li>• Built-in 2-band equalizer</li> <li>• Built-in Bluetooth receiver</li> <li>• Stream from Smartphones, Tablets, PCs</li> <li>Auxiliary input for line sources</li> <li>• Compatible with ULM wireless microphones</li> <li>Built-in handle and rolling wheels</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	2	units
2	Smart TV	<ul style="list-style-type: none"> <li>• Size: 43"</li> <li>• Smart TV/ Android TV, HDMI ready, Ultra HD, Bluetooth, Wifi, Stereo sound</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	2	units
3	Laptop	<ul style="list-style-type: none"> <li>• Display: 14"</li> <li>• Resolution: 2116 x 1440 15 PPI</li> <li>• Maximum brightness: 300 units</li> <li>• Processor: AMD Ryzen™ 5 4600H</li> <li>• Graphics: AMD Radeon™ Graphics</li> <li>• Memory: 16 GB DDR4</li> <li>• Battery: Lithium polymer, capacity 56 Wh</li> <li>• Camera: 720p HD Recessed Camera</li> <li>• Video Recording / Video Chat</li> <li>• Audio: Speaker (2 W) x 2</li> <li>• Microphone x 4</li> <li>• Connectivity: Wi-Fi: IEEE</li> </ul>	Visual Test and Functionality Test	Yes	N/A	If Applicable	2	units

*Handwritten mark*

*Handwritten signature*

**ANNEX D15**

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Test Parameters	Warranty	Training	Manual	Qty	Unit
		802.11a/b/g/n/ac 2.4 GHz and 5 GHz; 2 x 2 MIMO WPA / WPA2 / WPA3 • Ports: USB 3.2 Gen 1 x 2 USB-C x 1 3.5 mm headset and microphone 2-in-1 jack x 1 HDMI x 1 • Storage: 512 GB PCIe NVMe SSD • With laptop bag (Backpack swift)						
4	Whiteboard	• Size: 4' x 4' x 3/4" • Material: Plywood with collapsible steel frame and stand	Visual Test and Functionality Test	Yes	N/A	If Applicable	2	units
5	Tablet Computer	• Display size: 10.1" 1280 x 800 IPS • Processor: QC SD429 2.0 GHZ Quad Core • Memory (RAM & ROM): LPDDR3 2GB + 16 GB • Camera: Front 2MP and Rear 5MP • Battery: 4859 mAh	Visual Test and Functionality Test	Yes	N/A	If Applicable	50	units
6	Fire Extinguisher	• Cylinder type • Chemical type: Multi-purpose ABC dry chemical, powder aluminum valve coated, and rechargeable • Capacity: 10lbs • With pressure gauge that allows for immediate pressure status check • With wall hanger • Meets requirements for underwriter laboratory (UJ)	Visual Test and Functionality Test	Yes	N/A	If Applicable	2	units

*Handwritten notes:*  
 M  
 2H  
 Sme

I hereby commit to comply and deliver all the above requirements in accordance with the stated schedule.

\_\_\_\_\_  
Name of Company/Bidder

\_\_\_\_\_  
Signature over Printed Name of  
Authorized Representative

\_\_\_\_\_  
Date

*PK  
to  
Sme*



## ***Section VIII. Checklist of Technical and Financial Documents***

# Checklist of Technical and Financial Documents

## I. TECHNICAL COMPONENT ENVELOPE

### *Class "A" Documents*

#### Legal Documents

- (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages);  
**or**
- (b) Registration certificate from Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document,  
**and**
- (c) Mayor's or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas;  
**and**
- (d) Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).

#### Technical Documents

- (e) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; **and**
- (f) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents  
**and**
- (g) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;  
**or**  
Original copy of Notarized Bid Securing Declaration; **and**
- (h) Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; **and**
- (i) Original duly signed Omnibus Sworn Statement (OSS);  
**and** if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

- (j) The Supplier's audited financial statements, showing, among others, the Supplier's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; **and**
- (k) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC);  
**or**  
A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

**Class "B" Documents**

- (l) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence (Annex I);  
**or**  
duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

Other documentary requirements under RA No. 9184 (as applicable)

- (m) *[For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos]* Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- (n) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

**II. FINANCIAL COMPONENT ENVELOPE**

- (a) Original of duly signed and accomplished Financial Bid Form; **and**
- (b) Original of duly signed and accomplished Price Schedule(s).

**STATEMENT OF (i) ONGOING CONTRACTS (ii) AWARDED BUT NOT YET STARTED CONTRACTS**

This is to certify that \_\_\_\_\_ (company) has the following ongoing and awarded but not yet started contracts:

<b>Contracting Party</b>	<b>Name of Contract</b>	<b>Date and Status of the Contract</b>	<b>Kind of Goods</b>	<b>Amount of Contract</b>	<b>Value of Outstanding Contracts</b>	<b>Date of Delivery</b>	<b>Purchase Order Number/s or Date of Contract/s</b>

\_\_\_\_\_  
Name and Signature of  
Authorized Representative

\_\_\_\_\_  
Date

**\*Instructions:**

- a) State all ongoing contracts including those awarded but not yet started (government and private contracts which may be similar or not similar to the project called for bidding) as of:
  - i. The day before the deadline of submission of bids.
- b) If there is no ongoing contract including awarded but not yet started as of the aforementioned period, state none or equivalent term.
- c) The total amount of the ongoing and awarded but not yet started contracts should be consistent with those used in the Net Financial Contracting Capacity (NFCC) in case an NFCC is submitted as an eligibility document.
- d) "Name of Contract". Indicate here the Nature/ Scope of the Contract for easier tracking of the entries/ representations

**STATEMENT OF SINGLE LARGEST COMPLETED CONTRACT SIMILAR TO THE CONTRACT TO BE BID**

*This is to certify that \_\_\_\_\_ (company) \_\_\_\_\_ has the following completed contracts within five (5) years prior to the date of submission and receipt of bids, a contract similar to the Project*

Contracting Party	Name of Contract	Date of the Contract	Kind of Goods	Amount of Contract	Date of Delivery	Please submit any of the following attachment: a. Copy of End User's Acceptance; <u>OR</u> b. Copy of Official Receipt/s; <u>OR</u> c. Copy of Sales Invoice with Collection Receipt/s

\_\_\_\_\_  
Name and Signature of  
Authorized Representative

\_\_\_\_\_  
Date

*\* Instructions:*

a) *Cut-off date as of:*

*(i) Up to the day before the deadline of submission of bids.*

b) *In the column under "Dates" indicate the dates of Delivery/ End-user's Acceptance and Official Receipt.*

c) *"Name of Contract". Indicate here the Nature/ Scope of the Contract for the Procuring Entity to determine the relevance of the entry with the Procurement at hand.*

## **Bid Securing Declaration Form**

*[shall be submitted with the Bid if bidder opts to provide this form of bid security]*

---

REPUBLIC OF THE PHILIPPINES)  
CITY OF \_\_\_\_\_) S.S.

### **BID SECURING DECLARATION** **Invitation to Bid: [Insert Reference number]**

To: *[Insert name and address of the Procuring Entity]*

I/We<sup>2</sup>, the undersigned, declare that:

1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
  - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
  - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
  - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this \_\_\_\_ day of *[month]* *[year]* at *[place of execution]*.

*[Insert NAME OF BIDDER OR ITS  
AUTHORIZED REPRESENTATIVE]  
[Insert signatory's legal capacity]  
Affiant*

#### **[Jurat]**

*[Format shall be based on the latest Rules on Notarial Practice]*

Pursuant to GPPB Resolution No. 16-2020 dated 16 September 2020

## Omnibus Sworn Statement (Revised)

[shall be submitted with the Bid]

---

REPUBLIC OF THE PHILIPPINES )  
CITY/MUNICIPALITY OF \_\_\_\_\_ ) S.S.

### AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. *[Select one, delete the other:]*

*[If a sole proprietorship:]* I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

*[If a partnership, corporation, cooperative, or joint venture:]* I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. *[Select one, delete the other:]*

*[If a sole proprietorship:]* As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

*[If a partnership, corporation, cooperative, or joint venture:]* I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable)];

3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, **by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;**

4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;

5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. *[Select one, delete the rest:]*

*[If a sole proprietorship:]* The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

*[If a partnership or cooperative:]* None of the officers and members of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

*[If a corporation or joint venture:]* None of the officers, directors, and controlling stockholders of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

7. *[Name of Bidder]* complies with existing labor laws and standards; and

8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:

- a. Carefully examining all of the Bidding Documents;
- b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
- c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
- d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the *[Name of the Project]*.

9. *[Name of Bidder]* did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.

10. **In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.**



**IN WITNESS WHEREOF**, I have hereunto set my hand this \_\_\_ day of \_\_\_, 20\_\_\_ at \_\_\_\_\_, Philippines.

*[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]*

*[Insert signatory's legal capacity]*

Affiant

**[Jurat]**

*[Format shall be based on the latest Rules on Notarial Practice]*

*The identification card shall be at least one of the acceptable proofs of identity as identified under the provisions of the 2014 Rules on Notarial Practice*

*"Sec. 12. Competent Evidence of Identity — The phrase "competent evidence of identity" refers to the identification of an individual based on:*

*At least one current identification document issued by an official agency bearing the photograph and signature of the individual such as but not limited to, passport, driver's license, Professional Regulations Commission ID, National Bureau of Investigation clearance, police clearance, postal ID, voter's ID, Barangay certification, Government Service and Insurance System (GSIS) e-card, Social Security System (SSS) card, Philhealth card, senior citizen card, Overseas Workers Welfare Administration (OWWA) ID, OFW ID, seaman's book, alien certificate of registration/immigrant certificate of registration, government office ID, certification from the National Council for the Welfare of Disabled Persons (NCWDP), Department of Social Welfare and Development (DSWD) certification;*

*The Board Resolution or Secretary's Certificate referring to the said Board Resolution designating the bidder's authorized representative and signatory need not specifically indicate the particular project where such authority is given provided that the said authority covers activities by TESDA.*

## JOINT VENTURE AGREEMENT

KNOW ALL MEN BY THESE PRESENTS:

This JOINT VENTURE AGREEMENT (hereinafter referred to as the "Agreement"), entered into this \_\_\_\_\_ day \_\_\_\_\_ of 20\_\_ at \_\_\_\_\_ City, Philippines by and among:

\_\_\_\_\_, a domestic corporation duly organized, registered and existing under and by virtue of the laws of the Republic of the Philippines, with office address at \_\_\_\_\_, represented by its \_\_\_\_\_, \_\_\_\_\_, hereinafter referred to as "\_\_\_\_\_";

- and -

\_\_\_\_\_, a domestic corporation duly organized, registered and existing under and by virtue of the laws of the Republic of the Philippines, with office address at \_\_\_\_\_, represented by its \_\_\_\_\_, \_\_\_\_\_, hereinafter referred to as "\_\_\_\_\_";

- and -

\_\_\_\_\_ a foreign corporation organized and existing under and by virtue of the laws of \_\_\_\_\_, represented by its \_\_\_\_\_, \_\_\_\_\_, hereinafter referred to as "\_\_\_\_\_";

(Henceforth collectively referred to as the "**Parties**")

**WITNESSETH: That**

**WHEREAS**, the Technical Education and Skills Development Authority (TESDA) has recently published an Invitation to Apply for Eligibility and to Bid for the Supply and Delivery of \_\_\_\_\_ for the \_\_\_\_\_;

**WHEREAS**, the parties have agreed to pool their resources together to form the "\_\_\_\_\_ Joint Venture", hereinafter referred to as the Joint Venture, under the laws of the Philippines, for the purpose of participating in the abovementioned procurement of TESDA-CO;

NOW, THEREFORE, for and in consideration of the foregoing premises and the covenants hereto set forth, the Parties have agreed as follows:

**ARTICLE I  
ORGANIZATION OF THE JOINT VENTURE**

SECTION 1. Formation — The Parties do hereby agree and bind themselves to establish, form and organize a Joint Venture pursuant to the laws of the Republic of the Philippines, in order for the JV to carry on the purposes and objectives for which it is created;

SECTION 2. Name — The name and style under which the JV shall be conducted is “ \_\_\_\_\_ ”;

SECTION 3. Principal Place of Business — The JV shall maintain its principal place of business at \_\_\_\_\_;

SECTION 4. Preparation and Documentation — The Parties shall secure and/or execute such certifications, documents, deeds and instruments as may be required by the laws of the Republic of the Philippines for the realization of the JV and in compliance with the Project. Further, they shall do all other acts and things requisite for the continuation of the JV pursuant to applicable laws;

SECTION 5. The Joint Venture shall be represented by the \_\_\_\_\_ in all biddings, related procurement transactions and other official dealings that it shall enter into with the TESDA-CO and third parties, such transactions to include, among others, the submission of eligibility documents, bids, registration documents obtaining bonds, performing the principal contract in the event that the contract is awarded in favor of the Joint Venture, receipt of payment for goods delivered, and similar and related activities.

SECTION 6. The period of the Joint Venture shall begin upon execution of this Agreement and shall continue until the complete performance of its contractual obligations to TESDA-CO, as described in Article II hereof, or upon its termination for material breach of any term or condition of this Agreement, by service of a written statement in English on the other Party, not less than 90 days prior to the intended date termination

**ARTICLE II  
PURPOSE**

SECTION 1. The primary purpose of the Joint Venture is to participate in the public bidding to be conducted by the TESDA-CO Bids and Awards Committee for the supply and delivery of \_\_\_\_\_ for the \_\_\_\_\_.

SECTION 2. If the above-described contract/s is/are awarded to the Joint Venture, the Joint Venture shall undertake the performance thereof to TESDA-CO, and such other incidental activities necessary for the completion of its contractual obligations.

**ARTICLE III  
SOLIDARY LIABILITY OF THE PARTIES**

SECTION 1. In the performance of the contract/s that may be awarded to the Joint Venture by the TESDA-CO, and all other related activities/obligations, as described in Article II hereof, - the Parties bind themselves jointly and solidarily, in the concept of solidarily debtors, subject to the right of reimbursement, as provided in the relevant provisions of the Civil Code of the Philippines.

**ARTICLE IV  
CONTRIBUTION AND OTHER ARRANGEMENTS**

SECTION 1. Contribution — The Parties shall contribute the amount of \_\_\_\_\_ (Php \_\_\_\_\_) to support the financial requirements of the Joint Venture, in the following proportion:

A.	-	P .00
B.	-	<u>P .00</u>
TOTAL		P .00

Additional contributions to the Joint Venture shall be made as may be required for contract implementation. In addition, shall contribute any labor and contract management requirements.

SECTION 2. Profit Sharing — The share of the Parties to the JV from any profit derived or obtained from the implementation and execution of the Project shall be distributed pro rata to each, in accordance with the contribution and resources each has provided to the JV;

SECTION 3. Liquidation and Distributions — Any sum remaining after deducting from the total of all moneys or benefits received for the performance of the contract, all costs incurred by the JV after award of the contract for the Project pursuant to the accounting practices established for the JV, shall be distributed in accordance with the relative balances in the accounts of each Party pursuant to Sec.1 of this Article upon completion, final accounting, termination and liquidation of the JV. In the event of liquidation and termination of JV, and after taking into account the shares of the Parties in all income, gain, deductions, expenses, and losses, should the account of a Party contain a negative balance, such Party shall contribute cash to the JV sufficient to restore the said balance to zero;

SECTION 4. Sharing of Burden of a Net Loss — In case a net loss is incurred, additional contributions shall be made by the Parties in accordance with their respective shares.

**ARTICLE V  
MISCELLANEOUS PROVISIONS**

SECTION 1. The provisions of the Instructions to Bidders, Supplemental Bid Bulletin, and other bidding documents issued by the TESDA-CO in relation to the contract described in Article II hereof, shall be deemed incorporated in this Agreement and made an integral part thereof.

SECTION 2. This Agreement shall be binding upon and inure to the benefit of the Parties and their respective-successors and assigns.

SECTION 3. The Parties herein are duly represented by their authorized officers.

SECTION 4. Governing Law - This Agreement shall be governed by and construed according to the laws of the Republic of the Philippines. Venue of any court action arising from this Agreement shall be exclusively laid before the proper court of the Philippines.

IN WITNESS WHEREOF, the parties have set their hands and affixed their signatures on the date and place first above-stated.

\_\_\_\_\_  
\_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_

Signed in the Presence of:

\_\_\_\_\_  
\_\_\_\_\_

ACKNOWLEDGMENT

REPUBLIC OF THE PHILIPPINES )  
CITY/MUNICIPALITY OF \_\_\_\_\_ ) S.S.  
PROVINCE OF (in the case of Municipality)

BEFORE ME, a Notary Public for and in the City/Municipality of \_\_\_\_\_ (indicate also the Province in the case of Municipality), this \_\_\_\_\_ day of \_\_\_\_\_ month & year) personally appeared the following:

Name ID Name, Number and Validity Date

Known to me and to me known to be the same persons who executed the foregoing instrument and they acknowledge to me that the same is their free and voluntary act and deed and that of the corporation(s) they represent.

This instrument refers to a Joint Venture Agreement consisting of \_\_\_\_\_ pages, including the page on which this Acknowledgement is written, and signed by the parties and their instrumental witnesses.

WITNESS MY HAND AND NOTARIAL SEAL on the place and on the date first above written.

**NAME OF NOTARY PUBLIC**

Serial No. of Commission \_\_\_\_\_  
Notary Public for \_\_\_\_\_ until \_\_\_\_\_  
Roll of Attorneys No. \_\_\_\_\_  
PTR No. \_\_\_\_\_ [ date issued], [place issued]  
IBP No. \_\_\_\_\_, [ date issued], [place issued]

Doc. No. \_\_\_\_\_  
Page No. \_\_\_\_\_  
Book No. \_\_\_\_\_  
Series of \_\_\_\_\_.

Note:

"Sec. 12. Competent Evidence of Identity — The phrase "competent evidence of identity" refers to the identification of an individual based on:

At least one current identification document issued by an official agency bearing the photograph and signature of the individual such as but not limited to, passport, driver's license, Professional Regulations Commission ID, National Bureau of Investigation clearance, police clearance, postal ID, voter's ID, Barangay certification, Government Service and Insurance System (GSIS) e-card, Social Security System (SSS) card, Philhealth card, senior citizen card, Overseas Workers Welfare Administration (OWWA) ID, OFW ID, seaman's book, alien certificate of registration/immigrant certificate of registration, government office ID, certification from the National Council for the Welfare of Disabled Persons (NCWDP), Department of Social Welfare and Development ID, OFW ID, seaman's book, alien certificate of registration/immigrant certificate of registration, government office ID, certification from the National Council for the Welfare of Disabled Persons (NCWDP), Department of Social Welfare and Development (DSWD) certification

**Bid Form for the Procurement of Goods**  
*[shall be submitted with the Bid]*

---

**BID FORM**

Date : \_\_\_\_\_

Project Identification No. : \_\_\_\_\_

To: *[name and address of Procuring Entity]*

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers *[insert numbers]*, the receipt of which is hereby duly acknowledged, we, the undersigned, declare that:

- a. We have no reservation to the PBDs, including the Supplemental or Bid Bulletins, for the Procurement Project: *[insert name of contract]*;
- b. We offer to execute the Works for this Contract in accordance with the PBDs;
- c. The total price of our Bid in words and figures, excluding any discounts offered below is: *[insert information]*;
- d. The discounts offered and the methodology for their application are: *[insert information]*;
- e. The total bid price includes the cost of all taxes, such as, but not limited to: *[specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties]*, which are itemized herein and reflected in the detailed estimates,
- f. Our Bid shall be valid within the a period stated in the PBDs, and it shall remain binding upon us at any time before the expiration of that period;
- g. If our Bid is accepted, we commit to obtain a Performance Security in the amount of *[insert percentage amount]* percent of the Contract Price for the due performance of the Contract, or a Performance Securing Declaration in lieu of the the allowable forms of Performance Security, subject to the terms and conditions of issued GPPB guidelines<sup>2</sup> for this purpose;
- h. We are not participating, as Bidders, in more than one Bid in this bidding process, other than alternative offers in accordance with the Bidding Documents;
- i. We understand that this Bid, together with your written acceptance thereof included in your notification of award, shall constitute a binding contract between us, until a formal Contract is prepared and executed; and

---

<sup>2</sup> currently based on GPPB Resolution No. 09-2020

- j. We understand that you are not bound to accept the Lowest Calculated Bid or any other Bid that you may receive.
- k. We likewise certify/confirm that the undersigned, is the duly authorized representative of the bidder, and granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for the [Name of Project] of the [Name of the Procuring Entity].
- l. We acknowledge that failure to sign each and every page of this Bid Form, including the Bill of Quantities, shall be a ground for the rejection of our bid.

Name: \_\_\_\_\_  
Legal Capacity: \_\_\_\_\_  
Signature: \_\_\_\_\_  
Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_  
Date: \_\_\_\_\_



**Price Schedule for Goods Offered from Within the Philippines**  
*[shall be submitted with the Bid if bidder is offering goods from within the Philippines]*

**For Goods Offered from Within the Philippines**

Name of Bidder \_\_\_\_\_ Project ID No. \_\_\_\_\_ Page  
 of \_\_\_\_\_

1	2	3	4	5	6	7	8	9	10
Item	Description	Country of origin	Quantity	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit  (col 5+6+7+8)	Total Price delivered Final Destination  (col 9) x (col 4)

Name: \_\_\_\_\_

Legal Capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

**Price Schedule for Goods Offered from Abroad**  
*[shall be submitted with the Bid if bidder is offering goods from Abroad]*

**For Goods Offered from Abroad**

Name of Bidder \_\_\_\_\_ Project ID No. \_\_\_\_\_ Page \_\_\_\_\_  
of \_\_\_\_\_

1	2	3	4	5	6	7	8	9
Item	Description	Country of origin	Quantity	Unit price CIF port of entry (specify port) or CIP named place (specify border point or place of destination)	Total CIF or CIP price per item (col. 4 x 5)	Unit Price Delivered Duty Unpaid (DDU)	Unit price Delivered Duty Paid (DDP)	Total Price delivered DDP (col 4 x 8)

Name: \_\_\_\_\_

Legal Capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

## Performance Securing Declaration (Revised)

*[if used as an alternative performance security but it is not required to be submitted with the Bid, as it shall be submitted within ten (10) days after receiving the Notice of Award]*

---

REPUBLIC OF THE PHILIPPINES)  
CITY OF \_\_\_\_\_ ) S.S.

### PERFORMANCE SECURING DECLARATION

Invitation to Bid: [Insert Reference Number indicated in the Bidding Documents]

To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, to guarantee the faithful performance by the supplier/distributor/manufacturer/contractor/consultant of its obligations under the Contract, I/we shall submit a Performance Securing Declaration within a maximum period of ten (10) calendar days from the receipt of the Notice of Award prior to the signing of the Contract.
2. I/We accept that: I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of one (1) year for the first offense, or two (2) years **for the second offense**, upon receipt of your Blacklisting Order if I/We have violated my/our obligations under the Contract;
3. I/We understand that this Performance Securing Declaration shall cease to be valid upon:
  - a. issuance by the Procuring Entity of the Certificate of Final Acceptance, subject to the following conditions:
    - i. Procuring Entity has no claims filed against the contract awardee;
    - ii. It has no claims for labor and materials filed against the contractor; and
    - iii. Other terms of the contract; or
  - b. replacement by the winning bidder of the submitted PSD with a performance security in any of the prescribed forms under Section 39.2 of the 2016 revised IRR of RA No. 9184 as required by the end-user.

**IN WITNESS WHEREOF**, I/We have hereunto set my/our hand/s this \_\_\_\_ day of [month] [year] at [place of execution].

*[Insert NAME OF BIDDER OR ITS  
AUTHORIZED REPRESENTATIVE]  
[Insert signatory's legal capacity]  
Affiant*

**[Jurat]**

*[Format shall be based on the latest Rules on Notarial Practice]*

Republic of the Philippines



Government Procurement Policy Board