

Technical Specifications

Lot 10 : Photography and Videography Equipment

APPROVED BUDGET : Forty-Six Million Ninety Thousand Six Hundred Sixty-
FOR THE CONTRACT : One Pesos (P46,090,661.00)

Item Code	Item Name	Agency Specification	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
10-001	12 Channel Digital Video Switcher	Kindly refer to the technical specifications attached as Annex B10 .	1	unit			
10-002	Video Tripod	Kindly refer to the technical specifications attached as Annex B10 .	8	sets			
10-003	H.264 Video Streaming Encoder and Recorder	Kindly refer to the technical specifications attached as Annex B10 .	1	set			
10-004	Teleprompter	Kindly refer to the technical specifications attached as Annex B10 .	1	set			
10-005	Multichannel Video Recorder	Kindly refer to the technical specifications attached as Annex B10 .	1	set			
10-006	Dual 1x4 12G-SDI Distribution Amplifiers	Kindly refer to the technical specifications attached as Annex B10 .	2	units			
10-007	Point Source Daylight LED	Kindly refer to the technical specifications attached as Annex B10 .	5	sets			


Item Code	Item Name	Agency Specification	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
10-008	RGBW Light Panel	Kindly refer to the technical specifications attached as Annex B10.	5	sets			
10-009	Barn Door	Kindly refer to the technical specifications attached as Annex B10.	5	pcs			
10-010	10.8 ft. Light Stand	Kindly refer to the technical specifications attached as Annex B10.	10	pcs			
10-011	Chroma Green Screen	Kindly refer to the technical specifications attached as Annex B10.	2	pcs			
10-012	90cm Omnidirectional Soft Light Modifier	Kindly refer to the technical specifications attached as Annex B10.	5	pcs			
10-013	12G SDI Coaxial Cable	Kindly refer to the technical specifications attached as Annex B10.	2	rolls			
10-014	BNC Connector	Kindly refer to the technical specifications attached as Annex B10.	2	pcs			
10-015	XLR Connector	Kindly refer to the technical specifications attached as Annex B10.	130	pcs			

Item Code	Item Name	Agency Specification	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
10-016	PL Connector	Kindly refer to the technical specifications attached as Annex B10 .	60	pcs			
10-017	Audio Cable Balance	Kindly refer to the technical specifications attached as Annex B10 .	2	rolls			
10-018	4K MOS 1/3" Sensor Camcorder	Kindly refer to the technical specifications attached as Annex B10 .	2	sets			
10-019	On-Camera Variable Color LED Light (3200 to 9500K)	Kindly refer to the technical specifications attached as Annex B10 .	3	sets			
10-020	Protective Rain Cover for ENG Camera	Kindly refer to the technical specifications attached as Annex B10 .	3	sets			
10-021	7" HDR Pro/Cinema Monitor-Recorder-Switcher with Accessory Kit	Kindly refer to the technical specifications attached as Annex B10 .	3	sets			
10-022	Full Frame Mirrorless Digital Camera and Video Camera	Kindly refer to the technical specifications attached as Annex B10 .	3	sets			
10-023	Tripod	Kindly refer to the technical specifications attached as Annex B10 .	3	sets			

Item Code	Item Name	Agency Specification	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
10-024	Studio Lights 400 w	Kindly refer to the technical specifications attached as Annex B10.	2	sets			
10-025	Studio Lights 600 w	Kindly refer to the technical specifications attached as Annex B10.	2	sets			
10-026	Studio Lights 1200 w	Kindly refer to the technical specifications attached as Annex B10.	2	sets			
10-027	Power pack electronic flash system	Kindly refer to the technical specifications attached as Annex B10.	1	set			
10-028	Flash Trigger	Kindly refer to the technical specifications attached as Annex B10.	3	sets			
10-029	Light Meter	Kindly refer to the technical specifications attached as Annex B10.	1	set			
10-030	Reflective bowl	Kindly refer to the technical specifications attached as Annex B10.	4	sets			
10-031	Speedring	Kindly refer to the technical specifications attached as Annex B10.	4	sets			

Item Code	Item Name	Agency Specification	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
10-032	Umbrella	Kindly refer to the technical specifications attached as Annex B10.	1	set			
10-033	Softbox small	Kindly refer to the technical specifications attached as Annex B10.	1	set			
10-034	Softbox big	Kindly refer to the technical specifications attached as Annex B10.	1	set			
10-035	Stripbox long	Kindly refer to the technical specifications attached as Annex B10.	1	set			
10-036	Stripbox short	Kindly refer to the technical specifications attached as Annex B10.	1	set			
10-037	Beauty Dish	Kindly refer to the technical specifications attached as Annex B10.	1	set			
10-038	Barndoor	Kindly refer to the technical specifications attached as Annex B10.	2	sets			
10-039	Honeycomb	Kindly refer to the technical specifications attached as Annex B10.	2	sets			

Item Code	Item Name	Agency Specification	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
10-040	Snoot with grid	Kindly refer to the technical specifications attached as Annex B10 .	1	set			
10-041	Reflector round	Kindly refer to the technical specifications attached as Annex B10 .	5	sets			
10-042	Reflector Ellipse	Kindly refer to the technical specifications attached as Annex B10 .	5	sets			
10-043	Light stands	Kindly refer to the technical specifications attached as Annex B10 .	9	sets			
10-044	Backlight Light Stand	Kindly refer to the technical specifications attached as Annex B10 .	1	set			
10-045	Boom Stands	Kindly refer to the technical specifications attached as Annex B10 .	1	set			
10-046	Backgrounds	Kindly refer to the technical specifications attached as Annex B10 .	1	set			
10-047	Background stand	Kindly refer to the technical specifications attached as Annex B10 .	1	set			



Item Code	Item Name	Agency Specification	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
10-048	Reflector holder	Kindly refer to the technical specifications attached as Annex B10.	3	sets			
10-049	Ultra Low Dry Cabinet	Kindly refer to the technical specifications attached as Annex B10.	1	set			
10-050	Additional Camera/Back up Camera for eTESDA (Canon)	Kindly refer to the technical specifications attached as Annex B10.	2	sets			
10-051	Network RX Station for Camcorders	Kindly refer to the technical specifications attached as Annex B10.	1	set			
10-052	Camera Tripod	Kindly refer to the technical specifications attached as Annex B10.	3	sets			
10-053	Wireless Camera Adapter	Kindly refer to the technical specifications attached as Annex B10.	3	sets			
10-054	Focus Puller Motorized	Kindly refer to the technical specifications attached as Annex B10.	3	sets			
10-055	5" 4K Video Assist System	Kindly refer to the technical specifications attached as Annex B10.	3	sets			

AD

Item Code	Item Name	Agency Specification	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
10-056	Battery Powered Centralized Synchronization System	Kindly refer to the technical specifications attached as Annex B10.	2	sets			
10-057	32-Channel/36-Track Portable Mixer-Recorder	Kindly refer to the technical specifications attached as Annex B10.	1	set			
10-058	Linear Fader Control Surface for 888 and Scorpio Mixer-Recorders	Kindly refer to the technical specifications attached as Annex B10.	1	set			
10-059	Dual SuperSlot Wireless Module for 8-Series Mixer/Recorder	Kindly refer to the technical specifications attached as Annex B10.	1	set			
10-060	4 Channel Wireless Microphone System	Kindly refer to the technical specifications attached as Annex B10.	2	sets			
10-061	Dual Channel Wireless Microphone Receiver	Kindly refer to the technical specifications attached as Annex B10.	1	set			
10-062	M-S stereo shotgun microphone ENG Package	Kindly refer to the technical specifications attached as Annex B10.	2	sets			
10-063	Multi D-Tap Heavy-Duty Digital Battery (V-Mount)	Kindly refer to the technical specifications attached as Annex B10.	2	sets			

3

Item Code	Item Name	Agency Specification	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
10-064	Wireless Plug-On XLR Transmitter	Kindly refer to the technical specifications attached as Annex B10 .	2	sets			
10-065	Reference headphones	Kindly refer to the technical specifications attached as Annex B10 .	2	sets			
10-066	31" Native 4K Monitor	Kindly refer to the technical specifications attached as Annex B10 .	1	set			
10-067	9" 4RU Rack Mount Monitor	Kindly refer to the technical specifications attached as Annex B10 .	1	set			
10-068	16x16 SDI 12G SDI Router	Kindly refer to the technical specifications attached as Annex B10 .	1	set			
10-069	1RU Control Panel for KUMO Routers	Kindly refer to the technical specifications attached as Annex B10 .	1	set			
10-070	Play Out Work Station	Kindly refer to the technical specifications attached as Annex B10 .	1	set			
10-071	Capture / Play Back Desktop i/O	Kindly refer to the technical specifications attached as Annex B10 .	1	set			

Item Code	Item Name	Agency Specification	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
10-072	Drone Camera, 7 km range	Kindly refer to the technical specifications attached as Annex B10 .	1	set			

* Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

I hereby commit to comply and deliver all the above requirements in accordance with the above stated schedule.

Name of Company/Bidder **Signature over Printed Name of**
Authorized Representative **Date**

ANNEX B10

Item Code	Item Name	Agency Specification	Classification	Test Parameters (Post Evaluation)	Test Parameters (Inspection and Acceptance)	Onsite Warranty (Parts and Service)	Training	English Manual	Qty	Unit
10-001	12 Channel Digital Video Switcher	<ul style="list-style-type: none"> • 12G-SDI compatible • Video Standard : Full HD • Video Format: 1080p 50-60Hz; 1080i 50-60Hz; 720p 50-60Hz • Signal Processing: 4:4:4 8 bit/ 4:2:2 10 bit • Input Routable / Crosspoint: All 12, repeatable • Video Input: 8x SDI, 2x HDMI • Computer Graphic Interface: 4 via HDMI • Video Output: 6x SDI Outputs assignable: <ul style="list-style-type: none"> - Multiview, PGM, PVW, PGM+DSK, Clean PGM, Clean PVW, Input 1-12, STILL 1, STILL 2, Flex source • 3x HDMI assignable: <ul style="list-style-type: none"> - Multiview, PGM, PVW, PGM+DSK, Clean PGM, Clean PVW, Input 1-12, STILL 1, STILL 2, Flex source • Built-in Multi-view Monitoring Out: <ul style="list-style-type: none"> - HDMI & SDI assignable - Analogue Audio Input: 4x Balanced XLR - Analogue Audio Output: 2x Balanced XLR • Chromakey: 2-4 • Picture in Picture: 8 (4x PIP, 4x Flex Source) • Special Features: 4 User Memory Preset • AC 100 V to 240 V, 50 Hz/60 Hz • Free Virtual Set and Stinger transition 	Equipment	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	1	unit
10-002	Video Tripod	<ul style="list-style-type: none"> • 75 mm fluid head • 2 leg extension • Aluminum/carbon fiber • Includes Mid-Level Spreader & Bag 	Accessories	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	8	sets

Item Code	Item Name	Agency Specification	Classification	Test Parameters (Post Evaluation)	Test Parameters (Inspection and Acceptance)	Onsite Warranty (Parts and Service)	Training	English Manual	Qty	Unit
10-003	H.264 Video Streaming Encoder and Recorder	<ul style="list-style-type: none"> • H.264 based encoding • Video and Audio Input: HDMI x1, SDI x1 • Encode up to 1080p 50/60 • Record up to 16Mbps (1080p 50/60) • Stream up to 10Mbps (1080p 50/60) • Rec+Stream: 10Mbps (1080p 25/30) • Audio Mode: Stereo/Mono 32 - 384 Kbps • Recording File Format: MP4 • Storage: SD Card, USB • File System: NTFS, FAT, exFAT • Power: 100-240V, 50/60 Hz 	Equipment	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	1	set
10-004	Teleprompter	<ul style="list-style-type: none"> • Intelligent Scroll Engine • 5" Preview Prompter Monitor • Scroll Control • Prompting Software with Scroll Control • Input connections 1x RJ45, Ethernet, 2x USB2, 1x 12V DC auxiliary input • Max power consumption: 8W • Outputs 2x HD-SDI, 1x RJ45 • Selectable Video formats 1080i 50-60, 1080p 29-60, 720p 50-60 	Equipment	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Measurement of monitor - Functionality test - Check package completeness 	1 Year	Yes	Yes	1	set
10-005	Multichannel Video Recorder	refer to Technical Specification of Item Code 10-005	Equipment	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	1	set

Item Code	Item Name	Agency Specification	Classification	Test Parameters (Post Evaluation)	Test Parameters (Inspection and Acceptance)	Onsite Warranty (Parts and Service)	Training	English Manual	Qty	Unit
10-006	Dual 1x4 12G-SDI Distribution Amplifiers	<ul style="list-style-type: none"> • 2x 12G-SDI BNC inputs • 8x noninverting 12G-SDI BNC outputs • Format agnostic 270 Mbps – 12 Gbps video formats • Automatic input equalization and output reclocking • Support for HDR video • Passes embedded audio, all ancillary data including • closed caption and time code • Input Present and Input SMPTE Lock LEDs • 10x 12G-BNC rear connector module included • Power: 4.5 watts • Hot swappable 	Equipment	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	2	units




Item Code	Item Name	Agency Specification	Classification	Test Parameters (Post Evaluation)	Test Parameters (Inspection and Acceptance)	Onsite Warranty (Parts and Service)	Training	English Manual	Qty	Unit
10-007	Point Source Daylight LED	<ul style="list-style-type: none"> • K±200K • CRI: ≥96 • TLCI: ≥96 • CQS: ≥94 • SSI (D55): ≥72 • Beam Angle: 105° • Beam Angle (600 Series Hyper Reflector): 55° • Power Consumption: ≤720W • Operating Current: 8A • Operating Voltage (Power Supply): 100V~240V, 50Hz/60Hz • Operating Voltage (Battery): V-Mount / Gold Mount (Two Batteries) Half Output: 12.5V-16.8V (14.4/15A) 22V-33.6V (26V/8.5A) • Operating (Battery): Voltage V-Mount / Gold Mount (Two Batteries) Full Output: 22V-33.6V (26V/18A, 28.8V/16A) • Operating Voltage (3-Pin XLR [48V DC]): 48V/15A • Control Methods: On-board, 2.4GHz, Sidus Link (Sidus Mesh™), Art-net, LumenRadio • Wireless Operating Range (2.4GHz): ≤100m • Wireless Operating Range (Bluetooth): ≤80m • Firmware Upgradeable • Cooling Method: Active Cooling • Weatherproofing: Dust & Light Rain Resistant • Cable Type: Max Head Cable Length: 6m • Accessory Mount: Bowens Mount • Mounting: 16mm / 28mm 5/8in (Baby Pin) / 1.125in (Junior Pin) • Carrying Case: 16mm / 28mm 5/8in (Baby Pin) / 1.125in (Junior Pin) 	Equipment	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	5	sets

Item Code	Item Name	Agency Specification	Classification	Test Parameters (Post Evaluation)	Test Parameters (Inspection and Acceptance)	Onsite Warranty (Parts and Service)	Training	English Manual	Qty	Unit
10-008	RGBW Light Panel	<ul style="list-style-type: none"> • 9,000 lux, at a distance of 1 meter, while maintaining a wide 120° beam angle • Extensive expanded bi-color range • Capable of producing white light from 2,000k to 10,000k • Ability to adjust the white light's green-magenta shift while in CCT mode • Full-color tunability • Superior color rendition • Compact, adaptable design • Extendable control box • Multiple control methods • Professional light modifiers • Hardshell rolling case • Built-in lighting fx • The sidus link ecosystem • Compatible with mobile application • AC Input Power: 100 to 240 VAC, 50 / 60 Hz at 4 A • Power Source: 3 m • Remote Control Type: Bluetooth, DMX, Proprietary Wireless • Photometrics <ul style="list-style-type: none"> - 2700K: 82.7 fc / 890 Lux at 9.84' / 3 m - 6500K: 94.8 fc / 1020 Lux at 9.84' / 3 m • Includes: <ul style="list-style-type: none"> - 33" Parabolic Softbox, 45° Fabric Grid - Light Shaping Tool, 8-leaf metal - 10" Focusing Accessory, glass fresnel 	Equipment	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	5	sets
10-009	Barn Door	<ul style="list-style-type: none"> • Light Leak Prevention • Panel Light Control • Durable Build • Travel Easy • Compatible with Item 10-008 RGBW Light Panel 	Accessories	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	5	pcs

Item Code	Item Name	Agency Specification	Classification	Test Parameters (Post Evaluation)	Test Parameters (Inspection and Acceptance)	Onsite Warranty (Parts and Service)	Training	English Manual	Qty	Unit
10-010	10.8 ft. Light Stand	<ul style="list-style-type: none"> • 4 sections, 3 risers • Maximum working height: 10.8 ft. • Minimum working height: 2.9 ft. • Load Capacity: at least 19 lb. • Black • Aluminum 	Accessories	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	10	pcs
10-011	Chroma Green Screen	<ul style="list-style-type: none"> • Cyclo Green Key 4mH x 5.8mW with Velcro Loop on top • 3 pcs Telescopic upright adjustable height 175 cm to 300 cm • 2 pcs Horizontal drape support, adjustable length 180 cm to 300 cm • 2 Stage weight for each upright 	Accessories	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	2	pcs
10-012	90cm Omnidirectional Soft Light Modifier	<ul style="list-style-type: none"> • 90cm Omnidirectional Softbox • Round shape • Built-in speed ring • BOWENS mount 	Accessories	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	5	pcs
10-013	12G SDI Coaxial Cable	<ul style="list-style-type: none"> • For 12G-SDI Installations • Total length of 300m • Highly Foamed Multi-Layer Insulation • Copper Made Foil & Braided Shielding • Flame Resistance Riser Rated (CMR) • Center Conductor: Solid Annealed Copper 16 AWG • Impedance: 75 Ohms • Shielding: <ul style="list-style-type: none"> - Outer Conductor 1: Copper-Laminated Tape - Outer Conductor 2: Tinned Annealed Copper Braid ≥91% 	Accessories	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	2	rolls
10-014	BNC Connector	<ul style="list-style-type: none"> • Crimp Design • 75-Ohm • 12G-SDI 4K UHD Capable • Compatible with Item 04-044 12G SDI Coaxial Cable 	Accessories	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	2	pcs

Item Code	Item Name	Agency Specification	Classification	Test Parameters (Post Evaluation)	Test Parameters (Inspection and Acceptance)	Onsite Warranty (Parts and Service)	Training	English Manual	Qty	Unit
10-015	XLR Connector	<ul style="list-style-type: none"> • Capacitance between contacts: ≤ 4 pF • Contact resistance: ≤ 3 mΩ • Dielectric strength: 1500V DC • Compatible with audio cable, Male 3-Pin • Rated voltage: ≤ 50 V • Cable O.D.: 3.5 - 8.0 mm • Boot: Polyurethane 	Accessories	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	130	pcs
10-016	PL Connector	<ul style="list-style-type: none"> • 3 pole 1/4" male plug, nickel contacts, nickel shell • Rated voltage: ≤ 50 V • Cable O.D.: 4 - 7 mm 	Accessories	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	60	pcs
10-017	Audio Cable Balance	<ul style="list-style-type: none"> • Braided copper shield • Flexible in extremely cold weather • Cross linked PE insulation • Reduced noise handling • Rejects EMI and RFI • Black matte color jacket • Total length of 200 m • Applications: Microphones, portable applications, audio rack wiring, PA systems, and audio patch cords 	Accessories	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	2	rolls

Item Code	Item Name	Agency Specification	Classification	Test Parameters (Post Evaluation)	Test Parameters (Inspection and Acceptance)	Onsite Warranty (Parts and Service)	Training	English Manual	Qty	Unit
10-018	4K MOS 1/3" Sensor Camcorder	<ul style="list-style-type: none"> • 1/3" MOS Sensors • 20x Optical, 32x Intelligent Zoom • UHD 4K, 1080p, Variable Frame Rate • Supports LANC Control • 12G-SDI Output Supports 4K 60p • 4K 60p Recording • Electronic Variable ND Filter • Supports S-Log 3 • Simultaneous 4K/HD Recording • Inclusive of optional 2.4/5 GHz Wi-Fi dongle • Inclusive of 3 BP-U30 Lithium-Ion Batteries • Porta Brace Rain Cover, Creative camera applications and In Depth Maintenance • Includes the following accessories: <ul style="list-style-type: none"> - SDHC/SDXC Card Adapter - UHS-II SD Memory Card Reader - UHS-II SDXC Memory Card with 128GB capacity (3 pcs) 	Equipment	Brochure with picture and data sheet	- Functionality test - Check package completeness	1 Year	Yes	Yes	2	sets
10-019	On-Camera Variable Color LED Light (3200 to 9500K)	<ul style="list-style-type: none"> • 3200 to 9500K • 256 LEDs with 45° Beam Angle • 1500 Lux Brightness at 3.3' • Single Color Temperature/Dimming Knob • Accepts L-Series Batteries • 1/4"-20 Threaded Mounting Hole • 3200 to 9500K Output • 1 to 100% Dimming • 15W Maximum Power Draw • LCD Info Screen • Lithium-ion batteries x 3 with rapid charger 	Equipment	Brochure with picture and data sheet	- Functionality test - Check package completeness	1 Year	Yes	Yes	3	sets
10-020	Protective Rain Cover for ENG Camera	<ul style="list-style-type: none"> • Nylon Taslan Material • Multiple Access Points for Controls • Covered Camera Remains Tripod Mountable • Clear Vinyl Windows • Lined with Soft Tricot • Tight Fit Around Lens • Quick-Change Battery Pack • Compatible with Item Code 10-018 4K MOS 1" Sensor Camcorder 	Accessories	Brochure with picture and data sheet	- Functionality test - Check package completeness	1 Year	Yes	Yes	3	sets

Item Code	Item Name	Agency Specification	Classification	Test Parameters (Post Evaluation)	Test Parameters (Inspection and Acceptance)	Onsite Warranty (Parts and Service)	Training	English Manual	Qty	Unit
10-021	7" HDR Pro/Cinema Monitor-Recorder-Switcher with Accessory Kit	<ul style="list-style-type: none"> • 7" 4K HDMI/SDI Monitor-Recorder Switcher • 4 x Master Caddy 4K Drive Caddies • 1920 x 1200 Touchscreen Display • Fast Charger, 2 x Batteries, Cables • Flight Case, Docking Station, Sun Hood • 4K HDMI/SDI Input, 3000 cd/m² Brightness 	Equipment	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	3	sets
10-022	Full Frame Mirrorless Digital Camera and Video Camera	refer to Technical Specification of Item Code 10-022	Equipment	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	N/A	3	sets
10-023	Tripod	<ul style="list-style-type: none"> • Fluid Head with Sideload Plate • For Small Camcorders, DSLRs & Mirrorless • Carbon Fiber Legs • Tripod Supports up to 44 Pounds • Removable Mid-Level Spreader • Head with Load Capacity of up to 8.8 Pounds • 5-Step Counterbalance • Two-Stage, Three-Section Standard Legs • Height Range Approximately 24 to 61" • Padded Carry Bag 	Accessories	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	3	sets
10-024	Studio Lights 400 w	<ul style="list-style-type: none"> • monoblock type • analog or digital • with modelling light, preferably ordinary light bulb • 400 watts • color temperature: 5500 (+/-200)K • with sync port • compatible with most wireless triggers • recycling time: 2.5 seconds or less • flash duration: 1/1200 or faster • with built-in slave cell • bowens mount • optional: battery pack 	Accessories	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	2	sets

Item Code	Item Name	Agency Specification	Classification	Test Parameters (Post Evaluation)	Test Parameters (Inspection and Acceptance)	Onsite Warranty (Parts and Service)	Training	English Manual	Qty	Unit
10-025	Studio Lights 600 w	<ul style="list-style-type: none"> • monoblock type or separate power and light type • with modelling light, preferably ordinary light bulb • 600-800 watts • color temperature: 5500 (+/-200)K • with sync port • compatible with most wireless triggers • recycling time: 2.5 seconds or less • flash duration: 1/1200 or faster • with built-in slave cell • bowens mount • optional: battery pack 	Accessories	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	2	sets
10-026	Studio Lights 1200 w	<ul style="list-style-type: none"> • monoblock type or separate power and light type • with modelling light, preferably ordinary light bulb • at least 1200 watts • color temperature: 5500 (+/-200)K • with sync port • compatible with most wireless triggers • recycling time: 2.5 seconds or less • flash duration: 1/1200 or faster • with built-in slave cell • bowens mount • optional: battery pack 	Accessories	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	2	sets

Item Code	Item Name	Agency Specification	Classification	Test Parameters (Post Evaluation)	Test Parameters (Inspection and Acceptance)	Onsite Warranty (Parts and Service)	Training	English Manual	Qty	Unit
10-027	Power pack electronic flash system	<ul style="list-style-type: none"> • With Li-ion battery • With AC adapter • with modelling light, preferably ordinary light bulb • 600-800 watts • color temperature: 5500 (+/-200)K • with sync port • compatible with most wireless triggers • recycling time: 2.5 seconds or less • flash duration: 1/1200 or faster • with built-in slave cell • bowens mount • optional: with battery pack 	Accessories	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	1	set
10-028	Flash Trigger	<ul style="list-style-type: none"> • Flash Trigger (transmitter/receiver) • wireless • must be compatible with most, if not all, brands of cameras studio lights, and compact flash • range: at least 50m • preferably uses easy-to-purchase batteries (ex. AA / AAA) 	Accessories	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	3	sets
10-029	Light Meter	<ul style="list-style-type: none"> • measuring system: incident and reflected for ambient and flash • measuring modes: >corded and cordless for flash >ambient • shutter speed priority • variable ISO up to 8000 or higher • preferably uses easy-to-find batteries (ex. AA / AAA) 	Accessories	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	1	set
10-030	Reflective bowl	<ul style="list-style-type: none"> • bowens mount • must be compatible with Items 10-024-026 Studio Lights and Item 10-032 Umbrella 	Accessories	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	4	sets

Item Code	Item Name	Agency Specification	Classification	Test Parameters (Post Evaluation)	Test Parameters (Inspection and Acceptance)	Onsite Warranty (Parts and Service)	Training	English Manual	Qty	Unit
10-031	Speedring	<ul style="list-style-type: none"> • Speed Ring for OCF Flash Heads • bowens mount • must be compatible with Items 10-024-026 Studio Lights 	Accessories	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	4	sets
10-032	Umbrella	<ul style="list-style-type: none"> • Deep White Umbrella Large, 51" • 80-120cm diameter • 2-in-1 (reflective and shoot-through) 	Accessories	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	1	set
10-033	Softbox small	<ul style="list-style-type: none"> • 1.3 x 1.3' • bowens mount 	Accessories	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	1	set
10-034	Softbox big	<ul style="list-style-type: none"> • 2 x 3' • bowens mount • with fabric grid 	Accessories	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	1	set
10-035	Stripbox long	<ul style="list-style-type: none"> • Softbox 1 x 4' • bowens mount • with fabric grid 	Accessories	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	1	set
10-036	Stripbox short	<ul style="list-style-type: none"> • Softbox 1 x 3' • bowens mount • with fabric grid 	Accessories	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	1	set
10-037	Beauty Dish	<ul style="list-style-type: none"> • White Softlight Beauty Dish Reflector 20.5" • bowens mount 	Accessories	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	1	set

Item Code	Item Name	Agency Specification	Classification	Test Parameters (Post Evaluation)	Test Parameters (Inspection and Acceptance)	Onsite Warranty (Parts and Service)	Training	English Manual	Qty	Unit
10-038	Barndoor	<ul style="list-style-type: none"> • mountable • with mount for honeycomb and color gels • must be compatible with Item 10-030 Reflective bowl	Accessories	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	2	sets
10-039	Honeycomb	<ul style="list-style-type: none"> • Grid 20° • 30 to 60 degrees • must be compatible with Items 10-024-026 Studio lights and 10-038 Barndoor	Accessories	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	2	sets
10-040	Snoot with grid	<ul style="list-style-type: none"> • Grid and Filter Holder • with removable grid • bowens mount 	Accessories	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	1	set
10-041	Reflector round	<ul style="list-style-type: none"> • 43" • foldable/collapsible • 5-in-1 (white, black, gold, silver, diffuser) 	Accessories	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	5	sets
10-042	Reflector Ellipse	<ul style="list-style-type: none"> • 39"x59" • foldable/collapsible • 5-in-1 (white, black, gold, silver, diffuser) 	Accessories	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	5	sets
10-043	Light stands	<ul style="list-style-type: none"> • maximum height: 15ft • tube diameter: 40mm or larger (on the largest segment) • with removable spigot adaptor • load: at least 5kg 	Accessories	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	9	sets
10-044	Backlight Light Stand	<ul style="list-style-type: none"> • C Stand 270m • working height: min. 9cm • max load: about 10kg 	Accessories	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	1	set

Item Code	Item Name	Agency Specification	Classification	Test Parameters (Post Evaluation)	Test Parameters (Inspection and Acceptance)	Onsite Warranty (Parts and Service)	Training	English Manual	Qty	Unit
10-045	Boom Stands	<ul style="list-style-type: none"> • with wheels • maximum height: 2m • boom length: at least 2m • load: at least 30kg 	Accessories	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	1	set
10-046	Backgrounds	<ul style="list-style-type: none"> • white • black • grey • chroma green • Seamless paper • width: at least 9ft • length: at least 36ft • paper density: at least 145gsm 	Accessories	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	1	set
10-047	Background stand	<ul style="list-style-type: none"> • composed of 2 stands and 1 crossbar • crossbar: retractable • maximum crossbar length: 4m • maximum stand height: 3.5m • load: at least 7kg 	Accessories	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	1	set
10-048	Reflector holder	<ul style="list-style-type: none"> • Reflector Mounting Arm • adjustable length • minimum length: 100cm or shorter • maximum length: 150cm or longer • mountable to any light stand 	Accessories	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	3	sets
10-049	Ultra Low Dry Cabinet	<ul style="list-style-type: none"> • High Precision LED Display Control Panel • Colorful Storage Bins (Optional) • Excellent Airtight Cabinet Body • Reliable Dehumidifier made of PPS material • Adjustable Shelves • 160L-175L 	Electronic Furniture	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	1	set
10-050	Additional Camera/Backup Camera for eTESDA (Canon)	refer to Technical Specification of Item Code 10-050	Equipment	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	2	sets

Item Code	Item Name	Agency Specification	Classification	Test Parameters (Post Evaluation)	Test Parameters (Inspection and Acceptance)	Onsite Warranty (Parts and Service)	Training	English Manual	Qty	Unit
10-051	Network RX Station for Camcorders	<ul style="list-style-type: none"> Streams Live Video over 4G/LTE or Wi-Fi 1920 x 1080 Maximum Resolution Two SDI Outputs for Dual Live Streams Connection Control Manager Software Direct Streaming Camcorders Quality of Service Technology Reference and Timecode Input Connectors 	Equipment	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	1	set
10-052	Camera Tripod	<ul style="list-style-type: none"> carbon fibre Fluid Head Ace 75/2 CF Tripod Mid-Level Spreader & Bag 	Accessories	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	3	sets
10-053	Wireless Camera Adapter	<ul style="list-style-type: none"> Multi-Cam Transmitter and Control System 4 x Transmitters to 1 x Receiver Ethernet Pass-Through for RTSP Streaming IP/RS-422/485 PTZ Camera Control Built-In Battery Plates 1080p60 Transmitter/Receiver 1800' Range SDI/HDMI Input and Output Supports Tally and Tally Lights 	Accessories	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	3	sets
10-054	Focus Puller Motorized	<ul style="list-style-type: none"> 1 x Follow Focus Hand Unit 2 x DSLR Lens Follow Focus Adapter 7-Pin to 7-Pin Motor Power Cable 2 x FIZ Lens Control Motors D-Tap to 7-Pin Motor Power Cable 2 x Follow Focus Marking Disks Lanyard Battery Charger 	Equipment	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	3	sets

 192



Item Code	Item Name	Agency Specification	Classification	Test Parameters (Post Evaluation)	Test Parameters (Inspection and Acceptance)	Onsite Warranty (Parts and Service)	Training	English Manual	Qty	Unit
10-055	5" 4K Video Assist System	<ul style="list-style-type: none"> • 5" 1920 x 1080 Touchscreen LCD • HDMI and 12G-SDI Video Inputs & Outputs • Raw format with Select Camerass • Stores to Single SDHC/XC Memory Slot • Dual Battery Slots, AC Adapter • Record up to DCI or UHD 4K HDR Video • 10-Bit, 4:2:2 Proxy Codec • 3D LUTs, 2500 cd/m² Brightness • Histogram, Waveform, Vectorscope • Bundled with 2 Lithium-Ion Battery Pack (7.4V, 4400mAh) • 2 pcs 128GB UHS-II SDXC Memory Card • Micro BNC to BNC Male Cable for Video Assist (27.6") 	Equipment	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	3	sets
10-056	Battery Powered Centralized Synchronization System	<ul style="list-style-type: none"> • Timecode Generator with Genlock • Compact Form Factor with OLED Screen • Supports 1080P/1080i for all Frame Rates • Timecode Comparison via OLED Display • Internal Battery, External Power/Charge • One-Button Syncing • Supports Word Clock up to 192 kHz • Dual LEMO Outputs for Multi-Device Sync • Solid Aluminum Body • 2 Units Timecode Out to BNC / L5P-BNC • 2 Units DLI68 / NP-50 / KLIC-7004 Lithium-Ion Battery Pack (3.7V, 800mAh) 	Equipment	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	2	sets

Item Code	Item Name	Agency Specification	Classification	Test Parameters (Post Evaluation)	Test Parameters (Inspection and Acceptance)	Onsite Warranty (Parts and Service)	Training	English Manual	Qty	Unit
10-057	32-Channel/36-Track Portable Mixer-Recorder	<ul style="list-style-type: none"> • For Pro Audio Applications Flagship Field Recorder • Per-Channel EQ, HPF, Limiting & More • XLR, TA5 & TA3 Inputs / 12 Analog Outs • Accurate Timecode Generator • Simultaneous Recording to SD Cards • 32 I/O over Dante, AES I/O • 48V Phantom Power • 12 Busses, Fully Routable Matrix • Internal 256GB SSD • Multiple Battery & Powering Options • Dtap to Hirose power Adapter for Centralized power option • Inclusive of 2 pcs 128GB UHS-I SDXC Memory Card • Rigid-Frame Audio Organizer Case for Sound Devices 	Equipment	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	1	set
10-058	Linear Fader Control Surface for 888 and Scorpio Mixer-Recorders	<ul style="list-style-type: none"> • Control Channels, Busses, EQ, Pan & More • 32 x Multifunction Controls • Easy-to-Read LCD • 5 x USB Ports on Rear for Charging • 16 x 100mm Faders • USB Connection for Mixer-Recorder • 5 x User-Assignable Buttons • 10-Pin Remote Input & 1/4" Footswitch In • Includes 1/4" Cable for Footswitch 	Equipment	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	1	set

Item Code	Item Name	Agency Specification	Classification	Test Parameters (Post Evaluation)	Test Parameters (Inspection and Acceptance)	Onsite Warranty (Parts and Service)	Training	English Manual	Qty	Unit
10-059	Dual SuperSlot Wireless Module for 8-Series Mixer/Recorder	<ul style="list-style-type: none"> • For Sound Devices 833, 888, or Scorpio • Supports 4 x Audio Channels per Slot • 2 x Auxiliary MCX Antenna Port • 2 x Hirose 4-Pin DC Outputs • Rugged, Lightweight, and Compact Design • Accepts 2 x UniSlot/SuperSlot Receivers • Built-In Antenna Distribution • 2 x TA3 AES3 Inputs • Powered via Host Mixer/Recorder 	Equipment	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	1	set
10-060	4 Channel Wireless Microphone System	<ul style="list-style-type: none"> • Modular configurations for stand-alone or slot-in formats • Monitor & control through USB C or Bluetooth 5 • High contrast OLED display and 4 buttons enable quick manual setup • DSP Analogue & Digital Audio Output (AES3) • Extreme low noise VCO with ultrafast spectrum scan for optimal quick & easy setup • Remote TX battery monitoring • Advanced tone-squelch operating • Push-to-talk function (via optional back-panel module) 	Equipment	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	2	sets

Item Code	Item Name	Agency Specification	Classification	Test Parameters (Post Evaluation)	Test Parameters (Inspection and Acceptance)	Onsite Warranty (Parts and Service)	Training	English Manual	Qty	Unit
10-061	Dual Channel Wireless Microphone Receiver	<ul style="list-style-type: none"> 2 channels True Diversity receiver with independent tuning (4 Receiver boards) • Exceptional compactness and high robustness • DSP Analogue & Digital Audio Output (AES3) • Up to 790 MHz bandwidth in 470/1260 MHz range • Next Gen Multiband front-end filtering • Wideband and Narrowband DSP-FM operation (SW selectable) • Extreme low noise VCO with ultrafast spectrum scan for optimal quick & easy setup • High contrast OLED display • Automatic scan & transmitter programming through infrared and Bluetooth 5 • DSP based for extreme flexibility and multi-companding operations • Monitor & control through USB C or Bluetooth 5 • Rear antenna connectors and micro audio and power adapter • Bundled with stand Alone rear Panel • 2 mini XLR-5pin male outputs (for 4 analogue channels or 4 digital AES channels) • 1 Hirose connector for external power 	Equipment	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	1	set
10-062	M-S stereo shotgun microphone ENG Package	<ul style="list-style-type: none"> • Increased directivity due to interference tube system (capsule) • Very low noise, high SNR • High sensitivity • Universal application due to M-S format, mono compatible • Climate-resistant capsules • Rugged brass casing, with matt black finish • Wind muff • 5-Section Boompole (2.8 to 10.2') • 5-pin XLR Female to Dual XLR Male Y Cable (6-inches) (15.24cm) 	Gadgets and Devices	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	2	sets

Item Code	Item Name	Agency Specification	Classification	Test Parameters (Post Evaluation)	Test Parameters (Inspection and Acceptance)	Onsite Warranty (Parts and Service)	Training	English Manual	Qty	Unit
10-063	Multi D-Tap Heavy-Duty Digital Battery (V-Mount)	<ul style="list-style-type: none"> • 14.4V 220Wh • Square-Shaped Design for Cine Cameras • Four D-Tap Outputs • Intelligent LCD • Supports 6A Fast Charging • Up to 150W/12A Continuous Output • Powers digital motion picture cameras for approx. 2.5 hours and ENG cameras for approx. 7 hours • USB Port & Circuit Protection 	Gadgets and Devices	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	2	sets
10-064	Wireless Plug-On XLR Transmitter	<ul style="list-style-type: none"> • Up to 232 MHz bandwidth in 470/798 MHz range • Enhanced robustness against self-interferences and antenna performances thru a proprietary "intermodulation cancellation" circuit • Miniature design with flexible pcb (no connectors) for extended reliability • User selectable companding systems: ENR (noise optimized) / ENC (voice optimized) Input dynamic extension with an integrated HW limiter (30 dB above peak) • Phantom power for condenser microphones • New white OLED display (128 x 32 pixels) • Connector with locking collar to ensuring an extremely tight noiseless fit Infrared interface for management and firmware update • Audio input circuitry with high linearity audio transformer • Battery: 2 AA Alkaline or rechargeable NiMH 	Gadgets and Devices	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	2	sets
10-065	Reference headphones	<ul style="list-style-type: none"> • Circumaural headphones for professional sound in the studio and on mobile devices • Innovative bass reflex system • High wearing comfort thanks to soft, circumaural and replaceable ear pads • Comfortable fit due to rugged, adjustable, soft padded headband construction 	Gadgets and Devices	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	2	sets

Item Code	Item Name	Agency Specification	Classification	Test Parameters (Post Evaluation)	Test Parameters (Inspection and Acceptance)	Onsite Warranty (Parts and Service)	Training	English Manual	Qty	Unit
10-066	31" Native 4K Monitor	<ul style="list-style-type: none"> • With 12G-SDI Single Link, 6G-SDI Dual Link, 3G-SDI Quad Link • 12G-SDI Single Link • 6G-SDI Dual Link 2-S.I. 4K • 3G-SDI Quad Link Square Division & 2-S.I. 4K • Wide Color Gamut • Color Space & Gamma Comparison • Panel Resolution 3840(or 4096) x 216 	Equipment	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	1	set
10-067	9" 4RU Rack Mount Monitor	<ul style="list-style-type: none"> • 9" 4RU Rack Mount Monitor • Multi-Format Support (480i,576i,720P,1080i,1080P,1080Psf,2K) 2x HD/SD-SDI inputs (Auto Detecting/Switching) with Active Loop Through • Dual High Definition 9-inch 16.7 MegaPixel Wide Screen Varieties of Analog Input (Composite, S-Video, YPbPr, RGB) • 4RU of a standard EIA 19 inch rack • Assignable Remote Control • Closed Caption : CEA-608/708 • H/V Delay mode • Analog Stereo Audio Out (Phone Jack) • Internal Left & Right Speaker (2 x 1W) • Blue Only & Monochrome • Markers & Safety Areas including user defined Markers • Source ID Function (User Defined in OSD Function) • Embedded Audio Level Meter (16ch) - Vertical/Horizontal Timecode Display (VITC & LTC) • Selectable Full & Small Size, WaveForm (Y Cb Cr)/Vector Scope (SDI only) 	Equipment	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	1	set

Item Code	Item Name	Agency Specification	Classification	Test Parameters (Post Evaluation)	Test Parameters (Inspection and Acceptance)	Onsite Warranty (Parts and Service)	Training	English Manual	Qty	Unit
10-068	16x16 SDI 12G SDI Router	<ul style="list-style-type: none"> • 16x 12G-SDI inputs and outputs • Small, portable form factor • Single cable support for 4K/UltraHD • Redundant power supply option • Eight salvos per router • Embedded web server for remote control • USB port to easily configure the router IP address • 5-year warranty 	Equipment	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	1	set
10-069	1RU Control Panel for KUMO Routers	<ul style="list-style-type: none"> • Small, portable form factor • Control up to 4x KUMOs per router • Support ganged dual and quad port routing • Redundant power supply (option) • USB port to easily configure the router IP address • 5-year warranty 	Equipment	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	1	set
10-070	Play Out Work Station	<ul style="list-style-type: none"> • Latest OS Pro 10, 64 bits • CPU quad-core or hexa-core support 10th Gen with latest series • Graphics Card Graphic Cards 11GB compatible with OpenGL 3.2 • Hard disk: SSD 1TB • 32 GB RAM, 60 GB SSD • 19" LED Monitor • Customized Work Station with SDI 12g I/O capability Inclusive of Work Flow design, Professional broadcast streaming and play out system training 	Equipment	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	1	set

Item Code	Item Name	Agency Specification	Classification	Test Parameters (Post Evaluation)	Test Parameters (Inspection and Acceptance)	Onsite Warranty (Parts and Service)	Training	English Manual	Qty	Unit
10-071	Capture / Play Back Desktop i/O	<ul style="list-style-type: none"> • 4K/UltraHD/2K/HD/SD up to 50/60p • 4x bidirectional 3G-SDI spigots with 16-channel embedded audio • HDMI 1.4b monitoring with 8-channel embedded audio, plus 4K to HD downsampling • RGB 4:4:4 12-bit, YCbCr 4:2:2 10-bit and HFR workflows supported • Real time up, down, cross-conversion (HD/SD) • 4K Closed Caption Support • VPID signaling for SDR/HDR Transfer Characteristics, Colorimetry and Luminance via SDI • PQ, HLG, HDR10, HDR10+ and Dolby Vision Support • HDR Metadata Capture and Auto Playback Detection • Compatible with leading creative apps • Included breakout cable for Ref (Analog or Tri-level), LTC, RS-422, 8-ch AES/EBU • Extend external connectivity with K3G-BOX breakout box • 3-year warranty 	Equipment	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	1	set

Item Code	Item Name	Agency Specification	Classification	Test Parameters (Post Evaluation)	Test Parameters (Inspection and Acceptance)	Onsite Warranty (Parts and Service)	Training	English Manual	Qty	Unit
10-072	Drone Camera, 7 km range	<ul style="list-style-type: none"> • Flight time: Max. 23 min. • Control range: 7 KM • Speed: 94 KM/H • Video resolution: 6K/5.2K • Sensory range: 30 M • Live view: 1080P <p>In the Box</p> <ul style="list-style-type: none"> • x1 Aircraft Body • x1 Remote Controller • x2 Intelligent Flight Battery, max 5,935 mAh • x1 Charger • x1 Battery Charging Hub • x4 Propellers (Pair) • x1 Power Cable • x1 micro SD Card (16gb) • x1 Vision System Calibration Plate • x1 Gimbal Damper • x1 Propeller Mounting Plate (Pair) • x1 Carrying Case • x1 Battery Insulation Sticker • x1 Activation Key • x1 Professional Aerial Camera, 24 MP • x1 Prime lens - 16mm F2.8 	Equipment	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	1	set

I hereby commit to comply and deliver all the above requirements in accordance with the above stated schedule.

Name of Company/Bidder

Signature over Printed Name of Authorized Representative

Date




TECHNICAL SPECIFICATION

Name of The Learning System	Multichannel Video Recorder
Item Code	10-005
Technology Area(s)	Photography and Videography Equipment

Video Recorder (1 unit)

Specification:

- Multi-Channel Mode:
 - (HD) 1080p 23.98, 24, 25, 29.97, 30, 50, 59.94, 60
 - (HD) 1080i 25, 29.97, 30
 - (HD) 1080PsF 23.98, 24, 25, 29.97
 - (HD) 720p 50, 59.94, 60
- Video Input/Output:
 - 1x 12G-SDI, SMPTE-292/372/424/2081/2082
 - 4K/UltraHD 4:2:2 10bit & 4:4:4 10/12bit (BNC or Fiber)
 - Dual Link 4:2:2 10bit & 4:4:4 10/12bit (BNC or Fiber)
 - Single Link 4:2:2 10bit & 4:4:4 10/12bit (BNC or Fiber)
 - HDMI (8/10/12-bit)
- Audio Input/Output:
 - 16-channel, 24 bit
 - 8-channel, 24 bit
- with SFP Modules
- HD Apple ProRes recording
- Interface: 1280x720 TFT LCD display
- Power: 100-240 VAC 50/60 Hz (adapter); 12-18Vdc 4-pin XLR (chassis)
- Rack mount (2RU)

Accessories:

- **External Hard Disk Drive (2 pcs)**
 - 2TB Solid State Drive
 - Preformatted as exFAT/HFS+
- **Thunderbolt 3 / USB 3 Adapter (1 pc)**
 - External Dock from SSD to computer
 - Thunderbolt or USB 3.0 connection
- **Power Supply (2 units)**
 - 100-240v, 50/60Hz Universal Input

I hereby commit to comply and deliver all the above requirements in accordance with the above stated schedule.

Name of Company/Bidder

Signature over Printed Name of
Authorized Representative

Date

TECHNICAL SPECIFICATION

Name of The Learning System	Full Frame Mirrorless Digital Camera and Video Camera
Item Code	10-022
Technology Area(s)	Photography and Videography Equipment

Mirrorless Digital Camera (3 units)

Specification

- Sensor Type: 35 mm or higher full frame CMOS sensor
- 20~30fps continuous shooting with AF/AE tracking
- Movie-making with 8K/30p and 4K/120p
- Image format: .jpg, raw
- Video compression format: MPEG, H.265
- Focus: Auto focus point: 750 higher
- Viewfinder type: color
- Monitor type: TFT, touch screen
- Dual memory card slots
- Interface: USB, Bluetooth, Wireless LAN, Multi-interface shoe, Mic port, Video port (i.e. HDMI, micro HDMI)
- Flash control: TTL/E-TTL

Digital Mirrorless Camera Accessories (1 set per body)

- Battery 3pcs, (1 standard accessory plus 2 backup battery)
- Battery grip
- High speed memory card with at least 128GB capacity (3pcs)
- AC power adapter/battery charger
- Cable to connect camera to computer
- Cable to connect camera to display device/monitor
- Hot-shoe mounted microphone with noise filter
- Headphone
- Wireless remote control
- Shoulder strap
- Hot shoe cover
- Utility software
- Owner's manual

High-speed Flash (3 sets)

- Hot-shoe mount
- TTL
- Can be tilted and can rotated
- Wireless Master/Slave TTL functionality
- Supports high-speed flash sync and multi-flash lighting
- Zoom range 24-105mm
- Weather resistant
- Runs on AA batteries

Flash accessories

- Rechargeable battery (3 sets per flash, total number of batteries depends on the number of batteries required by the flash)
- Smart battery charger at least 4 simultaneous charging (6pcs)
- Color filter with honeycomb and barndoor (1 set per flash)

Video Camera Body (3 units)

Specification:

- 4K-6K Full-Frame CMOS Sensor
- Changeable lens mount
- 15 Stops of Dynamic Range, Dynamic HDR
- At Least dual memory slots
- Electronic viewfinder: Yes
- Built-in LCD Display
- Built-in microphone
- Audio in: XLR 3 pin
- Headphone output: Yes
- Audio Output: Yes
- HDMI Output: Yes
- Connectivity: WiFi and/or Ethernet

Additional accessories (1 set per body):


- Memory Card with 240GB capacity (3pcs)
- Lithium-Ion Battery (3 pcs)
- Dual-Bay Li-Ion Battery Charger
- Data connection cable
- Manual and Software
- AC power supply
- Shoulder Plate with Pad
- Remote control

Lenses (3 sets per lens)

- Prime lens#1
 - 14mm, aperture f1.8~f2.8 with silent motor/drive for autofocus
 - includes:*
 - Lens hood
 - UV and skylight filter
 - Polarizing filter
 - Protective gear/bag
- Prime lens#2
 - 50mm aperture of f1.2~f2.5 with silent motor/drive for autofocus
 - includes:*
 - Lens hood
 - UV and skylight filter
 - Polarizing filter
 - Protective gear/bag
- Ultra wide zoom lens
 - Focal length min (11mm~16mm)
 - Focal length max (12mm~35mm)
 - Aperture: f2.8
 - includes:*
 - Lens hood
 - UV and skylight filter
 - Polarizing filter
 - Neutral density filter
 - Protective gear/bag

- 
- Standard zoom lens
 - Focal length 24mm-70mm
 - aperture range of f2.8~f22
 - includes:*
 - Lens hood
 - UV and skylight filter
 - Polarizing filter
 - Neutral density filter
 - Protective gear/bag

 - Telephoto lens#1
 - Min. focal length 70-100mm
 - Max. focal length 350-400mm
 - Min. aperture of f4.5
 - Max. aperture range of f5.6~f6.3
 - includes:*
 - Lens hood
 - UV and skylight filter
 - Polarizing filtered
 - Neutral density filter
 - Protective gear/bag

 - Telephoto lens#2
 - focal length 200mm-600mm
 - aperture of f5.6~f6.3/fixed f4
 - includes:*
 - Lens hood
 - UV and skylight filter
 - Polarizing filter
 - Neutral density filter
 - Protective gear/bag
- 

Note:

- *Lenses compatible with both digital mirrorless camera and video camera*
- *Lenses with focal lengths 100mm and above requires image stabilization, unless camera body has a built-in image stabilization feature*
- *Lenses and flash should be of the same brand with the body*

Hardcase for digital mirrorless camera (3 pieces)

- ABS Plastic
- Waterproof
- Trolley type
- With foam divider
- With key lock/padlock
- Can hold one digital mirrorless camera and flash

Hardcase for video camera (3 pieces)

- ABS Plastic
- Waterproof
- Trolley type
- With foam divider
- With key lock/padlock
- Can hold one video camera body, batteries and charger

Hardcase for camera lenses (3 pieces)

- ABS Plastic
- Waterproof
- Trolley type
- With foam divider
- With key lock/padlock
- Can hold 1 set of lens (2pcs prime, 1pc ultrawide and 2 pcs telephoto)

I hereby commit to comply and deliver all the above requirements in accordance with the above stated schedule.

Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date

TECHNICAL SPECIFICATION

Name of The Learning System	Additional Camera/Back-up Camera for eTESDA (Canon)
Item Code	10-050
Technology Area(s)	Photography and Videography Equipment

Mirrorless Camera (2 units)

Specification


- 45MP Full-Frame CMOS Sensor
- 8K - 8192 x 4320 video resolution
- Sensor-Shift 5-Axis Image Stabilization
- 12 fps Mech. Shutter, 20 fps E. Shutter
- Dual Pixel CMOS AF II with 1053 Points
- 3.2" Vari-Angle Touchscreen LCD
- 5760k dot Electronic viewfinder
- Weather Sealed Body
- Dual memory slot
- Movie format: MP4
- Image format: JPG, RAW
- Terminal: USB type C, Microphone, Headphone, Video terminal
- Image stabilizer: 5 axis in-body both for stills and video

Accessories (1 set per body)

- Battery (3 sets, 1 standard accessory plus 2 backup battery)
- Battery grip with wireless file transmitter
- High speed memory card with at least 128GB capacity (3pcs)
- AC power adapter/battery charger
- Cable to connect camera to computer
- Cable to connect camera to display device/monitor
- Hot-shoe mounted microphone with noise filter
- Headphone
- Wireless remote control
- Shoulder strap
- Hot shoe cover
- Utility software
- Owner's manual

Lenses (2 sets per lens)

- Prime lens#1
 - 50mm, aperture f1.2~f1.8
 - includes:
 - Lens hood
 - UV and skylight filter
 - Polarizing filter
 - Protective gear/bag

- 
- Prime lens#2
 - 85mm, aperture f1.2~f1.8
 - includes:*
 - Lens hood
 - UV and skylight filter
 - Polarizing filter
 - Protective gear/bag
 - Standard zoom lens#1
 - Focal length 24mm-70mm
 - aperture range of f2.8~f22
 - includes:*
 - Lens hood
 - UV and skylight filter
 - Polarizing filter
 - Neutral density filter
 - Protective gear/bag
 - Standard zoom lens#2
 - Focal length 28mm-300mm
 - aperture range of f3.5~f5.6
 - includes:*
 - Lens hood
 - UV and skylight filter
 - Polarizing filter
 - Neutral density filter
 - Protective gear/bag
 - Ultra-wide zoom
 - Focal length 11mm-24 mm
 - aperture f4
 - includes:*
 - Lens hood
 - UV and skylight filter
 - Polarizing filter
 - Neutral density filter
 - Protective gear/bag
 - Telephoto lens
 - Focal length 200mm-400mm
 - aperture f4
 - includes:*
 - Lens hood
 - UV and skylight filter
 - Polarizing filter
 - Neutral density filter
 - Protective gear/bag

High-speed Flash (2 sets)

- Hot-shoe mount
 - TTL
 - Can be tilted and can rotated
 - Wireless Master/Slave TTL functionality
 - Supports high-speed flash sync and multi-flash lighting
 - Zoom range 24-105mm
 - Weather resistant
 - Runs on AA batteries
- 

Flash accessories

- Rechargeable battery (2 sets per flash, total number of batteries depends on the number of batteries required by the flash)
- Smart battery charger at least 4 simultaneous charging (4pcs)
- Color filter with honeycomb and barndoor (1 set per flash)

Note:

- *Lenses compatible with the mirrorless camera*
- *Lenses with focal lengths 100mm and above requires image stabilization, unless camera body has a built-in image stabilization feature*
- *Lenses and flash should be of the same brand with the body*

Hardcase (3 pieces)

- ABS Plastic
- Waterproof
- Trolley type
- With foam divider
- With key lock/padlock
- Can contain 1 set of camera body, lenses and accessories

I hereby commit to comply and deliver all the above requirements in accordance with the above stated schedule.

Name of Company/Bidder

Signature over Printed Name of Authorized Representative

Date

Technical Specifications

Lot 11 : Photo and Video Editing Equipment and Software
APPROVED BUDGET : Sixty-Nine Million Four Hundred Sixteen Thousand
FOR THE CONTRACT : Four Hundred Ninety-One Pesos and 58/100
(P69,416,491.58)

Item Code	Item Name	Agency Specification	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
11-001	SketchUp Pro	Kindly refer to the technical specifications attached as Annex B11 .	28	licenses			
11-002	Final Cut Pro	Kindly refer to the technical specifications attached as Annex B11 .	2	licenses			
11-003	Adobe Courses with Learning Management System	Kindly refer to the technical specifications attached as Annex B11 .	1	license			
11-004	Adobe Certified Professional Certification	Kindly refer to the technical specifications attached as Annex B11 .	1200	licenses			
11-005	Adobe Creative Cloud for Enterprise All Apps	Kindly refer to the technical specifications attached as Annex B11 .	50	licenses			
11-006	Autodesk Learning Management System	Kindly refer to the technical specifications attached as Annex B11 .	1	license			
11-007	Office Home and Business 2021	Kindly refer to the technical specifications attached as Annex B11 .	200	licenses			

Item Code	Item Name	Agency Specification	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
11-008	Autodesk Certified User Certification	Kindly refer to the technical specifications attached as Annex B11 .	1000	licenses			
11-009	Color Grading Software	Kindly refer to the technical specifications attached as Annex B11 .	1	license			
11-010	Sound Effects Library	Kindly refer to the technical specifications attached as Annex B11 .	1	set			
11-011	Music Instrument Sound Library	Kindly refer to the technical specifications attached as Annex B11 .	1	set			
11-012	Ultimate Perpetual License Audio and Music Creation Software	Kindly refer to the technical specifications attached as Annex B11 .	3	sets			
11-013	Standalone Computer, 24 inch	Kindly refer to the technical specifications attached as Annex B11 .	28	sets			
11-014	Standalone Computer, 32 inch	Kindly refer to the technical specifications attached as Annex B11 .	6	sets			
11-015	Laptop Computers	Kindly refer to the technical specifications attached as Annex B11 .	3	sets			

Item Code	Item Name	Agency Specification	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
11-016	Laptop, 16 core	Kindly refer to the technical specifications attached as Annex B11 .	47	sets			
10-017	Tablet	Kindly refer to the technical specifications attached as Annex B11 .	56	sets			

* Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

I hereby commit to comply and deliver all the above requirements in accordance with the above stated schedule.

Name of Company/Bidder **Signature over Printed Name of Authorized Representative** **Date**

ANNEX B11

Item Code	Item Name	Agency Specification	Classification	Test Parameters (Post Evaluation)	Test Parameters (Inspection and Acceptance)	Onsite Warranty (Parts and Service)	Training	English Manual	Qty	Unit
11-001	SketchUp Pro	<ul style="list-style-type: none"> • 3-years subscription • Desktop and Web • Robust desktop 3D modeler • 2D design documentation • Quick insights for design research • Experience reality (XR) headset viewing • Access to plugins for extending SketchUp Pro Desktop functionality • Compatible with Windows and Mac OS 	Software	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	28	licenses
11-002	Final Cut Pro	<ul style="list-style-type: none"> • Perpetual license • Mac compatible • 1 license per device • macOS 11.5.1 or later 	Software	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	2	licenses

Item Code	Item Name	Agency Specification	Classification	Test Parameters (Post Evaluation)	Test Parameters (Inspection and Acceptance)	Onsite Warranty (Parts and Service)	Training	English Manual	Qty	Unit
11-003	Adobe Courses with Learning Management System	<ul style="list-style-type: none"> • 3-year subscription • No. of user: UNLIMITED • Adobe Courses • Customizable courses for TESDA • Certification Preparation: Adobe Certified Professional in Visual Design using Adobe Photoshop • Certification Preparation: Adobe Certified Professional in Graphic Design and Illustration using Adobe Illustrator • Certification Preparation: Adobe Certified Professional in Print & Digital Media Publication using Adobe Indesign • Certification Preparation: Adobe Certified Professional in Visual Effects and Motion Graphics using Adobe After Effects • Certification Preparation: Adobe Certified Professional in Digital Video using Adobe Premiere Pro • Certification Preparation: Adobe Certified Professional in Multiplatform Animation using Adobe Animate • Certification Preparation: Adobe Certified Professional in Web Authoring using Adobe Dreamweaver • Student Progress Reporting • Quiz and Survey • Discussions 	Software	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	1	license

Item Code	Item Name	Agency Specification	Classification	Test Parameters (Post Evaluation)	Test Parameters (Inspection and Acceptance)	Onsite Warranty (Parts and Service)	Training	English Manual	Qty	Unit
11-004	Adobe Certified Professional Certification	<ul style="list-style-type: none"> • 400 codes per year for activation good for 3-year • 100 seats for Photoshop • 100 seats for Indesign • 100 seats for Illustrator • 25 seats for Premiere Pro • 25 seats for After Effects • 25 seats for Animate • 25 seats for Dreamweaver 	Software		<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	1200	licenses
11-005	Adobe Creative Cloud for Enterprise All Apps	<ul style="list-style-type: none"> • OS: Multiple Platform • Language: Multi-Asian Language • Product Type: Team Licensing • Subscription New VIP • Duration: 3 Year • Additional Detail: Shared Device Education License Lab and Classroom 	Software	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	50	licenses

Item Code	Item Name	Agency Specification	Classification	Test Parameters (Post Evaluation)	Test Parameters (Inspection and Acceptance)	Onsite Warranty (Parts and Service)	Training	English Manual	Qty	Unit
11-006	Autodesk Learning Management System	<ul style="list-style-type: none"> • 3-year subscription • No. of user: UNLIMITED • Adobedesk Courses • Customizable courses for TESDA • Certification Preparation: AutoCAD • Certification Preparation: Inventor • Certification Preparation: Maya • Certification Preparation: 3Ds Max • Certification Preparation: Fusion 360 • Certification Preparation: Revit Architecture • Student Progress Reporting • Quiz and Survey • Discussions • Official Certificate of Course Completion • Official Certificate of Event Participation (must be Autodesk & TESDA event) • Educational License Subscription • One instructor must undergo Autodesk Certified Instructor Training 	Software	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	1	license
11-007	Office Home and Business 2021	<ul style="list-style-type: none"> • English APAC EM Medialess • One-time purchase for 1 PC or Mac • Classic 2021 versions of Word, Excel, PowerPoint, and Outlook • Compatible with Windows 11, Windows 10, or macOS 	Software	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	200	licenses

Item Code	Item Name	Agency Specification	Classification	Test Parameters (Post Evaluation)	Test Parameters (Inspection and Acceptance)	Onsite Warranty (Parts and Service)	Training	English Manual	Qty	Unit
11-008	Autodesk Certified User Certification	<p>The Autodesk Certified User (ACU) certifications students' higher ed applications and resumes by providing evidence of competency and proficiency.</p> <p>Available Autodesk applications:</p> <ul style="list-style-type: none"> • Autodesk AutoCAD • Autodesk Inventor • Autodesk 3Ds MAX • Autodesk Maya • Autodesk Fusion 360 • Autodesk Revit Architecture 	Software	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	1000	licenses
11-009	Color Grading Software	<ul style="list-style-type: none"> • Card with Download Activation Code • Perpetual License • One user per license • HDR Editing • 2000 Tracks • Workflow Integration Plug-ins • Remote grading • GPU Acceleration • Advanced Noise Reduction • Lens Distortion Correction • Stereoscopic 3D • Use Fusion Compositions in Cut/Edit Tabs • Smart Reframe • Scripting and Automation • Compatible with Mac/PC/Windows 10 or higher • 1 year warranty 	Software	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	1	license

Item Code	Item Name	Agency Specification	Classification	Test Parameters (Post Evaluation)	Test Parameters (Inspection and Acceptance)	Onsite Warranty (Parts and Service)	Training	English Manual	Qty	Unit
11-010	Sound Effects Library	<ul style="list-style-type: none"> • 800,000+ Sounds • 357,000+ Files (4.1TB) More Info -4 General Libraries -54 Specialty Libraries • NEW: 17,000+ Files • NEW: UCS Badge UCS Compliant: Universal Category System • 500+ Categories: Cover any project • Descriptive Embedded Metadata: View Sound List XLS • SoundQ Software: 1-Month Subscription More Info • Delivery Options: Hard Drive Only • 100% Royalty-Free 	Software	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	1	set
11-011	Music Instrument Sound Library	<ul style="list-style-type: none"> • 21 Orchestral And Cinematic Instruments • Platforms For Sampling And Synthesis • 17 Synthesizers • 39 Sampled Instruments • 12 Percussion Tools • 26 Effects • 39 Expansions • Mac/Pc Compatible 	Software	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	1	set
11-012	Ultimate Perpetual License Audio and Music Creation Software	<ul style="list-style-type: none"> • Compose, Record, Edit, Mix • 192 Inputs • 384 Audio Tracks, 64 Video Tracks • Compatible with Mac, Windows • Familiarization and in depth software operations creative training • 1-Year Access Complete Plugin Bundle • 1-Year Updates + ExpertPlus Support 	Software	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Functionality test - Check package completeness 	1 Year	Yes	Yes	3	sets

Item Code	Item Name	Agency Specification	Classification	Test Parameters (Post Evaluation)	Test Parameters (Inspection and Acceptance)	Onsite Warranty (Parts and Service)	Training	English Manual	Qty	Unit
11-013	Standalone Computer, 24 inch	<ul style="list-style-type: none"> • 24-inch diagonal retina 4.5K display • 8-core CPU with 4 performance cores and 4 efficiency cores, 8-core GPU, and 16-core Neural Engine • OS: macOS • 16 GB unified memory • 2TB SSD storage • 4480 x 2520 resolution • Two Thunderbolt / USB 4 ports • Two USB 3 ports • Gigabit Ethernet • Magic Mouse + Magic Trackpad • Magic Keyboard with Touch ID and Numeric Keypad - US English • 100 - 240V AC, 50-60Hz • Endpoint Security (EPS) - 1 year subscription Anti-Virus, Endpoint Security, Anti Ransomware, Email Protection, IDS/IPS Protection, Firewall Protection, Phishing Protection, Browsing Protection, SMS Notification, Vulnerability Scan, Roaming Platform, GoDeep.AI, Asset Management, Spam Protection, Web Filtering, Advanced Device Control, Application Control, Tuneup, File Activity Monitor, Patch Management, Data Loss Prevention 	Equipment	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Measurement of monitor - Functionality test - Checking of specification (offered vs. actual) - Check package completeness - 24 Burn-in test using PassMark 	1 Year	Yes	Yes	28	sets

Item Code	Item Name	Agency Specification	Classification	Test Parameters (Post Evaluation)	Test Parameters (Inspection and Acceptance)	Onsite Warranty (Parts and Service)	Training	English Manual	Qty	Unit
11-014	Standalone Computer, 32 inch	<ul style="list-style-type: none"> • 32-inch diagonal retina 6K display, nano texture glass • 3.2GHz 16-cores Intel Xeon W processor, Turbo Boost up to 4.4GHz • 96GB (6x16GB) of DDR4 ECC memory • Radeon Pro W6800X Duo with 64GB of GDDR6 memory • OS: macOS • 2TB SSD storage • 1TB Cloud Storage • PCI Express x16 card • Rack mounting rails • Keyboard - US English • UPS: 700VA 360W 230V AVR • Power: 100 - 240V AC, 50-60 Hz • Compatible with the following Pre-Installed license Software Annual Subscription: <ul style="list-style-type: none"> - Office Productivity Application software - Creative Design Software with latest Collection of 20+ creative and mobile apps • Creative Training and software integration included • Attachment to any VESA-compatible: 100 by 100 mm wall mount, desk mount, stand, or articulating arm • Warranty 1 Year Manufacturer 	Equipment	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Measurement of monitor - Functionality test - Checking of specification (offered vs. actual) - Check package completeness - 24 Burn-in test using PassMark 	1 Year	Yes	Yes	6	sets




Item Code	Item Name	Agency Specification	Classification	Test Parameters (Post Evaluation)	Test Parameters (Inspection and Acceptance)	Onsite Warranty (Parts and Service)	Training	English Manual	Qty	Unit
11-015	Laptop Computers	<ul style="list-style-type: none"> • M1 Max Chip, 10 Core CPU or higher • 16 inches display, 32 Core GPU • 64 GB Memory • 4TB SSD • Wi-Fi: 802.11ax Wi-Fi 6 wireless networking IEEE 802.11a/b/g/n/ac compatible • Bluetooth 5.0 wireless technology • 1080p camera • macOS • Includes: <ul style="list-style-type: none"> - Microsoft Office and Final Cut Pro 	Equipment	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Measurement of monitor - Functionality test - Checking of specification (offered vs. actual) - Check package completeness - 24 Burn-in test using PassMark 	1 Year	Yes	Yes	3	sets




Item Code	Item Name	Agency Specification	Classification	Test Parameters (Post Evaluation)	Test Parameters (Inspection and Acceptance)	Onsite Warranty (Parts and Service)	Training	English Manual	Qty	Unit
11-016	Laptop, 16 core	<ul style="list-style-type: none"> • 10-core CPU, 16-core GPU, 16-core Neural Engine • 16GB unified memory • 1TB SSD storage • 16-inch Liquid Retina XDR display • Three Thunderbolt 4 ports, HDMI port, SDXC card slot, MagSafe 3 port, 140W USB-C Power Adapter • Backlit Magic Keyboard with Touch ID - US English • Warranty 1 Year Manufacturer • Compatible with Final Cut Pro • Endpoint Security (EPS) - 1 year subscription Anti-Virus , Endpoint Security, Anti Ransomware , Email Protection, IDS/IPS Protection, Firewall Protection, Phishing Protection, Browsing Protection , SMS Notification, Vulnerability Scan, Roaming Platform, GoDeep.AI, Asset Management, Spam Protection , Web Filtering, Advanced Device Control, Application Control , Tuneup , File Activity Monitor, Patch Management, Data Loss Prevention • Warranty: 1 year parts, labor and on-site support 	Equipment	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Measurement of monitor - Functionality test - Checking of specification (offered vs. actual) - Check package completeness - 24 Burn-in test using PassMark 	1 Year	Yes	Yes	47	sets

222

Item Code	Item Name	Agency Specification	Classification	Test Parameters (Post Evaluation)	Test Parameters (Inspection and Acceptance)	Onsite Warranty (Parts and Service)	Training	English Manual	Qty	Unit
11-017	Tablet	<ul style="list-style-type: none"> • 12.9-inch • Liquid Retina XDR display • M1 chip • 8-core CPU with 4 performance cores and 4 efficiency cores • 16-core Neural Engine • 512GB • Wi-Fi + Cellular • Includes: <ul style="list-style-type: none"> - Pad Pro - USB-C Charge Cable - 20W USB-C Power Adapter • Warranty: 1 year standard warranty + 2 years extended warranty on parts and service 	Equipment	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Measurement of monitor - Functionality test - Checking of specification (offered vs. actual) - Check package completeness - 24 Burn-in test using PassMark 	1 Year	Yes	Yes	56	sets

I hereby commit to comply and deliver all the above requirements in accordance with the above stated schedule.

Name of Company/Bidder

Signature over Printed Name of Authorized Representative

Date

 223



Technical Specifications

Lot 12 : Furniture

APPROVED BUDGET FOR THE CONTRACT : Eleven Million Four Hundred Eighty-Two Thousand Nine Hundred Twenty-Six and 09/100 Pesos (P11,482,926.09)

Item Code	Item Name	Agency Specification	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
12-001	Trainers' Table	Kindly refer to the technical specifications attached as Annex B12.	19	pcs			
12-002	Trainees' Table Steel Square Legs	Kindly refer to the technical specifications attached as Annex B12.	139	pcs			
12-003	Movable Square Table	Kindly refer to the technical specifications attached as Annex B12.	50	pcs			
12-004	Swivel Chair	Kindly refer to the technical specifications attached as Annex B12.	291	pcs			
12-005	Swing Door Cabinet	Kindly refer to the technical specifications attached as Annex B12.	15	pcs			
12-006	Glass Cabinet	Kindly refer to the technical specifications attached as Annex B12.	18	pcs			
12-007	Lockers	Kindly refer to the technical specifications attached as Annex B12.	18	pcs			
12-008	L-Shape Table	Kindly refer to the technical specifications attached as Annex B12.	25	pcs			
12-009	Trainees' Chair	Kindly refer to the technical specifications attached as Annex B12.	75	pcs			

ANNEX B12

Item Code	Item Name	Agency Specification	Classification	Test Parameters (Post Evaluation)	Test Parameters (Inspection and Acceptance)	Onsite Warranty (Parts and Service)	Training	English Manual	Qty	Unit
12-001	Trainers' Table	<ul style="list-style-type: none"> • Dimension (LxW): 1200 x 600 mm • Material: High Grade E0 MFC Worktop in Laminate Finish • Adjustable height: 2-lifting column for height in 700-1180mm, 2mm thick Rectangular steel tube, 4-preset LED memory controller • Motor: Single motor, 90-230V, speed in atleast 20mm/s • 4-hidden movable wheels • Steel Legs in Powder Coat Finish 	Furniture	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Type of materials used - Measurement of dimension - Functionality testing 	N/A	N/A	N/A	19	pcs
12-002	Trainees' Table Steel Square Legs	<ul style="list-style-type: none"> • Dimension (LxW): 1200 x 600 mm • 25mm High Grade E1 MFC Worktop in Laminate Wood Finish, Edge Banding, Steel (Square) Legs in Epoxy Resin Finish White color • Grommet Hole with Cable Spine Management • Height: 750 mm 	Furniture	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Type of materials used - Measurement of dimension 	N/A	N/A	N/A	139	pcs
12-003	Movable Square Table	<ul style="list-style-type: none"> • Dimension (LxW): 600 x 600 mm • 25mm High Grade E1 MFC Worktop in Laminate Wood Finish, Edge Banding, Steel (Square) Legs in Epoxy Resin Finish White color • Height: 750 mm 	Furniture	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Type of materials used - Measurement of dimension 	N/A	N/A	N/A	50	pcs

Item Code	Item Name	Agency Specification	Classification	Test Parameters (Post Evaluation)	Test Parameters (Inspection and Acceptance)	Onsite Warranty (Parts and Service)	Training	English Manual	Qty	Unit
12-004	Swivel Chair	<ul style="list-style-type: none"> • Mid back chair with armrest • Material: Fabric seat and Mesh back • PP Armrest and Nylon Base • Gas Lift: 75mm - 85mm Class 3 • Caster Type: Nylon • Chair Seating Capacity: 120- 130kgs • Tilt-Lock Function Mechanism • Ergonomic lumbar support • Pneumatic Height Adjustment • 360° Swivel Function • BIFMA Certified 	Furniture	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Type of Materials used - Measurement of height of max. lift - Measurement of weight of seating capacity 	N/A	N/A	N/A	291	pcs
12-005	Swing Door Cabinet	<ul style="list-style-type: none"> • 2-Door Swing Door Cabinet • 5 Layers • Material: High-quality cold-rolled steel, electro anodized powder coat finish • Color: Textured Light Gray • Dimension: W900 x D390-400 x H1800-1850 mm • Gauge: 21mm • with hasp provision for padlock and built-in locking mechanism 	Furniture	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Type of Material used - Measurement of dimension - Lock Functionality test 	N/A	N/A	N/A	15	pcs
12-006	Glass Cabinet	<ul style="list-style-type: none"> • Upper Swing Doors in Glass • Upper layer :2 • Lower layer: 2 • Material: High-quality cold-rolled steel, electro anodized powder coat finish • Color: Textured Light Gray • Dimension: W900 x D400 x H1850 mm • Gauge: 21mm • with hasp provision for padlock and built-in locking mechanism 	Furniture	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Type of Material used - Measurement of dimension - Lock Functionality test 	N/A	N/A	N/A	18	pcs

227




Item Code	Item Name	Agency Specification	Classification	Test Parameters (Post Evaluation)	Test Parameters (Inspection and Acceptance)	Onsite Warranty (Parts and Service)	Training	English Manual	Qty	Unit
12-007	Lockers	<ul style="list-style-type: none"> • 900 x 400 mm • 0.6mm Thickness • Steel • Multi-color door • 15-Door, Key Lock System 	Furniture	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Type of Material used - Measurement of dimension - Lock Functionality test 	N/A	N/A	N/A	18	pcs
12-008	L-Shape Table	<ul style="list-style-type: none"> • Main Table: L1400 x W600 x H750 mm • Side Table: L1200 x W500 x H750 mm • 25mm High Grade E1 MFC Worktop in Laminate Wood Finish, Edge Banding, Steel Legs in Epoxy Resin Finish with Pedestal (Drawer) • Grommet Hole with Cable Spine Management 	Furniture	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Type of materials used - Measurement of dimension 	N/A	N/A	N/A	25	pcs
12-009	Trainees' Chair	<ul style="list-style-type: none"> • One-piece frame/chair body • Powder coated • Mid-back PP body, cushion seat • Writing tablet rotatable 360 degrees • Cushion seat • Maximum weight capacity 100 kilos 	Furniture	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Type of Materials used - Measurement of height of max. lift - Measurement of weight of seating capacity 	N/A	N/A	N/A	75	pcs
12-010	Laboratory Table	<ul style="list-style-type: none"> • Color: White/blue/black or combination of either 3 • Material: Phenolic Top • Dimensions: 1800 L x 900 W x 800 H mm (Adjustable height is OK) • Drawer / Socket type table for 6 persons 	Furniture	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Type of materials used - Measurement of dimension 	N/A	N/A	N/A	4	pcs

Item Code	Item Name	Agency Specification	Classification	Test Parameters (Post Evaluation)	Test Parameters (Inspection and Acceptance)	Onsite Warranty (Parts and Service)	Training	English Manual	Qty	Unit
12-011	Lavatory counter with countertop and sink	<ul style="list-style-type: none"> • Color: White/blue/black or combination of either 3 • Mobile • With countertop and sink • Material: Phenolic Countertop; Stainless Steel Sink • Single sink w/ faucet and 2 under drawer • Dimensions of sink + counter: L1200mm x W 600mm x H800mm • With inlet and outlet hose, 10m each 	Furniture	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Type of materials used - Measurement of dimension 	N/A	N/A	N/A	4	pcs
12-012	Laboratory Chair (Stool)	<ul style="list-style-type: none"> • Rounded wood top, steel legs • Dimensions: 300mm (D) x 500-550mm (H) • compatible with Laboratory Table, Item No. 12-010 	Furniture	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Measurement of Height - Type of materials used 	N/A	N/A	N/A	25	pcs
12-013	Push Utility Cart Trolley	<ul style="list-style-type: none"> • Any color • Material: Laminate + Steel • 3 layer • Dimensions: 950-1000 x 500 x 950-1000 mm • Two casters with locking brake, two normal casters 	Furniture	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Type of materials used - Measurement of dimension 	N/A	N/A	N/A	2	pcs
12-014	Trainees' Table (Movable and Foldable)	<ul style="list-style-type: none"> • Color: White/Blue/Black/Brown • Material: Metal base, MFC foldable desk • Four casters with locking brake • Height: 750-800 mm • Width: 400-600 mm • Length: 1000-1200 mm • Desk thickness: At least 25 mm 	Furniture	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Type of materials used - Measurement of dimension 	N/A	N/A	N/A	37	pcs

229

Item Code	Item Name	Agency Specification	Classification	Test Parameters (Post Evaluation)	Test Parameters (Inspection and Acceptance)	Onsite Warranty (Parts and Service)	Training	English Manual	Qty	Unit
12-015	Conference Table	<ul style="list-style-type: none"> • 6-8 seaters • Color: White/Black/Brown/Grey • Material: Metal legs, MFC desk • With atleast 1 rectangular grommet in the center of table • Height= 750-800 mm • Width= 1000-1200 mm • Length= 2200-2400 mm 	Furniture	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Type of materials used - Measurement of dimension - Capacity 	N/A	N/A	N/A	1	pc

I hereby commit to comply and deliver all the above requirements in accordance with the above stated schedule.

Name of Company/Bidder

Signature over Printed Name of Authorized Representative

Date

230

Technical Specifications

Lot 13 : Air Conditioning, Refrigeration and Water Dispenser

APPROVED BUDGET : Four Million Three Hundred Forty-Seven Thousand
FOR THE CONTRACT : Three Hundred Ninety Pesos and 31/100
(P4,347,390.31)

Item Code	Item Name	Agency Specification	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
13-001	Air Conditioning Unit, Split Type	Kindly refer to the technical specifications attached as Annex B13 .	53	sets			
13-002	Air Conditioning Unit, Window Type, Non-inverter	Kindly refer to the technical specifications attached as Annex B13 .	4	sets			
13-003	Air Conditioning Unit, Window Type, Inverter	Kindly refer to the technical specifications attached as Annex B13 .	4	sets			
13-004	Refrigerator, single door	Kindly refer to the technical specifications attached as Annex B13 .	1	unit			
13-005	Refrigerator, two door	Kindly refer to the technical specifications attached as Annex B13 .	1	unit			
13-006	Refrigerator, No frost	Kindly refer to the technical specifications attached as Annex B13 .	1	unit			
13-007	Chest Type Freezer	Kindly refer to the technical specifications attached as Annex B13 .	1	unit			

Item Code	Item Name	Agency Specification	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
13-008	Upright Freezer	Kindly refer to the technical specifications attached as Annex B13.	1	unit			
13-009	Hot and Cold Water Dispenser	Kindly refer to the technical specifications attached as Annex B13.	1	unit			

* Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

I hereby commit to comply and deliver all the above requirements in accordance with the above stated schedule.

Name of Company/Bidder **Signature over Printed Name of Authorized Representative** **Date**

ANNEX B13

Item Code	Item Name	Agency Specification	Classification	Test Parameters (Post Evaluation)	Test Parameters (Inspection and Acceptance)	Onsite Warranty (Parts and Service)	Training	English Manual	Qty	Unit
13-001	Air Conditioning Unit, Split Type	<ul style="list-style-type: none"> • 2.5hp Split type, wall mounted • Dual inverter rotary compressor • R32 Refrigerant • 220-240VAC, 60Hz, 1 Phase • With voltage fluctuation protection • Cooling capacity Range: 4,800-22,900 BTU/hr or 5,064-24,161 kJ/hr • Power Consumption Range: 360-2,270 Watts • With IOTs/WiFi 	Equipment	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Checking the conformity with the quantity including parts and accessories - Checking the conformity of hardware vis-a-vis offered specifications - Functionality testing 	2 Years	Yes	Yes	53	sets
13-002	Air Conditioning Unit, Window Type, Non-inverter	<ul style="list-style-type: none"> • Capacity: 1.0 hp • 220-240V, 60Hz • Remote controlled • Non-inverter • Window type • Refrigerant: R32 or R410A 	Equipment	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Checking the conformity with the quantity including parts and accessories - Checking the conformity of hardware vis-a-vis offered specifications - Functionality testing 	2 Years	Yes	Yes	4	sets
13-003	Air Conditioning Unit, Window Type, Inverter	<ul style="list-style-type: none"> • Capacity: 1.0 hp • 220-240V, 60Hz • Remote controlled • inverter • Window type • Refrigerant: R32 or R410A 	Equipment	Brochure with picture and data sheet	<ul style="list-style-type: none"> - Checking the conformity with the quantity including parts and accessories - Checking the conformity of hardware vis-a-vis offered specifications - Functionality testing 	2 Years	Yes	Yes	4	sets

Item Code	Item Name	Agency Specification	Classification	Test Parameters (Post Evaluation)	Test Parameters (Inspection and Acceptance)	Onsite Warranty (Parts and Service)	Training	English Manual	Qty	Unit
13-004	Refrigerator, single door	Capacity: atleast 5 cu. ft. Single Door, Semi-Auto Defrost 220-240V, 60Hz Inverter compressor Roller stand included	Equipment	Brochure with picture and data sheet	- Checking the conformity with the quantity including parts and accessories - Checking the conformity of hardware vis-a-vis offered specifications - Functionality testing	1 Year	Yes	Yes	1	unit
13-005	Refrigerator, two door	Capacity: atleast 6 cu. ft. Two Door, Manual Defrost 220-240V, 60Hz Roller stand included	Equipment	Brochure with picture and data sheet	- Checking the conformity with the quantity including parts and accessories - Checking the conformity of hardware vis-a-vis offered specifications - Functionality testing	1 Year	Yes	Yes	1	unit
13-006	Refrigerator, No frost	Capacity: atleast 6 cu. ft. Two Door, No Frost 220-240V, 60Hz Inverter compressor Roller stand included	Equipment	Brochure with picture and data sheet	- Checking the conformity with the quantity including parts and accessories - Checking the conformity of hardware vis-a-vis offered specifications - Functionality testing	1 Year	Yes	Yes	1	unit
13-007	Chest Type Freezer	Capacity: atleast 10 cu. ft. Manual defrost, Quick Freezing 220-240V, 60Hz	Equipment	Brochure with picture and data sheet	- Checking the conformity with the quantity including parts and accessories - Checking the conformity of hardware vis-a-vis offered specifications - Functionality testing	1 Year	Yes	Yes	1	unit

Item Code	Item Name	Agency Specification	Classification	Test Parameters (Post Evaluation)	Test Parameters (Inspection and Acceptance)	Onsite Warranty (Parts and Service)	Training	English Manual	Qty	Unit
13-008	Upright Freezer	Capacity: at least 6 cu. ft. Manual defrost 220-240V, 60Hz Roller stand included	Equipment	Brochure with picture and data sheet	- Checking the conformity with the quantity including parts and accessories - Checking the conformity of hardware vis-a-vis offered specifications - Functionality testing	1 Year	Yes	Yes	1	unit
13-009	Hot and Cold Water Dispenser	Floor Standing 900 to 1000 mm 220-240V, 60 Hz Top Load or Bottom Load	Equipment	Brochure with picture and data sheet	- Checking the conformity with the quantity including parts and accessories - Checking the conformity of hardware vis-a-vis offered specifications - Functionality testing	1 Year	Yes	Yes	1	unit

I hereby commit to comply and deliver all the above requirements in accordance with the above stated schedule.

Name of Company/Bidder

Signature over Printed Name of Authorized Representative

Date

235

Section VIII. Checklist of Technical and Financial Documents

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

Legal Documents

- (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR;

Technical Documents

- (b) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; **and**
- (c) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents **and**
- (d) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;
or
Original copy of Notarized Bid Securing Declaration; **and**
- (e) Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; (*Sections VI and VII of the Bidding Documents*) **and**
- (f) Original duly signed Omnibus Sworn Statement (OSS); **and** if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

- (g) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC);
or
A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

Class "B" Documents

- (h) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;
or
duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

Other documentary requirements under RA No. 9184 (as applicable)

- (i) *[For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos]* Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- (j) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

II. FINANCIAL COMPONENT ENVELOPE

- (a) Original of duly signed and accomplished Financial Bid Form; **and**
- (b) Original of duly signed and accomplished Price Schedule(s).

STATEMENT OF (i) ONGOING CONTRACTS (ii) AWARDED BUT NOT YET STARTED CONTRACTS

This is to certify that _____ (company) _____ has the following ongoing and awarded but not yet started contracts:

Contracting Party	Name of Contract	Date and Status of the Contract	Kind of Goods	Amount of Contract	Value of Outstanding Contracts	Date of Delivery	Purchase Order Number/s or Date of Contract/s

Name and Signature of
Authorized Representative

Date

- *Instructions:**
- a) State all ongoing contracts including those awarded but not yet started (government and private contracts which may be similar or not similar to the project called for bidding) as of:
 - i. The day before the deadline of submission of bids.
 - b) If there is no ongoing contract including awarded but not yet started as of the aforementioned period, state none or equivalent term.
 - c) The total amount of the ongoing and awarded but not yet started contracts should be consistent with those used in the Net Financial Contracting Capacity (NFCC) in case an NFCC is submitted as an eligibility document.
 - d) "Name of Contract". Indicate here the Nature/ Scope of the Contract for easier tracking of the entries/ representations

STATEMENT OF SINGLE LARGEST COMPLETED CONTRACT SIMILAR TO THE CONTRACT TO BE BID

This is to certify that _____ (company) _____ has the following completed contracts within five (5) years prior to the date of submission and receipt of bids, a contract similar to the Project

Contracting Party	Name of Contract	Date of the Contract	Kind of Goods	Amount of Contract	Date of Delivery	Please submit any of the following attachment: a. Copy/ies of Contract/s or Purchase Order/s; <u>OR</u> b. Copy/ies of corresponding Sales Invoice/s; <u>OR</u> c. Copy/ies of Official Receipt/Cash Receipt/Collection Receipt; <u>OR</u> d. Certificate of Performance Evaluation

Name and Signature of
Authorized Representative

Date

*** Instructions:**

a) Cut-off date as of:

(i) Up to the day before the deadline of submission of bids.

b) In the column under "Dates" indicate the dates of Delivery/ End-user's Acceptance and Official Receipt.

c) "Name of Contract". Indicate here the Nature/ Scope of the Contract for the Procuring Entity to determine the relevance of the entry with the Procurement at hand.

Bid Securing Declaration Form

REPUBLIC OF THE PHILIPPINES)
CITY OF _____) S.S.

BID SECURING DECLARATION **Invitation to Bid: [Insert Reference number]**

To: *[Insert name and address of the Procuring Entity]*

I/We², the undersigned, declare that:

1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid-Securing Declaration.
2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA 9184; without prejudice to other legal action the government may undertake.
3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - (a) Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - (b) I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right;
 - (c) I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

² Select one and delete the other. Adopt the same instruction for similar terms throughout the document.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this ____ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]

[Insert Signatory's Legal Capacity]

Affiant

SUBSCRIBED AND SWORN to before me this ____ day of [month] [year] at [place of execution], Philippines. Affiant/s is/are personally known to me and was/were identified by me through competent evidence of identity as defined in the 2004 Rules on Notarial Practice (A.M. No. 02-8-13-SC). Affiant/s exhibited to me his/her [insert type of government identification card used], with his/her photograph and signature appearing thereon, with no. _____ and his/her Community Tax Certificate No. _____ issued on ____ at _____.

Witness my hand and seal this ____ day of [month] [year].

NAME OF NOTARY PUBLIC

Serial No. of Commission _____

Notary Public for _____ until _____

Roll of Attorneys No. _____

PTR No. _____ [date issued], [place issued]

IBP No. _____ [date issued], [place issued]

Doc. No. _____

Page No. _____

Book No. _____

Series of _____

*The identification card shall be at least one of the acceptable proofs of identity as identified under the provisions of the 2014 Rules on Notarial Practice

"Sec. 12. Competent Evidence of Identity— The phrase "competent evidence of identity" refers to the identification of an individual based on:

At least one current identification document issued by an official agency bearing the photograph and signature of the individual, such as but not limited to, passport, driver license, Professional Regulations Commission ID, National Bureau of Investigation clearance, police clearance, postal ID, voter's ID, Barangay certification, Government Service and Insurance System (GSIS) e-card, Social Security System (SSS) card, Philhealth card, senior citizen card, Overseas Workers Welfare Administration (OWWA) ID, OFW ID, seaman's book, alien certificate of registration/immigrant certificate of registration, government office ID, certification from the National Council for the Welfare of Disabled Persons (NCWDP), Department of Social Welfare and Development (DSWD) certification:

The Board Resolution or Secretary's Certificate referring to the said Board Resolution designating the bidder's authorized representative and signatory need not specifically indicate the particular project where such authority is given provided that the said authority covers activities by TESDA.

OMNIBUS SWORN STATEMENT (REVISED)

[shall be submitted with the Bid]

REPUBLIC OF THE PHILIPPINES)
CITY/MUNICIPALITY OF _____) S.S.

AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. *[Select one, delete the other:]*

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. *[Select one, delete the other:]*

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable)];

3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, **by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;**

4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;
6. *[Select one, delete the rest:]*

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

7. [Name of Bidder] complies with existing labor laws and standards; and
8. [Name of Bidder] is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
 - a. Carefully examining all of the Bidding Documents;
 - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
 - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
9. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.

10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through

misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

IN WITNESS WHEREOF, I have hereunto set my hand this ___ day of ___, 20___ at _____, Philippines.

*[Insert NAME OF BIDDER OR ITS
AUTHORIZED REPRESENTATIVE]*

[Insert signatory's legal capacity]

Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

**The identification card shall be at least one of the acceptable proofs of identity as identified under the provisions of the 2014 Rules on Notarial Practice*

"Sec. 12. Competent Evidence of Identity — The phrase "competent evidence of identity" refers to the identification of an individual based on:

At least one current identification document issued by an official agency bearing the photograph and signature of the individual such as but not limited to, passport, driver's license, Professional Regulations Commission ID, National Bureau of Investigation clearance, police clearance, postal ID, voter's ID, Barangay certification, Government Service and Insurance System (GSIS) e-card, Social Security System (SSS) card, Philhealth card, senior citizen card, Overseas Workers Welfare Administration (OWWA) ID, OFW ID, seaman's book, alien certificate of registration/immigrant certificate of registration, government office ID, certification from the National Council for the Welfare of Disabled Persons (NCWDP), Department of Social Welfare and Development (DSWD) certification;

The Board Resolution or Secretary's Certificate referring to the said Board Resolution designating the bidder's authorized representative and signatory need not specifically indicate the particular project where such authority is given provided that the said authority covers activities by TESDA.

JOINT VENTURE AGREEMENT

KNOW ALL MEN BY THESE PRESENTS:

This JOINT VENTURE AGREEMENT (hereinafter referred to as the "Agreement"), entered into this _____ day _____ of 20__ at _____ City, Philippines by and among:

_____, a domestic corporation duly organized, registered and existing under and by virtue of the laws of the Republic of the Philippines, with office address at _____, represented by its _____, hereinafter referred to as "_____";

- and -

_____, a domestic corporation duly organized, registered and existing under and by virtue of the laws of the Republic of the Philippines, with office address at _____, represented by its _____, hereinafter referred to as "_____";

- and -

_____ a foreign corporation organized and existing under and by virtue of the laws of _____, represented by its _____, hereinafter referred to as "_____";

(Henceforth collectively referred to as the "**Parties**")

WITNESSETH: That

WHEREAS, the Technical Education and Skills Development Authority (TESDA) has recently published an Invitation to Apply for Eligibility and to Bid for the Supply and Delivery of _____ for the _____;

WHEREAS, the parties have agreed to pool their resources together to form the "_____ Joint Venture", hereinafter referred to as the Joint Venture, under the laws of the Philippines, for the purpose of participating in the abovementioned procurement of TESDA-CO;

NOW, THEREFORE, for and in consideration of the foregoing premises and the covenants hereto set forth, the Parties have agreed as follows:

ARTICLE I
ORGANIZATION OF THE JOINT VENTURE

SECTION 1. Formation — The Parties do hereby agree and bind themselves to establish, form and organize a Joint Venture pursuant to the laws of the Republic of the Philippines, in order for the JV to carry on the purposes and objectives for which it is created;

SECTION 2. Name — The name and style under which the JV shall be conducted is “ _____ ”;

SECTION 3. Principal Place of Business — The JV shall maintain its principal place of business at _____;

SECTION 4. Preparation and Documentation — The Parties shall secure and/or execute such certifications, documents, deeds and instruments as may be required by the laws of the Republic of the Philippines for the realization of the JV and in compliance with the Project. Further, they shall do all other acts and things requisite for the continuation of the JV pursuant to applicable laws;

SECTION 5. The Joint Venture shall be represented by the _____ in all biddings, related procurement transactions and other official dealings that it shall enter into with the TESDA-CO and third parties, such transactions to include, among others, the submission of eligibility documents, bids, registration documents obtaining bonds, performing the principal contract in the event that the contract is awarded in favor of the Joint Venture, receipt of payment for goods delivered, and similar and related activities.

SECTION 6. The period of the Joint Venture shall begin upon execution of this Agreement and shall continue until the complete performance of its contractual obligations to TESDA-CO, as described in Article II hereof, or upon its termination for material breach of any term or condition of this Agreement, by service of a written statement in English on the other Party, not less than 90 days prior to the intended date termination

ARTICLE II
PURPOSE

SECTION 1. The primary purpose of the Joint Venture is to participate in the public bidding to be conducted by the TESDA-CO Bids and Awards Committee for the supply and delivery of _____ for the _____.

SECTION 2. If the above-described contract/s is/are awarded to the Joint Venture, the Joint Venture shall undertake the performance thereof to TESDA-CO, and such other incidental activities necessary for the completion of its contractual obligations.

**ARTICLE III
SOLIDARY LIABILITY OF THE PARTIES**

SECTION 1. In the performance of the contract/s that may be awarded to the Joint Venture by the TESDA-CO, and all other related activities/obligations, as described in Article II hereof, - the Parties bind themselves jointly and solidarily, in the concept of solidarily debtors, subject to the right of reimbursement, as provided in the relevant provisions of the Civil Code of the Philippines.

**ARTICLE IV
CONTRIBUTION AND OTHER ARRANGEMENTS**

SECTION I. Contribution — The Parties shall contribute the amount of _____ (Php _____) to support the financial requirements of the Joint Venture, in the following proportion:

A.	-	P .00
B.	-	<u>P .00</u>
TOTAL		P .00

Additional contributions to the Joint Venture shall be made as may be required for contract implementation. In addition, shall contribute any labor and contract management requirements.

SECTION 2. Profit Sharing — The share of the Parties to the JV from any profit derived or obtained from the implementation and execution of the Project shall be distributed pro rata to each, in accordance with the contribution and resources each has provided to the JV;

SECTION 3. Liquidation and Distributions — Any sum remaining after deducting from the total of all moneys or benefits received for the performance of the contract, all costs incurred by the JV after award of the contract for the Project pursuant to the accounting practices established for the JV, shall be distributed in accordance with the relative balances in the accounts of each Party pursuant to Sec.1 of this Article upon completion, final accounting, termination and liquidation of the JV. In the event of liquidation and termination of JV, and after taking into account the shares of the Parties in all income, gain, deductions, expenses, and losses, should the account of a Party contain a negative balance, such Party shall contribute cash to the JV sufficient to restore the said balance to zero;

SECTION 4. Sharing of Burden of a Net Loss — In case a net loss is incurred, additional contributions shall be made by the Parties in accordance with their respective shares.

**ARTICLE V
MISCELLANEOUS PROVISIONS**

SECTION 1. The provisions of the Instructions to Bidders, Supplemental Bid Bulletin, and other bidding documents issued by the TESDA-CO in relation to the contract described in Article II hereof, shall be deemed incorporated in this Agreement and made an integral part thereof.

SECTION 2. This Agreement shall be binding upon and inure to the benefit of the Parties and their respective-successors and assigns.

SECTION 3. The Parties herein are duly represented by their authorized officers.

SECTION 4. Governing Law - This Agreement shall be governed by and construed according to the laws of the Republic of the Philippines. Venue of any court action arising from this Agreement shall be exclusively laid before the proper court of the Philippines.

IN WITNESS WHEREOF, the parties have set their hands and affixed their signatures on the date and place first above-stated.

Signed in the Presence of:

ACKNOWLEDGMENT

REPUBLIC OF THE PHILIPPINES)
CITY/MUNICIPALITY OF _____) S.S.
PROVINCE OF (in the case of Municipality)

BEFORE ME, a Notary Public for and in the City/Municipality of (indicate also the Province in the case of Municipality, this _____ day of _____ month & year) personally appeared the following:

Name ID Name, Number and Validity Date

Known to me and to me known to be the same persons who executed the foregoing instrument and they acknowledge to me that the same is their free and voluntary act and deed and that of the corporation(s) they represent.

This instrument refers to a Joint Venture Agreement consisting of _____ pages, including the page on which this Acknowledgement is written, and signed by the parties and their instrumental witnesses.

WITNESS MY HAND AND NOTARIAL SEAL on the place and on the date first above written.

NAME OF NOTARY PUBLIC

Serial No. of Commission _____
Notary Public for _____ until _____
Roll of Attorneys No. _____
PTR No. _____ [date issued], [place issued]
IBP No. _____, [date issued], [place issued]

Doc. No. _____
Page No. _____
Book No. _____
Series of _____

Note:

"Sec. 12. Competent Evidence of Identity — The phrase "competent evidence of identity" refers to the identification of an individual based on:

At least one current identification document issued by an official agency bearing the photograph and signature of the individual such as but not limited to, passport, driver's license, Professional Regulations Commission ID, National Bureau of Investigation clearance, police clearance, postal ID, voter's ID, Barangay certification, Government Service and Insurance System (GSIS) e-card, Social Security System (SSS) card, Philhealth card, senior citizen card, Overseas Workers Welfare Administration (OWWA) ID, OFW ID, seaman's book, alien certificate of registration/immigrant certificate of registration, government office ID, certification from the National Council for the Welfare of Disabled Persons (NCWDP), Department of Social Welfare and Development (DSWD) certification.

Bid Form for the Procurement of Goods
[shall be submitted with the Bid]

BID FORM

Date : _____
Project Identification No. : _____

To: *[name and address of Procuring Entity]*

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers *[insert numbers]*, the receipt of which is hereby duly acknowledged, we, the undersigned, offer to *[supply/deliver/perform]* *[description of the Goods]* in conformity with the said PBDs for the sum of *[total Bid amount in words and figures]* or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: *[specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties]*, which are itemized herein or in the Price Schedules,

If our Bid is accepted, we undertake:

- a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
- b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.

[Insert this paragraph if Foreign-Assisted Project with the Development Partner:

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

Name and address of agent	Amount and Commission or gratuity	Purpose of
---------------------------	-----------------------------------	------------

(if none, state "None")]

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

The undersigned is authorized to submit the bid on behalf of *[name of the bidder]* as evidenced by the attached *[state the written authority]*.

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Name: _____

Legal capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Date: _____

Price Schedule for Goods Offered from Abroad
[shall be submitted with the Bid if bidder is offering goods from Abroad]

For Goods Offered from Abroad

Name of Bidder _____ Project ID No. _____ Page ___ of ___

1	2	3	4	5	6	7	8	9
Item	Description	Country of origin	Quantity	Unit price CIF port of entry (specify port) or CIP named place (specify border point or place of destination)	Total CIF or CIP price per item (col. 4 x 5)	Unit Price Delivered Duty Unpaid (DDU)	Unit price Delivered Duty Paid (DDP)	Total Price delivered DDP (col 4 x 8)

Name: _____

Legal Capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Price Schedule for Goods Offered from Within the Philippines
[shall be submitted with the Bid if bidder is offering goods from within the Philippines]

For Goods Offered from Within the Philippines

Name of Bidder _____ Project ID No. _____ Page ___ of ___

1	2	3	4	5	6	7	8	9	10
Item	Description	Country of origin	Quantity	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)

Name: _____

Legal Capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Performance Securing Declaration (Revised)

[if used as an alternative performance security but it is not required to be submitted with the Bid, as it shall be submitted within ten (10) days after receiving the Notice of Award]

REPUBLIC OF THE PHILIPPINES)
CITY OF _____) S.S.

PERFORMANCE SECURING DECLARATION

Invitation to Bid: [Insert Reference Number indicated in the Bidding Documents]
To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, to guarantee the faithful performance by the supplier/distributor/manufacturer/contractor/consultant of its obligations under the Contract, I/we shall submit a Performance Securing Declaration within a maximum period of ten (10) calendar days from the receipt of the Notice of Award prior to the signing of the Contract.
2. I/We accept that: I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of one (1) year for the first offense, or two (2) years **for the second offense**, upon receipt of your Blacklisting Order if I/We have violated my/our obligations under the Contract;
3. I/We understand that this Performance Securing Declaration shall cease to be valid upon:
 - a. issuance by the Procuring Entity of the Certificate of Final Acceptance, subject to the following conditions:
 - i. Procuring Entity has no claims filed against the contract awardee;
 - ii. It has no claims for labor and materials filed against the contractor; and
 - iii. Other terms of the contract; or
 - b. replacement by the winning bidder of the submitted PSD with a performance security in any of the prescribed forms under Section 39.2 of the 2016 revised IRR of RA No. 9184 as required by the end-user.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this ____ day of [month] [year] at [place of execution].

*[Insert NAME OF BIDDER OR ITS
AUTHORIZED REPRESENTATIVE]
[Insert signatory's legal capacity]
Affiant*

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

Contract Agreement Form for the Procurement of Goods (Revised)
[Not required to be submitted with the Bid, but it shall be submitted within ten (10) days after receiving the Notice of Award]

CONTRACT AGREEMENT

THIS AGREEMENT made the _____ day of _____ 20____ between [name of PROCURING ENTITY] of the Philippines (hereinafter called "the Entity") of the one part and [name of Supplier] of [city and country of Supplier] (hereinafter called "the Supplier") of the other part;

WHEREAS, the Entity invited Bids for certain goods and ancillary services, particularly [brief description of goods and services] and has accepted a Bid by the Supplier for the supply of those goods and services in the sum of [*contract price in words and figures in specified currency*] (hereinafter called "the Contract Price").

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.
2. The following documents as required by the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184 shall be deemed to form and be read and construed as integral part of this Agreement, viz.:
 - i. Philippine Bidding Documents (PBDs);
 - i. Schedule of Requirements;
 - ii. Technical Specifications;
 - iii. General and Special Conditions of Contract; and
 - iv. Supplemental or Bid Bulletins, if any
 - ii. Winning bidder's bid, including the Eligibility requirements, Technical and Financial Proposals, and all other documents or statements submitted;

Bid form, including all the documents/statements contained in the Bidder's bidding envelopes, as annexes, and all other documents submitted (e.g., Bidder's response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity's bid evaluation;

- iii. Performance Security;
- iv. Notice of Award of Contract; and the Bidder's conforme thereto; and
- v. Other contract documents that may be required by existing laws and/or the Procuring Entity concerned in the PBDs. **Winning bidder agrees that additional contract documents or information prescribed by the GPPB that are subsequently required for submission after the contract execution, such as the Notice to**

Proceed, Variation Orders, and Warranty Security, shall likewise form part of the Contract.

3. In consideration for the sum of *[total contract price in words and figures]* or such other sums as may be ascertained, *[Named of the bidder]* agrees to *[state the object of the contract]* in accordance with his/her/its Bid.
4. The *[Name of the procuring entity]* agrees to pay the above-mentioned sum in accordance with the terms of the Bidding.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of the Republic of the Philippines on the day and year first above written.

[Insert Name and Signature]

[Insert Name and Signature]

[Insert Signatory's Legal Capacity]

[Insert Signatory's Legal Capacity]

for:

for:

[Insert Procuring Entity]

[Insert Name of Supplier]

Acknowledgment

[Format shall be based on the latest Rules on Notarial Practice]

Republic of the Philippines



Government Procurement Policy Board