LOT	LOT /	REGION III								
NO.	QUALIFICATION	Aurora	Bataan	Bulacan	Nueva Ecija	Pampanga	Tarlac	Zambales	TOTAL	
26	Shielded Metal Arc Welding (SMAW) NC I	20	20	20	20	40	20	20	160	
27	Shielded Metal Arc Welding (SMAW) NC II			40	79	20	39		178	
28	Bread and Pastry Production NC II	20	20	60	80	60		40	280	
29	Cookery NC II				20				20	
TOTAL		84	64	120	260	195	333	60	1,116	

LOT	LOT / OUAL IEICATION	REGIO	REGION IV-A		
NO.	LOT / QUALIFICATION	Quezon	Rizal	TOTAL	
22	Electrical Installation and Maintenance NC II		24	24	
26	Shielded Metal Arc Welding (SMAW) NC I	25	25	50	
27	Shielded Metal Arc Welding (SMAW) NC II	100	23	123	
28	Bread and Pastry Production NC II		25	439	
TOTAL		539	97	636	

LOT			REGION IV-	B (MIMAF	ROPA)			
NO.	LOT / QUALIFICATION	Marinduque	Occidental Mindoro	Oriental Mindoro	Palawan	Rombion	TOTAL	
1	Animal Production (Poultry-Chicken) NC II			50	50		100	
2	Animal Production (Ruminants) NC II				25		25	
3	Animal Production (Swine) NC II				50		50	
7	Organic Agriculture Production NC II - Produce Organic Concoctions and Extracts					50	50	
9	Organic Agriculture Production NC II - Raise Organic Hogs					50	50	
10	Organic Agriculture Production NC II - Raise Organic Small Ruminants					50	50	
13	Motorcycle/Small Engine Servicing NC II - Overhaul Motorcycle/Small Engine				50		50	
15	Carpentry NC II		25	50			75	
17	Masonry NC I			50			50	

LOT			REGION IV-	B (MIMAI	ROPA)		
NO.	LOT / QUALIFICATION	Marinduque	Occidental Mindoro	Oriental Mindoro	Palawan	Rombion	TOTAL
19	PV Systems Installation NC				25		25
20	Tile Setting NC II		25			50	75
21	Electronics Products Assembly and Servicing NC II - Assemble Electronics Products		50				50
22	Electrical Installation and Maintenance NC II				25		25
23	Electronics Products Assembly and Servicing NC II - Service Consumer Electronic Products and Systems		50				50
24	Dressmaking NC II	25					25
26	Shielded Metal Arc Welding (SMAW) NC I	75	25			50	150
27	Shielded Metal Arc Welding (SMAW) NC II	50	75			50	175
28	Bread and Pastry Production NC II					25	25
29	Cookery NC II	25	25	25	50		125
TOTAL		175	275	175	275	325	1,225

LOT				TOTAL		
NO.	LOT / QUALIFICATION	Camarines Norte	Camarines Sur	Masbate	Sorsogon	
10	Organic Agriculture Production NC II - Raise Organic Small Ruminants	25				25
12	Driving NC II	70	65	45		180
15	Carpentry NC II		25			25
19	PV Systems Installation NC II				47	47
21	Electronics Products Assembly and Servicing NC II - Assemble Electronics Products		25		24	49
22	Electrical Installation and Maintenance NC II	96		23	100	219
23	Electronics Products Assembly and Servicing NC II - Service Consumer Electronic Products and Systems				23	23
27	Shielded Metal Arc Welding (SMAW) NC II			25		25
TOTAL		191	115	93	194	593

1.

LOT	LOT / QUALIFICATION	RI	REGION VII		
NO.	LOT / QUALIFICATION	Cebu	Negros Oriental	TOTAL	
12	Driving NC II		50	50	
15	Carpentry NC II		50	50	
24	Dressmaking NC II		25	25	
26	Shielded Metal Arc Welding (SMAW) NC I		122	122	
28	Bread and Pastry Production NC II	429	97	526	
29	Cookery NC II		50	50	
TOTAL		429	394	823	

LOT	LOT/]		
NO.	QUALIFICATION	Zamboanga City	Zamboanga del Norte	Zamboanga del Sur	Zamboanga Sibugay	TOTAL
12	Driving NC II			50	·	50
16	Construction Painting NC II			50		50
18	Masonry NC II			50	50	100
22	Electrical Installation and Maintenance NC II		75	50		125
24	Dressmaking NC II			50		50
26	Shielded Metal Arc Welding (SMAW) NC I				75	75
27	Shielded Metal Arc Welding (SMAW) NC II			50		50
28	Bread and Pastry Production NC II	50	50	100		200
29	Cookery NC II			45		45
TOTAL		50	125	445	125	745

LOT					
NO.	LOT / QUALIFICATION	Davao City	Davao Del Norte	Davao Oriental	TOTAL
7	Organic Agriculture Production NC II - Produce Organic Concoctions and Extracts		75	225	300
8	Organic Agriculture Production NC II - Produce Organic Fertilizer		75		75
9	Organic Agriculture Production NC II - Raise Organic Hogs			175	175
22	Electrical Installation and Maintenance NC II		225		225
28	Bread and Pastry Production NC II	18		405	423
29	Cookery NC II			75	75
TOTAL		18	375	880	1,273

Section VII. Technical Specifications

Lot 1 : Animal Production (Poultry-Chicken) NC II

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Plastic Pail		1	рс			
2	Manual Knapsack Sprayer	Kindly refer to the	1	unit			
3	Waterer for Chicken	technical specifications attached as	1	рс			
4	Tubular Feeder	Annex E1.	1	рс			
5	Weighing Scale		1	рс			

^{*} Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E1.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

the same shall give rise to automa	atic disqualification of our bid.	oost-qualification,
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date

Sector	Qualification	Lot No.	Item No.	Item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Agriculture, Forestry, and Fishery	Animal Production (Poultry-Chicken) NC II	1	1	Plastic Pail	Capacity: 16 - 20 liters with metal handle Minimum Weight: 650 grams Diameter: 30 - 34 cm Height: 30 - 35 cm	Functionality Test: Leak test Visual Check: Check actual measurements	YES	N/A	If applicable	1	рс
Agriculture, Forestry, and Fishery	Animal Production (Poultry-Chicken) NC II	1	2	Manual Knapsack Sprayer	Semi-automatic sprayer Capacity: Strictly 17 liters capacity Stainless Steel tank Semi-automatic with complete accessories (Hose, Nozzle, Handle, Strap)	Functionality Test: Perform test run by assembling the components, add water and spray in the surface Visual Check: Check the manufacturer's manual for the completeness of the accessories material test (test to magnet, purity test)	YES	N/A	YES	1	unit
Agriculture, Forestry, and Fishery	Animal Production (Poultry-Chicken) NC II	1	3	Waterer for Chicken	Capacity : 1- gallon Material: Polyethylene Plastic (Dent-proof)	Functionality Test: • Leak test Visual check	YES	N/A	If applicable	1	рс
Agriculture, Forestry, and Fishery	Animal Production (Poultry-Chicken) NC II	1	4	Tubular Feeder	Capacity: 5 kg. Material: High Density Polyethylene Plastic	Functionality test Visual checking of the item	YES	N/A	If applicable	1	рс
Agriculture, Forestry, and Fishery	Animal Production (Poultry-Chicken) NC II	1	5	Weighing Scale	10 kg capacity with 50 grams graduation Top loading balance Strong Flat Top	Functionality Test: Actual test (to weigh sample items if it is calibrated or not) Visual Check: Check flat top	YES	N/A	If applicable	1	рс

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder	Signature over Printed Name of Authorized	Date
•	Representative	

Lot 2

: Animal Production (Ruminants) NC II

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance *	Make Brand / Model	Reference
1	Shovel Round		1	рс			
2	Hoof knife	Kindly refer to the technical specifications attached as Annex E2.	1	рс			
3	Ear Tag Applicator		1	set			
4	Wheel Barrow		1	рс			
5	Bolo		1	рс			

^{*} Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E2.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

I hereby certify that the statement of compliance to the foregoing technical	specifications are
true and correct, otherwise, if found to be false either during bid evaluation or	post-qualification,
the same shall give rise to automatic disqualification of our bid.	•
·	

Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date

Sector	Qualification	Lot No.	Item No.	Item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Agriculture, Forestry and Fisheries	Animal Production (Ruminants) NC II	2	1	Shovel Round	Round point tip; all metal handle Tempered steel blade (0.8 mm - 2.0 mm gauge) Blade Length: 12 - 28 cm Blade Width: 17 cm - 23 cm Overall length: 100 cm - 115 cm D-Grip handle	Functionality Test Visual Check: •Actual measurement (blade thickness, blade length and width, and overall length) •Verify brochures and datasheets	YES	N/A	If applicable	1	рс
Agriculture, Forestry and Fisheries	Animal Production (Ruminants) NC II	2	2	Hoof knife	Carbon steel double edged Blade length: 7 cm - 9.5 cm Blade width: 1.8 cm - 2.5 cm Wood handle	Functionality Test: •Test usage by splicing a piece of card board without having any deformities such as having uneven blade or creating a cracks within the blade Visual Check:	unctionality Test: Test usage by splicing a piece of card board without having any deformities such as having uneven blade or creating a cracks within the blade		If applicable	1	рс
Agriculture, Forestry and Fisheries	Animal Production (Ruminants) NC II	2	3	Ear Tag Applicator	Universal plastic applicator With assorted plastic colored ear tags (100 pcs.)	Actual measurement Functionality Test: Actual Test Visual Check	YES	N/A	If applicable	1	set
Agriculture, Forestry and Fisheries	Animal Production (Ruminants) NC II	2	4	Wheel Barrow	•Minimum Load: 50 kgs. •Wheel: Air inflated •Material: Steel	Functionality Test Visual Check: Deformity of bucket and wheel	YES	N/A	If applicable	1	рс
Agriculture, Forestry and Fisheries	Animal Production (Ruminants) NC II	2	5	Bolo	Blade Length: 30 cm - 35 cm Blade Width: 4.5 cm - 5 cm Overall Length: 42 cm - 45 cm Full Tang Riveted handle Machete Type	Functionality Test: • Actual test Visual Check: • Check bends and rusts • Actual measurement	YES	N/A	If applicable	1	рс

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder	Signature over Printed Name of Authorized	Date
• •	Representative	

Lot 3

: Animal Production (Swine) NC II

No.	Item	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Ear Notcher		1	рс			
2	Forcep	Kindly refer to the	1	рс			
3	Weighing Scale	technical specifications attached as	1	рс			
4	Pig Nipple Drinker		1	рс			
5	Ear Tag Applicator	Annex E3.	1	set			

^{*} Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E3.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

i hereby certify that the statement of comphance to the foregoing technical specifications are
true and correct, otherwise, if found to be false either during bid evaluation or post-qualification,
the same shall give rise to automatic disqualification of our bid.
·

Name of Company/Bidder	Signature over Printed Name of	Date
	Authorized Representative	

52

Sector	Qualification	Lot No.	Item No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Agriculture, Forestry and Fisheries	Animal Production (Swine) NC II	3	1	Ear Notcher	Stainless stee! 150 mm to 160 mm long V or U shaped ear clamps 170 to 190 grams	Functionality Test: •by cutting piece of paper if the blade is sharp forming a V or U shaped ear clamps Visual Check: •Check actual Measurement (length and weight) •Material test (test to magnet, purity test)	YES	N/A	If applicable	1	рс
Agriculture, Forestry and Fisheries	Animal Production (Swine) NC II	3	2	Forcep	Stainless 5.5" long, straight forcep	Functionality Test Visual Check: •Material test (test to magnet, purity test) •Check actual measurement	YES	N/A	If applicable	1	рс
Agriculture, Forestry and Fisheries	Animal Production (Swine) NC II	3	3	Weighing Scale	•10 kg capacity with 50 grams graduation •Top loading balance •Strong Flat Top	Functionality Test: •Actual test (to weigh sample items if it is calibrated or not) Visual Check: •Check flat top	YES	N/A	If applicable	1	рс
Agriculture, Forestry and Fisheries	Animal Production (Swine) NC II	3	4	Pig Nipple Drinker	Stainless Steel 1/2" Automatic Duckbill	Visual Check: •Material test (test to magnet, purity test)	YES	N/A	If applicable	1	рс
Agriculture, Forestry and Fisheries	Animal Production (Swine) NC II	3	5	Ear Tag Applicator	Universal plastic applicator With assorted plastic colored ear tags (100 pcs.)	Functionality Test: • Actual Test Visual Check	YES	N/A	If applicable	1	set

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder	Signature over Printed Name of Authorized	Date
	Representative	

Lot 4 : Animal Production (Poultry-Chicken) NC II - Perform Pre-Lay and Lay Activities

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Waterer for Chicken		1	рс			
2	Tubular Feeder	Kindly refer to the technical specifications attached as Annex E4	1	рс			
3	Shovel		1	рс			
4	Plastic Pail		1	рс			

^{*} Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E4.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.							
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date					

Sector	Qualification	Lot No.	Item No.	Item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Agriculture, Forestry and Fisheries	Animal Production (Poultry-Chicken) NC II - Perform Pre-Lay and Lay Activities	4	1	Waterer for Chicken	Capacity: 1 gallon Material: Polyethylene Plastic (Dent-proof) Functionality Test: Leak test Visual check		YES	N/A	If applicable	1	рс
Agriculture, Forestry and Fisheries	Animal Production (Poultry-Chicken) NC II - Perform Pre-Lay and Lay Activities	4	2	Tubular Feeder	Capacity: 5 kg. Material: High Density Polyethylene Plastic Functionality test Visual checking of the item		YES	N/A	If applicable	1	рс
Agriculture, Forestry and Fisheries	Animal Production (Poultry-Chicken) NC II - Perform Pre-Lay and Lay Activities	4	3	Shovel	Rectangular end Tempered steel blade (0.88 mm - 2.0 mm gauge) Blade Tip Length: 17 cm - 23 cm Blade Tip Width: 22 cm - 28 cm All metal handle Overall length: 100 cm - 115 cm D-Grip handle	Functionality Test Visual Check: •Actual measurement (blade thickness, blade length and width, and overall length) • Verify brochures and datasheets	YES	N/A	If applicable	1	рс
Agriculture, Forestry and Fisheries	Animal Production (Poultry-Chicken) NC II - Perform Pre-Lay and Lay Activities	4	4	Plastic Pail	Capacity: 16 - 20 liters With metal handle Minimum Weight: 650 grams Diameter: 30 - 34 cm Height: 30 - 35 cm	Functionality Test: • Leak test Visual Check: • Check actual measurements	YES	N/A	If applicable	1	рс

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder

Signature over Printed Name of Authorized Representative

Date

Lot 5

: Agricultural Crops Production NC II - Plant Crops

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Manual Knapsack Sprayer		1	unit			
2	Shovel	Kindly refer to the technical specifications	1	рс			
3	Plastic Pail	attached as Annex E5.	1	рс			
4	Bolo		1	рс			

^{*} Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E5.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

	nt of compliance to the foregoing technical nd to be false either during bid evaluation or atic disqualification of our bid.	
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date

Sector	Qualification	Lot No.	Item No.	Item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Agriculture, Forestry and Fisheries	Agricultural Crops Production NC II - Plant Crops	5	1	Manual Knapsack Sprayer	Semi-automatic sprayer Capacity: Strictly 17 liters Stainless Steel tank Semi-automatic with complete accessories (Hose, Nozzle, Handle, Strap)	Functionality Test: •perform test run by assembling the components, add water and spray in the surface Visual Check: •check the manufacturer's manual for the completeness of the accessories •material test (test to magnet, purity test)	YES	N/A	If applicable	1	unit
Agriculture, Forestry and Fisheries	Agricultural Crops Production NC II - Plant Crops	5	2	Shovel	Rectangular end Tempered steel blade (0.88 mm -2.0 mm gauge) Blade Tip Length: 17 cm - 23 cm Blade Tip Width: 22 cm - 28 cm All metal handle Overall length: 100 cm - 115 cm D-Grip handle	Functionality Test Visual Check: • Actual measurement (blade thickness, blade length and width, and overall length) • Verify brochures and datasheets	YES	N/A	If applicable	1	рс
Agriculture, Forestry and Fisheries	Agricultural Crops Production NC II - Plant Crops	5	3	Plastic Pail	Capacity: 16 - 20 liters with metal handle Minimum Weight: 650 grams Diameter: 30 - 34 cm Height: 30 - 35 cm"	Functionality Test: • Leak test Visual Check: • Check actual measurements	YES	N/A	If applicable	1	рс
Agriculture, Forestry and Fisheries	Agricultural Crops Production NC II - Plant Crops	5	4	Bolo	Blade Length: 30 cm - 35 cm Blade Width: 4.5 cm - 5 cm Overall Length: 42 cm - 45 cm Full Tang Riveted handle Machete Type	Functionality Test: • Actual test Visual Check: • Check bends and rusts • Actual measurement	YES	N/A	If applicable	1	рс

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder

Signature over Printed Name of Authorized Representative

Date

Lot 6 : Agricultural Crops Production NC III - Prepare Land for Agricultural Crops Production

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Shovel		1	рс	:		
2	Wheel Barrow	Kindly refer to the technical	1	pc			
3	Plastic Pail	specifications attached as Annex E6.	1	рс			
4	Manual Knapsack Sprayer		1	unit			

^{*} Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E6.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

•	nt of compliance to the foregoing technical and to be false either during bid evaluation or atic disqualification of our bid.	•
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date

Sector	Qualification	Lot No.	item No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Agriculture, Forestry and Fisheries	Agricultural Crops Production NC III - Prepare Land for Agricultural Crops Production	6	1	Shovel	Rectangular end Tempered Steel Blade: 0.88 - 2.0 mm gauge Blade Tip Width: 17 cm - 23 cm Blade Tip Length: 22 cm - 28 cm All metal handle Overall Length: 100 cm - 115 cm D-Grip handle	Functionality Test Visual Check: •Actual measurement (blade thickness, blade length and width, and overall length) •Verify brochures and datasheets	YES	N/A	If applicable	1	рс
Agriculture, Forestry and Fisheries	Agricultural Crops Production NC III - Prepare Land for Agricultural Crops Production	6	2	Wheel Barrow	Minimum Load: 50 kgs. Wheel: Air inflated Material: Steel	Functionality Test Visual Check: •Deformity of bucket and wheel	YES	N/A	If applicable	1	рс
Agriculture, Forestry and Fisheries	Agricultural Crops Production NC III - Prepare Land for Agricultural Crops Production	6	3	Plastic Pail	Capacity: 16 - 20 liters with metal handle Minimum Weight: 650 grams Diameter: 30 - 34 cm Height: 30 - 35 cm	Functionality Test: • Leak test Visual Check: • Check actual measurements	YES	N/A	If applicable	1	рс
Agriculture, Forestry and Fisheries	Agricultural Crops Production NC III - Prepare Land for Agricultural Crops Production	6	4	Manual Knapsack Sprayer	Semi-automatic sprayer Capacity: Strictly 17 liters Stainless steel tank Semi-automatic with complete accessories (Hose, Nozzle, Handle, Strap)	Functionality Test: •perform test run by assembling the components, add water and spray in the surface Visual Check: •check the manufacturer's manual for the completeness of the accessories •material test (test to magnet, purity test)	YES	N/A	YES	1	unit

Lot 7		Organic Agric Concoctions a			uction NC II	- Produ	ce Organic
No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Chef's Knife		1	рс			
2	Chopping board	Kindly refer to the technical specifications	1	рс			
3	Plastic Pail	attached as Annex E7.	1	рс			
4	Weighing Scale		1	unit			
a Bidde uncond A states evaluat either o supplies All too Datasho	rs must state here either "Conding performance parameters Bid and cross-reference itional statements of specificational statements of specification that is not supported by condiable for rejection. A state luring Bid evaluation, post-quir liable for prosecution subject liable for prosecution subjects, equipment, gadgets a seet/Specification Sheet/Broch ion Manual is an instructional	er of the equipment offered. It to that evidence. Evidentiation and compliance issued evidence or is subsequently fement either in the Bidder's sualification or the execution to the applicable laws and it and electrically operated ture as indicated in Annex Ex	Statement ce shall by the material to be statement of the Co ssuances instrument.	ts of "Combe in the sanufacture a contradic of complian ntract may the should be shoul	ply" or "Not Comply" m form of manufacturer' r, samples, independe ted by the evidence pronce or the supporting e r be regarded as fraud d have Standard	ust be support s un-amender nt test data etc sented will re- evidence that is dulent and ren Manufacturers	ted by evidence in d sales literature, c., as appropriate. Inder the Bid under sound to be false der the Bidder or Manual and/or
product Datash compor	s. eet/Specification Sheet/Broch ent that comes along with the	nure is a document that sum e product from its release fro	marizes to m the ma	ne perform nufacturer.	nance and other charac	cteristics of a	product, machine,
true a	eby certify that the sand correct, otherwise tame shall give rise t	se, if found to be fals	se eithe	er durin	g bid evaluation		
Na	Name of Company/Bidder Signature over Printed Name of Date Authorized Representative						

60

Sector	Qualification	Lot No.	Item No.	Item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manuai	No. of Items/Toolkits	Unit
Agriculture, Forestry and Fisheries	Organic Agriculture Production NC II - Produce Organic Concoctions and Extracts	7	1	Chef's Knife	•10" (± 1/4") stainless steel blade •full tang, riveted handle	Functionality Test: •sharpness test using paper or thumbnail Visual Check: •actual measurement of the blade length •to verify brochures and datasheets •material test (test to magnet, purity test)	YES	N/A	If applicable	1	pc
Agriculture, Forestry and Fisheries	Organic Agriculture Production NC II - Produce Organic Concoctions and Extracts	7	2	Chopping board	1/2" x 12" x 18" size made of polyethylene material white	Visual Check: •visual check (non-corrugated) •dimension check •to verify brochures and datasheets	YES	N/A	If applicable	1	рс
Agriculture, Forestry and Fisheries	Organic Agriculture Production NC II - Produce Organic Concoctions and Extracts	7	3	Plastic Pail	Capacity: 16 - 20 liters with metal handle Minimum Weight: 650 grams Diameter: 30 - 34 cm Height: 30 - 35 cm"	Functionality Test: Leak test Visual Check: Check actual measurements	YES	N/A	If applicable	3	рс
Agriculture, Forestry and Fisheries	Organic Agriculture Production NC II - Produce Organic Concoctions and Extracts	7	4	Weighing Scale	10 kg capacity with 50 grams graduation Top loading balance Strong Flat Top	Functionality Test: • Actual test (to weigh sample items if it is calibrated or not) Visual Check: • Check flat top	YES	N/A	If applicable	1	рс

	cation, the same shall give rise to automatic disqualification of c	
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date

Lot 8

: Organic Agriculture Production NC II - Produce Organic Fertilizer

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Wheel Barrow	Kindly refer to the	1	рс			
2	Manual Knapsack Sprayer	technical specifications attached as	1	unit			
3	Shovel	Annex E8.	1	рс			

^{*} Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E8.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

I nereby certify that the statement of compliance to the foregoing technical specifications are
true and correct, otherwise, if found to be false either during bid evaluation or post-qualification,
the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder	Signature over Printed Name of	Date
• •	Authorized Representative	

Sector	Qualification	Lot No.	Item No.	Item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manuai	No. of Items/Toolkits	Unit
Agriculture, Forestry and Fisheries	Organic Agriculture Production NC II - Produce Organic Fertilizer	8	1	Wheel Barrow	Minimum Load: 50 kgs. Wheel: Air inflated Material: Steel Functionality Test Visual Check: Deformity of bucket and wheel		YES	N/A	If applicable	1	рс
Agriculture, Forestry and Fisheries	Organic Agriculture Production NC II - Produce Organic Fertilizer	8	2	Manual Knapsack Sprayer	Semi-automatic sprayer Capacity: Strictly 17 liters Stainless steel tank Semi-automatic with complete accessories (Hose, Nozzle, Handle, Strap)	Functionality Test: Perform test run by assembling the components, add water and spray in the surface Visual Check: Check the manufacturer's manual for the completeness of the accessories Material test (test to magnet, purity test)	YES	N/A	YES	1	unit
Agriculture, Forestry and Fisheries	Organic Agriculture Production NC II - Produce Organic Fertilizer	8	3	Shovel	Rectangular end Tempered Steel Blade: 0.88 - 2.0 mm gauge Blade Tip Width: 17 cm - 23 cm Blade Tip Length: 22 cm - 28 cm All metal handle Overall Length: 100 cm - 115 cm D-Grip handle"	Functionality Test Visual Check: •Actual measurement (blade thickness, blade length and width, and overall length) •Verify brochures and datasheets	YES	N/A	If applicable	1	рс

•	r certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false uring bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.						
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date					

Lot 9 : Organic Agriculture Production NC II - Raise Organic Hogs

No.	Item	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Weighing Scale	Kindly refer to the	1	рс			
2	Manual Knapsack Sprayer	technical specifications attached as	1	unit			
3	Plastic Pail	Annex E9.	1	рс			

^{*} Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E9.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

	t of compliance to the foregoing technical and to be false either during bid evaluation or atic disqualification of our bid.	
Name of Company/Bidder	Signature over Printed Name of	Date

Sector	Qualification	Lot No.	Item No.	Item	Minimum Agency Specifications unless otherwise specified Test Parameters		Warranty	Training	Manual	No. of Items/Toolkits	Unit
Agriculture, Forestry and Fisheries	Organic Agriculture Production NC II - Raise Organic Hogs	9	1	Weighing Scale	10 kg capacity with 50 grams graduation Top loading balance Strong flat top	Functionality Test: • Actual test (to weigh sample items if it is calibrated or not) Visual Check: • Check flat top	YES	N/A	If applicable	1	рс
Agriculture, Forestry and Fisheries	Organic Agriculture Production NC II - Raise Organic Hogs	9	2	Manual Knapsack Sprayer	Semi-automatic sprayer Capacity: Strictly 17 liters Stainless steel tank Semi-automatic with complete accessories (Hose, Nozzle, Handle, Strap)	Functionality Test: Perform test run by assembling the components, add water and spray in the surface Visual Check: Check the manufacturer's manual for the completeness of the accessories Material test (test to magnet, purity test)	YES	N/A	YES	1	unit
Agriculture, Forestry and Fisheries	Organic Agriculture Production NC II - Raise Organic Hogs	9	3	Plastic Pail	Capacity: 16 - 20 liters with metal handle Minimum Weight: 650 grams Diameter: 30 - 34 cm Height: 30 - 35 cm	Functionality Test: • Leak test Visual Check: •Check actual measurements	YES	N/A	If applicable	1	рс

•	bliance to the foregoing technical specifications are true and co cation, the same shall give rise to automatic disqualification of o	•
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date

Lot 10

Organic Agriculture Production NC II - Raise Organic Small

Ruminants

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Manual Knapsack Sprayer		1	unit			
2	Wheel Barrow	Kindly refer to the technical specifications attached as Annex E10.	1	рс			
3	Shovel Round		1	рс			
4	Hoof knife		1	рс			

^{*} Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E10.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

<u> </u>	nt of compliance to the foregoing technical and to be false either during bid evaluation or atic disqualification of our bid.	
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date

Sector	Qualification	Lot No.	Item No.	Item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Agriculture, Forestry and Fisheries	Organic Agriculture Production NC II - Raise Organic Small Ruminants	10	1	Manual Knapsack Sprayer	Semi-automatic sprayer Semi-automatic sprayer Capacity: Strictly 17 liters Stainless steel tank Semi-automatic with complete accessories (Hose, Nozzle, Handle, Strap)	Functionality Test: Perform test run by assembling the components, add water and spray in the surface Visual Check: Check the manufacturer's manual for the completeness of the accessories Material test (test to magnet, purity test)	YES	N/A	YES	1	unit
Agriculture, Forestry and Fisheries	Organic Agriculture Production NC II - Raise Organic Small Ruminants	10	2	Wheel Barrow	Minimum Load: 50 kgs. Wheel: Air inflated Material: Steel	Functionality Test Visual Check: • Deformity of bucket and wheel	YES	N/A	If applicable	1	рс
Agriculture, Forestry and Fisheries	Organic Agriculture Production NC II - Raise Organic Small Ruminants	10	3	Shovel Round	Round point tip; all metal handle Tempered Steel Blade: 0.8 mm - 2.0 mm gauge Blade Length: 12 cm - 28 cm Blade Width: 17 cm - 23 cm Overall Length: 100 cm - 115 cm D-Grip handle	Functionality Test Visual Check: •Actual measurement (blade thickness, blade length and width, and overall length) •Verify brochures and datasheets	YES	N/A	If applicable	1	рс
Agriculture, Forestry and Fisheries	Organic Agriculture Production NC II - Raise Organic Small Ruminants	10	4	Hoof knife	Carbon steel double edged Blade Length: 7 cm - 9.5 cm Blade Width: 1.8 cm - 2.5 cm Wood handle	Functionality Test: •Test usage by splicing a piece of card board without having any deformities such as having uneven blade or creating a cracks within the blade Visual Check: •Actual measurement	YES	N/A	If applicable	1	рс

•	compliance to the foregoing technical specifications are true and corr palification, the same shall give rise to automatic disqualification of our	· · · · · · · · · · · · · · · · · · ·
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date

Lot 11 : Automotive Servicing NC I

No.	Item	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Torque wrench	Kindly refer to the	1	рс			
2	Combination Wrench	technical specifications attached as	1	set			
3	Oil Filter Wrench	Annex E11.	1	рс			

^{*} Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E11.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.							
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date					

68

Sector	Qualification	Lot No.	Item No.	Item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Automotive and Land Transportation	Automotive Servicing NC I	11	1	Torque wrench	Click Type Micrometer Setting 1/2 inch Drive Capacity: 30-150 ftlb. (42-210 Nm) Length: 465mm (± 12.7 mm) / 18"" (± 0.5"")	Functionality Test: Click sound on the desired torque Visual Check: Verify brochures and datasheets	YES	N/A	YES	1	pc
Automotive and Land Transportation	Automotive Servicing NC I	11	2	Combination Wrench	16 pcs sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm Drop forged alloy or chrome vanadium steel construction Lobular box end design	Visual Check: •Verify brochures and datasheets •Actual measurement (Use vernier caliper)	YES	N/A	If applicable	1	set
Automotive and Land Transportation	Automotive Servicing NC I	11	3	Oil Filter Wrench	-3-Jaw -maximum diameter of the clamp is 110 mm -1/2 inch drive	Visual Check: ◆Verify brochures and datasheets ◆Actual measurement	YES	N/A	If applicable	1	рс

oo. aag bia orailaalion of pool qualific	ation, the same shall give rise to automatic disqualification of our bi	u.
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date

Lot 12	: Driving NC II
--------	-----------------

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Hydraulic jack (Alligator Type)	Kindly refer to the technical specifications	1	unit			
2	Combination Wrench	attached as Annex E12.	1	set			

^{*} Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E12.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

hereby certify that the statement of compliance to the foregoing technical specifications are
true and correct, otherwise, if found to be false either during bid evaluation or post-qualification,
the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date

Sector	Qualification	Lot No.	Item No.	Item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Automotive and Land Transportation	Driving NC II	12	1	Hydraulic jack (Alligator Type)	•3 TONS •Minimum Height: 140mm •Maximum Height: 460mm •Lifting Range: 140-460mm	Functionality Test: •can hold pressure up to 460mm lifting height Visual Check: •to verify brochures and datasheets	YES	N/A	YES	1	unit
Automotive and Land Transportation	Driving NC II	12	2	Combination Wrench	•16 pcs •sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm •Drop forged alloy or chrome vanadium steel construction •Lobular box end design	Visual Check: •Verify brochures and datasheets •Actual measurement (Use vernier caliper)	YES	N/A	If applicable	1	set

	pliance to the foregoing technical specifications are true and co cation, the same shall give rise to automatic disqualification of o	
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date

Lot 1	3	Motorcycle/Sn Motorcycle/Sn	IC II -	Overhaul					
No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference		
1	T-Wrench set	Kindly refer to the technical	1	set					
2	Universal Gear/Bearing Pullers	specifications attached as Annex E13.	1	set					
* Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances. All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E13. Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.									
Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.									
I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.									
Na	Name of Company/Bidder Signature over Printed Name of Date Authorized Representative								

Sector	Qualification	Lot No.	Item No.	Item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Automotive and Land Transportation	Motorcycle/Small Engine Servicing NC II - Overhaul Motorcycle/Small Engine	13	1	T-Wrench set	Socket Sizes: 8mm, 10 mm, 12 mm, 14 mm T-Wrench Length: 10-12 inches long	Visual Check: • Verify brochures and datasheets • Actual measurement	YES	N/A	If applicable	1	set
Automotive and Land Transportation	Motorcycle/Small Engine Servicing NC II - Overhaul Motorcycle/Small Engine	13	2	Universal Gear/Bearin g Pullers	bearing separators ranging in size for sizes 9/32" to 3" in diameter "5" puller cross-bar with a 6-1/4" forcing screw	Visual Check: • Verify brochures and datasheets • Actual measurement	YES	N/A	If applicable	1	set

either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.										
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date								

Lot 1	4	Motorcycle/Sn Motorcycle/Sn		Engine gine Sy		NC II	- Service
No.	Item	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Cordless Impact Wrench	Kindly refer to the technical specifications attached as Annex E14.	1	unit			
a Bidde uncond A state evaluat either o supplie All too Datash	ers must state here either "Conding performance parameters Bid and cross-reference litional statements of specificament that is not supported by ition liable for rejection. A statement Bid evaluation, post-quiring Bid evaluation, post-quir liable for prosecution subjectors, equipment, gadgets a seet/Specification Sheet/Brocktion Manual is an instructional	ter of the equipment offered. d to that evidence. Evider ation and compliance issued evidence or is subsequently ement either in the Bidder's sualification or the execution at to the applicable laws and and electrically operated the as indicated in Annex E	Statement of the Coissuances instrume 14.	ts of "Com be in the anufacture e contradic of complia intract may	ply" or "Not Comply" m form of manufacturer' or, samples, independe sted by the evidence pro- ince or the supporting e by be regarded as frauch d have Standard I	ust be supports un-amende in test data et esented will re- evidence that is dulent and ren Manufacturers	ted by evidence in d sales literature, c., as appropriate. nder the Bid under s found to be false ider the Bidder or Manual and/or
	ts. eet/Specification Sheet/Brochent that comes along with the					cteristics of a	product, machine,
true a	eby certify that the s and correct, otherwis ame shall give rise t	se, if found to be fals	se eith	er durin	g bid evaluatior		
Na	me of Company/Bid				nted Name of esentative		Date

ANNEX D14

Sector	Qualification	Lot No.	item No.	Item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Automotive and Land Transportation	Motorcycle/Small Engine Servicing NC II - Service Motorcycle/Small Engine System	14	1	Cordless Impact Wrench	Brushless Motor Voltage: 20V Square Drive: 1/2" No-load speed: 0-2300/min Impact rate: 0-3550 bpm Maximum torque: 300NM 20V Lithium-Ion 2.0Ah batteries Integrated work light LED battery power indicator 2pcs battery pack, 1pc 1Hr charger Charge Volts: 110V-240V~50/60Hz	Functionality Test: • Functionality test (twisting impact test) Visual Check: • Verify brochures and datasheets • Actual measurement	YES	N/A	YES	1	unit

	pliance to the foregoing technical specifications are true and co cation, the same shall give rise to automatic disqualification of o	
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date

Lot 15 : Carpentry NC II

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Electrical Hand Drill	Kindly refer to the technical	1	unit			
2	Portable Circular Saw	specifications attached as Annex E15.	1	unit			_

^{*} Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E15.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

I hereby certify that the statement of compliance to the foregoing technical specifications are

true and correct, otherwise, if four the same shall give rise to automate	d to be false either during bid evaluation or atic disqualification of our bid.	post-qualification,
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date

76

Sector	Qualification	Lot No.	Item No.	Item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Construction	Carpentry NC II	15	1	Electrical Hand Drill	•Input Power: 500W-850W •Input Voltage: 220-240V, 60Hz •No Load Speed: 0-380/1300rpm •Minimum Power Cord Length: 2.0 meter • Power Plug: US Type •with hammer function	Functionality Test: Check if the drill operates Check and make sure the chuck key is functioning With hammer function Visual Check: Check power cord for any defects (such as but not limited to insulation deterioration, exposed wire) Verify features such as AC Amps and AC Volts Verify the no load speed Check cord length	YES	N/A	YES	1	unit
Construction	Carpentry NC II	15	2	Portable Circular Saw	Rated Power: 1,000-1200 W Input Voltage: 220-240V, 60Hz Blade Diameter: 185mm (7-1/4") Rated Speed: 5200 r/min Saw Blade Bore Diameter: 20mm or higher Minimum Power Cord Length: 2.0 meter Power Plug: US Type	Functionality Test: •Actual test run (quality, durability, blade sharpness, and strength) •Features of a saw Visual Check: •Check power cord for any defects (such as but not limited to insulation deterioration, exposed wire) •Verify features such as AC amps and AC volts •Check the construction and ergonomics of the handle •Check blade diameter •Check rated speed •Check saw blade bore diameter: 20mm or higher •Check cord length	YES	N/A	YES	1	unit

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder Signature over Printed Name of Authorized Representative Date

Lot 16 : Construction Painting NC II

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Electric Spray Gun	Kindly refer to the technical specifications attached as Annex E16.	1	unit			

^{*} Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E16.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

I hereby certify that the statement of compliance to the foregoing technical specifications ar	e
true and correct, otherwise, if found to be false either during bid evaluation or post-qualification	n,
the same shall give rise to automatic disqualification of our bid.	-

Name of Company/Bidder	Signature over Printed Name of	Date
	Authorized Representative	

78

Sector	Qualification	Lot No.	Item No.	Item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manuai	No. of Items/Toolkits	Unit
Construction	Construction Painting NC II	16	1	Electric Spray Gun	Voltage: 220-240V~50/60Hz Input Power: 500 - 600 W Spraying Pressure: 0.1 - 0.2 Bar Maximum Flow: 850ml/min Maximum Viscosity: 50DIN-s Minimum Power Cord Length: 2.0 meter 800 ml aluminum container 1pc viscosity measuring cup 1pc nozzle cleaning needle	Functionality Test: •Check air adjustment and nozzle for tightness of fittings •Verify technical specification of machine voltage matches the voltage source Visual Check: •Check completeness of attachments/accessories •Check power cord for any defects (such as but not limited to insulation deterioration, exposed wire) •Check availability of operational manual	YES	N/A	YES	1	unit

either during bid evaluation or post-qu	ualification, the same shall give rise to automatic disqualification of our bid.	
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date

Lot 1	7	: Masonry NC I						
No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference	
1	Chalk Line Reel		1	рс				
2	Crow Bar		1	рс				
3	Claw Hammer	Kindly refer to the technical specifications	1	рс				
4	Pull-Push Rule	attached as Annex E17.	1	рс				
5	Shovel Round		1	рс				
6	Spirit Level Bar		1	рс				
corresp a Bidde uncond A state evaluat either o	ers must state here either "Coording performance parameters Bid and cross-reference itional statements of specificament that is not supported by ition liable for rejection. A state during Bid evaluation, post-que tiable for prosecution subject	er of the equipment offered. d to that evidence. Evider ation and compliance issued evidence or is subsequently the ement either in the Bidder's aulification or the execution	Statemen nce shall by the material to be statement of the Co	ts of "Com be in the anufacture e contradic of complia ntract may	ply" or "Not Comply" m form of manufacturer' r, samples, independe ted by the evidence pro nce or the supporting e	ust be support s un-amender nt test data etc esented will re- evidence that is	ted by evidence in d sales literature, c., as appropriate. nder the Bid under s found to be false	
	ols, equipment, gadgets a eet/Specification Sheet/Broch			nts shoul	d have Standard I	Vlanufacturers	Manual and/or	
Instruct product	ion Manual is an instructiona ls.	Il book or booklet that is sup	plied with	almost al	I technologically advar	nced products	such as electrical	
	eet/Specification Sheet/Brock nent that comes along with the					cteristics of a	product, machine,	
I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.								
Na	Name of Company/Bidder Signature over Printed Name of Date Authorized Representative							

Sector	Qualification	Lot No.	Item No.	Item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkit s	Unit
Construction	Masonry NC I	17	1	Chalk Line Reel	Includes chalk reel and 4-oz bottle of blue chalk String Length: 100-ft Material: ABS plastic body and a Stainless Steel Hook at the end of the string	Functionality Test Visual Check: • to verify brochures and data sheet • actual measurement • material test (test to magnet, purity test)	YES	N/A	If applicable	1	рс
Construction	Masonry NC I	17	2	Crow Bar	●36" - 40" long ●forged steel carbon	Functionality Test Visual check: •check actual measurement •to verify brochures and datasheets	YES	N/A	If applicable	1	рс
Construction	Masonry NC I	17	3	Claw Hammer	Forged steel head Head Weight: 16 oz Overall Average Weight: 19 oz - 25 oz Fiber glass heavy duty Handle	Functionality Test Visual Check: •check actual weight •to verify brochures and datasheets	YES	N/A	If applicable	1	рс
Construction	Masonry NC I	17	4	Pull- Push Rule	Blade length 8m/26ft Blade width 1° High impact ABS case with durable rubber Corrosion resistant tru-zero end	Functionality Test Visual check: •to verify brochures and datasheets •actual measurement	YES	N/A	If applicable	1	рс
Construction	Masonry NC I	17	5	Shovel Round	Round point tip; all metal handle Tempered Steel Blade: 0.8 mm - 2.0 mm gauge Blade Length: 12 cm - 28 cm Blade Width: 17 cm - 23 cm Overall Length: 100 cm - 115 cm D-Grip handle	Functionality Test Visual Check: •Actual measurement (blade thickness, blade length and width, and overall length) •Verify brochures and datasheets	YES	N/A	If applicable	1	рс
Construction	Masonry NC I	17	6	Spirit Level Bar	Aluminum Frame with Magnet Size: 16" With 3 vials (horizontal, vertical and 45 degrees)	Functionality Test Visual Check: • check actual measurement • to verify brochures and datasheets	YES	N/A	If applicable	1	рс

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder

Signature over Printed Name of Authorized Representative

Date

Lot 18 Masonry NC II

No.	Item	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	3D Green Light Laser Level Digital Level Self- Leveling 360° LED Display Rotary Indoor Outdoor Self Leveling Measuring Tool	Kindly refer to the technical specifications attached as Annex E18.	1	unit			

^{*} Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E18.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date

82

Sector	Qualification	Lot No.	Item No.	Item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Construction	Masonry NC II	18	1	3D Green Light Laser Level Digital Level Self-Leveling 360° LED Display Rotary Indoor Outdoor Self Leveling Measuring Tool	Material: Aluminum Alloy Chassis Engineering Plastics Laser lines: 12 (4/8/12 line is adjustable) Laser Color: Green Wall attachment distance:7mm Horizontal/Vertical Accuracy: ±0.2mm/ 1m Wavelength green light: 532 Automatic leveling range: ±3° Rotation Degree: 360° Slash function: Yes Protection level: IP54 Dustproof & Waterproof Operating temperature: -20°C-50°C Battery capacity: 4000mAh Working environment: Indoor/Outdoor Working time: 12~16h Size: 11.5x8x13cm/4.5x3.1x5.1inch Power: 1 x 4000mAh Rechargeable Li Battery /Direct charging(4.2V) Application: Auxiliary tiles fixing, wall decoration, floor tiles fixing, stair handrails,furred ceiling,floor tile,plastering.	Functionality check: •Check the line irradiation without dead angle •Check indoor and outdoor brightness green in indoor and outdoor clearly far projection distance, high laser height, clear lines •Check the actual measurement •Check the slash function Visual check: •Check material if Aluminum Alloy Chassis Engineering Plastics •Inspect the materials Laser lines •Check the color •Automatic leveling range rotation degree	YES	N/A	If applicable	1	unit

•	eby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false er during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.							
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date						

Lot 19 : PV Systems Installation NC II

No.	Item	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Clampmeter	Kindly refer to the technical	1	unit			
2	Cordless Drill	specifications attached as Annex E19.	1	unit			

^{*} Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E19.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder	Signature over Printed Name of	Date

Sector	Qualification	Lot No.	Item No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Construction	PV Systems Installation NC	19	1	Clampmeter	Digital Ergonomic and Handheld Features: NCV Testing DC and AC Voltage Testing (max 600V) DC and AC Current Testing (max 100A) Resistance Testing Capacitance Testing Maximum Jaw Opening: 17mm True RMS Inclusion: Batteries (2 pcs. AAA) Clampmeter case Test Probes	Functionality Test: • Verify features and functionality such as DC Amps, AC Amps, DC Volts, AC Volts, Resistance and Capacitance Testing in the digital display Visual Check: • Verify brochure/manual for True RMS feature • Check inclusions of batteries, test probes and casing	YES	N/A	YES	1	unit
Construction	PV Systems Installation NC II	19	2	Cordless Drill	Voltage: 20V Spindle Capacity: 0.8-10mm Features: Keyless Chuck - 2-Speed Mechanical Gear Box Inclusion: Li-lon Batteries Hardcase	Functionality Test:	YES	N/A	YES	1	unit

	liance to the foregoing technical specifications are true and corr ation, the same shall give rise to automatic disqualification of our	
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date

~₹

Lot 20 : Tile Setting NC II

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Angle Grinder		1	Unit			
2	Spirit Level Bar	Kindly refer to the	1	рс			
3	Pull-Push Rule	technical specifications attached as	1	рс			
4	Manual Tile Cutter	Annex E20.	1	рс			
5	Rubber Mallet		1	рс			

^{*} Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E20.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder	Signature over Printed Name of	Date

Sector	Qualification	Lot No.	Item No.	Item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/ Toolkits	Unit
Construction	Tile Setting NC	20	1	Angle Grinder	Portable 4"" capacity 220-240 Volts/60 Hz No Load Speed: 1100RPM or higher 700 watts or higher With side handle grip, angle grinder guard, and lock nut wrench Power Plug: US Type	Functionality Test: Check the disc balance, vibration, revolution control, speed control and automatic shutdown Check the soft start of the device Visual Check: Check the power cord for any defects (such as but not limited to insulation deterioration, exposed wire) Check inclusion: side handle grip, angle grinder guard, and lock nut wrench Verify features and functionality such as AC Amps and AC Volts	YES	N/A	YES	1	unit
Construction	Tile Setting NC	20	2	Spirit Level Bar	Aluminum Frame with Magnet Size: 16" With 3 vials (horizontal, vertical and 45 degrees)	Functionality Test Visual Check: •check actual measurement •to verify brochures and datasheets	YES	N/A	if applicable	1	Pc
Construction	Tile Setting NC	20	3	Puil- Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	Functionality Test Visual check: • to verify brochures and datasheets • actual measurement	YES	N/A	If applicable	1	Pc
Construction	Tile Setting NC	20	4	Manual Tile Cutter	Heavy duty cutting machine type 600mm maximum cutting length Table mount	Functionality Test: •check cutting edge and length •check table mount Visual Check: • to verify brochures and datasheets	YES	N/A	If applicable	1	рс
Construction	Tile Setting NC	20	5	Rubber Mallet	•16 oz (453.6 grams) •12"-14" Wooden Handle •Rubber Material	Visual Check: •check weight •check wooden handle •check rubberized material	YES	N/A	If applicable	1	рс

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be fal either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.					
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date			

Lot 21

Electronics Products Assembly and Servicing NC II - Assemble Electronics Products

No.	item	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Soldering Station	Kindly refer to the technical specifications attached as Annex E21.	1	set			

^{*} Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E21.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date