Republic of the Philippines TECHNICAL EDUCATION AND SKILLS DEVELOPMENT AUTHORITY ISO 9001: 2015 Certified



SUPPLEMENTAL/BID BULLETIN

BID BULLETIN NO. 3

9 August 2024

Name of Project: Procurement of Learning Equipment and Systems for FY 2023
Regional TVET Innovation Centers (RTICS)

Pursuant to Section 22.5 of the Revised Implementing Rules and Regulations of Republic Act No. 9184, this Bid Bulletin No. 3 is being issued to further clarify the provisions in the Bidding Documents with reference to the queries/concerns raised by the bidders.

1. On the cost of the Bidding Documents

Lot	ABC	Cost of Bidding Documents (in Philippine Peso)			
No.	(in Philippine Peso)	ORIGINAL	AMENDED		
12	25,446,952.13	5,000.00	25,000.00		
16	865,325.90	5,000.00	1,000.00		

2. On the change in the delivery period

➤ No changes in the delivery period shall be made since it may hamper the delivery of services by the Regional TVET Innovation Centers (RTICs) to their stakeholders. The winning bidder has to deliver the goods within one hundred twenty (120) calendar days from receipt of the Notice to Proceed.

3. On the delivery address and test procedure of items

All items shall be delivered and tested directly to the RTICs delivery address (see Section VI, Annex B: Delivery Address per RTIC).

4. On the training requirements and arrangements per lot

➤ There are two levels of training. Refer to Section VI, C: Training Requirements and Arrangements.

5. On the eligibility of bidders

➤ Refer to ITB No 5 Eligible Bidders. 5.2 Foreign ownership is not allowed to participate in this project. However, the Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183



6. On the eligibility of bidders

Lot 1: Robotics

Item No. and Name/Agency Specification	Infinite PowerTech	TESDA response	
01-001: Collaborative Robot			
Overall size should not be greater than 2m (width) x 3m (height) to ensure that ingress of the machine will not be an issue Material: Aluminum (top plate/inside/side) Power: 100-240 VAC, 47-63 Hz	The device mainly completes industrial action processes such as assembly, vision, gluing, palletizing, quick change, grinding, welding, deburring, and warehousing for industrial robot applications. The device adopts a modular design concept and is equipped with PPN gas and grid interfaces to achieve complete independence of mechanical, electrical, network, and pneumatic interface modules. Apply Siemens safety PLC system, configure emergency stop and safety grating to achieve industrial-grade safety level. According to the training and assessment content, different modules can be quickly replaced to achieve practical training and assessment of different difficulties and different knowledge points	The agency specification shall remain the same. However the bidders may offer higher technical specifications, considering that the agency specifications are minimum in nature.	

Lot 3: Mechatronics

Item No. and Name/Agency Specification	Infinite PowerTech	TESDA response	
03-001: Programmable Logic Circuit Module 48MR			
Number Inputs: 24 Output type: Relay Supply Voltage: 100 -> 240 VAC Input Type: Sink/Source Number of Outputs: 24 Depth: 86mm Length: 182mm Width: 90mm Program Capacity: 64000 Steps Minimum Operating Temperature: 0 degree Celcius Programming Interface: Computer, HMI Programming Language Used: Ladder Logic Output Current: 8A Mounting Type: DIN Rail Maximum Operating Temperature: +50 degrees Celcius Includes TIA portal or GX Works 3 programming software	comprehensive training system for industrial flexible production line manufacturing systems. The content covers automatic control application technologies such as industrial lighting, mechanical and electrical integration. It conducts real- time data exchange through the host computer WINCC configuration software and integrates all unit platforms in the system. It forms an integrated industrial control network with the actuator, and the hardware supports 485, MODBUS, and PROFINET network communication methods.		
03-002: Programmable Logic Circuit Module 80MR			
Number Inputs: 40 Output type: Relay Supply Voltage: 100 -> 240 VAC Input Type: Sink/Source Number of Outputs: 40 Depth: 86mm Length: 285mm Width: 90mm Program Capacity: 64000 Steps Minimum Operating Temperature: 0 degree Celcius Programming Interface: Computer, HMI Programming Language Used: Ladder Logic Output Current: 8A	This system is based on a comprehensive training system for industrial flexible production line manufacturing systems. The content covers automatic control application technologies such as industrial lighting, mechanical and electrical integration. It conducts real- time data exchange through the host computer WINCC configuration software and integrates all unit platforms in the system. It forms an integrated industrial control network with the actuator, and the hardware supports 485, MODBUS, and PROFINET	The agency specification shall remain the same. However the bidders may offer higher technical specifications, considering that the agency specifications are minimum in nature.	

Item No. and Name/Agency Specification	Infinite PowerTech	TESDA response	
Mounting Type: DIN Rail Maximum Operating Temperature: +50 degrees Celcius Includes TIA portal or GX Works 3 programming software	network communication methods.		
03-003: Human Machine Interface			
 7 inch display / TFT Display 800X480 pixels resolution Color display 3 number of ports Port Type: Ethernet, MPI, Profibus DP, USB Processor Type: ARM With backlight Supply voltage: 24VDC Dimension: 214x158x63mm IP Rating: IP20, IP65 Configurable from WINCC COMFORT V11 	This system is based on a comprehensive training system for industrial flexible production line manufacturing systems. The content covers automatic control application technologies such as industrial lighting, mechanical and electrical integration. It conducts real- time data exchange through the host computer WINCC configuration software and integrates all unit platforms in the system. It forms an integrated industrial control network with the actuator, and the hardware supports 485, MODBUS, and PROFINET network	The agency specification shall remain the same. However the bidders may offer higher technical specifications, considering that the agency specifications are minimum in nature. The agency specification shall remain the same. However the bidders may offer higher technical specifications, considering that the agency specifications are minimum in nature.	
03-004: Variable Frequency Drive	network communication methods.		
 Power rating 2.2KW Single phase Current rating 11 AMP Supply voltage 220-240 VAC Output frequency 0-550HZ fieldbus communication type: Modbus With control panel Mounting type: wall mounting With accessories: Smart access module 			

Item No. and Name/Agency Specification	Infinite PowerTech	TESDA response
03-005: Actuator		
Pneumatic double acting cylinder Piston Diameter: 20mm Stroke length: Maximum 100 mm Cushioning: P flexible cushioning ring/pads on both sides Position sensing: For proximity sensor ISO 6432 Accessories: -Reed switch -5/2 Way Double Solenoid Valve -5/2 Way Single Solenoid Valve -Filter Regulator Lubricator Pneumatic	This system is based on a comprehensive training system for industrial flexible production line manufacturing systems. The content covers automatic control application technologies such as industrial lighting, mechanical and electrical integration. It conducts real-time data exchange through the host computer WINCC configuration software and integrates all unit platforms in the system. It forms an integrated industrial control network with the actuator, and the hardware supports 485, MODBUS, and PROFINET network communication methods.	The agency specification shall remain the same. However the bidders may offer higher technical specifications, considering that the agency specifications are minimum in nature.

Lot 7: Electrical and Electronics Technology

Item No. and Name	Infinite PowerTech	TESDA response	
07-001: Electronics Package	The teaching content of this device includes circuit	The agency specification shall remain the same. However the bidders may offer higher technical specifications, considering	
07-002: AC/DC Electrical Training	models and circuit laws, electrical engineering, basic electrical instrumentation, circuit theorem, energy storage components, analysis of first-order circuits and second-order circuits, frequency response of circuits and three-phase circuits, etc. It is suitable for basic electrical engineering, circuit analysis, electrical		
07-003: Basic Electrical Machines		that the agency specifications are minimum in nature.	
07-004: Electrical Control Training			
07-005: Internet of Things			
07-006: Motor Control Trainer	engineering and other basic professional courses.		

Lot 8: Mechatronics

Item No. and Name	Infinite PowerTech	TESDA response
08-001: Alternative Energy Learning System		
Three phase rectifier bridge module DC load module	This device is suitable for experimental teaching and training, and is mainly used for performance testing and control of solar photovoltaic power generation systems. The main functions include: photoelectric conversion characteristics test, electrical characteristics detection, control characteristics experiment, optical and electrical parameter measurement, load characteristic experiment, environmental adaptability experiment and online monitoring experiment.	The agency specification shall remain the same. However the bidders may offer higher technical specifications, considering that the agency specifications are minimum in nature.

Lot 9: Welding

Item No. and Name	Infinite PowerTech	TESDA response
09-001: Augmented Reality Welding System	This product enables students to conduct in a highly	The agency specification shall remain the same.
09-002: Advanced Process Welding Machine	simulated simulation environment. Efficient training of welding skills enables trainers to feel the real	offer higher technical specifications, considering that the agency
09-003: Sheet Metal Bending Machine	welding process. The product can effectively interact with the surrounding real environment, make the trainer in a highly realistic environment, and effectively promote the operator to fully participate in the current task. Welding training simulation technology is applicable to the training of new generation of welding personnel and welding employment education. Training can be carried out in general training classrooms. For experienced trainers, this product system provides a high training platform to operate and complete a good weld through	shall remain the same. However the bidders may offer higher technical specifications, considering

Item No. and Name	Infinite PowerTech	TESDA response
	vision, hearing and touch; Moreover, this product can accurately measure the operation information, and the trainer can learn the key points from it, and can easily and effectively transform these welding skills into the actual welding work Function diagram of km-c-360 virtual welding simulation system.	

Lot 10: CNC Machines

Item No. and Name	Infinite PowerTech	TESDA response
10-001: CNC Lathe Comprehensive Training Equipment	This system is based on the characteristics of CNC machine tool maintenance technology in the electromechanical industry, combined with the skill appraisal requirements of CNC machine tool assembly, adjustment and maintenance workers, to conduct research on CNC machine tool electrical control and mechanical transmission, and is specially designed for practical training and teaching activities, including CNC system application, PLC control, frequency conversion speed control, sensor detection, servo drive control, low-voltage electrical control, mechanical transmission and other technologies have strengthened the students' comprehensive abilities in the installation, wiring, debugging, fault diagnosis and maintenance of CNC machine tools. Teaching and training in mechanical and electrical related majors	The agency specification shall remain the same. However the bidders may offer higher technical specifications, considering that the agency specifications are minimum in nature.

Lot 12: 3D Printing Technology

Item No. and Name/Agency Specification	Gabigroup	Digital Manufacturing Solutions	Noblevision Services Inc.	A.G. Datacom Phils., Inc.	TESDA response
12-001: Metal 3D Printer					
Print technology: Metal Fused Filament Fabrication (MFFF) with capability to print metal materials and ceramic release	Print Technology: MFFF (Metal Fused Filament Fabrication) and/or similar Metal 3D printing technology	Directed Energy Deposition (DED)			Print Technology: MFFF (Metal Fused Filament Fabrication) and/or similar Metal 3D printing technology
Build volume: at least 300 x 210 x 180 mm	Build Volume: at least 300x200x200mm				Build volume: at least 300 x 200 x 180mm
Material Compatibility: Compatible with stainless steel, Tool Steel, High Purity Copper (99.8%), Inconel, Ceramic release		Compatible Wire Materials: - Stainless Steels, Mild Steels,, Carbon Steel, Titanium Alloys, Nickel Alloys			Material Compatibility: Compatible with stainless steel, Tool Steel, High Purity Copper (99.8%), Inconel, Ceramic release
Print Head: Dual Extrusion Print head Two nozzles — Metal material and release material		Process Control: Closed-loop, laser and wire modulation			Print Head: Dual Extrusion Print head Two nozzles — Metal material and release material
Nozzle diameter: 0.4mm	Nozzle diameter: 0.4mm and 0.25mm	Wire Feedstock Diameter: at least 0.8 - 1.2 mm			Nozzle diameter: 0.4mm and 0.25mm

Item No. and Name/Agency Specification	Gabigroup	Digital Manufacturing Solutions	Noblevision Services Inc.	A.G. Datacom Phils., Inc.	TESDA response
		Wire FeedstockSpool: BS300			
Certification: ISO/IEC 27001				Request Certification: ISO/IEC 27001 or CE / FCC	Certification: CE/FCC
Heated bed: must be able to reach at least 100 degree celsius or higher	Heated bed: Vacuum enabled print bed must be able to reach at least 70 degree celsius or higher				Heated bed: Vacuum enabled print bed must be able to reach at least 70 degree celsius or higher
Connectivity: Wifi, Ethernet, LAN, USB Drive Connectivity	May I request to relax the Connectivity to Wifi, Lan or SD	Interface: USB, ethernet, wireless datalink		Connectivity: Wifi, LAN or SD	The request is denied. The connectivity specification remains the same.
Power Requirements: 110-240VAC, 60Hz, Single-phase		Laser Type: 6 x 200 W direct diode lasers Laser Wavelength: at least 970 nm Total Laser Power: 1200 W			The power requirement on the Agency Specification specifies the voltage input rating of the equipment and not the power rating in watts. Therefore, the power requirements remain

Item No. and Name/Agency Specification	Gabigroup	Digital Manufacturing Solutions	Noblevision Services Inc.	A.G. Datacom Phils., Inc.	TESDA response
					the same.
Includes separate unit of Laboratory Sintering Furnace capable of reaching at least 1300C and is carbon free retort Size Capacity: 140mm ID x 300mm L and can accommodate batch processing	reaching at least 1400C	Enclosure: Laser-safe, sealed, controlled atmosphere Cooling: Active water-cooled chiller included			Includes separate unit of Laboratory Sintering Furnace capable of reaching at least 1300C and is carbon free retort Size Capacity at least: 140mm ID x 300mm L and can accommodate batch processing
Includes separate unit of debinding station using Oxalic Acid Fluid or equivalent with work envelope of At least 300 x 200 x 200 mm	Machine to be delivered must run only on a 2- step Metal 3D printing process. Specifically, a Metal 3D Printing step and a Sintering step.	Print Envelope (WxDxH): at least 145 x 165 x 390 mm			If the 3d metal printing machine offered by the bidder does not require debinding station, this specification shall be required. Therefore, it shall be removed from the agency specification.
Safety Management must include High vapor shut off and Low fluid level shut off	Remove				If the 3d metal printing machine offered by the bidder does not require debinding station, this

Item No. and Name/Agency Specification	Gabigroup	Digital Manufacturing Solutions	Noblevision Services Inc.	A.G. Datacom Phils., Inc.	TESDA response
					specification shall be required. Therefore, it shall be removed from the agency specification.
Wash fluid must be locally available - Open source non-proprietary	Remove				If the 3d metal printing machine offered by the bidder does not require debinding station, this specification shall be required. Therefore, it shall be removed from the agency specification.
Metal 3D printer, debinding station and sintering furnace should be the same brand and can be operated using one software for compatibility	Metal 3D Printer and sintering furnace should be the same brand and can be operated using one software for compatibility				If the 3d metal printing machine offered by the bidder does not require debinding station, this specification shall be required. Therefore, it shall be removed from the agency specification.
Additional requirements: Certificate of authority to sell from the manufacturer or local distributor/reseller		Certificate of authority to sell from the manufacturer. Training certificate provided by			The additional requirements shall remain the same.

Item No. and Name/Agency Specification	Gabigroup	Digital Manufacturing Solutions	Noblevision Services Inc.	A.G. Datacom Phils., Inc.	TESDA response
 Certificate of End of Life (EOL) Service from the Manufacturer and/or Supplier for 5 years Proof of certified trainer issued by the manufacturer 		manufacturer to certified trainer. After-Sales Support certificate issued by the manufacturer. Parts Availability certificate issued by the manufacturer. Certification for On-Site Training and Installation issued by the supplier			
Package inclusion: 1 unit debinder 1 unit sintering furnace 1 spool each metal material - stainless steel and tool steel 1 set of external exhaust and gas handling for furnace 1 set of gas and fluid	1 unit Metal 3d printer 1 unit sintering furnace 1 spool each metal material – stainless steel and tool steel 1 set of external exhaust and gas handling for furnace 1 set of gas and fluid	- Licensed 3D Slicing Software Standard Accessories: - Dual Wire, Hot Wire, Laser Calibration System - Starter Kit, Control Unit, Chiller	3D printer accessory equipment still need powder sieving machine, vacuum cleaner, sand blasting machine, but not mentioned		Package Inclusion: Includes all accessories, and set of consumables, depending on the 3d metal printing machine requirements to ensure the machine operability. Depending on the print technology offered, the package may include, debinding, sintering machine, vacuum, sand blasting machine, etc.

Item No. and Name/Agency Specification	Gabigroup	Digital Manufacturing Solutions	Noblevision Services Inc.	A.G. Datacom Phils., Inc.	TESDA response
			What scenarios are used?		Refer to Section VI.C. Training Requirements and Arrangements
			Is it possible we provide similar product		The offer shall be equivalent to the agency specifications, if not better specification or high functionality.
12-002: Fused Deposition Modeling 3D Printer					
Nozzle temperature: At least 260 degree celsius Printing size: At least 200 x 200 x 250 mm or larger Maximum print speed: 250mm/s Leveling: Auto Leveling Extruder: Single; Nozzle size 0.4mm Motherboard: 32bit silent motherboard or equivalent	The specifications listed here are quite low and items to be supplied to the agency might be substandard 3D printers that will need assembly and inconsistent calibration might be delivered. Since the budget is sufficient and equipment is to be delivered to regional proponents, we suggest increasing the quality of				Change Specification into the following: Nozzle temperature: At least 260 degree celsius Printing size: At least 200 x 200 x 250 mm or larger Maximum print speed: 250mm/s or higher

Item No. and Name/Agency Specification	Gabigroup	Digital Manufacturing Solutions	Noblevision Services Inc.	A.G. Datacom Phils., Inc.	TESDA response
Data transmission: SD card and USB/Type-C USB Others: Touchscreen	the printer to be delivered so that the project can be more successful rather than experience a lot of down times. We suggest to increase slightly the specs as seen below: At least 265 degree celsius At least 220x200x250mm or larger Maximum print speed: 300mm/s Leveling: 30-point Auto Leveling Extruder: Single/Hardened Nozzle size 0.4mm Motherboard: 32bit silent motherboard or equivalent Data transmission: USB Disk, Wifi, Ethernet, Cloud printing Others: Touchscreen and PEI flexible plate				Leveling: Auto (or better) Extruder: Single; Nozzle size 0.4mm Motherboard: 32bit silent motherboard or equivalent Data transmission: At least SD card and USB/Type-C USB, Wifi Others: Touchscreen
12-003: 3D Scanner					

Item No. and Name/Agency Specification	Gabigroup	Digital Manufacturing Solutions	Noblevision Services Inc.	A.G. Datacom Phils., Inc.	TESDA response
	The specifications listed are based on old 3D Scanner models. There are also new technologies capable of higher resolution and accuracy that are also much easier to use. We have listed several suggestions below including the following to further improve the specifications so that the agency can update their procurement to ensure that only recently released or new 3D Scanners will be able to be supplied. Effectively making sure that the 3D scanner to be supplied to TESDA will be advantageous and will not be obsolete in just a few years. Some suggestions affect the values of below standards: • Scanning Light technology: White LED and Infrared Light		Can we provide 3D printer with the same brand of Metal 3D Printer, Better compatibility	desktop for this 3D scanner requirement? Because you required a system requirement. - May I request the	- A laptop is required and must be compatible with the system requirement of the scanner. - The agency specification shall remain the same. However the bidders may offer higher technical specifications, considering that the agency specifications are minimum in nature.

Item No. and Name/Agency Specification	Gabigroup	Digital Manufacturing Solutions	Noblevision Services Inc.	A.G. Datacom Phils., Inc.	TESDA response
the Manufacturer and/or Supplier for 5 years • Training certificate provided by manufacturer to certified	Scan speed: at least 1,200,000 pts/s instead of Data acquisition speed Volumetric accuracy and 3D Scan accuracy Texture resolution from 2.3MP to 5.0MP Camera Frame rate standard to 55FPS minimum Additional Certifications to improve standard of equipment supplied Suggestion: Handheld Color 3D Scanner for medium to large objects 3D volumetric accuracy up to 0.05mm 3D Scan Accuracy up to 0.05mm Tield of View: 420x440mm up to 780x900mm Data processing algorithms: Geometry and textured based Ability to capture texture, color light				

Item No. and Name/Agency Specification	Gabigroup	Digital Manufacturing Solutions	Noblevision Services Inc.	A.G. Datacom Phils., Inc.	TESDA response
	source: white LED and Infrared IR light Texture resolution: 5MP Scan speed: at least 1,200,000 points/s Camera Frame Rate: 55FPS Certifications: CE, FCC, ROHS, WEEE, KC Built-in onboard color camera System requirements: Intel core i7 16+GB RAM NVIDIA GPU with 4+GB VRAM Complete accessories SD Formats: OBJ, PLY, STL, etc User's Manual (English) Certificate of authority to sell from the manufacturer or local distributor/reseller Certificate of End of Life (EOL) Service from the Manufacturer and/or Supplier for 5 Years Training certificate provided by manufacturer to certified				

Item No. and Name/Agency Specification	Gabigroup	Digital Manufacturing Solutions	Noblevision Services Inc.	A.G. Datacom Phils., Inc.	TESDA response
	trainer (see section 6 of the bidding document for details)				

Lot 14: IT Equipment

Item No. and Name/Agency Specification	World Solution Technology, Inc.	Noblevision Services Inc.	A.G. Datacom Phils., Inc.	Accent Micro Technologies Inc.	TESDA response
14-001: Desktop Computer for Productivity Application					
- OS: Windows 11 or higher - Core i7 11th Gen or higher - 8GB DDR4 or faster - 1TB HDD, 2GB dedicated graphics - 220VAC 60Hz compliant - 21.5 inch monitor FHD - With Mouse and Keyboard - With MS Office			- For OS, May I know the required version of Windows 11, Home or Professional? - For MS Office, may I know the required version of MS Office, Home and Student is acceptable? - Can we request to add endpoint security for the computers to ensure the security of the units? Below is the recommended Endpoint Security. • Anti-Ransomwares, Email Protection • IDS/IPS Protection, Firewall Protection, Phishing Protection, Vulnerability Scan, Spam Protection		The specifications shall remain the same. However, the Windows and MS Office versions, a Professional version is preferred, can be included in the prospective bidders offer. Additionally, the endpoint securities can be included in the offer.

Item No. and Name/Agency Specification	World Solution Technology, Inc.	Noblevision Services Inc.	A.G. Datacom Phils., Inc.	Accent Micro Technologies Inc.	TESDA response
44.000 Paulia			Advanced Device Control, Asset Management, Application Control, Data Loss Prevention Security Updates and Software Updates 1 year subscription Provide Manufacturer Certificate		
14-002: Desktop Computer for Photo and Video Editing					
Certificate of End of Life (EOL) Service from Manufacturer (5 years)	We respectfully request if we can submit notarized undertaking from the bidder stating Certificate of End of Life (EOL) Service (5 years) instead from the Manufacturer.		- May I request to relax the Certificate of EOL Service from Manufacturer to Certificate of EOL Service from Manufacturer/Distribu tor/ Supplier (5 years)	Please relax Certificate of End of Life (EOL) Service from Manufacturer from 5 Years to 3 Years Only.	The agency specifications shall remain the same, except the below requirement: Certificate of End of Life (EOL) Service from the Manufacturer and/or Supplier (5 years)

Item No. and Name/Agency Specification	World Solution Technology, Inc.	Noblevision Services Inc.	A.G. Datacom Phils., Inc.	Accent Micro Technologies Inc.	TESDA response
			- Can we request to add endpoint security for the computers to ensure the security of the units? Below is the recommended Endpoint Security. • Anti Ransomwares, Email Protection • IDS/IPS Protection, Firewall Protection, Phishing Protection, Phishing Protection, Vulnerability Scan, Spam Protection • Advanced Device Control, Asset Management, Application Control, Data Loss Prevention • Security Updates and Software Updates • 1 year subscription • Provide Manufacturer Certificate		This can be submitted after the award. The endpoint securities can be included in the offer.

Item No. and Name/Agency Specification	World Solution Technology, Inc.	Noblevision Services Inc.	A.G. Datacom Phils., Inc.	Accent Micro Technologies Inc.	TESDA response
14-003: Laptop					
Processor & Chipset: 16 cores 32 threads RAM Memory: 32 GB DDR5 4800 MHz Solid State Drive (SSD): 2TB + 2TB M.2 NVMe PCle 4.0 Performance RAID0 SSD Screen Size: 15-16 inch Type & Capacity: 90WHrs, 4S1P, 4-cell Li-ion battery Battery Timing: Up to 8 Hours Power Supply: Wattage ø6.0, 240W AC Adapter Output: 20V DC, 12A, 240W Input: 100~240V AC 50/60Hz universal with licensed OS (Windows 11 or higher) with licensed Microsoft Office 2019 or higher	requirement of 16GB GDDR6, based on our assessment on your specification, the graphics card that	Is it possible to change the specs storage to 2 TB SSD since it is enough for high end laptop	- For Type & Capacity, may I request to relax the requirements to the Manufacture Standard? - For Battery Timing, may I request to relax the Battery Timing to up to 6 hours For OS, May I know the required version of Windows 11, Home or Professional? - For MS Office 2019, may I know the required version of MS Office, Home and Student is acceptable? - Can we request to add endpoint security for the computers to ensure the security of the units? Below is the recommended Endpoint Security. • Anti-Ransomwares, Email Protection • IDS/IPS Protection, Firewall, Phishing		The specifications shall remain the same. However, an offer with better specification and higher functionality is prioritized.

Item No. and Name/Agency Specification	World Solution Technology, Inc.	Noblevision Services Inc.	A.G. Datacom Phils., Inc.	Accent Micro Technologies Inc.	TESDA response
			Protection, Browsing Protection, Vulnerability Scan, Spam Protection • Advanced Device Control, Asset Management, Application Control, Data Loss Prevention • Security Updates and Software Updates • 1 year subscription • Provide Manufacturer Certificate		
14-004: Interactive SMART TV					
75" LED Touchscreen 4K Ultra HD Connectivity: Wi-Fi, LAN 3 HDMI Ports and USB HDMI, Audio, Headphone output 200 PQI (Picture Quality Index), 3200 HDR (High Dynamic Range)	We respectfully want to request if we can accept an equivalent of refresh rate instead of PQI (Picture Quality Index), PQI Usually used on Smart TV. Your requirements are a mixed specification of Smart TV and Interactive Smart		May I know if the requirement is Interactive Board or Smart TV? Upon checking some specifications combine Interactive board and Smart TV. - May I request to relax the	Please relax Certificate of End of Life (EOL) Service from Manufacturer from 5 Years to 3 Years Only.	The item and agency specifications shall remain the same, except the below requirement: Certificate of End of Life (EOL) Service from the Manufacturer and/or Supplier (5 years)

Item No. and Name/Agency Specification	World Solution Technology, Inc.	Noblevision Services Inc.	A.G. Datacom Phils., Inc.	Accent Micro Technologies Inc.	TESDA response
AC 110V-240V 50/60Hz Includes Operation Manual, Remote Control, Base Stand with HDMI cable, 5 meters built-in camera and mic (optional)	Board. Please see the comparison below. WH. # STATE AND LOW TO BE ADDRESS OF THE STAT		Certificate of EOL Service from Manufacturer to Certificate of EOL Service from Manufacturer/Distri butor/Supplier (5 years)		This can be submitted after the award.
Additional Requirements: Certificate of authority to sell from the manufacturer or local distributor/reseller Certificate of End of Life (EOL) Service from Manufacturer (5 years)	Not Comparing Apples With Appless Exercisely, the PO scale includes a vertey of Factors that endude France for Second (PFS), rease reduction, estimat, picture reduction and costs, open centre reduction and cost of the sthere and accept the HDR or SDR. SDR displays typically have a brightness range of 100-300 nits, which is suitable for most everyday viewing environments. In contrast, HDR displays can produce a peak brightness of up to 10,000 nits, significantly higher than the				

Item No. and Name/Agency Specification	World Solution Technology, Inc.	Noblevision Services Inc.	A.G. Datacom Phils., Inc.	Accent Micro Technologies Inc.	TESDA response
	brightness range of SDR displays. For interactive displays, we suggest using SDR as they are more suitable for writing activities. Excessive brightness can cause eye strain during writing.				
	We respectfully request if we can submit notarized undertaking from the bidder stating Certificate of End of Life (EOL) Service (5 years) instead from the Manufacturer.				
14-005: A3 Inkjet Printer					
 print, scan, copy, fax wide format inkjet printer Tank type ink system 1200 x 4800 dpi print resolution 			-May I request to have an option for a tank type ink system to Full ink cartridge.		The agency specifications shall remain the same.

Item No. and Name/Agency Specification	World Solution Technology, Inc.	Noblevision Services Inc.	A.G. Datacom Phils., Inc.	Accent Micro Technologies Inc.	TESDA response
 print width 291mm, 297mm (borderless) 250 or above sheets input tray 100 sheets output tray LCD touch screen LAN and WiFi Connectivity Supports mobile device direct print and full duplex printing 			Request: Tank type ink system or Full ink cartridge		
14-007: Network Attached Storage					
Dual Core Processor or higher - 6GB RAM or higher - 4 Bays or more - Hot swappable HD - 2 built in M.2 SSD - 2x GbE LAN - 2 USB port - Windows and Mac Compatible Includes: - 4x8TB NAS HD - 220V 60Hz Power supply				 Is it a tower form factor? Do you have a preferred Processor? Ghz? For what purpose will you use the NAS? 	- YES, it is a tower form factor - Dual core processor or higher, 3.1 Ghz or higher - The NAS will be used for data storage and access in multiple computers

Item No. and Name/Agency Specification	World Solution Technology, Inc.	Noblevision Services Inc.	A.G. Datacom Phils., Inc.	Accent Micro Technologies Inc.	TESDA response
- Management Software/OS					
14-008: Wireless Router					
Dual band 2.4 and 5 GHz Networks Standard: 802.11b, 802.11a, 802.11n, 802.11ac, 802.11gi 3000-7200 Mbps 6 x Gigabit Ethernet LAN Ports 1 x Gigabit Ethernet WAN Port 2 x USB 3.0 Ports Google Assistant Integration Amazon Alexa Integration -Adaptor/Charger 220 - 240v 60Hz	We would like to respectfully inquire if the wireless router speed requirement falls within the range of 3000-7200 Mbps.	Specification mention Google Assistant Integration/ Amazon Alexa Integration, no such product in market, please clarify if we can use other similar product	- May I request to relax the number of Ethernet Lan Port to 3 ports. Request Lan Ports: 6 x Gigabit Ethernet LAN Port or 3 or 6 x Gigabit Ethernet LAN Port or 10		The agency specifications shall remain the same, except the below requirements: Google Assistant Integration, Amazon Alexa Integration and/or similar or equivalent technology The speed ranges from 3000-7200 Mbps

Lot 16: Closed-circuit Television Units

Noblevision Services Inc.	TESDA response
16-001: Dome Turret Type 4MP Camera with Audio	
Given specification is for 2MP, please clarify	The item name should be Dome Turret Type 2MP Camera with Audio

Lot 17: Air Conditioning Units

Item No. and Name/Agency Specification	World Solution Technology, Inc.	J1TEK Trading Corporation	TESDA response
		While we have the full intention to provide and deliver the said items, there are items which are no longer available or rendered obsolete by all suppliers. These items refer to numbers 1 and 2 of the above paragraph. Aircon suppliers and manufacturers no longer provide Floor Mounted Air Conditioning Units having 2.5 HP and 1.5 HP. The lowest HP for Floor Mounted Air Conditioning Units is at least 3 HP.	
		Thus, we are respectfully asking for your consideration and approval of Air Conditioning Units with the same standard and quality, albeit not Floor Mounted. In lieu of the above items, we are offering the following Air Conditioning Units and their specifications. We are also including below our offer	

Item No. and Name/Agency Specification	World Solution Technology, Inc.	J1TEK Trading Corporation	TESDA response
		for Item No. 3, for your approval:	
17-001: Air Conditioning Unit, 2.5 HP Split Type- Floor Mounted			
 2.5 hp Split Type (Floor Mounted) Inverter Power Consumption: 200-2200W Max Cooling Capacity: 20,500 kJ/h Indoor Noise Level (Lo): 38-43 dB(A) Indoor Air Flow (Hi): 635-700 cfm Power Supply: 220-240 volts, 60 Hz, 1 phase supply, delivery, installation and commissioning 	We respectfully request if we can offer Wall Mounted Split Type because upon checking the minimum HP for a Floor Mounted Split Type A/C is 4.0 HP. We respectfully request if we can relax it to Manufacturer's Std.	CSPF: 5 STARS COOLING CAPACITY: 24000Kj/HP R32 Refrigerant Inverter Technology (5D DC) Smart Gentle Cool Wind Quiet Operation Easy to Clean Air Duct System Vertical and Horizontal Swing Titan Gold Fins Anti-Mild Dew Dehumidifier DIMENSION INDOOR UNIT: L22cm x W108cm x H31.5cm INDOOR GROSS WEIGHT: 16kg / NET WEIGHT 13kg DIMENSION OUTDOOR UNIT: L29cm x W78cm x H60.5cm OUTDOOR GROSS WEIGHT: 37kg / NET WEIGHT: 37kg / NET WEIGHT: 37kg / NET	The specifications shall remain the same. A higher horsepower can be offered, but the item shall still be floor mounted.
17-002: Air Conditioning Unit, 1.5 HP Inverter - Floor Mounted			
 1.5 hp Split Type (Floor Mounted) Inverter Power Consumption: 0.82 kW - 1.12 kW Rated Capacity: 3.5 kW (Cool); 4.5 kW (Heat) 	We respectfully request if we can offer Wall Mounted Split Type because upon checking the minimum HP for a Floor Mounted Split Type A/C is 4.0 HP.	 CSPF: 5 STARS R32 Refrigerant Inverter Technology (5D DC) Smart Gentle Cool Wind Titan Gold Fins Anti-Mild Dew Anti-Mosquito Function Dehumidifier 5-in-1 Health Filter 	The specifications shall remain the same. A higher horsepower can be offered, but the item shall still be floor mounted.

Item No. and Name/Agency Specification	World Solution Technology, Inc.	J1TEK Trading Corporation	TESDA response
 Indoor Noise Level: 29-40 dBA Indoor Air Flow: 106-153 (Cool); 123-178 (Heat) Power Supply: 220-240 volts, 60 Hz, 1 phase supply, delivery, installation and commissioning 	We respectfully request if we can relax it to Manufacturer's Std.	 Fast Cooling DIMENSION INDOOR UNIT: L20.8cm x W80.8cm x H29.2cm PRODUCT WEIGHT INDOOR: 13kg DIMENSION OUTDOOR UNIT: L29cm x W77.7cm x H49.8cm PRODUCT WEIGHT OUTDOOR: 25kg 	
17-003: Air Conditioning Units 1.5 HP Split Type- Wall Mounted)			
 1.5 hp Split Type (Wall Mounted) Inverter Power Consumption: 160-1890W Max Cooling Capacity: 14,298 kJ/h Indoor Noise Level (Lo): 31 dB(A) Indoor Air Flow (Hi): 600 m3/h Power Supply: 220-240 volts, 60 Hz, 1 phase WiFi IOTS supply, delivery, installation and commissioning 	We respectfully request if we can relax it to Manufacturer's Std.	CSPF: 5 STARS R32 Refrigerant Inverter Technology (5D DC) Smart Gentle Cool Wind Titan Gold Fins Anti-Mild Dew Anti-Mosquito Function Dehumidifier S-in-1 Health Filter Fast Cooling DIMENSION INDOOR UNIT: L20.8cm x W80.8cm x H29.2cm PRODUCT WEIGHT INDOOR: 13kg DIMENSION OUTDOOR UNIT: L29cm x W77.7cm x H49.8cm PRODUCT WEIGHT OUTDOOR: 25kg	The specifications shall remain the same.

Lot 18: Office Furniture

Item No. and Name/Agency Specification	World Solution Technology, Inc.	Christine-Arcy Furniture Designs, Inc.	TESDA response
		I write this letter on behalf of CHRISTINE-ARCY FURNITURE DESIGNS, INC. regarding the following items: 1. Trainer Table, Long (25 pc); 2. Foldable Training Table (250 pc); 3. Computer Table (25 pc); 4. Conference Table, 14-seater (5 pc); 5. Executive Chair (75 pc); 6. Gas Lift Chair (250 pc); 7. Chair (500 pc); 8. Gang Chair (5 pc); 9. Reception Desk (5 pc); 10. Locker Cabinet (15 pc); 11. 4-Layer Lateral Filing Cabinet (15 pc); 12. Full Height Glass Sliding Door Cabinet (15 pc); 13. 5 layer open shelf cabinet (15 pc);	
		While we remain fully committed to providing the specified furniture items, we have encountered some challenges due to the broad nature of the original specifications. Specifically, the specifications outlined are quite general, and as a result, different manufacturers and suppliers offer varying interpretations and versions of these items. For instance, the original specifications do not account for the variations in design and material choices among different suppliers. This variability means that certain items, particularly those with	

Item No. and Name/Agency Specification	World Solution Technology, Inc.	Christine-Arcy Furniture Designs, Inc.	TESDA response
		unique or specific attributes, may no longer be available or may differ significantly from what was initially outlined.	
18-001: Trainer Table, Long			
2 layer folding table 140x60x75 cm Steel frame black Wood top mahogany, 1 inch thick With 4-adjustable feet, double spring design	We respectfully request if we can relax it to 160x40x75cm. We respectfully request if we can consider MFC or MDF Laminated Board. May we also request for a picture of this Item	 2 Layer Folding Table 140 x 60 x 75cm Steel Frame Black 1" Laminated Wood Top (Mahogany Shade Finish) With 4-adjustable feet Double Spring Design 	The specifications shall remain the same, except the below requirement: MFC tabletop in wooden finish End-user to provide a sample image
18-002: Foldable Training Table			
MDF top and modesty, Color: customized, flat edge Steel frame, Color: Gray Size: 140cm L x 50cm W x75cm H Two-layer With 4 caster wheels	We respectfully request if we can relax it to 150cm L x 60cmW x 72.5cm H	 MDF Top and Modesty Color: Customized, flat edge Steel Frame (Color: Gray) Size: 140cm L x 50cm W x 75cm H Two-Layer With 4 Caster Wheels 	The specifications shall remain the same.
18-003: Computer Table			
Dimension (LxW): 1200 x 600 mm Material: MFC Worktop in Laminate Finish Adjustable height: 2-lifting column for height in 700- 1180mm, 2mm thick Rectangular steel tube, 4-preset LED memory controller Motor: Single motor, 90-230V, speed in at least 20mm/s	We respectfully ask what is the Motor used for?	Dimension: 1200mm L x 600mm W x 740mm H Material: Plywood Worktop in Laminate (Beechwood Finish) Fixed Tubular Metal Legs in Powder Coated Finish	The specifications shall remain the same. The motor for the computer table is used to adjust the table as conveniently as possible.

Item No. and Name/Agency Specification	World Solution Technology, Inc.	Christine-Arcy Furniture Designs, Inc.	TESDA response
4-hidden movable wheels Steel Legs in Powder Coat Finish			
18-004: Conference Table, 14-seater			
14 pax Conference Table Main Table: 3600mm L x 1200mm W x 750mm H Finish: E1 standard, beech color Top: 50mm thick board Sidings in 2mm PVC edge band Boat-shaped top Wire management (optional) With mid laminate accent Metal legs Adjustable feet leveler		14 Pax Conference Table Main Table: 3600mm L x 1200mm W x 750mm H Material: Laminated Plywood with Solid Wood Edging Top: 50mm thick board Finish: Walnut Finish Boat-shaped Top With Mid Laminate Accent Metal Legs Adjustable Feet Leveler	The specifications shall remain the same.
18-005: Executive Chair			
High back chair with armrest Material: Polyurethane Upholstered seat and back Armrest and starbase Gas Lift: 75mm - 85mm Caster Type: Polypropylene Plastic Chair Seating Capacity: 120-130kgs Tilt-Lock Function Pneumatic Height Adjustment 360° Swivel Function		High Back Chair with Armrest Material: Polyurethane Upholstered Seat and back Armrest and Starbase Gas Lift Caster Type: Polypropylene Plastic Chair Seating Capacity:120k-130kg Tilt-Lock Mechanism Pneumatic Height Adjustment 360° swivel Function	The specifications shall remain the same.

Item No. and Name/Agency Specification	World Solution Technology, Inc.	Christine-Arcy Furniture Designs, Inc.	TESDA response
18-006: Gas Lift Chair			
Midback chair with armrest Material: Fabric seat and mesh back Armrest and starbase Gas Lift: 75mm - 85mm Caster Type: Polypropylene Plastic Chair Seating Capacity: 120-130kgs Tilt-Lock Function Pneumatic Height Adjustment 360° Swivel Function		Mid-back office chair 360° swivel function Tilting Mechanism Chrome Plated Star-base Adjustable Height Lumbar Support Seating Capacity: 100-120kg	The specifications shall remain the same.
18-007: Chair			
Monoblock Chair Material: High Grade Plastic Stackable Color: White Seat Width: 383 mm Seat Height: 446 mm Thickness: 45 mm Seat Depth: 330 - 400 mm Backrest Height: 800 - 900 mm		Monoblock Chair Seat Width: 370 mm Front Legs Distance: 355 mm Side Legs Distance: 365mm Back Rest Height: 780 mm Seat Length: 355mm Seat Height: 375 mm Can Carry up to 200kg Strong Solid Plastic Color: White	The specifications shall remain the same, except the below requirements: Seat Width: Max. 383 mm Seat Height: Max. 446 mm Thickness: Max 45 mm Seat Depth: Min. 330 mm - Max. 400 mm Backrest Height: Min. 800 mm - Max. 900 mm
18-008: Gang Chair			
 5-seater L290*W62*H76 (cm) Seat Width: 46CM Gross Weight: 26 KG 		 5 Seater L286cm x W68cm x H77cm Steel Arm and Leg frame with chrome plated finish Powder Coated, top quality steel beam 	The specifications shall remain the same but the prospective bidders can offer color variants for its finish.

Item No. and Name/Agency Specification	World Solution Technology, Inc.	Christine-Arcy Furniture Designs, Inc.	TESDA response
Weight-bearing: 150KG per seat Backrest height: 52 cm Gray Materials: Arm and leg frames are steel with chrome plated finish, beam section steel, powder coated Perforated seat design		 Can carry 150kg weight per seat Perforated Seat and Back Color: Gray/Silver 	
18-009: Reception Desk			
Specification: • Main Table: 2200mm L x 600mm D x 1100mm H • Material: 25mm E1 Resistant Board + Plywood d • Cabinet carcass in 18mm thick HPL laminated E1 board • Sidings in 2mm PVC edge band Features: • With built in grommet wire management • (4) Hanging Drawer cabinet with lock and key • Full extension soft close drawer guide • With 1 CPU open shelves storage • Metal Brackets • Adjustable feet leveler • Installation and maintenance	No Technical Specification, we respectfully request if we can relax it Manufacturer's Std.	Overall Dimension: 1600mm L x 600mm D x 1100mm H Desk Height: 750mm Material: Plywood in Laminated Finish	The end-user to provide the specification and sample image.
18-010: Locker Cabinet		 9-door Locker 3-Layer Utility Cabinet Material: Steel Metal Color: Powder Coated Light Gray Dimension: L90cm x D40cm x H185cm 	The specifications shall remain the same.

Item No. and Name/Agency Specification	World Solution Technology, Inc.	Christine-Arcy Furniture Designs, Inc.	TESDA response
		Gauge: 22mm with Hasp Provision for padlock and built-in locking mechanism	
9-door locker 3-Layer Utility Cabinet Material: Steel Metal Color: Powder coated Light Gray Dimension: W900- 1000 x D400-500 x H1850-2000 mm Gauge: 22mm with hasp provision for padlock and built- in locking mechanism			
18-011: 4-Layer Lateral Filing Cabinet			
Dimension: W 900mm x D 450mm x H 1331 mm 4 drawer lateral cabinet Central lock Material: Steel A4/F4 File Storage Color: White drawers and brown/bronze sides	We respectfully request if we can relax it to Manufacturer's Std.	 Dimension: W 900mm x D 450mm x H1331mm 4 drawer lateral cabinet Central Lock Material: Steel A4/F4 File Storage Color: White drawer with brown/bronze sides 	The specifications shall remain the same.
18-012: Full Height Glass Sliding Door Cabinet			
• Steel Cabinet with Glass Sliding Door Width: 450 cm (outer side of the cabinet) Depth: 90 cm +-10% (outer side of the cabinet) Height: 185 cm +-10% (from floor to top edge of the cabinet) • A4 /F4 file storage • 4 adjustable	We respectfully request if we can relax it to 400-450 cm (outer side of the cabinet). May we also request for a picture of this Item.	 2-Doors Sliding Glass Steel Cabinet Powder Coated Finish 4 Adjustable Shelves divider 5 Levels Centralized Locking Mechanism Color: Light Gray 	The specifications shall remain the same. The end-user to provide the sample image.

Item No. and Name/Agency Specification	World Solution Technology, Inc.	Christine-Arcy Furniture Designs, Inc.	TESDA response
shelves, 5 levels • Centralized Locking Mechanism • Color: Textured Light Grey			
18-013: 5 Layer Open Shelf Cabinet			
Dimension: 1800(H) x 900(W) x 400(D) mm 5 Layer open shelf, adjustable shelf 0.6mm thickness Steel material Textured light gray		Dimension: 800mm W x 400mm D x 1800mm H 5 Layer Open Shelf Adjustable Shelves Steel material Color: Light Gray	The specifications shall remain the same, except the below requirement: Dimension: Max. 1800(H) x 900(W) x 400(D) mm

For the information and guidance of all concerned.

BAC Chairperson/
Deputy Director General TESD Operations

Lot 12 : 3D Printing Technology

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Metal 3D Printer	Kindly refer to the	1	set			
2	Fused Deposition Modeling 3D Printer	technical specifications attached as Revised Annex	5	set			
3	3D Scanner	D12.	5	set			

^{*} Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex D12.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder	Signature over Printed Name of	Date
•	Authorized Representative	

REVISED ANNEX D12

Lot No.	Lot	Code	Item	Agency Specification	Classification	Test Procedure (Post Evaluation)	Test Procedure (Inspection and Acceptance)	English Manual
12	3D Printing Technology	12-001	Metal 3D Printer	Refer to Technical Specification of Item Code 12-001	Equipment	Evaluation of Brochure with	- Checking the conformity with the quantity including parts and accessories - Checking the conformity of hardware vis-a-vis offered specifications - Functionality testing	Yes
12	3D Printing Technology			Refer to Technical Specification of Item Code 12-002	Equipment	picture and/or data sheet and training proposal	- Checking the conformity with the quantity including parts and accessories - Checking the conformity of hardware vis-a-vis offered specifications - Functionality testing	Yes
12	3D Printing Technology	12-003	3D Scanner	Refer to Technical Specification of Item Code 12-003	Equipment		- Checking the conformity with the quantity including parts and accessories - Checking the conformity of hardware vis-a-vis offered specifications - Functionality testing	Yes

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.					
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date			

REVISED

TECHNICAL SPECIFICATION

Name of The Equipment	Metal 3D Printer
Item Code	12-001
Technology Area(s)	3D Printing Technology

Technical Specification

- Print technology: MFFF (Metal Fused Filament Fabrication) and/or similar Metal 3D printing technology
- Build volume: at least 300 x 200 x 180mm
- Material Compatibility: Compatible with stainless steel, Tool Steel, High Purity Copper (99.8%), Inconel, Ceramic release
- Print Head: Dual Extrusion Print head Two nozzles Metal material and release material
- Nozzle diameter: 0.4mm and 0.25mm
- Print Head Technology: Dual extruder
- Layer resolution: Compatible up to 50 micron or better
- Certification: CE/FCC
- Enclosure: Fully enclosed system with heated print chamber
- Heated bed: Vacuum enabled print bed must be able to reach at least 70 degree celsius or higher
- Printer should be able to connect to a printer management system that can track the users, print times, print consumption and other statistics
- Bed leveling should be an automatic leveling system
- Connectivity: Wifi, Ethernet, LAN, USB Drive Connectivity
- Power Requirements: 110-240VAC, 60Hz, Single-phase
- File type: STL
- Includes separate unit of Laboratory Sintering Furnace capable of reaching at least 1300C and is carbon free retort
 - Size Capacity: 140mm ID x 300mm L and can accommodate batch processing
- All metal materials from printing system are able to be sintered in furnace
- Gas Type: Argon and Mixes gas, locally available Open source non-proprietary
- Includes slicing software (perpetual license) with template of material parameters readily available for debinding and sintering process
- Software Security: Two-factor authentication, org admin access, single sign-on
- Metal 3D printer, debinding station and sintering furnace should be the same brand and can be operated using one software for compatibility
- Different layer settings do not require any nozzle change
- Different metal materials do not require any nozzle change
- Offer must include training certification from the manufacturer for the end-user to become Certified Additive Expert in Metal 3D Printing. Attached certification curriculum.

Additional requirements:

- Certificate of authority to sell from the manufacturer or local distributor/reseller
- Certificate of End of Life (EOL) Service from the Manufacturer and/or Supplier for 5 years
- Proof of certified trainer issued by the manufacturer

Package inclusion:

- All accessories and set of consumables, depending on the 3D metal printing machine requirements to ensure the machine operability.
- Depending on the print technology offered, the package may include, debinding, sintering machine, vacuum, sand blasting machine, etc.

Sample Image:



Picture for reference only

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder Signature over Printed Name of Date
Authorized Representative

REVISED

TECHNICAL SPECIFICATION

Name of The Equipment	Fused Deposition Modeling 3D Printer
Item Code	12-002
Technology Area(s)	3D Printing Technology

Technical Specification

Nozzle temperature	At least 260 degree celsius
Printing size	At least 200 x 200 x 250 mm or larger
Maximum printing speed	250mm/s
Leveling	Auto-levelling or better
Extruder	Single; Nozzle size: 0.4mm
Motherboard	32 bit silent motherboard or equivalent
Data transmission	SD card and USB/Type C USB, WiFi
Language	English
Others	Touchscreen
Accessories	Extruder cleaning kit4 spool PLA2 spool ABS2 spool PETG
Other Requirements	 Certificate of authority to sell from the manufacturer or local distributor/reseller Certificate of End of Life (EOL) Service from the Manufacturer and/or Supplier for 5 years

I hereby certify that the statemetrue and correct, otherwise, qualification, the same shall give	d evaluation or post-	
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date

TECHNICAL SPECIFICATION

Name of The Equipment	3D Scanner
Item Code	12-002
Technology Area(s)	3D Printing Technology

Technical Specification

- Handheld 3D Scanner for medium to large object with built-in touchscreen interface
- 3D point accuracy up to 0.1mm
- 3D resolution up to 0.6mm or better
- Field of View: 280 x 360mm to 490 x 650mm
- Data processing algorithms: Geometry and textured based
- Ability to capture texture, light source: white LED
- Texture resolution: 2.3mp
- 3D Reconstruction rate: 16fps or equivalent
- Data acquisition speed: at least 3mln points /sec or higher
- Built-in onboard screen, touchscreen interface
- System requirements: Intel core i7 or i9, 64+GB RAM NVIDIA GPU with 8+GB VRAM Complete accessories
- 3D Formats: OBJ, PLY, STL, etc
- User's Manual (English)
- Certificate of authority to sell from the manufacturer or local distributor/reseller
- Certificate of End of Life (EOL) Service from the Manufacturer and/or Supplier for 5
 Years
- Training certificate provided by manufacturer to certified trainer (see section 6 of the bidding document for details)

Package inclusions:

- 1 Unit Battery
- 1 Unit Hard Case
- 1 Set USB Kit
- 1 Set Licensed 3D Scanning Software

Sample Image:



Picture for reference only

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder Signature over Printed Name of Date
Authorized Representative

Lot 14 : IT Equipment

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Desktop Computer for Productivity Application		125	set			
2	Desktop Computer for Photo and Video Editing	Kindly refer to the technical	5	set			
3	Laptop	specifications	150	set			
4	Interactive SMART TV	attached as Revised Annex	15	set			
5	A3 Inkjet Printer	D14.	15	set			
6	A4 Inkjet Printer		15	set	_		
7	Network Attached Storage		5	set			
8	Wireless Router		50	set			

^{*} Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex D14.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder	Signature over Printed Name of	Date
	Authorized Representative	

REVISED ANNEX D14

Lot No.	Lot	Code	Item	Agency Specification	Classification	Test Procedure (Post Evaluation)	Test Procedure (Inspection and Acceptance)	English Manual
14	IT Equipment	14-001	Desktop Computer for Productivity Application	- OS: Windows 11 or higher - Core i7 11th Gen or higher - 8GB DDR4 or faster - 1TB HDD, 2GB dedicated graphics - 220VAC 60Hz compliant - 21.5 inch monitor FHD - With Mouse and Keyboard - With MS Office	Equipment	Evaluation of Brochure with picture and/or data sheet	- Checking of specification and quantity (offered vs. actual) - Check package completeness - Functionality test - 24 hr burn-in test	Yes

Lot No.	Lot	Code	Item	Agency Specification	Classification	Test Procedure (Post Evaluation)	Test Procedure (Inspection and Acceptance)	English Manual
14	IT Equipment	14-002	Editing	- M2 Chip or higher - IOS newest version - 8-core CPU - 10-core GPU or higher - 2TB storage or higher - 24-inch 4.5K Retina Display or better - 16GB memory or higher - Wireless and wired ethernet - 220VAC 60Hz compliant Includes: - Final Cut Pro - Logic Pro - Magic keyboard with touch ID - Magic mouse Additional Requirements: Certificate of authority to sell from the manufacturer or local distributor/reseller Certificate of End of Life (EOL) Service from the Manufacturer and/or Supplier (5 years)	Equipment	Evaluation of Brochure with picture and/or data sheet	- Checking of specification and quantity (offered vs. actual) - Check package completeness - Functionality test - 24 hr burn-in test	Yes

Lot No.	Lot	Code	Item	Agency Specification	Classification	Test Procedure (Post Evaluation)	Test Procedure (Inspection and Acceptance)	English Manual
14	IT Equipment	14-003	Laptop	Processor & Chipset: 16 cores 32 threads RAM Memory: 32 GB DDR5 4800 MHz Solid State Drive (SSD): 2TB + 2TB M.2 NVMe PCIe 4.0 Performance RAID0 SSD Screen Size: 15-16 inch Type & Capacity: 90WHrs, 4S1P, 4-cell Li-ion battery Battery Timing: Up to 8 Hours Power Supply: Wattage Ø6.0, 240W AC Adapter Output: 20V DC, 12A, 240W Input: 100~240V AC 50/60Hz universal with licensed OS (Windows 11 or higher) with licensed Microsoft Office 2019 or higher	Equipment	Evaluation of Brochure with picture and/or data sheet	- Checking of specification and quantity (offered vs. actual) - Check package completeness - Functionality test - 24 hr burn-in test	Yes
14	IT Equipment	14-004	Interactive SMART TV	75" LED Touchscreen 4K Ultra HD Connectivity: Wi-Fi, LAN 3 HDMI Ports and USB HDMI, Audio, Headphone output 200 PQI (Picture Quality Index), 3200 HDR (High Dynamic Range) AC 110V-240V 50/60Hz Includes Operation Manual, Remote Control, Base Stand with HDMI cable, 5 meters built-in camera and mic (optional) Additional Requirements: Certificate of authority to sell from the manufacturer or local distributor/reseller Certificate of End of Life (EOL) Service from the Manufacturer and/or Supplier (5 years)	Equipment	Evaluation of Brochure with picture and/or data sheet	- Checking of specification and quantity (offered vs. actual) - Check package completeness - Functionality test - 24 hr burn-in test	Yes

Lot No.	Lot	Code	Item	Agency Specification	Classification	Test Procedure (Post Evaluation)	Test Procedure (Inspection and Acceptance)	English Manual
14	IT Equipment	14-005	A3 Inkjet Printer	 print, scan, copy, fax wide format inkjet printer Tank type ink system 1200 x 4800 dpi print resolution print width 291mm, 297mm (borderless) 250 or above sheets input tray 100 sheets output tray LCD touch screen LAN and WiFi Connectivity Supports mobile device direct print and full duplex printing 	Equipment		- Checking of specification and quantity (offered vs. actual) - Check package completeness - Functionality test	Yes
14	IT Equipment	14-006	A4 Inkjet Printer	 With Print, Scan, Copy, Fax features Tank type ink system Supports A4 and Legal Paper sizes Approximately 15 page per minute (Black) Can scan documents over network environment Photo Quality WiFi Connectivity Support full duplex printing 	Equipment		- Checking of specification and quantity (offered vs. actual) - Check package completeness - Functionality test	Yes

Lot No.	Lot	Code	Item	Agency Specification	Classification	Test Procedure (Post Evaluation)	Test Procedure (Inspection and Acceptance)	English Manual
14	IT Equipment	1/1-(1()/	Network Attached Storage	- Dual Core Processor, 3.1 Ghz or higher - 6GB RAM or higher - 4 Bays or more - Hot swappable HD - 2 built in M.2 SSD - 2x GbE LAN - 2 USB port - Windows and Mac Compatible Includes: - 4x8TB NAS HD - 220V 60Hz Power supply - Management Software/OS	Equipment		- Checking of specification and quantity (offered vs. actual) - Check package completeness - Functionality test - 24 hr burn-in test	Yes
14	IT Equipment	14-008	Wireless Router	Dual band 2.4 and 5 GHz Networks Standard: 802.11b, 802.11a, 802.11n, 802.11ac, 802.11gi 3000-7200 Mbps 6 x Gigabit Ethernet LAN Ports 1 x Gigabit Ethernet WAN Port 2 x USB 3.0 Ports Google Assistant Integration, Amazon Alexa Integration and/or similar or equivalent technology -Adaptor/Charger 220 - 240v 60Hz	Equipment		- Checking of specification and quantity (offered vs. actual) - Check package completeness - Functionality test - 24 hr burn-in test	Yes

Date
over Printed Name of Authorized Representative

Lot 16 : Closed-circuit Television Units

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Dome Turret Type 2MP Camera with Audio	Kindly refer to the technical specifications	35	set			
2	Bullet Type Camera 2MP	attached as Revised Annex D16.	20	set			

^{*} Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex D16.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder Signature over Printed Name of Date

Authorized Representative

REVISED ANNEX D16

Lot No.	Lot	Code	Item	Agency Specification	Classification	Test Procedure (Post Evaluation)	Test Procedure (Inspection and Acceptance)	English Manual
16	Closed-circuit Television Units	16-001	Dome Turret Type 2MP Camera with Audio	1/2.8" Progressive Scan CMOS H.265+/H.265/H.264+/H.264/MJPEG Color: 0.002 lux @(F1.4, AGC ON), 0 lux with IR 25fps/30fps(1920×1080) VCA functions; 3 streams 3D DNR; BLC; ICR; EXIR; DC12V&PoE Built-in micro SD/SDHC/SDXC slot Connect cloud service	Equipment		 Checking of specification and quantity (offered vs. actual) Check package completeness Functionality test 24 hr burn-in test 	Yes
16	Closed-circuit Television Units	16-002	Bullet Type Camera 2MP	1/2.8" Progressive Scan CMOS H.265+/H.265/H.264+/H.264/MJPEG Color: 0.002 lux @(F1.4, AGC ON), 0 lux with IR 25fps/30fps(1920×1080) VCA functions; 3 streams 3D DNR; BLC; ICR; EXIR; DC12V&PoE Built-in micro SD/SDHC/SDXC slot Connect cloud service Built-in microphone and speaker, Audio/Alarm I/O		Evaluation of Brochure with picture and/or data sheet	- Checking of specification and quantity (offered vs. actual) - Check package completeness - Functionality test - 24 hr burn-in test	Yes

	evaluation or post-qualification, the same shall give rise to	,
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date

Lot 18 : Teaching and presentation equipment

No.	Item	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference				
1	Trainer table, long		25	рс							
2	Foldable Training Table		250	рс							
3	Computer Table		25	рс							
4	Conference Table, 14-seater		5	рс							
5	Executive Chair	Maralla na fan ta tha	75	рс							
6	Gas Lift Chair	Kindly refer to the	250	рс							
7	Chair	technical	500	рс							
8	Gang Chair	specifications attached as	5	рс							
9	Reception Desk	Revised Annex	5	рс							
10	Locker Cabinet	D18.	15	рс							
11	A-Layer Lateral D18.										
12	Full Height Glass Sliding Door Cabinet		15	рс							
13	5 layer open shelf cabinet		15	рс							
corresp a Bidde uncond stateme evaluat either d liable fo All too Datashe	conding performance parameters Bid and cross-reference litional statements of specification and statements of specification in that is not supported by exicon liable for rejection. A state during Bid evaluation, post-quater prosecution subject to the abols, equipment, gadgets are eet/Specification Sheet/Brochtion Manual is an instructional	Comply" or "Not Comply" against of the equipment offered. So to that evidence. Evidentiation and compliance issued by widence or is subsequently for ement either in the Bidder's stallification or the execution of the pplicable laws and issuances and electrically operated ourse as indicated in Annex D18 all book or booklet that is sup	Statements ce shall be the man und to be tatement contract. instruments.	s of "Comp be in the furfacturer, contradicte of complian t may be re	oly" or "Not Comply" muform of manufacturer's samples, independented by the evidence preside or the supporting elegarded as fraudulent and have Standard Manufacturers.	ust be supports un-amended test data etc., sented will ren vidence that is and render the	ed by evidence in d sales literature, as appropriate. A der the Bid under found to be false Bidder or supplier Manual and/or				
Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer. I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.											
Na	Name of Company/Bidder Signature over Printed Name of Date Authorized Representative										

REVISED ANNEX D18

Lot No.	Lot	Code	Item	Agency Specification	Classification	Test Procedure (Post Evaluation)	Test Procedure (Inspection and Acceptance)	English Manual
18	Office Furniture	18-001	Trainer table, long	2 layer folding table 140x60x75 cm Steel frame black MFC tabletop in wooden finish, 1 inch thick With 4-adjustable feet, double spring design	Furniture		- Checking the conformity with the quantity including parts and accessories - Checking the conformity of hardware vis-a-vis offered specifications - Functionality testing	N/A
18	Office Furniture	18-002	Foldable Training Table	MDF top and modesty, Color: customized, flat edge Steel frame, Color: Gray Size: 140cm L x 50cm W x75cm H Two-layer With 4 caster wheels	Furniture		- Checking the conformity with the quantity including parts and accessories - Checking the conformity of hardware vis-a-vis offered specifications - Functionality testing	N/A
18	Office Furniture	18-003	Computer Table	Dimension (LxW): 1200 x 600 mm Material: MFC Worktop in Laminate Finish Adjustable height: 2-lifting column for height in 700-1180mm, 2mm thick Rectangular steel tube, 4-preset LED memory controller Motor: Single motor, 90-230V, speed in at least 20mm/s 4-hidden movable wheels Steel Legs in Powder Coat Finish			- Checking the conformity with the quantity including parts and accessories - Checking the conformity of hardware vis-a-vis offered specifications - Functionality testing	N/A
18	Office Furniture	18-004	Conference Table, 14-seater	 14 pax Conference Table Main Table: 3600mm L x 1200mm W x 750mm H Finish: E1 standard, beech color Top: 50mm thick board Sidings in 2mm PVC edge band Boat-shaped top Wire management (optional) With mid laminate accent Metal legs Adjustable feet leveler 	Furniture		- Checking the conformity with the quantity including parts and accessories - Checking the conformity of hardware vis-a-vis offered specifications - Functionality testing	N/A

Lot No.	Lot	Code	Item	Agency Specification	Classification	Test Procedure (Post Evaluation)	Test Procedure (Inspection and Acceptance)	English Manual
18	Office Furniture	18-005	Executive Chair	 High back chair with armrest Material: Polyurethane Upholstered seat and back Armrest and starbase Gas Lift: 75mm - 85mm Caster Type: Polypropylene Plastic Chair Seating Capacity: 120- 130kgs Tilt-Lock Function Pneumatic Height Adjustment 360° Swivel Function 	Furniture		- Checking the conformity with the quantity including parts and accessories - Checking the conformity of hardware vis-a-vis offered specifications - Functionality testing	N/A
18	Office Furniture	18-006	Gas Lift Chair	 Midback chair with armrest Material: Fabric seat and mesh back Armrest and starbase Gas Lift: 75mm - 85mm Caster Type: Polypropylene Plastic Chair Seating Capacity: 120- 130kgs Tilt-Lock Function Pneumatic Height Adjustment 360° Swivel Function 		Evaluation of Brochure with picture and/or	- Checking the conformity with the quantity including parts and accessories - Checking the conformity of hardware vis-a-vis offered specifications - Functionality testing	N/A
18	Office Furniture	18-007	Chair	 Monoblock Chair Material: High Grade Plastic Stackable Color: White Seat Width: Max. 383 mm Seat Height: Max. 446 mm Thickness: Max. 45 mm Seat Depth: Min. 330 mm - Max. 400 mm Backrest Height: Min. 800 mm - Max. 900 mm 	Furniture		- Checking the conformity with the quantity including parts and accessories - Checking the conformity of hardware vis-a-vis offered specifications - Functionality testing	N/A

Lot No.	Lot	Code	Item	Agency Specification	Classification	Test Procedure (Post Evaluation)	Test Procedure (Inspection and Acceptance)	English Manual
18	Office Furniture	18-008	Gang Chair	 5-seater L290*W62*H76 (cm) Seat Width: 46CM Gross Weight: 26 KG Weight-bearing: 150KG per seat Backrest height: 52 cm Gray Materials: Arm and leg frames are steel with chrome plated finish, beam section steel, powder coated Perforated seat design 	Furniture		- Checking the conformity with the quantity including parts and accessories - Checking the conformity of hardware vis-a-vis offered specifications - Functionality testing	N/A
18	Office Furniture	18-009	Reception Desk	Refer to Technical Specification of Item Code 18-009		Evaluation of Brochure with picture and/or data sheet	- Checking the conformity with the quantity including parts and accessories - Checking the conformity of hardware vis-a-vis offered specifications - Functionality testing	N/A
18	Office Furniture	18-010	Locker Cabinet	 9-door locker 3-Layer Utility Cabinet Material: Steel Metal Color: Powder coated Light Gray Dimension: W900-1000 x D400-500 x H1850-2000 mm Gauge: 22mm with hasp provision for padlock and built-in locking mechanism 	Furniture	- - -	- Checking the conformity with the quantity including parts and accessories - Checking the conformity of hardware vis-a-vis offered specifications - Functionality testing	N/A
18	Office Furniture	18-011	4-Layer Lateral Filing Cabinet	Dimension: W 900mm x D 450mm x H 1331 mm 4 drawer lateral cabinet Central lock Material: Steel A4/F4 File Storage Color: White drawers and brown/bronze sides	Furniture		- Checking the conformity with the quantity including parts and accessories - Checking the conformity of hardware vis-a-vis offered specifications - Functionality testing	N/A

Lot No.	Lot	Code	Item	Agency Specification	Classification	Test Procedure (Post Evaluation)	Test Procedure (Inspection and Acceptance)	English Manual
18	Office Furniture	18-012	Full Height Glass Sliding Door Cabinet	 Steel Cabinet with Glass Sliding Door Width: 450 cm (outer side of the cabinet) Depth: 90 cm +-10% (outer side of the cabinet) Height: 185 cm +- 10% (from floor to top edge of the cabinet) A4 /F4 file storage 4 adjustable shelves, 5 levels Centralized Locking Mechanism Color: Textured Light Grey 	Furniture	Evaluation of Brochure with picture and/or data sheet	- Checking the conformity with the quantity including parts and accessories - Checking the conformity of hardware vis-a-vis offered specifications - Functionality testing	N/A
18	Office Furniture	18-013	5 layer open shelf cabinet	Dimension: Max. 1800(H) x 900(W) x 400(D) mm 5 Layer open shelf, adjustable shelf 0.6mm thickness Steel material Textured light gray	Furniture		- Checking the conformity with the quantity including parts and accessories - Checking the conformity of hardware vis-a-vis offered specifications - Functionality testing	N/A

•	nent of compliance to the foregoing technical species e either during bid evaluation or post-qualification or bot-qualification in the compliance to the foregoing technical species.	· · · · · · · · · · · · · · · · · · ·
Name of Company/Diddor	Signature ever Drinted Name of Authorized	Doto
Name of Company/Bidder	Signature over Printed Name of Authorized	Date

Name of The Furniture	Trainer Table, Long
Item Code	18-001
Lot	Office Furniture

Sample Image:



TECHNICAL SPECIFICATION

Name of The Furniture	Reception Desk
Item Code	18-009
Lot	Office Furniture

Specification:

- Main Table: 2200mm L x 600mm D x 1100mm H
- Material: 25mm E1 Resistant Board + Plywood d
- Cabinet carcass in 18mm thick HPL laminated E1 board
- Sidings in 2mm PVC edge band

Features:

- With built in grommet wire management
- (4) Hanging Drawer cabinet with lock and key
- Full extension soft close drawer guide
- With 1 CPU open shelves storage
- Metal Brackets
- Adjustable feet leveler
- Installation and maintenance

Sample Image:



Front view

Back View



Picture for reference only

REVISED

Name of The Furniture	Full Height Glass Sliding Door Cabinet		
Item Code	18-012		
Lot	Office Furniture		

Sample Image:

