



**SUPPLEMENTAL/BID BULLETIN**

**BID BULLETIN NO. 02**  
**5 November 2020**

Name of Project: **Procurement of Starter Toolkits for the Implementation of FY 2020 Special Training for Employment Program (STEP) - Electrical and Electronics Sector**

Pursuant to Section 22.5 of the Revised Implementing Rules and Regulations of Republic Act No. 9184, this Bid Bulletin No. 2 is being issued to further clarify the provisions in the Bidding Documents with reference to the queries/concerns raised by the bidder/s.

**A. CLARIFICATION IN THE INVITATION TO BID:**

**1. On the schedule of the bid submission (Paragraph 7)**

<b>ORIGINAL</b>	<b>AMENDED</b>
Bids must be duly received by the BAC Secretariat through manual submission at the <b>office address indicated below on or before 9 November 2020 at 1:00 p.m.</b> Online submission is not yet available. Late bids shall not be accepted.	Bids must be duly received by the BAC Secretariat through manual submission at the <b>Main Lobby, TESDA Women's Center (TWC), Gate 1, TESDA Complex, Building 2, East Service Road, South Luzon Expressway (SLEX), Fort Bonifacio, Taguig City 1630 on or before <u>12 November 2020 at 8:00 a.m. to 9:00 a.m.</u></b> Online submission is not yet available. Late bids shall not be accepted.

**2. On the schedule of the opening of bids (Paragraph 9)**

<b>ORIGINAL</b>	<b>AMENDED</b>
Bid opening shall be on <b>9 November 2020 at 1:15 p.m.</b> , at the Tandang Sora Hall, TESDA Women's Center, Gate 1, TESDA Complex, Building 2, East Service Road, South Luzon Expressway (SLEX), Fort Bonifacio, Taguig City 1630. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.	Bid opening shall be on <b><u>12 November 2020 at 9:00 a.m. onwards</u></b> , at the Tandang Sora Hall, TESDA Women's Center, Gate 1, TESDA Complex, Building 2, East Service Road, South Luzon Expressway (SLEX), Fort Bonifacio, Taguig City 1630. Bids will be opened in the presence of the bidders' representative who choose to attend the activity.
xxx	xxx



**B. CLARIFICATION IN THE BIDDING DOCUMENTS:**

**1. On the validity of Bid Security (Clause 14.2 of the Instructions to Bidders [ITB])**

ORIGINAL	AMENDED
The Bid and bid security shall be valid until <b>9 March 2021</b> . Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.	The Bid and bid security shall be valid until <b>12 March 2021</b> . Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

**2. On the requirement for product certification (ITB Clause 20.1 of Section III. Bid Data Sheet and GCC Clause 4 of Section V. Special Conditions of the Contract)**

ORIGINAL	AMENDED
xxx  Imported products (for electronic products) should pass international quality control product standards and have international quality control product markings such as CE, ISO, ASTM, ASQC, AFCIQ, ASQ, DGQ, EOQC, IQA, and the like.	xxx  Imported products (for electronic products) should pass the international quality control product standards and have international quality control product markings such as but not limited to CE, ISO, ASTM, ASQC, AFCIQ, ASQ, DGQ, EOQC, and IQA.

**3. On the technical specifications of Screwdriver:**

Query of Reddot Imaging Philippines Inc.: "Philipps 1.5-2mm x 150mm and Philipps 1-1.5mm x 100mm is very thin and long for a screwdriver. Not industry standard and not common in the market. We would like to suggest for PH1 x 100mm and PH2 x 150mm which is usually the standard on Philipps screwdrivers."

LOT NO.	ORIGINAL	AMENDED
1	• Cushion Grip Screwdriver	• Cushion Grip Screwdriver
2	• Magnetized tip for easy pick-up of screws	• Magnetized tip for easy pick-up of screws
3		
4	• 6pcs - Slotted/standard 5.5-6.5mm x 150mm (±5mm)	• 6pcs - Slotted/standard 5.5-6.5mm x 150mm (±5mm) - Slotted/standard parallel 4.5-5mm x 100mm (± 5mm)




LOT NO.	ORIGINAL	AMENDED
	<ul style="list-style-type: none"> <li>- Slotted/standard parallel 4.5-5mm x 100mm (<math>\pm</math> 5mm)</li> <li>- Slotted/standard parallel 3-5mm x 100mm (<math>\pm</math> 5mm)</li> <li>- Slotted/standard parallel 4.5-5mm x 150mm (<math>\pm</math> 5mm)</li> <li>- Phillips- 1.5-2mm x 150mm (<math>\pm</math> 5mm)</li> <li>- Phillips -1-1.5mm x 100mm (<math>\pm</math> 5mm)</li> </ul>	<ul style="list-style-type: none"> <li>- Slotted/standard parallel 3-5mm x 100mm (<math>\pm</math> 5mm)</li> <li>- Slotted/standard parallel 4.5-5mm x 150mm (<math>\pm</math> 5mm)</li> <li>- PH2 x 150mm (<math>\pm</math> 5mm)</li> <li>- PH1 x 100mm (<math>\pm</math> 5mm)</li> </ul> <p>Kindly refer to Annexes "A", "B", "C", and "D" for the revised Section VII. Technical Specifications. Likewise, the test parameters for this item will be adjusted based on the amended technical specifications.</p>

**4. On the technical specifications of Desoldering Pump/Solder Sucker:**

Query of Reddot Imaging Philippines Inc. : The Tip Diameter size is not industry standard and is not common in the market. A larger sized tip is crucial for more efficient function. We suggest that the requirement for tip sizes be removed.

LOT NO.	ORIGINAL	AMENDED
1	<ul style="list-style-type: none"> <li>• anodized aluminum housing</li> </ul>	<ul style="list-style-type: none"> <li>• anodized aluminum housing</li> </ul>
2	<ul style="list-style-type: none"> <li>• high suction</li> </ul>	<ul style="list-style-type: none"> <li>• high suction</li> </ul>
3	<ul style="list-style-type: none"> <li>• Tip diameter: 2.2mm - 2.5mm</li> <li>• Tip Length: 10.5mm (<math>\pm</math>2mm)</li> </ul>	

For the information and guidance of all concerned.

  
**DDG LINA C. SARMIENTO**  
 Chairperson  
 Bids and Awards Committee

**ANNEX A**

Revised

Lot 1 : Assemble Electronics Products (Leading to EPAS NC II)

APPROVED BUDGET FOR THE CONTRACT : Seven Million Four Hundred Seventy-Three Thousand One Hundred Eight Pesos and 18/100 (P7,473,108.18)

No.	Item	Agency Specifications	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Multi-Tester	<ul style="list-style-type: none"> <li>• Analog</li> <li>• DCV Range: 0.1, 0.25, 2.5, 10, 50, 250, 1000 V</li> <li>• ACV Range: 10, 50, 250, 750 V</li> <li>• Internal Battery: with Battery Included</li> <li>• Internal Fuse: Over-voltage protection</li> <li>• Resistance: X1, X10 X100, X1K, X100k</li> </ul>	1	pc			
2	Soldering Iron	<ul style="list-style-type: none"> <li>• 30 watts, 220-240 volts/60hz</li> <li>• heat pencil tip</li> </ul>	1	pc			
3	Long Nose Plier	<ul style="list-style-type: none"> <li>• Overall Length: 8" (± 1/2")</li> <li>• Steel Alloy</li> <li>• Handle finish: plastic-dipped</li> </ul>	1	pc			
4	Diagonal Cutting Plier	<ul style="list-style-type: none"> <li>• Overall Length: 8" (± 1/4")</li> <li>• Material: Carbon Steel</li> <li>• Handle Finish: Ergonomic grip rubberized cushion</li> </ul>	1	pc			
5	Screwdriver	<ul style="list-style-type: none"> <li>• Cushion Grip Screw Driver</li> <li>• Magnetized tip for easy pick-up of screws</li> <li>• 6pcs <ul style="list-style-type: none"> <li>- Slotted/standard 5.5-.5mm x 150mm (± 5mm)</li> <li>- Slotted/standard parallel 4.5-5mm x 100mm (± 5mm)</li> <li>- Slotted/standard parallel 3-5mm x 100mm (± 5mm)</li> <li>- Slotted/standard parallel 4.5-5mm x 150mm (± 5mm)</li> <li>- PH2 x 150mm (± 5mm)</li> <li>- PH1 x 100mm (± 5mm)</li> </ul> </li> </ul>	1	set			





No.	Item	Agency Specifications	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
6	Desoldering Pump/Solder Sucker	<ul style="list-style-type: none"> <li>• anodized aluminum housing</li> <li>• high suction</li> </ul>	1	pc			

\* Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

**I hereby commit to comply and deliver all the above requirements in accordance with the above stated schedule.**

---

**Name of Company/Bidder**
**Signature over Printed Name of Authorized Representative**
**Date**

**Lot 2 : Electrical Installation and Maintenance NC II**

**APPROVED BUDGET FOR THE CONTRACT : Twenty-Nine Million Four Hundred Fifty-Seven Thousand Six Hundred Thirty-Four Pesos and 80/100 (₱29,457,634.80)**

No.	Item	Agency Specifications	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Multi-Tester	<ul style="list-style-type: none"> <li>• Analog</li> <li>• DCV Range: 0.1, 0.25, 2.5, 10, 50, 250, 1000 V</li> <li>• ACV Range: 10, 50, 250, 750 V</li> <li>• Internal Battery: with Battery Included</li> <li>• Internal Fuse: Over-voltage protection</li> <li>• Resistance: X1, X10 X100, X1K, X100k</li> </ul>	1	pc			
2	Electrician Plier	<ul style="list-style-type: none"> <li>• Overall Length: 8" (+/- 1/4")</li> <li>• Steel Alloy</li> <li>• Handle finish: plastic-dipped</li> </ul>	1	pc			
3	Long Nose Plier	<ul style="list-style-type: none"> <li>• Overall Length: 8" ± 1/2"</li> <li>• Steel Alloy</li> <li>• Handle finish: plastic-dipped</li> </ul>	1	pc			
4	Screwdriver	<ul style="list-style-type: none"> <li>• Cushion Grip Screw Driver</li> <li>• Magnetized tip for easy pick-up of screws</li> <li>• 6pcs                             <ul style="list-style-type: none"> <li>- Slotted/standard 5.5-.5mm x 150mm (± 5mm)</li> <li>- Slotted/standard parallel 4.5-5mm x 100mm (± 5mm)</li> <li>- Slotted/standard parallel 3-5mm x 100mm (± 5mm)</li> <li>- Slotted/standard parallel 4.5-5mm x 150mm (± 5mm)</li> <li>- PH2 x 150mm (± 5mm)</li> <li>- PH1 x 100mm (± 5mm)</li> </ul> </li> </ul>	1	set			



No.	Item	Agency Specifications	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
5	Automatic Wire Stripper	• Multi-functional tool	1	pc			
		• Stripping Capacity 0.2-6mm					
		• Stripping Length 6-10mm					
		• Cutting Capacity 0-10mm					
		• Crimp Capacity 1.5-6mm					
		• Made of forged steel					
		• With anti-slip handle					
6	Pull-Push Rule	• Blade length 8m/26ft	1	Pc			
		• Blade width 1"					
		• High impact ABS case with durable rubber					
		• Corrosion resistant tru-zero end					
7	Heat Gun	• Power : 2000W	1	pc			
		• Voltage: AC220V-230V 60Hz					
		• Heat Setting : variable					
		• Switch Control : 2 stages					
		• Temperature : 50-450 deg / 90-800 deg					
		• Cord Length: 1 meter					
		• Power Plug: US Type					

\* Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

**I hereby commit to comply and deliver all the above requirements in accordance with the above stated schedule.**

<b>Name of Company/Bidder</b>	<b>Signature over Printed Name of Authorized Representative</b>	<b>Date</b>
-------------------------------	---	-------------





**ANNEX C**

Revised

Lot 3 : Service Consumer Electronic Products and Systems (Leading to EPAS NC II)  
 APPROVED BUDGET FOR THE CONTRACT : Four Million Two Hundred Eighty-Two Thousand Six Hundred Seventy Pesos and 14/100 (P4,282,670.14)

No.	Item	Agency Specifications	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Multi-Tester	• Analog	1	pc			
		• DCV Range: 0.1, 0.25, 2.5, 10, 50, 250, 1000 V					
		• ACV Range: 10, 50, 250, 750 V					
		• Internal Battery: with Battery Included					
		• Internal Fuse: Over-voltage protection					
		• Resistance: X1, X10 X100, X1K, X100k					
2	Soldering Iron	• 30 watts, 220-240 volts/60hz	1	pc			
		• heat pencil tip					
3	Long Nose Plier	• Overall Length: 8" ± 1/2"	1	pc			
		• Steel Alloy					
		• Handle finish: plastic-dipped					
4	Diagonal Cutting Plier	• Overall Length: 8" (± 1/4")	1	pc			
		• Material: Carbon Steel					
		• Handle Finish: Ergonomic grip rubberized cushion					
5	Screwdriver	• Cushion Grip Screw Driver	1	set			
		• Magnetized tip for easy pick-up of screws					
		• 6pcs					
		- Slotted/standard 5.5-.5mm x 150mm (± 5mm)					
		- Slotted/standard parallel 4.5-5mm x 100mm (± 5mm)					
		- Slotted/standard parallel 3-5mm x 100mm (± 5mm)					
		- Slotted/standard parallel 4.5-5mm x 150mm (± 5mm)					
		- PH2 x 150mm (± 5mm)					
		- PH1 x 100mm (± 5mm)					



No.	Item	Agency Specifications	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
6	Desoldering Pump/Solder Sucker	<ul style="list-style-type: none"> <li>• anodized aluminum housing</li> <li>• high suction</li> </ul>	1	pc			
7	Automatic Wire Stripper	<ul style="list-style-type: none"> <li>• Multi-functional tool</li> <li>• Stripping Capacity 0.2-6mm</li> <li>• Stripping Length 6-10mm</li> <li>• Cutting Capacity 0-10mm</li> <li>• Crimp Capacity 1.5-6mm</li> <li>• Made of forged steel</li> <li>• With anti-slip handle</li> </ul>	1	pc			

\* Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

**I hereby commit to comply and deliver all the above requirements in accordance with the above stated schedule.**

\_\_\_\_\_  
**Name of Company/Bidder**                      **Signature over Printed Name of Authorized Representative**                      **Date**



**Lot 4 : Assembly of Solar Nightlight and Post Lamp**

**APPROVED BUDGET FOR THE CONTRACT : Two Million Six Hundred Eighty-Three Thousand Six Hundred Nine Pesos and 92/100 (P2,683,609.92)**

No.	Item	Agency Specifications	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Multi-Tester	• Analog	1	pc			
		• DCV Range: 0.1, 0.25, 2.5, 10, 50, 250, 1000 V					
		• ACV Range: 10, 50, 250, 750 V					
		• Internal Battery: with Battery Included					
		• Internal Fuse: Over-voltage protection					
		• Resistance: X1, X10 X100, X1K, X100k					
2	Soldering Iron	• 30 watts, 220-240 volts/60hz	1	pc			
		• heat pencil tip					
3	Long Nose Plier	• Overall Length: 8" ± 1/2"	1	pc			
		• Steel Alloy					
		• Handle finish: plastic-dipped					
4	Diagonal Cutting Plier	• Overall Length: 8" (± 1/4")	1	pc			
		• Material: Carbon Steel					
		• Handle Finish: Ergonomic grip rubberized cushion					
5	Screwdriver	• Cushion Grip Screw Driver	1	set			
		• Magnetized tip for easy pick-up of screws					
		• 6pcs					
		- Slotted/standard 5.5-.5mm x 150mm (± 5mm)					
		- Slotted/standard parallel 4.5-5mm x 100mm (± 5mm)					
		- Slotted/standard parallel 3-5mm x 100mm (± 5mm)					
		- Slotted/standard parallel 4.5-5mm x 150mm (± 5mm)					
		- PH2 x 150mm (± 5mm)					
- PH1 x 100mm (± 5mm)							





No.	Item	Agency Specifications	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
6	Desoldering Pump/Solder Sucker	<ul style="list-style-type: none"> <li>• anodized aluminum housing</li> <li>• high suction</li> </ul>	1	pc			

\* Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

**I hereby commit to comply and deliver all the above requirements in accordance with the above stated schedule.**

<b>Name of Company/Bidder</b>	<b>Signature over Printed Name of Authorized Representative</b>	<b>Date</b>
-------------------------------	---	-------------

